

|                                                                                        |                   |                                                 |                                      |
|----------------------------------------------------------------------------------------|-------------------|-------------------------------------------------|--------------------------------------|
| <b>RENISHAW®</b><br><small>Map. Made in Britain - under E.C.C. Class. England.</small> |                   | <b>SPRINKLER No.</b><br><b>C-2249-0680-01-A</b> |                                      |
| <b>MODEL</b><br><b>COMPACT RADIO - 224 MHz</b>                                         | <b>DATE STAMP</b> | <b>TX BOARD</b>                                 | <b>FIRST ISSUE No.</b><br><b>GJA</b> |
| <b>SHEET SIZE</b>                                                                      |                   |                                                 | <b>CHECKED</b><br><b>1 OF 1</b>      |
|                                                                                        |                   |                                                 | <b>ISSUE DATE</b><br><b>12/01/00</b> |


1. THE PARTIES AGREE TO SETTLE THE MATTER BY ARBITRATION.  
 2. THE ARBITRATION SHALL BE CONDUCTED BY A SINGLE ARBITRATOR.  
 3. THE ARBITRATOR SHALL BE APPOINTED BY THE PARTIES.  
 4. THE ARBITRATION SHALL BE CONDUCTED IN ACCORDANCE WITH THE  
 ARBITRATION RULES OF THE INTERNATIONAL CHAMBER OF COMMERCE.  
 5. THE ARBITRATION SHALL BE CONDUCTED IN THE CITY OF NEW YORK.  
 6. THE ARBITRATION SHALL BE CONDUCTED IN THE ENGLISH LANGUAGE.  
 7. THE ARBITRATION SHALL BE CONDUCTED IN THE CITY OF NEW YORK.  
 8. THE ARBITRATION SHALL BE CONDUCTED IN THE ENGLISH LANGUAGE.  
 9. THE ARBITRATION SHALL BE CONDUCTED IN THE CITY OF NEW YORK.  
 10. THE ARBITRATION SHALL BE CONDUCTED IN THE ENGLISH LANGUAGE.

# RENISHAW®

[illegible]


DRAWING NO.

**C-2249-0680-01-A**




FCC ID: KQG RMP3-224

| SEE PREVIOUS STANDARD FOR DEFINITION OF SYMBOLS.                                                                                                                                                                                  |  | TITLE                      |  | FIRST ISSUE No. |  | DRAWN BY |  | DATE        |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|----------------------------|--|-----------------|--|----------|--|-------------|--|
| UNLESS OTHERWISE STATED -<br>ALL DIMENSIONS IN MILLIMETRES TOL. ±0.25 ANGLES .1°<br>HOLE PATTERN - CHAMFER ON NO. 5 MAX.<br>INTERNAL RADIUS 0.5 MAX. SURFACE TEXTURE -<br>THROUGH TO 32 RAAS 64/64.<br>DRAWING PRACTICE TO BS 308 |  | 30° ANGLE PROJECTION       |  | 1 OF 1          |  | GJA      |  | 22/04/99    |  |
| THIS DRAWING IS THE PROPERTY OF RENISHAW PLC - METROLOGY DIVISION. AND MAY NOT BE COPIED OR USED FOR ANY PURPOSE OTHER THAN THAT FOR WHICH IT IS SUPPLIED. WITHOUT THE EXPRESS WRITTEN AUTHORITY OF RENISHAW PLC.                 |  | R/                         |  | 1 OF 1          |  | CHECKED  |  | ISSUE DATE  |  |
| RENISHAW®                                                                                                                                                                                                                         |  | COMPACT RADIO - FPGA BOARD |  | MATERIAL        |  | SCALE    |  | DRAWING No. |  |
| NTS                                                                                                                                                                                                                               |  | C-2249-0540-05-A           |  | 4-12-2002-10.57 |  | 0540054  |  |             |  |




FCC ID: KQG RMP3-224

|                                                                                                                                                                                                                    |  |                                                                                       |  |                                 |  |                  |  |          |  |            |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|--|---------------------------------|--|------------------|--|----------|--|------------|--|
| SEE PROCESS STANDARDS PROVIDED FOR DEFINITION OF SYMBOLS.                                                                                                                                                          |  | 3/4 ANGLE PROJECTION                                                                  |  | TITLE                           |  | FIRST ISSUE NO.  |  | DRAWN BY |  | DRAWN DATE |  |
| UNLESS OTHERWISE STATED:                                                                                                                                                                                           |  |  |  | COMPACT RADIO - POWER/PIC BOARD |  |                  |  | GJA      |  | 22/04/99   |  |
| ALL DIMENSIONS IN MILLIMETRES TOL. AS IN ANGLES 1/4"                                                                                                                                                               |  |                                                                                       |  |                                 |  |                  |  |          |  |            |  |
| REMOVE SHARP CORNERS - CHAMFER ON R0.5 MAX.                                                                                                                                                                        |  |                                                                                       |  |                                 |  |                  |  |          |  |            |  |
| INTERNAL RADIUS 0.5 MAX. SURFACE TEXTURE -                                                                                                                                                                         |  |                                                                                       |  |                                 |  |                  |  |          |  |            |  |
| THREADS TO BS 3843 RA/UN.                                                                                                                                                                                          |  |                                                                                       |  |                                 |  |                  |  |          |  |            |  |
| DRAWING PRACTICE TO BS 308                                                                                                                                                                                         |  |                                                                                       |  |                                 |  |                  |  |          |  |            |  |
| THIS DRAWING IS THE PROPERTY OF RENISHAW PLC - METROLOGY DIVISION, AND MAY NOT BE COPIED OR USED FOR ANY PURPOSE. OTHER THAN THAT FOR WHICH IT IS SUPPLIED. WITHOUT THE EXPRESS WRITTEN AUTHORITY OF RENISHAW PLC. |  |                                                                                       |  | RENISHAW®                       |  | DRAWING NO.      |  |          |  |            |  |
|                                                                                                                                                                                                                    |  |                                                                                       |  |                                 |  | SCALE<br>1:100   |  |          |  |            |  |
|                                                                                                                                                                                                                    |  |                                                                                       |  |                                 |  | NTS              |  |          |  |            |  |
|                                                                                                                                                                                                                    |  |                                                                                       |  |                                 |  | C-2249-0520-03-A |  |          |  |            |  |
|                                                                                                                                                                                                                    |  |                                                                                       |  |                                 |  | 4-12-2002        |  |          |  |            |  |
|                                                                                                                                                                                                                    |  |                                                                                       |  |                                 |  | 000030           |  |          |  |            |  |




FCC ID: KQG RMP3-224

|                                                                                                                                                                                                                                                                                                                          |  |                      |  |                                                                                                                                                                                                                    |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|----------------------|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| SEE PROCESS STANDARDS PROVIDED FOR DEFINITION OF SYMBOLS.<br>UNLESS OTHERWISE SPECIFIED:<br>ALL DIMENSIONS IN MILLIMETERS TOL. $\pm 0.25$ ANGLES $\pm 0.5^\circ$<br>NEEDLE SHARP CORNERS - CHAMFER OR R0.5 MAX.<br>INTERNAL RADIUS R0.5 MAX. SURFACE TEXTURE -<br>FINISH TO BE 3245 Ra/IN.<br>DRAWING PRACTICE TO BE 800 |  | 9-4 ANGLE PROJECTION |  | THIS DRAWING IS THE PROPERTY OF RENISHAW P.C. - METROLOGY DIVISION. AND MAY NOT BE COPIED OR USED FOR ANY PURPOSE OTHER THAN THAT FOR WHICH IT IS SUPPLIED. WITHOUT THE EXPRESS WRITTEN AUTHORITY OF RENISHAW P.C. |  |
| TITLE<br>COMPACT RADIO - POWER/PIC BOARD                                                                                                                                                                                                                                                                                 |  | DRAWING NO.<br>GJA   |  | SCALE<br>N.T.S.                                                                                                                                                                                                    |  |
| FIRST ISSUE NO.<br>2                                                                                                                                                                                                                                                                                                     |  | CHECKED<br>2         |  | DATE<br>22/04/99                                                                                                                                                                                                   |  |
| MATERIAL TYPE CODE<br>R/                                                                                                                                                                                                                                                                                                 |  | MATERIAL<br>2        |  | ISSUE DATE                                                                                                                                                                                                         |  |
| RENISHAW®                                                                                                                                                                                                                                                                                                                |  | C-2249-0520-03-A     |  |                                                                                                                                                                                                                    |  |




FCC ID: KQG RMP3-224

|                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                   |                                                 |                                     |                                            |                                  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|-------------------------------------------------|-------------------------------------|--------------------------------------------|----------------------------------|
| <p>SEE PRECEDING STANDARD PROGRESS PER REPRESENTATION OF  UNLESS OTHERWISE STATED.</p> <p>ALL DIMENSIONS IN MILLIMETERS TOL. <math>\pm .25</math> ANGLES <math>\pm 2^\circ</math></p> <p>REMOVE SHARP CORNERS - CHAMFER BY NO.3 RAS.</p> <p>INTERNAL HAZES 0.3 MAX. SURFACE TEXTURE -</p> <p>THREADS TO BE 3649 Rg/IN.</p> <p>DRAWING PRACTICE TO BE 368</p> | <p>3/4 ANGLE PROJECTION</p>  | <p>TITLE</p> <p>COMPACT RADIO - OPTIC BOARD</p> | <p>FIRST ISSUE NO.</p> <p>GJA</p>   |                                            | <p>ISSUED BY</p> <p>21/09/99</p> |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                   |                                                 | <p>MATERIAL TYPE CODE</p> <p>R/</p> | <p>SHEET</p> <p>1 OF 2</p>                 | <p>CHECKED</p>                   |
| <p>THIS DRAWING IS THE PROPERTY OF RENISHAW S36 - METROLOGY DIVISION, AND MAY NOT BE COPIED OR USED FOR ANY PURPOSE, OTHER THAN THAT FOR WHICH IT IS SUPPLIED, WITHOUT THE EXPRESS WRITTEN AUTHORITY OF RENISHAW S36.</p>                                                                                                                                                                                                                         |                                                                                                                   | <p>SCALE</p> <p>U.S.S.</p> <p>NTS</p>           |                                     | <p>DRAWING NO.</p> <p>C-2249-0500-03-A</p> |                                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                   | <p>RENISHAW®</p>                                |                                     | <p>4-12-2002 10.44</p> <p>050003A</p>      |                                  |



|                                                                                                                                                                                                                    |  |                             |  |             |  |        |  |                  |  |          |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-----------------------------|--|-------------|--|--------|--|------------------|--|----------|--|
| SEE PRECEDING STANDARD FOR DEFINITIONS OF SYMBOLS.                                                                                                                                                                 |  | TITLE                       |  | DRAWING No. |  | SCALE  |  | REVISION         |  | DATE     |  |
| ALL DIMENSIONS IN MILLIMETERS TOL. $\pm 0.25$ ANGLES $\pm 0.5^\circ$                                                                                                                                               |  | COMPACT RADIO - OPTIC BOARD |  | GJA         |  | N.T.S. |  | C-2249-0500-03-A |  | 21/09/98 |  |
| NEEDLE SHARP CORNERS - CHAMFER ON R0.5 R45.                                                                                                                                                                        |  | MATERIAL TYPE CODE          |  | R /         |  | N.T.S. |  | C-2249-0500-03-A |  | 21/09/98 |  |
| INTERNAL HATCH 45 DEG. SURFACE TEXTURE -                                                                                                                                                                           |  | MATERIAL                    |  | R /         |  | N.T.S. |  | C-2249-0500-03-A |  | 21/09/98 |  |
| THREADS TO BE 3/64S $\phi$ 3/64S.                                                                                                                                                                                  |  | MATERIAL                    |  | R /         |  | N.T.S. |  | C-2249-0500-03-A |  | 21/09/98 |  |
| DRAWING PRACTICE TO BS 308                                                                                                                                                                                         |  | MATERIAL                    |  | R /         |  | N.T.S. |  | C-2249-0500-03-A |  | 21/09/98 |  |
| THIS DRAWING IS THE PROPERTY OF RENISHAW PLC - METROLOGY DIVISION, AND MAY NOT BE COPIED OR USED FOR ANY PURPOSE, OTHER THAN THAT FOR WHICH IT IS SUPPLIED, WITHOUT THE EXPRESS WRITTEN AUTHORITY OF RENISHAW PLC. |  | MATERIAL                    |  | R /         |  | N.T.S. |  | C-2249-0500-03-A |  | 21/09/98 |  |
| DRAWING PRACTICE TO BS 308                                                                                                                                                                                         |  | MATERIAL                    |  | R /         |  | N.T.S. |  | C-2249-0500-03-A |  | 21/09/98 |  |

FCC ID: KQG RMP3-224



FCC ID: KQG RMP3-224

|                                                                                                                                                                                                                                                                                                                                                                                                   |  |                                                                                       |  |                                                   |  |                           |  |                                 |  |                        |  |                  |  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|--|---------------------------------------------------|--|---------------------------|--|---------------------------------|--|------------------------|--|------------------|--|
| SEE PRECISION STANDARD PROVIDED FOR DEFINITION OF  SYMBOL.<br>UNLESS OTHERWISE SPECIFIED.<br>ALL DIMENSIONS IN MILLIMETERS TOL. .01 IN ANGLES .1°<br>REMOVE SHARP CORNERS - CHAMFER OR R0.5 MAX.<br>INTERNAL RADIUS 2.5 MAX. SURFACE TEXTURE -<br>FINISHES TO BE 32-43 Ra/IN.<br>DOWNSIDE PRACTICE TO BE 300 |  |  |  | TITLE<br>CENTRIFUGAL SWITCH BOARD                 |  | FIRST ISSUE NO.<br>1 OF 1 |  | DRAWN BY<br>GJA                 |  | CHECKED<br>GJA         |  | DATE<br>17/03/99 |  |
| THIS DRAWING IS THE PROPERTY OF RENISHAW P30 - METROLOGY DIVISION. AND MAY NOT BE COPIED OR USED FOR ANY PURPOSE OTHER THAN THAT FOR WHICH IT IS SUPPLIED. WITHOUT THE EXPRESS WRITTEN AUTHORITY OF RENISHAW P30.                                                                                                                                                                                 |  |                                                                                       |  | MATERIAL TYPE CODE<br>R / _____ MATERIAL<br>_____ |  |                           |  | DRAWING NO.<br>C-2249-0580-02-A |  | SCALE<br>U.S.A.<br>NTS |  |                  |  |
| RENISHAW®<br>Max. Rating<br>Resistor - 100Watt - 1000<br>Size, Resistor.                                                                                                                                                                                                                                                                                                                          |  |                                                                                       |  |                                                   |  |                           |  |                                 |  |                        |  |                  |  |

RENISHAW®

Renishaw  
Wotton - under - Edge  
Glouc, England.