

hp

REF 77.0 dB μ V

AT 10 dB

MKR 49.912 msec

.63 dB

PEAK

LOG


10

dB/

WA SB

SC VS

CORR



$$D.C. = \frac{21 \times 1.5 + 5 \times 0.43}{49.912}$$

$$= 0.674$$

$$A.F. = -3.4$$

CENTER 318.000 MHz

#RES BW 1.0 MHz

#VBW 30 kHz

SPAN 0 Hz

#SWP 55.0 msec

hp

REF 77.0 dB μ V

AT 10 dB

MKR 1.5000 msec
.56 dB

PEAK


LOG

10
dB/

WA SB

SC VS

CORR



CENTER 318.000 MHz

#RES BW 1.0 MHz


#VBW 30 kHz

SPAN 0 Hz
#SWP 20.0 msec

h
REF 77.0 dB μ V AT 10 dB MKR 438.75 msec
.00 dB

PEAK
LOG
10
dB/

WA SB
SC VS
CORR



CENTER 318.000 MHz
#RES BW 1.0 MHz

#VBW 30 kHz

SPAN 0 Hz
#SWP 650 msec

typ

REF 77.0 dB μ V

AT 10 dB

MKR 437.50 msec

-.05 dB

PEAK

LOG

10

dB/

WA SB

SC VS

CORR

CENTER 318.000 MHz

#RES BW 1.0 MHz

#VBW 30 kHz

SPAN 0 Hz

#SWP 5.00 sec

