

0610686

hp

REF -20.0 dBm

AT 10 dB

MKR 100.43 msec

-.02 dB

Duty Cycle

$$= \frac{(2 \times 4) + (20 \times 1.5) + (23 \times 0.75)}{100}$$

$$= 0.55 //$$

Average Factor

$$= 20 \log 0.55$$


$$= -5.1 \text{ dB}$$

PEAK

LOG

10

dB/



WA SB

SC FG

CORR

CENTER 433.976 MHz

SPAN 0 Hz

#RES BW 3.0 MHz

#VBW 3 MHz

#SWP 130 msec

0610686

hp

REF -20.0 dBm

AT 10 dB

MKR 15.000 msec

-66.29 dBm

PEAK

LOG


10

dB/

VA SB

SC VS

CORR



CENTER 433.976 MHz

#RES BW 3.0 MHz

#VBW 3 MHz

SPAN 0 Hz

#SWP 30.0 msec

1/1

MKR 2.7500 sec

REF -20.0 dBm

AT 10 dB

-36.77 dBm

PEAK

LOG


10

dB/

VA SB

SC VC

CORR



CENTER 433.976 MHz

#RES BW 3.0 MHz

#VBW 3 MHz

SPAN 0 Hz

#SWP 5.00 sec