

hp

REF -10.0 dBm

AT 10 dB

PEAK

LOG


10

dB/

WA SB

SC VC

CORR



$$\text{Duty Cycle} = \frac{4 \times 2 + 1.4 \times 16 + 0.7 \times 28}{100}$$

$$= \frac{50}{100}$$

$$= 0.5$$

$$\text{Average Factor} = -6.0 \text{ dB}$$

CENTER 433.935 MHz

#RES BW 3.0 MHz

#VBW 3 MHz

SPAN 0 Hz

#SWP 100 msec

tip

REF -10.0 dBm

AT 10 dB

PEAK

LOG


10

dB/

WA SB

SC VS

CORR



CENTER 433.935 MHz

#RES BW 3.0 MHz

#VBW 3 MHz


SPAN 0 Hz

#SWP 15.0 msec

tip
REF -10.0 dBm AT 10 dB MKR -206.25 msec
.05 dB

PEAK
LOG
10
dB/

WA SB
SC VS
CORR



CENTER 433.935 MHz

#RES BW 3.0 MHz

#VBW 3 MHz


SPAN 0 Hz

#SWP 500 msec

tip
REF -10.0 dBm AT 10 dB MKR 1.4375 sec
-16.50 dBm

PEAK
LOG
10
dB/

WA SB
SC VS
CORR



CENTER 433.935 MHz SPAN 0 Hz
#RES BW 3.0 MHz #VBW 3 MHz #SWP 5.00 sec