CE DOCUMENT EST LA PROPRIETE DE THOMSON-CSF. IL NE PEUT ETRE NI REPRODUIT, NI COMMUNIQUE A DES TIERS SANS AUTORISATION ECRITE D'UNE PERSONNE MANDATEE SPECIALEMENT A CET EFFET PAR LADITE SOCIETE.

THIS DOCUMENT IS THE PROPERTY OF THOMSON-CSF. IT SHALL NOT BE REPRODUCED OR TRANSMITTED TO A THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF THE SAID COMPAGNY.

ORDRE D'EVOLUTION					ARCHIVAGE		
NUMERO DE L'OE	DATE	FOLIO(S) MODIFIE(S)	NOUVEL INDICE	OPERATEUR	NUMERO DE L'ARCHIVE	DATE	OPERATEUR
0012013	**21/02/00**	**1 à 5**	**AB**	**GRANDJEAN**			
0012047	28/11/00	1 à 5	AC	A.GRANDJEAN			

MATERIEL=EVR 716/750
NUM_CARTE=4689689C
IND_CARTE=AA

DRAWING LAST_MODIFIED=Thu Feb 26 14:41:18 1998
LIGHTNING

IND	ORDRE EVOL. CHANGE ORDER	DATE	IND	ORDRE EVOL. CHANGE ORDER	DATE	IND	ORDRE EVOL. CHANGE ORDER	DATE
AB	0012013	21/01/00						
AA	CREATION	02/10/97	AC	0012047	28/11/00			

THOMSON-CSF COMMUNICATION
F0057

MATIERE/MATERIAL:
TOL. GENE/TOL. UNLESS 838513 CLASSE
TRAITEMENT/TREATMENT
TRAIT. SURFACE/SURFACE TREAT.
ETABLI PAR/DESIGNED BY: JM GIGOT
ECHELLE: SCALE:
TITRE/TITLE LIGHTNING
LANG.
APPROUVE PAR/APPROVED BY: M POUZOULET

THOMSON-CSF
DIVISION COMMUNICATIONS NAVIGATION IDENTIFICATION

NUMERO DE DOCUMENT/DOCUMENT NUMBER		FORMAT SIZE	FEUILLE SHEET
NUMERO D'ARTICLE/PART NUMBER	TYPE		No / Nbre
4689689C	030	3	1 / 5

AC IND

TP J44



* COMPONENTS NOT WIRED

TD2 — NC
TA3 — NC
TB3 — NC
TC3 — NC
TD3 — NC
TA4 — NC
TB4 — NC
TC4 — NC
TD4 — NC
TA5 — J3 5 MODE_A
TB5 — J4 8 TX232A
TC5 — MASSE
TD5 — J4 15 RX232A
TA6 — J4 17 LED_A1
TB6 — J3 3 LED_A2
TC6 — J4 19 LED_A3
TD6 — J3 2 LED_A4
TA7 — J4 20 LED_A5
TB7 — RESERVED_FOR_AGC
TC7 — NC
TD7 — J4 16 WRITEN
TA8 — J3 25 P5VT
TB8 — J3 9 P15VT
TC8 — J3 23 M15VT
TD8 — NC
TA9 — MASSE
TB9 — GPPS_IN
TC9 — NC
TD9 — NC
TA10 — J3 24 BLOSQLT
TB10 — J3 6 CANOCT
TC10 — J4 24 COMP
TD10 — NC

TA11 — NC
TB11 — NC
TC11 — NC
TD11 — NC
TA12 — NC
TB12 — NC
TC12 — NC
TD12 — NC
TA13 — NC
TB13 — NC
TC13 — NC
TD13 — NC
TA14 — NC
TB14 — NC
TC14 — NC
TD14 — NC
TA15 — NC
TB15 — NC
TC15 — NC
TD15 — NC

BP J44

PIN 1	ANTENNA RF INPUT
2	POWER INPUT +27.5V
3	SPARE
4	POWER INPUT GROUND
5	NO USED

MP J44

MA1 — MIKE_INPUT_HI
MB1 — MIKE_INPUT_LO
MC1 — PTT
MD1 — KEY_EVENT
MA2 — MAX_TRANS_CUTOFF
E15 1 2 (OPEN)
MB2 — AUDIO_GROUND
MC2 — DATA_LOADER_IN_A
MD2 — DATA_LOADER_IN_B
E16 1 2 (OPEN)
MA3 — R_SQL_H
MB3 — R_SQL_A
MC3 — R_SQL_L
MD3 — DC_GROUND
MA4 — SELF_TEST_DISCRETE
MB4 — AUDIO_GROUND_RETURN
MC4 — DATA_LOADER_OUT_A
MD4 — DATA_LOADER_OUT_B
MA5 — DATA_LINK_IN_HI
MB5 — DATA_LINK_IN_LO
MC5 — RESERVED_FOR_716_COMPATIBILITY
MD5 — 8.33KHZ_PRG_FOR_716_COMPATIBILITY
MA6 — DATA_FROM_OMS/CFDS*1_IN_A
MB6 — DATA_FROM_OMS/CFDS*1_IN_B
MC6 — DATA_FROM_OMS/CFDS*2_IN_A
MD6 — DATA_FROM_OMS/CFDS*2_IN_B
MA7 — FREQ/FUNCT_SEL_DATA_I/P_PORTB_A
MB7 — FREQ/FUNCT_SEL_DATA_I/P_PORTB_B
MC7 — VOICE/DATA_SELECT
MD7 — DATA_KEY_LINE
MA8 — ANTENNA_MONITOR_PRG
MB8 — DATA_LOADER_ENABLE
MC8 — FREQ_OFFSET_ENABLE
MD8 — DATA_KEY_LINE_RETURN
MA9 — SDI_CODE_INPUT_1
MB9 — SDI_CODE_INPUT_2
MC9 — GROUND
MD9 — RESERVED_FOR_AGC
MA10 — PROGRAM COMMON
MB10 — INTERLOCKING*
MC10 — DATA_TO_BOTH_CMUS_OUT_A
MD10 — DATA_TO_BOTH_CMUS_OUT_B
MA11 — FREQ/FUNCT_SEL_DATA_I/P_PORTA_A
MB11 — FREQ/FUNCT_SEL_DATA_I/P_PORTA_B
MC11 — SW_MAINT_ID_1*

MD11 — DATA_SELECT_DISCRETE
MA12 — DATA_FROM_CMU*1_IN_A
MB12 — DATA_FROM_CMU*1_IN_B
MC12 — DATA_FROM_CMU*2_IN_A
MD12 — DATA_FROM_CMU*2_IN_B
MA13 — SELCAL_AUDIO_DATA_OUT_HI
MB13 — SELCAL_AUDIO_DATA_OUT_LO
MC13 — SQUELCH_DISABLE
MD13 — SQUELCH_DISABLE_RETURN
MA14 — SW_MAINT_ID_2*
MB14 — GROUND_AIR_DISCRETE
MC14 — DATA_TO_OMS_OR_CFDS_OUT_A
MD14 — DATA_TO_OMS_OR_CFDS_OUT_B
MA15 — AUDIO_SIDETONE_OUT_HI
MB15 — AUDIO_SIDETONE_OUT_LO
MC15 — MUTING
MD15 — MUTING_RETURN

* THOMSON DESIGNATION

THOMSON-CSF COMMUNICATION
F0057

TOL. GENERALE: UNLESS
838513 CLASSE
TRAIT. SURFACE/SURFACE TREAT.
MATIERE/MATERIAL:
TRAITEMENT/TREATMENT

LANG.
TITRE/TITLE LIGHTNING
NUMERO DE DOCUMENT/DOCUMENT NUMBER
NUMERO D'ARTICLE/PART NUMBER
TYPE 030
FORMAT SIZE A3
FEUILLE SHEET No 2/5
IND
ECHELLE: SCALE:
DIVISION COMMUNICATIONS NAVIGATION IDENTIFICATION
4689689C
THOMSON-CSF

IND		DATE
AB	0012013	21/01/00
AA	CREATION	02/10/97
	ORDRE EVOL.	DATE
IND	CHANGE ORDER	
AC	0012047	28/11/00
	ORDRE EVOL.	DATE
IND	CHANGE ORDER	

THIS DOCUMENT IS THE PROPERTY OF THOMSON-CSF. IT SHALL NOT BE REPRODUCED WITHOUT PRIOR WRITTEN CONSENT OF THOMSON-CSF.



THOMSON-CSF COMMUNICATION
F0057

TOL. GENE. NON CONTRACTUELLES
B3B513 CLASSE
TRAIT. SURFACE/SURFACE TREAT.
MATIERE/MATERIAL:
TRAITEMENT/TREATMENT

LANG.
TITRE/TITLE LIGHTNING
ECHELLE: SCALE:
ETABLI PAR/DESIGNED BY: JM GIGOT
APPROUVE PAR/APPROVED BY: A. PROUZOLLE

NUMERO DE DOCUMENT/DOCUMENT NUMBER
NUMERO D'ARTICLE/PART NUMBER
TYPE
FORMAT SIZE
FEUILLE SHEET
No 2
Nb 3/5
IND
4689689C
030

DIVISION COMMUNICATIONS NAVIGATION IDENTIFICATION
THOMSON-CSF

IND	DATE	CHANGE ORDER	ORDRE EVOL.
AB	21/02/00	0012013	CREATION
AA	02/10/97	AC	0012047
IND	28/11/00	IND	ORDRE EVOL.
	DATE	CHANGE ORDER	

This document is the property of Thomson-CSF. It must not be communicated, reproduced or copied without prior written consent.



THOMSON-CSF COMMUNICATION
F0057

TOL. GENERALE/GENERAL TOLERANCE UNLESS 838513 CLASSE
TRAIT. SURFACE/SURFACE TREAT.
MATIERE/MATERIAL :
TRAITEMENT/TREATMENT

LANG.
FEUILLE SHEET No 4 / 5 IND
FORMAT SIZE 2
TYPE 030
NUMERO DE DOCUMENT/DOCUMENT NUMBER
NUMERO D'ARTICLE/PART NUMBER 46896890
TITRE/TITLE LIGHTNING

ECHELLE: SCALE:
ETABLI PAR/DESIGNED BY: JM GIGOT
APPROUVE PAR/APPROVED BY: M BOUDOUCHE

DIVISION COMMUNICATIONS NAVIGATION IDENTIFICATION
THOMSON-CSF

IND	DATE	ORDRE EVOL. CHANGE ORDER
AB	0012013	CREATION
AA	21/02/00	02/10/97
AC	0012047	28/11/00

NOT TO BE REPRODUCED OR TRANSMITTED TO A THIRD PART WITHOUT PRIOR WRITTEN CONSENT OF THE SAID COMPANY
Ce document et les informations qu'il contient sont la propriété exclusive de THOMSON-CSF. Ils ne peuvent être communiqués à des tiers ni reproduits sans autorisation préalable de THOMSON-CSF.























* COMPONENTS NOT WIRED

THOMSON-CSF COMMUNICATION
F0057

AB	0012013	21/02/00					
AA	CREATION	02/10/97	AC	0012047	28/11/00		
IND	ORDRE EVOL. CHANGE ORDER	DATE	IND	ORDRE EVOL. CHANGE ORDER	DATE	IND	ORDRE EVOL. CHANGE ORDER

TOL. GENERALE UNLESS
B38513 CLASSE
MATIERE/MATERIAL:
TRAITEMENT/TREATMENT
TRAIT. SURFACE/SURFACE TREAT.
ETABLI PAR/DESIGNED BY: JM GIGOT
APPROUVE PAR/APPROVED BY: M.BOUZOUITA
ECHELLE: SCALE:
TITRE/TITLE: LIGHTNING
NUMERO DE DOCUMENT/DOCUMENT NUMBER: 46896890
NUMERO D'ARTICLE/PART NUMBER: TYPE 030
FORMAT SIZE: 2
FEUILLE SHEET: No 5/5
LANG.
DIVISION: COMMUNICATIONS NAVIGATION IDENTIFICATION
THOMSON-CSF

THIS DOCUMENT IS THE PROPERTY OF THOMSON-CSF. IT SHALL NOT BE REPRODUCED OR TRANSMITTED TO A THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF THE SAID COMPANY
Ce document est la propriété de la société THOMSON-CSF. Il ne peut être communiqué à des tiers ou reproduit sans son autorisation préalable.