

Phonak Naida V-UP, Phonak Sky V-UP



Phonak Naida V-UP



Phonak Sky V-UP

Pursuant to Section 3 of RSP-100, Issue 11 the hearing aid models of the Phonak Naida V-UP and Phonak Sky V-UP families, which are a subject of this certification, shall bear a permanently affixed, readily visible label listing the manufacturer's name, trade name or brand name, model number and certification number. Due to the specific use of this product (as shown on Figure 1) its external surface is in a permanent contact with the skin behind the ear. Therefore, it is not appropriate to permanently affix a label on the outer surface of the device in order to prevent any possible skin irritations. The only possible place where the certification number and the serial number of the devices can be put is the battery compartment as shown on Figure 2a. However, in this case the size of the certification number will be smaller than 2 points, which does not satisfy the requirement, that "the size of the lettering shall be legible without the aid of magnification".

Therefore, due to the very small size of the device (see also Figure 2a) and pursuant to Section 3 of RSP-100 Issue 11, the certification number and the applicable statement are placed in the user guide as shown on Figure 3.




Figure 1: Phonak hearing aids positioning

External Pictures

Brand & Product Model labelling

Phonak Naida V90-UP
Phonak Naida V70-UP
Phonak Naida V50-UP
Phonak Naida V30-UP



Phonak Sky V90-UP
Phonak Sky V70-UP
Phonak Sky V50-UP
Phonak Sky V30-UP



Figure 2a: Sample of Phonak Naida V-UP and Phonak Sky V-UP hearing aids with a visible brand name and model number affixed on the special plate

Figure 3: IC Certification Number, product models and compliance statement included in the user guide

Phonak Naida (V90,V70,V50,V30)-UP: English version

This user guide is valid for:

Wireless models	CE mark applied
Phonak Naida V90-RIC	2016
Phonak Naida V90-SP	2016
Phonak Naida V90-UP	2016
Phonak Naida V70-RIC	2016
Phonak Naida V70-SP	2016
Phonak Naida V70-UP	2016
Phonak Naida V50-RIC	2016
Phonak Naida V50-SP	2016
Phonak Naida V50-UP	2016
Phonak Naida V30-RIC	2016
Phonak Naida V30-SP	2016
Phonak Naida V30-UP	2016

The wireless models listed on page 2 are certified under:

Phonak Naida V-SP (V90/V70/V50/V30)

USA	FCC ID: KWC-BTEVSP
Canada	IC: 2262A-BTEVSP

Phonak Naida V-UP (V90/V70/V50/V30)

USA	FCC ID: KWC-BTEVUP
Canada	IC: 2262A-BTEVUP

Phonak Naida V-RIC (V90/V70/V50/V30)

USA	FCC ID: KWC-WHSRIC4
Canada	IC: 2262A-WHSRIC4



39

Notice 1:

This device complies with Part 15 of the FCC Rules and with RSS-210 of Industry Canada. Operation is subject to the following two conditions:

- 1) this device may not cause harmful interference, and
- 2) this device must accept any interference received, including interference that may cause undesired operation.

Notice 2:

Changes or modifications made to this device not expressly approved by Phonak may void the FCC authorization to operate this device.

Notice 3:

This device has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules and ICES-003 of Industry Canada. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This device generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful

interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this device does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the device and receiver.
- Connect the device into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Phonak Sky (V90,V70,V50,V30)-UP: English version

This user guide is valid for:

Wireless models	CE mark applied
Phonak Sky V90-M	2016
Phonak Sky V90-P	2016
Phonak Sky V90-SP	2016
Phonak Sky V90-UP	2016
Phonak Sky V90-RIC	2016
Phonak Sky V70-M	2016
Phonak Sky V70-P	2016
Phonak Sky V70-SP	2016
Phonak Sky V70-UP	2016
Phonak Sky V70-RIC	2016
Phonak Sky V50-M	2016
Phonak Sky V50-P	2016
Phonak Sky V50-SP	2016
Phonak Sky V50-UP	2016
Phonak Sky V50-RIC	2016
Phonak Sky V30-M	2016
Phonak Sky V30-P	2016
Phonak Sky V30-SP	2016
Phonak Sky V30-UP	2016
Phonak Sky V30-RIC	2016



The wireless models listed on page 2 are certified under:

Phonak Sky V-M (V90/V70/V50/V30)

USA	FCC ID: KWC-WHSBTEM
Canada	IC: 2262A-WHSBTEM

Phonak Sky V-P (V90/V70/V50/V30)

USA	FCC ID: KWC-WHSBTEP
Canada	IC: 2262A-WHSBTEP

Phonak Sky V-SP (V90/V70/V50/V30)

USA	FCC ID: KWC-BTEVSP
Canada	IC: 2262A-BTEVSP

Phonak Sky V-UP (V90/V70/V50/V30)

USA	FCC ID: KWC-BTEVUP
Canada	IC: 2262A-BTEVUP

Phonak Sky V-RIC (V90/V70/V50/V30)

USA	FCC ID: KWC-WHSRIC4
Canada	IC: 2262A-WHSRIC4

38

Notice 1:

This device complies with Part 15 of the FCC Rules and with RSS-210 of Industry Canada. Operation is subject to the following two conditions:

- 1) this device may not cause harmful interference, and
- 2) this device must accept any interference received, including interference that may cause undesired operation.

Notice 2:

Changes or modifications made to this device not expressly approved by Phonak may void the FCC authorization to operate this device.

Notice 3:

This device has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules and ICES-003 of Industry Canada. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This device generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful

39

interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this device does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the device and receiver.
- Connect the device into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

40

Phonak Naida (V90,V70,V50,V30)-UP: French version

Ce mode d'emploi s'applique aux modèles suivants :

Modèles compatibles « connectivité sans fil »	Marquage CE
Phonak Naida V90-RIC	2016
Phonak Naida V90-SP	2016
Phonak Naida V90-UP	2016
Phonak Naida V70-RIC	2016
Phonak Naida V70-SP	2016
Phonak Naida V70-UP	2016
Phonak Naida V50-RIC	2016
Phonak Naida V50-SP	2016
Phonak Naida V50-UP	2016
Phonak Naida V30-RIC	2016
Phonak Naida V30-SP	2016
Phonak Naida V30-UP	2016

es modèles compatibles « connexion sans fil » dont
la liste est donnée en page 2 sont certifiés sous :

Phonak Naida V-SP (V90/V70/V50/V30)

États-Unis FCC ID : KWC-BTEVSP
Canada IC : 2262A-BTEVSP

Phonak Naida V-UP (V90/V70/V50/V30)

États-Unis FCC ID : KWC-BTEVUP
Canada IC : 2262A-BTEVUP

Phonak Naida V-RIC (V90/V70/V50/V30)

États-Unis FCC ID : KWC-WHSRIC4
Canada IC : 2262A-WHSRIC4



37

Information 1 :

Cet appareil est en conformité avec la section 15 des règlements FCC et avec la norme RSS-210 de l'industrie du Canada. L'utilisation est soumise aux conditions suivantes :

- 1) Cet appareil ne doit pas causer d'interférences nocives, et
- 2) Cet appareil doit accepter toutes les interférences reçues, y compris les interférences pouvant engendrer un fonctionnement indésirable.

Information 2 :

Tout changement ou modification fait(e) à cet appareil et non expressément approuvé(e) par Phonak peut annuler l'autorisation pour l'utilisateur de faire fonctionner l'appareil.

Information 3 :

Cet appareil a été testé et déclaré conforme aux limitations prévues pour un appareil numérique de catégorie B défini par la section 15 du règlement de la FCC et de l'ICES-003 de l'industrie du Canada.

Ces limitations sont stipulées aux fins de procurer une protection raisonnable contre les interférences gênantes

en installation résidentielle. Cet appareil génère, utilise et diffuse des ondes radio et, s'il n'est pas installé et utilisé en conformité avec les instructions dont il fait l'objet, peut causer des interférences gênantes sur les communications radio. Il n'y a cependant aucune garantie qu'une interférence ne se produira pas dans une installation particulière. Si cet appareil produit des interférences gênantes sur les réceptions radio et télévisées, ce qui peut être déterminé en éteignant et en allumant l'appareil, l'utilisateur est invité à tenter de les supprimer avec une ou plusieurs des mesures suivantes :

- Réorienter ou déplacer l'antenne de réception.
- Augmenter la distance séparant l'appareil du récepteur.
- Connecter l'appareil à un circuit différent de celui sur lequel le récepteur est connecté.
- Contacter le revendeur de l'appareil ou un installateur radio/TV qualifié.

38

39

Phonak Sky (V90,V70,V50,V30)-UP : French version

Ce mode d'emploi s'applique aux modèles suivants :

Modèles compatibles « connectivité sans fil »	Marquage CE
Phonak Sky V90-M	2016
Phonak Sky V90-P	2016
Phonak Sky V90-SP	2016
Phonak Sky V90-UP	2016
Phonak Sky V90-RIC	2016
Phonak Sky V70-M	2016
Phonak Sky V70-P	2016
Phonak Sky V70-SP	2016
Phonak Sky V70-UP	2016
Phonak Sky V70-RIC	2016
Phonak Sky V50-M	2016
Phonak Sky V50-P	2016
Phonak Sky V50-SP	2016
Phonak Sky V50-UP	2016
Phonak Sky V50-RIC	2016
Phonak Sky V30-M	2016
Phonak Sky V30-P	2016
Phonak Sky V30-SP	2016
Phonak Sky V30-UP	2016
Phonak Sky V30-RIC	2016



Information 1 :

Cet appareil est en conformité avec la section 15 des règlements FCC et avec la norme RSS-210 de l'industrie du Canada. L'utilisation est soumise aux deux conditions suivantes :

- 1) Cet appareil ne doit pas causer d'interférences nocives, et
- 2) Cet appareil doit accepter toutes les interférences reçues, y compris les interférences pouvant engendrer un fonctionnement indésirable.

Information 2 :

Tout changement ou modification fait(e) à cet appareil et non expressément approuvé(e) par Phonak peut annuler l'autorisation pour l'utilisateur de faire fonctionner l'appareil.

Information 3 :

Cet appareil a été testé et déclaré conforme aux limitations prévues pour un appareil numérique de catégorie B défini par la section 15 du règlement de la FCC et de l'ICES-003 de l'industrie du Canada. Ces limitations sont stipulées aux fins de procurer une protection raisonnable contre les interférences gênantes en installation résidentielle. Cet appareil génère, utilise et

Les modèles compatibles « connexion sans fil » dont la liste est donnée en page 2 sont certifiés sous :

Phonak Sky V-M (V90/V70/V50/V30)

États-Unis	FCC ID : KWC-WHSBTEM
Canada	IC : 2262A-WHSBTEM

Phonak Sky V-P (V90/V70/V50/V30)

États-Unis	FCC ID : KWC-WHSBTEP
Canada	IC : 2262A-WHSBTEP

Phonak Sky V-SP (V90/V70/V50/V30)

États-Unis	FCC ID : KWC-BTEVSP
Canada	IC : 2262A-BTEVSP

Phonak Sky V-UP (V90/V70/V50/V30)

États-Unis	FCC ID : KWC-BTEVUP
Canada	IC : 2262A-BTEVUP

Phonak Sky V-RIC (V90/V70/V50/V30)

États-Unis	FCC ID : KWC-WHSRIC4
Canada	IC : 2262A-WHSRIC4

38

diffuse des ondes radio et, s'il n'est pas installé et utilisé en conformité avec les instructions dont il fait l'objet, peut causer des interférences gênantes sur les communications radio. Il n'y a cependant aucune garantie qu'une interférence ne se produira pas dans une installation particulière. Si cet appareil produit des interférences gênantes sur les réceptions radio et télévisées, ce qui peut être déterminé en éteignant et en allumant l'appareil, l'utilisateur est invité à tenter de les supprimer avec une ou plusieurs des mesures suivantes :

- Réorienter ou déplacer l'antenne de réception.
- Augmenter la distance séparant l'appareil du récepteur.
- Connecter l'appareil à un circuit différent de celui sur lequel le récepteur est connecté.
- Contacter le revendeur de l'appareil ou un installateur radio/TV qualifié.