



D

C

B

A



UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES, TOLERANCES ARE: FRACTIONS DECIMALS ANGLES NA .X = +/- .015 +/- 1° .XX= +/- .005 .XXX= +/- .003			RF Technologies, Inc.		DRAWING NUMBER: 0220-0335		REV A	
			DRAWN MVP-IES		DATE 01/24/2010	QR PREMIERE PENDANT		
			DESIGN		DATE	ENCLOSURE, BOTTOM, WHITE		
MATERIAL 3317 ANC1 - Flame Retarded Grade PP			PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF RF TECHNOLOGIES, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF RF TECHNOLOGIES, INC. IS PROHIBITED.			PART DRAWING Page 2 of 3		
COLOR COOL GRAY PANTONE 1C								
FINISH SEE NOTES								
			SCALE 2:1		PRINT DATE October 19, 2017		SIZE B	

D

C

B


A

D

C



B

A



POLISH THE INNER
CIRCUMFERENCE
BETWEEN RIBS
SPI-A1 FINISH

POLISH THE INNER
CIRCUMFERENCE
BETWEEN RIBS
SPI-B3 FINISH



POLISH THIS AREA
SPI-B3 FINISH
x6

D

C

B

A

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES, TOLERANCES ARE: FRACTIONS DECIMALS ANGLES .X = +/- .015 +/- 1° .XX = +/- .005 .XXX = +/- .003			RF Technologies, Inc.		DRAWING NUMBER: 0220-0335		REV A	
			DRAWN MVP-IES		DATE 01/24/2010	QR PREMIERE PENDANT		
			DESIGN		DATE	ENCLOSURE, BOTTOM, WHITE		
			MATERIAL 3317 ANC1 - Flame Retarded Grade PP		PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF RF TECHNOLOGIES, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF RF TECHNOLOGIES, INC. IS PROHIBITED.		Specifications Page 3 of 3	
COLOR COOL GRAY PANTONE 1C		SCALE 2:1		PRINT DATE October 19, 2017			SIZE B	
FINISH SEE NOTES								