


5.25-5.35GHz_802.11bn_UHR40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Z_4TX
Setting 75
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.086G	57.31	74.00	-16.69	52.46	3	Horizontal	210	1.95	-	31.67	6.88	33.70			
AV	5.15G	45.19	54.00	-8.81	40.10	3	Horizontal	210	1.95	-	31.90	6.91	33.72			
PK	5.328G	107.55	Inf	-Inf	103.08	3	Horizontal	210	1.95	-	31.26	6.98	33.77			
AV	5.328G	98.03	Inf	-Inf	93.56	3	Horizontal	210	1.95	-	31.26	6.98	33.77			
PK	5.351G	59.45	74.00	-14.55	54.93	3	Horizontal	210	1.95	-	31.30	6.99	33.77			
AV	5.35G	47.31	54.00	-6.69	42.79	3	Horizontal	210	1.95	-	31.30	6.99	33.77			
PK	5.542G	57.62	68.20	-10.58	52.48	3	Horizontal	210	1.95	-	31.70	7.24	33.80			

5.25-5.35GHz_802.11bn_UHR40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Z_4TX
Setting 75
06-U-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.62242G	56.90	74.00	-17.10	40.58	3	Vertical	60	1.97	-	39.90	10.75	34.33			
AV	10.62112G	44.24	54.00	-9.76	27.92	3	Vertical	60	1.97	-	39.90	10.75	34.33			
PK	15.92506G	58.22	74.00	-15.78	40.70	3	Vertical	196	2.59	-	38.00	13.87	34.35			
AV	15.92552G	45.77	54.00	-8.23	28.25	3	Vertical	196	2.59	-	38.00	13.87	34.35			

5.25-5.35GHz_802.11bn_UHR40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Z_4TX
Setting 75
06-U-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.62008G	56.37	74.00	-17.63	40.05	3	Horizontal	33	2.56	-	39.90	10.75	34.33			
AV	10.62144G	44.30	54.00	-9.70	27.98	3	Horizontal	33	2.56	-	39.90	10.75	34.33			
PK	15.93112G	58.48	74.00	-15.52	40.98	3	Horizontal	290	1.84	-	37.98	13.87	34.35			
AV	15.92612G	45.80	54.00	-8.20	28.28	3	Horizontal	290	1.84	-	38.00	13.87	34.35			

5.47-5.725GHz_802.11bn_UHR40-BF_Nss1,(MCS0)_4TX


5510MHz_TX

EUT_Z_4TX
Setting 69
03-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3456G	60.03	68.20	-8.17	53.27	3	Vertical	262	1.80	-	34.49	7.16	34.89
PK	5.4596G	67.10	74.00	-6.90	60.13	3	Vertical	262	1.80	-	34.60	7.24	34.87
AV	5.4584G	50.82	54.00	-3.18	43.85	3	Vertical	262	1.80	-	34.60	7.24	34.87
PK	5.4644G	66.14	68.20	-2.06	59.16	3	Vertical	262	1.80	-	34.60	7.25	34.87
PK	5.492G	120.81	Inf	-Inf	113.80	3	Vertical	262	1.80	-	34.60	7.27	34.86
AV	5.4932G	108.61	Inf	-Inf	101.60	3	Vertical	262	1.80	-	34.60	7.27	34.86
PK	5.7344G	59.52	68.20	-8.68	52.79	3	Vertical	262	1.80	-	34.20	7.46	34.93

5.47-5.725GHz_802.11bn_UHR40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Z_4TX
Setting 69
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.312G	58.03	68.20	-10.17	53.60	3	Horizontal	256.2	1.80	-	31.22	6.97	33.76
PK	5.4536G	58.46	74.00	-15.54	53.65	3	Horizontal	256.2	1.80	-	31.51	7.10	33.80
AV	5.4572G	46.90	54.00	-7.10	42.07	3	Horizontal	256.2	1.80	-	31.53	7.10	33.80
PK	5.47G	58.48	68.20	-9.72	53.57	3	Horizontal	256.2	1.80	-	31.58	7.13	33.80
PK	5.5268G	112.28	Inf	-Inf	107.17	3	Horizontal	256.2	1.80	-	31.70	7.22	33.81
AV	5.5244G	101.17	Inf	-Inf	96.06	3	Horizontal	256.2	1.80	-	31.70	7.22	33.81
PK	5.7464G	58.16	68.20	-10.04	52.59	3	Horizontal	256.2	1.80	-	32.00	7.35	33.78

5.47-5.725GHz_802.11bn_UHR40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Z_4TX
Setting 69
06-U-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.01828G	58.22	74.00	-15.78	41.68	3	Vertical	169	1.84	-	40.13	10.84	34.43			
AV	11.015G	45.42	54.00	-8.58	28.87	3	Vertical	169	1.84	-	40.14	10.84	34.43			
PK	16.53474G	60.84	68.20	-7.36	41.09	3	Vertical	179	1.99	-	39.79	14.16	34.20			

5.47-5.725GHz_802.11bn_UHR40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Z_4TX
Setting 69
06-U-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.02318G	57.60	74.00	-16.40	41.07	3	Horizontal	85	2.57	-	40.11	10.85	34.43			
AV	11.024G	45.31	54.00	-8.69	28.79	3	Horizontal	85	2.57	-	40.10	10.85	34.43			
PK	16.5339G	61.03	68.20	-7.17	41.28	3	Horizontal	172	1.70	-	39.80	14.16	34.21			

5.47-5.725GHz_802.11bn UHR40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Z_4TX
Setting 100
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3016G	59.59	68.20	-8.61	55.18	3	Vertical	69.9	1.82	-	31.20	6.97	33.76
PK	5.4552G	65.25	74.00	-8.75	60.43	3	Vertical	69.9	1.82	-	31.52	7.10	33.80
AV	5.4564G	51.22	54.00	-2.78	46.39	3	Vertical	69.9	1.82	-	31.53	7.10	33.80
PK	5.47G	66.75	68.20	-1.45	61.84	3	Vertical	69.9	1.82	-	31.58	7.13	33.80
PK	5.5572G	121.93	Inf	-Inf	116.77	3	Vertical	69.9	1.82	-	31.69	7.27	33.80
AV	5.5464G	111.98	Inf	-Inf	106.83	3	Vertical	69.9	1.82	-	31.70	7.25	33.80
PK	5.7264G	59.76	68.20	-8.44	54.19	3	Vertical	69.9	1.82	-	32.00	7.35	33.78

5.47-5.725GHz_802.11bn UHR40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Z_4TX
Setting 100
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3028G	57.69	68.20	-10.51	53.27	3	Horizontal	256.7	2.08	-	31.21	6.97	33.76			
PK	5.4588G	63.03	74.00	-10.97	58.18	3	Horizontal	256.7	2.08	-	31.54	7.11	33.80			
AV	5.4588G	47.06	54.00	-6.94	42.21	3	Horizontal	256.7	2.08	-	31.54	7.11	33.80			
PK	5.4672G	62.56	68.20	-5.64	57.67	3	Horizontal	256.7	2.08	-	31.57	7.12	33.80			
PK	5.5356G	115.47	Inf	-Inf	110.35	3	Horizontal	256.7	2.08	-	31.70	7.23	33.81			
AV	5.5368G	104.83	Inf	-Inf	99.70	3	Horizontal	256.7	2.08	-	31.70	7.24	33.81			
PK	5.7744G	58.48	68.20	-9.72	52.91	3	Horizontal	256.7	2.08	-	32.00	7.35	33.78			

5.47-5.725GHz_802.11bn UHR40-BF_Nss1,(MCS0)_4TX


5550MHz_TX

EUT_Z_4TX
Setting 100
06-U-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.09844G	57.71	74.00	-16.29	41.61	3	Vertical	290	1.39	-	39.71	10.86	34.47			
AV	11.0951G	45.39	54.00	-8.61	29.26	3	Vertical	290	1.39	-	39.73	10.86	34.46			
PK	16.65242G	60.48	68.20	-7.72	40.58	3	Vertical	253	2.57	-	39.81	14.21	34.12			

5.47-5.725GHz_802.11bn UHR40-BF_Nss1,(MCS0)_4TX


5550MHz_TX

EUT_Z_4TX
Setting 100
06-U-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0956G	58.02	74.00	-15.98	41.89	3	Horizontal	92	2.49	-	39.73	10.86	34.46			
AV	11.0964G	45.41	54.00	-8.59	29.29	3	Horizontal	92	2.49	-	39.72	10.86	34.46			
PK	16.6525G	60.21	68.20	-7.99	40.31	3	Horizontal	143	2.16	-	39.81	14.21	34.12			

5.47-5.725GHz_802.11bn_UHR40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Z_4TX
Setting 79
03-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2988G	59.57	68.20	-8.63	52.95	3	Vertical	341	1.93	-	34.39	7.13	34.90
PK	5.414G	60.44	74.00	-13.56	53.44	3	Vertical	341	1.93	-	34.67	7.21	34.88
AV	5.4156G	48.58	54.00	-5.42	41.58	3	Vertical	341	1.93	-	34.67	7.21	34.88
PK	5.4684G	60.64	68.20	-7.56	53.66	3	Vertical	341	1.93	-	34.60	7.25	34.87
PK	5.6524G	118.44	Inf	-Inf	111.66	3	Vertical	341	1.93	-	34.30	7.39	34.91
AV	5.6556G	106.27	Inf	-Inf	99.50	3	Vertical	341	1.93	-	34.29	7.39	34.91
PK	5.7356G	64.85	68.20	-3.35	58.12	3	Vertical	341	1.93	-	34.20	7.46	34.93

5.47-5.725GHz_802.11bn_UHR40-BF_Nss1,(MCS0)_4TX


5670MHz_TX

EUT_Z_4TX
Setting 79
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.3228G	56.83	68.20	-11.37	52.36	3	Horizontal	234.2	1.80	-	31.25	6.98	33.76				
PK	5.3548G	57.78	74.00	-16.22	53.25	3	Horizontal	234.2	1.80	-	31.31	6.99	33.77				
PK	5.47G	57.12	68.20	-11.08	52.21	3	Horizontal	234.2	1.80	-	31.58	7.13	33.80				
AV	5.4412G	45.96	54.00	-8.04	41.19	3	Horizontal	234.2	1.80	-	31.48	7.08	33.79				
PK	5.6524G	112.67	Inf	-Inf	107.41	3	Horizontal	234.2	1.80	-	31.71	7.34	33.79				
AV	5.6524G	102.26	Inf	-Inf	97.00	3	Horizontal	234.2	1.80	-	31.71	7.34	33.79				
PK	5.734G	61.55	68.20	-6.65	55.98	3	Horizontal	234.2	1.80	-	32.00	7.35	33.78				

5.47-5.725GHz_802.11bn UHR40-BF_Nss1,(MCS0)_4TX


5670MHz_TX

EUT_Z_4TX
Setting 79
06-U-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.34008G	57.98	74.00	-16.02	41.87	3	Vertical	298	1.11	-	39.76	10.93	34.58			
AV	11.33764G	45.07	54.00	-8.93	28.98	3	Vertical	298	1.11	-	39.75	10.92	34.58			
PK	17.01258G	61.01	68.20	-7.19	40.30	3	Vertical	244	2.88	-	40.20	14.37	33.86			

5.47-5.725GHz_802.11bn UHR40-BF_Nss1,(MCS0)_4TX


5670MHz_TX

EUT_Z_4TX
Setting 79
06-U-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.3408G	57.33	74.00	-16.67	41.22	3	Horizontal	201	2.93	-	39.76	10.93	34.58			
AV	11.33724G	45.07	54.00	-8.93	28.98	3	Horizontal	201	2.93	-	39.75	10.92	34.58			
PK	17.00902G	61.01	68.20	-7.19	40.34	3	Horizontal	67	2.55	-	40.17	14.36	33.86			

5.47-5.725GHz_802.11bn UHR40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 100
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3484G	57.76	68.20	-10.44	53.24	3	Vertical	250	1.80	-	31.30	6.99	33.77			
AV	5.35G	45.34	54.00	-8.66	40.82	3	Vertical	250	1.80	-	31.30	6.99	33.77			
PK	5.4076G	61.06	74.00	-12.94	56.41	3	Vertical	250	1.80	-	31.42	7.02	33.79			
AV	5.4076G	49.91	54.00	-4.09	45.26	3	Vertical	250	1.80	-	31.42	7.02	33.79			
PK	5.4604G	58.67	68.20	-9.53	53.82	3	Vertical	250	1.80	-	31.54	7.11	33.80			
PK	5.7244G	123.91	Inf	-Inf	118.34	3	Vertical	250	1.80	-	32.00	7.35	33.78			
AV	5.7276G	114.40	Inf	-Inf	108.83	3	Vertical	250	1.80	-	32.00	7.35	33.78			
PK	5.8524G	60.34	68.20	-7.86	54.57	3	Vertical	250	1.80	-	32.10	7.44	33.77			

5.47-5.725GHz_802.11bn_UHR40-BF_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 100
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.318G	56.61	68.20	-11.59	52.15	3	Horizontal	234	1.80	-	31.24	6.98	33.76
AV	5.35G	45.09	54.00	-8.91	40.57	3	Horizontal	234	1.80	-	31.30	6.99	33.77
PK	5.4588G	58.98	74.00	-15.02	54.13	3	Horizontal	234	1.80	-	31.54	7.11	33.80
AV	5.46G	46.62	54.00	-7.38	41.77	3	Horizontal	234	1.80	-	31.54	7.11	33.80
PK	5.4652G	57.79	68.20	-10.41	52.91	3	Horizontal	234	1.80	-	31.56	7.12	33.80
PK	5.726G	117.05	Inf	-Inf	111.48	3	Horizontal	234	1.80	-	32.00	7.35	33.78
AV	5.726G	104.39	Inf	-Inf	98.82	3	Horizontal	234	1.80	-	32.00	7.35	33.78
PK	5.9308G	58.54	68.20	-9.66	52.45	3	Horizontal	234	1.80	-	32.26	7.59	33.76

5.47-5.725GHz_802.11bn UHR40-BF_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 100
06-U-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.41952G	57.75	74.00	-16.25	41.62	3	Vertical	292	1.85	-	39.80	10.94	34.61			
AV	11.42286G	45.29	54.00	-8.71	29.15	3	Vertical	292	1.85	-	39.80	10.95	34.61			
PK	17.13444G	60.73	68.20	-7.47	39.70	3	Vertical	318	1.99	-	40.37	14.42	33.76			

5.47-5.725GHz_802.11bn UHR40-BF_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 100
06-U-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.42172G	57.48	74.00	-16.52	41.34	3	Horizontal	226	2.39	-	39.80	10.95	34.61			
AV	11.4154G	45.17	54.00	-8.83	29.04	3	Horizontal	226	2.39	-	39.80	10.94	34.61			
PK	17.12732G	62.02	68.20	-6.18	41.02	3	Horizontal	116	1.15	-	40.35	14.41	33.76			

5.725-5.85GHz_802.11bn UHR40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Z_4TX
Setting 91
03-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4382G	61.35	74.00	-12.65	54.37	3	Vertical	344	1.83	-	34.62	7.23	34.87			
AV	5.435G	49.61	54.00	-4.39	42.62	3	Vertical	344	1.83	-	34.63	7.23	34.87			
PK	5.651G	64.77	68.94	-4.17	57.99	3	Vertical	344	1.83	-	34.30	7.39	34.91			
PK	5.7646G	122.29	Inf	-Inf	115.55	3	Vertical	344	1.83	-	34.20	7.48	34.94			
AV	5.7678G	109.94	Inf	-Inf	103.20	3	Vertical	344	1.83	-	34.20	7.48	34.94			
PK	5.9838G	59.25	68.20	-8.95	52.03	3	Vertical	344	1.83	-	34.70	7.53	35.01			

5.725-5.85GHz_802.11bn_UHR40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Z_4TX
Setting 91
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.459G	57.30	74.00	-16.70	52.45	3	Horizontal	196.7	1.80	-	31.54	7.11	33.80			
AV	5.435G	45.82	54.00	-8.18	41.07	3	Horizontal	196.7	1.80	-	31.47	7.07	33.79			
PK	5.6478G	62.37	68.20	-5.83	57.12	3	Horizontal	196.7	1.80	-	31.70	7.34	33.79			
PK	5.7614G	113.56	Inf	-Inf	107.99	3	Horizontal	196.7	1.80	-	32.00	7.35	33.78			
AV	5.763G	102.24	Inf	-Inf	96.67	3	Horizontal	196.7	1.80	-	32.00	7.35	33.78			
PK	6.0046G	59.07	68.20	-9.13	52.70	3	Horizontal	196.7	1.80	-	32.41	7.71	33.75			

5.725-5.85GHz_802.11bn UHR40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Z_4TX
Setting 91
06-U-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.51412G	57.18	74.00	-16.82	41.09	3	Vertical	151	1.00	-	39.77	10.97	34.65			
AV	11.50526G	45.02	54.00	-8.98	28.91	3	Vertical	151	1.00	-	39.79	10.97	34.65			
PK	17.26428G	61.04	68.20	-7.16	39.39	3	Vertical	130	2.44	-	40.83	14.47	33.65			

5.725-5.85GHz_802.11bn UHR40-BF_Nss1,(MCS0)_4TX


5755MHz_TX

EUT_Z_4TX
Setting 91
06-U-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50874G	57.38	74.00	-16.62	41.28	3	Horizontal	25	1.65	-	39.78	10.97	34.65			
AV	11.50568G	45.04	54.00	-8.96	28.93	3	Horizontal	25	1.65	-	39.79	10.97	34.65			
PK	17.26198G	61.11	68.20	-7.09	39.47	3	Horizontal	36	1.04	-	40.82	14.47	33.65			

5.725-5.85GHz_802.11bn_UHR40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Z_4TX
Setting 100
06-U-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
AV	5.459G	50.64	54.00	-3.36	45.79	3	Vertical	318	1.87	-	31.54	7.11	33.80					
PK	5.6446G	63.71	68.20	-4.49	58.47	3	Vertical	318	1.87	-	31.69	7.34	33.79					
PK	5.811G	124.41	Inf	-Inf	118.79	3	Vertical	318	1.87	-	32.02	7.37	33.77					
AV	5.8126G	114.30	Inf	-Inf	108.67	3	Vertical	318	1.87	-	32.03	7.37	33.77					
PK	6.1822G	59.32	68.20	-8.88	52.60	3	Vertical	318	1.87	-	32.76	7.59	33.63					

5.725-5.85GHz_802.11bn_UHR40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Z_4TX
Setting 100
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
AV	5.46G	45.81	54.00	-8.19	40.96	3	Horizontal	240.5	1.80	-	31.54	7.11	33.80				
PK	5.651G	60.05	68.94	-8.89	54.79	3	Horizontal	240.5	1.80	-	31.71	7.34	33.79				
PK	5.8126G	114.30	Inf	-Inf	108.67	3	Horizontal	240.5	1.80	-	32.03	7.37	33.77				
AV	5.7806G	103.39	Inf	-Inf	97.82	3	Horizontal	240.5	1.80	-	32.00	7.35	33.78				
PK	6.0846G	59.30	68.20	-8.90	52.84	3	Horizontal	240.5	1.80	-	32.50	7.66	33.70				

5.725-5.85GHz_802.11bn UHR40-BF_Nss1,(MCS0)_4TX


5795MHz_TX

EUT_Z_4TX
Setting 100
06-U-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.58958G	57.15	74.00	-16.85	41.27	3	Vertical	38	2.58	-	39.54	10.99	34.65			
AV	11.59498G	44.85	54.00	-9.15	28.99	3	Vertical	38	2.58	-	39.52	10.99	34.65			
PK	17.38976G	62.83	68.20	-5.37	40.12	3	Vertical	274	1.10	-	41.72	14.53	33.54			

5.725-5.85GHz_802.11bn UHR40-BF_Nss1,(MCS0)_4TX


5795MHz_TX

EUT_Z_4TX
Setting 100
06-U-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.58658G	57.36	74.00	-16.64	41.47	3	Horizontal	268	1.94	-	39.55	10.99	34.65			
AV	11.59486G	44.91	54.00	-9.09	29.05	3	Horizontal	268	1.94	-	39.52	10.99	34.65			
PK	17.38602G	62.28	68.20	-5.92	39.61	3	Horizontal	144	2.68	-	41.69	14.53	33.55			

5.15-5.25GHz_802.11bn UHR80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Z_4TX
Setting 77
06-U-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	63.57	74.00	-10.43	58.49	3	Vertical	310.8	1.86	-	31.89	6.91	33.72
AV	5.15G	52.83	54.00	-1.17	47.74	3	Vertical	310.8	1.86	-	31.90	6.91	33.72
PK	5.219G	115.71	Inf	-Inf	111.02	3	Vertical	310.8	1.86	-	31.49	6.94	33.74
AV	5.177G	107.90	Inf	-Inf	102.97	3	Vertical	310.8	1.86	-	31.74	6.92	33.73
PK	5.354G	59.89	74.00	-14.11	55.36	3	Vertical	310.8	1.86	-	31.31	6.99	33.77
AV	5.361G	47.67	54.00	-6.33	43.13	3	Vertical	310.8	1.86	-	31.32	6.99	33.77

5.15-5.25GHz_802.11bn UHR80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Z_4TX
Setting 77
06-U-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.136G	57.93	74.00	-16.07	52.91	3	Horizontal	51.2	1.80	-	31.84	6.90	33.72			
AV	5.15G	46.05	54.00	-7.95	40.96	3	Horizontal	51.2	1.80	-	31.90	6.91	33.72			
PK	5.185G	108.06	Inf	-Inf	103.18	3	Horizontal	51.2	1.80	-	31.69	6.92	33.73			
AV	5.187G	95.69	Inf	-Inf	90.82	3	Horizontal	51.2	1.80	-	31.68	6.92	33.73			
PK	5.451G	57.74	74.00	-16.26	52.95	3	Horizontal	51.2	1.80	-	31.50	7.09	33.80			
AV	5.42G	45.59	54.00	-8.41	40.90	3	Horizontal	51.2	1.80	-	31.44	7.04	33.79			

5.15-5.25GHz_802.11bn_UHR80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Z_4TX
Setting 77
06-U-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42294G	57.48	68.20	-10.72	41.19	3	Vertical	217	2.21	-	39.85	10.70	34.26			
PK	15.63216G	58.73	74.00	-15.27	41.22	3	Vertical	270	2.60	-	38.41	13.64	34.54			
AV	15.62786G	46.06	54.00	-7.94	28.55	3	Vertical	270	2.60	-	38.43	13.63	34.55			

5.15-5.25GHz_802.11bn_UHR80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Z_4TX
Setting 77
06-U-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42426G	57.28	68.20	-10.92	40.99	3	Horizontal	269	2.24	-	39.85	10.70	34.26			
PK	15.63186G	59.73	74.00	-14.27	42.22	3	Horizontal	191	2.67	-	38.41	13.64	34.54			
AV	15.63154G	45.93	54.00	-8.07	28.42	3	Horizontal	191	2.67	-	38.41	13.64	34.54			

5.25-5.35GHz_802.11bn UHR80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Z_4TX
Setting 69
02-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1044G	62.63	74.00	-11.37	51.65	3	Vertical	52	2.20	-	33.51	7.57	30.10
AV	5.1444G	49.13	54.00	-4.87	38.09	3	Vertical	52	2.20	-	33.59	7.58	30.13
PK	5.2828G	114.93	Inf	-Inf	103.71	3	Vertical	52	2.20	-	33.77	7.65	30.20
AV	5.282G	103.28	Inf	-Inf	92.07	3	Vertical	52	2.20	-	33.76	7.65	30.20
PK	5.3516G	65.23	74.00	-8.77	53.86	3	Vertical	52	2.20	-	33.90	7.70	30.23
AV	5.35G	52.95	54.00	-1.05	41.58	3	Vertical	52	2.20	-	33.90	7.70	30.23
PK	5.486G	62.30	68.20	-5.90	50.84	3	Vertical	52	2.20	-	33.97	7.79	30.30

5.25-5.35GHz_802.11bn UHR80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Z_4TX
Setting 69
02-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1324G	60.97	74.00	-13.03	49.95	3	Horizontal	303	1.67	-	33.56	7.58	30.12			
AV	5.1396G	48.48	54.00	-5.52	37.44	3	Horizontal	303	1.67	-	33.58	7.58	30.12			
PK	5.3196G	104.94	Inf	-Inf	93.64	3	Horizontal	303	1.67	-	33.84	7.68	30.22			
AV	5.3212G	93.08	Inf	-Inf	81.78	3	Horizontal	303	1.67	-	33.84	7.68	30.22			
PK	5.3772G	61.47	74.00	-12.53	50.10	3	Horizontal	303	1.67	-	33.90	7.72	30.25			
AV	5.35G	49.64	54.00	-4.36	38.27	3	Horizontal	303	1.67	-	33.90	7.70	30.23			
PK	5.4812G	61.35	68.20	-6.85	49.90	3	Horizontal	303	1.67	-	33.96	7.79	30.30			

5.25-5.35GHz_802.11bn UHR80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Z_4TX
Setting 69
02-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58202G	57.75	68.20	-10.45	38.11	3	Vertical	41	1.80	-	38.36	12.07	30.79			
PK	15.8692G	62.83	74.00	-11.17	42.40	3	Vertical	2	1.82	-	37.58	14.72	31.87			
AV	15.87008G	48.50	54.00	-5.50	28.07	3	Vertical	2	1.82	-	37.58	14.72	31.87			

5.25-5.35GHz_802.11bn_UHR80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Z_4TX
Setting 69
02-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58268G	58.18	68.20	-10.02	38.53	3	Horizontal	323	1.80	-	38.37	12.07	30.79			
PK	15.87184G	62.84	74.00	-11.16	42.40	3	Horizontal	234	2.45	-	37.59	14.72	31.87			
AV	15.8657G	48.49	54.00	-5.51	28.09	3	Horizontal	234	2.45	-	37.56	14.71	31.87			

5.47-5.725GHz_802.11bn_UHR80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Z_4TX
Setting 75
06-U-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.348G	59.97	68.20	-8.23	55.45	3	Vertical	10.9	2.71	-	31.30	6.99	33.77
PK	5.46G	64.02	74.00	-9.98	59.17	3	Vertical	10.9	2.71	-	31.54	7.11	33.80
AV	5.459G	52.98	54.00	-1.02	48.13	3	Vertical	10.9	2.71	-	31.54	7.11	33.80
PK	5.47G	66.78	68.20	-1.42	61.87	3	Vertical	10.9	2.71	-	31.58	7.13	33.80
AV	5.5G	105.30	Inf	-Inf	100.24	3	Vertical	10.9	2.71	-	31.70	7.17	33.81
PK	5.535G	116.48	Inf	-Inf	111.36	3	Vertical	10.9	2.71	-	31.70	7.23	33.81
PK	5.78G	58.88	68.20	-9.32	53.31	3	Vertical	10.9	2.71	-	32.00	7.35	33.78

5.47-5.725GHz_802.11bn_UHR80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Z_4TX
Setting 75
06-U-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.33G	56.88	68.20	-11.32	52.41	3	Horizontal	215.2	2.71	-	31.26	6.98	33.77			
PK	5.45G	57.49	74.00	-16.51	52.70	3	Horizontal	215.2	2.71	-	31.50	7.09	33.80			
PK	5.462G	57.56	68.20	-10.64	52.70	3	Horizontal	215.2	2.71	-	31.55	7.11	33.80			
AV	5.459G	45.79	54.00	-8.21	40.94	3	Horizontal	215.2	2.71	-	31.54	7.11	33.80			
AV	5.495G	97.40	Inf	-Inf	92.36	3	Horizontal	215.2	2.71	-	31.68	7.17	33.81			
PK	5.533G	107.31	Inf	-Inf	102.19	3	Horizontal	215.2	2.71	-	31.70	7.23	33.81			
PK	5.73G	58.85	68.20	-9.35	53.28	3	Horizontal	215.2	2.71	-	32.00	7.35	33.78			

5.47-5.725GHz_802.11bn UHR80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Z_4TX
Setting 75
06-U-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05994G	57.34	74.00	-16.66	41.00	3	Vertical	323	1.15	-	39.94	10.85	34.45			
AV	11.06174G	45.18	54.00	-8.82	28.84	3	Vertical	323	1.15	-	39.93	10.86	34.45			
PK	16.58718G	60.44	68.20	-7.76	40.88	3	Vertical	175	2.98	-	39.55	14.18	34.17			

5.47-5.725GHz_802.11bn UHR80-BF_Nss1,(MCS0)_4TX


5530MHz_TX

EUT_Z_4TX
Setting 75
06-U-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.06362G	58.20	74.00	-15.80	41.87	3	Horizontal	124	2.07	-	39.92	10.86	34.45			
AV	11.06082G	45.20	54.00	-8.80	28.85	3	Horizontal	124	2.07	-	39.94	10.86	34.45			
PK	16.59308G	60.03	68.20	-8.17	40.47	3	Horizontal	22	1.78	-	39.53	14.19	34.16			

5.47-5.725GHz_802.11bn_UHR80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Z_4TX
Setting 83
06-U-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	64.39	74.00	-9.61	59.54	3	Vertical	263	1.93	-	31.54	7.11	33.80
AV	5.46G	51.50	54.00	-2.50	46.65	3	Vertical	263	1.93	-	31.54	7.11	33.80
PK	5.47G	67.08	68.20	-1.12	62.17	3	Vertical	263	1.93	-	31.58	7.13	33.80
PK	5.608G	119.06	Inf	-Inf	113.90	3	Vertical	263	1.93	-	31.62	7.34	33.80
AV	5.606G	108.06	Inf	-Inf	102.91	3	Vertical	263	1.93	-	31.61	7.34	33.80
PK	5.731G	66.93	68.20	-1.27	61.36	3	Vertical	263	1.93	-	32.00	7.35	33.78

5.47-5.725GHz_802.11bn_UHR80-BF_Nss1,(MCS0)_4TX


5610MHz_TX

EUT_Z_4TX
Setting 83
06-U-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.449G	59.05	74.00	-14.95	54.26	3	Horizontal	64	2.15	-	31.50	7.09	33.80
AV	5.427G	47.52	54.00	-6.48	42.81	3	Horizontal	64	2.15	-	31.45	7.05	33.79
PK	5.461G	60.52	68.20	-7.68	55.67	3	Horizontal	64	2.15	-	31.54	7.11	33.80
PK	5.598G	109.98	Inf	-Inf	104.84	3	Horizontal	64	2.15	-	31.60	7.34	33.80
AV	5.579G	101.74	Inf	-Inf	96.59	3	Horizontal	64	2.15	-	31.64	7.31	33.80
PK	5.734G	60.70	68.20	-7.50	55.13	3	Horizontal	64	2.15	-	32.00	7.35	33.78

5.47-5.725GHz_802.11bn_UHR80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Z_4TX
Setting 83
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.22G	56.89	74.00	-17.11	41.08	3	Vertical	210	1.55	-	39.44	10.89	34.52			
AV	11.22304G	44.68	54.00	-9.32	28.85	3	Vertical	210	1.55	-	39.45	10.90	34.52			
PK	16.8306G	61.61	68.20	-6.59	40.55	3	Vertical	37	1.90	-	40.76	14.29	33.99			

5.47-5.725GHz_802.11bn_UHR80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Z_4TX
Setting 83
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21516G	57.38	74.00	-16.62	41.58	3	Horizontal	321	2.30	-	39.43	10.89	34.52			
AV	11.22126G	44.73	54.00	-9.27	28.91	3	Horizontal	321	2.30	-	39.44	10.90	34.52			
PK	16.83154G	61.86	68.20	-6.34	40.80	3	Horizontal	194	2.63	-	40.76	14.29	33.99			

5.47-5.725GHz_802.11bn_UHR80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 93
06-U-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	64.10	74.00	-9.90	59.27	3	Vertical	261	1.98	-	31.53	7.10	33.80
AV	5.456G	51.50	54.00	-2.50	46.68	3	Vertical	261	1.98	-	31.52	7.10	33.80
PK	5.466G	64.25	68.20	-3.95	59.37	3	Vertical	261	1.98	-	31.56	7.12	33.80
PK	5.703G	120.36	Inf	-Inf	114.80	3	Vertical	261	1.98	-	32.00	7.35	33.79
AV	5.697G	111.74	Inf	-Inf	106.21	3	Vertical	261	1.98	-	31.98	7.34	33.79
PK	5.851G	67.16	68.20	-1.04	61.39	3	Vertical	261	1.98	-	32.10	7.44	33.77

5.47-5.725GHz_802.11bn_UHR80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 93
06-U-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	58.48	74.00	-15.52	53.65	3	Horizontal	67.2	1.80	-	31.53	7.10	33.80
AV	5.457G	46.11	54.00	-7.89	41.28	3	Horizontal	67.2	1.80	-	31.53	7.10	33.80
PK	5.466G	57.44	68.20	-10.76	52.56	3	Horizontal	67.2	1.80	-	31.56	7.12	33.80
PK	5.706G	110.01	Inf	-Inf	104.45	3	Horizontal	67.2	1.80	-	32.00	7.35	33.79
AV	5.683G	99.73	Inf	-Inf	94.28	3	Horizontal	67.2	1.80	-	31.90	7.34	33.79
PK	5.85G	59.11	68.20	-9.09	53.34	3	Horizontal	67.2	1.80	-	32.10	7.44	33.77

5.47-5.725GHz_802.11bn UHR80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 93
06-U-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.38458G	57.23	74.00	-16.77	41.09	3	Vertical	271	1.92	-	39.80	10.94	34.60			
AV	11.38082G	44.75	54.00	-9.25	28.61	3	Vertical	271	1.92	-	39.80	10.94	34.60			
PK	17.07328G	60.75	68.20	-7.45	39.76	3	Vertical	57	1.65	-	40.41	14.39	33.81			

5.47-5.725GHz_802.11bn UHR80-BF_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 93
06-U-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38434G	57.37	74.00	-16.63	41.23	3	Horizontal	62	2.43	-	39.80	10.94	34.60			
AV	11.38274G	44.67	54.00	-9.33	28.53	3	Horizontal	62	2.43	-	39.80	10.94	34.60			
PK	17.06954G	60.97	68.20	-7.23	39.97	3	Horizontal	334	1.28	-	40.42	14.39	33.81			

5.725-5.85GHz_802.11bn UHR80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Z_4TX
Setting 87
06-U-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.653G	68.98	70.42	-1.44	63.71	3	Vertical	327.5	1.71	-	31.72	7.34	33.79
PK	5.786G	120.70	Inf	-Inf	115.13	3	Vertical	327.5	1.71	-	32.00	7.35	33.78
AV	5.748G	112.77	Inf	-Inf	107.20	3	Vertical	327.5	1.71	-	32.00	7.35	33.78
PK	5.995G	59.28	68.20	-8.92	52.94	3	Vertical	327.5	1.71	-	32.39	7.70	33.75

5.725-5.85GHz_802.11bn_UHR80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Z_4TX
Setting 87
06-U-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.646G	58.07	68.20	-10.13	52.83	3	Horizontal	153.1	1.80	-	31.69	7.34	33.79				
PK	5.791G	107.94	Inf	-Inf	102.37	3	Horizontal	153.1	1.80	-	32.00	7.35	33.78				
AV	5.745G	101.91	Inf	-Inf	96.34	3	Horizontal	153.1	1.80	-	32.00	7.35	33.78				
PK	6.019G	59.86	68.20	-8.34	53.46	3	Horizontal	153.1	1.80	-	32.44	7.70	33.74				

5.725-5.85GHz_802.11bn UHR80-BF_Nss1,(MCS0)_4TX


5775MHz_TX

EUT_Z_4TX
Setting 87
06-U-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54516G	57.73	74.00	-16.27	41.69	3	Vertical	11	2.05	-	39.71	10.98	34.65			
AV	11.55348G	45.19	54.00	-8.81	29.17	3	Vertical	11	2.05	-	39.69	10.98	34.65			
PK	17.3253G	60.65	68.20	-7.55	38.60	3	Vertical	219	2.45	-	41.15	14.50	33.60			

5.725-5.85GHz_802.11bn UHR80-BF_Nss1,(MCS0)_4TX


5775MHz_TX

EUT_Z_4TX
Setting 87
06-U-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55252G	57.90	74.00	-16.10	41.88	3	Horizontal	140	1.97	-	39.69	10.98	34.65			
AV	11.55336G	45.25	54.00	-8.75	29.23	3	Horizontal	140	1.97	-	39.69	10.98	34.65			
PK	17.3249G	61.07	68.20	-7.13	39.02	3	Horizontal	138	1.64	-	41.15	14.50	33.60			

5.25-5.35GHz_802.11bn UHR160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_4TX
Setting 71
06-U-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.139G	62.10	74.00	-11.90	57.06	3	Vertical	49.9	1.80	-	31.86	6.90	33.72			
AV	5.15G	50.67	54.00	-3.33	45.58	3	Vertical	49.9	1.80	-	31.90	6.91	33.72			
PK	5.175G	114.50	Inf	-Inf	109.56	3	Vertical	49.9	1.80	-	31.75	6.92	33.73			
AV	5.174G	104.62	Inf	-Inf	99.67	3	Vertical	49.9	1.80	-	31.76	6.92	33.73			
PK	5.351G	64.63	74.00	-9.37	60.11	3	Vertical	49.9	1.80	-	31.30	6.99	33.77			
AV	5.35G	52.77	54.00	-1.23	48.25	3	Vertical	49.9	1.80	-	31.30	6.99	33.77			
PK	5.461G	59.24	68.20	-8.96	54.39	3	Vertical	49.9	1.80	-	31.54	7.11	33.80			

5.25-5.35GHz_802.11bn UHR160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_4TX
Setting 71
06-U-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.146G	58.07	74.00	-15.93	53.00	3	Horizontal	308.8	1.80	-	31.88	6.91	33.72			
AV	5.15G	45.69	54.00	-8.31	40.60	3	Horizontal	308.8	1.80	-	31.90	6.91	33.72			
AV	5.181G	92.28	Inf	-Inf	87.38	3	Horizontal	308.8	1.80	-	31.71	6.92	33.73			
PK	5.327G	99.89	Inf	-Inf	95.43	3	Horizontal	308.8	1.80	-	31.25	6.98	33.77			
AV	5.35G	46.59	54.00	-7.41	42.07	3	Horizontal	308.8	1.80	-	31.30	6.99	33.77			
PK	5.432G	57.96	74.00	-16.04	53.23	3	Horizontal	308.8	1.80	-	31.46	7.06	33.79			
PK	5.476G	57.73	68.20	-10.47	52.79	3	Horizontal	308.8	1.80	-	31.60	7.14	33.80			

5.25-5.35GHz_802.11bn_UHR160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_4TX
Setting 71
06-U-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50056G	57.64	68.20	-10.56	41.32	3	Vertical	76	2.54	-	39.90	10.72	34.30			
PK	15.75268G	60.05	74.00	-13.95	42.20	3	Vertical	121	2.18	-	38.58	13.73	34.46			
AV	15.75222G	47.03	54.00	-6.97	29.18	3	Vertical	121	2.18	-	38.58	13.73	34.46			

5.25-5.35GHz_802.11bn_UHR160-BF_Nss1,(MCS0)_4TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Z_4TX
Setting 71
06-U-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49648G	58.19	68.20	-10.01	41.88	3	Horizontal	26	2.27	-	39.90	10.71	34.30			
PK	15.75124G	59.60	74.00	-14.40	41.74	3	Horizontal	109	1.87	-	38.59	13.73	34.46			
AV	15.75148G	47.12	54.00	-6.88	29.26	3	Horizontal	109	1.87	-	38.59	13.73	34.46			

5.47-5.725GHz_802.11bn UHR160-BF_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Z_4TX
Setting 76
06-U-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.332G	59.01	68.20	-9.19	54.54	3	Vertical	91.6	2.13	-	31.26	6.98	33.77			
PK	5.386G	66.18	74.00	-7.82	61.59	3	Vertical	91.6	2.13	-	31.37	7.00	33.78			
PK	5.462G	63.78	68.20	-4.42	58.92	3	Vertical	91.6	2.13	-	31.55	7.11	33.80			
AV	5.455G	52.63	54.00	-1.37	47.81	3	Vertical	91.6	2.13	-	31.52	7.10	33.80			
AV	5.499G	105.15	Inf	-Inf	100.09	3	Vertical	91.6	2.13	-	31.70	7.17	33.81			
PK	5.593G	113.52	Inf	-Inf	108.38	3	Vertical	91.6	2.13	-	31.61	7.33	33.80			
PK	5.747G	65.95	68.20	-2.25	60.38	3	Vertical	91.6	2.13	-	32.00	7.35	33.78			

5.47-5.725GHz_802.11bn UHR160-BF_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Z_4TX
Setting 76
06-U-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.322G	57.27	68.20	-10.93	52.81	3	Horizontal	259.3	1.80	-	31.24	6.98	33.76				
PK	5.403G	58.89	74.00	-15.11	54.25	3	Horizontal	259.3	1.80	-	31.41	7.01	33.78				
AV	5.402G	47.71	54.00	-6.29	43.08	3	Horizontal	259.3	1.80	-	31.40	7.01	33.78				
PK	5.461G	57.85	68.20	-10.35	53.00	3	Horizontal	259.3	1.80	-	31.54	7.11	33.80				
PK	5.51G	104.57	Inf	-Inf	99.49	3	Horizontal	259.3	1.80	-	31.70	7.19	33.81				
AV	5.51G	94.39	Inf	-Inf	89.31	3	Horizontal	259.3	1.80	-	31.70	7.19	33.81				
PK	5.747G	58.48	68.20	-9.72	52.91	3	Horizontal	259.3	1.80	-	32.00	7.35	33.78				

5.47-5.725GHz_802.11bn UHR160-BF_Nss1,(MCS0)_4TX


5570MHz_TX

EUT_Z_4TX
Setting 76
06-U-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13544G	57.50	74.00	-16.50	41.55	3	Vertical	191	1.68	-	39.56	10.87	34.48			
AV	11.14032G	45.22	54.00	-8.78	29.28	3	Vertical	191	1.68	-	39.54	10.88	34.48			
PK	16.7128G	60.49	68.20	-7.71	40.25	3	Vertical	174	1.06	-	40.08	14.24	34.08			

5.47-5.725GHz_802.11bn UHR160-BF_Nss1,(MCS0)_4TX

5570MHz_TX

EUT_Z_4TX
Setting 76
06-U-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13806G	57.78	74.00	-16.22	41.84	3	Horizontal	127	2.32	-	39.55	10.87	34.48			
AV	11.14328G	45.15	54.00	-8.85	29.23	3	Horizontal	127	2.32	-	39.53	10.88	34.49			
PK	16.71006G	60.76	68.20	-7.44	40.54	3	Horizontal	308	1.31	-	40.06	14.24	34.08			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth	Height	Comments
									(°)	(m)	
802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	PK	5.8564G	67.12	68.20	-1.08	3	Vertical	354	1.95	-

5.15-5.25GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




EUT_Z_4TX
Setting 68
04-C-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.15G	63.69	74.00	-10.31	67.15	3	Vertical	273	1.80	-	32.10	8.29	43.85					
AV	5.15G	52.80	54.00	-1.20	56.26	3	Vertical	273	1.80	-	32.10	8.29	43.85					
PK	5.2G	114.33	Inf	-Inf	118.07	3	Vertical	273	1.80	-	31.80	8.30	43.84					
AV	5.195G	102.59	Inf	-Inf	106.30	3	Vertical	273	1.80	-	31.83	8.30	43.84					
PK	5.364G	56.56	74.00	-17.44	60.55	3	Vertical	273	1.80	-	31.40	8.39	43.78					
AV	5.37G	44.88	54.00	-9.12	48.87	3	Vertical	273	1.80	-	31.40	8.39	43.78					

5.15-5.25GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




EUT_Z_4TX
Setting 68
04-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	56.72	74.00	-17.28	60.21	3	Horizontal	301	1.80	-	32.08	8.28	43.85
AV	5.147G	43.81	54.00	-10.19	47.30	3	Horizontal	301	1.80	-	32.08	8.28	43.85
PK	5.231G	104.59	Inf	-Inf	108.49	3	Horizontal	301	1.80	-	31.61	8.32	43.83
AV	5.231G	91.95	Inf	-Inf	95.85	3	Horizontal	301	1.80	-	31.61	8.32	43.83
PK	5.383G	54.49	74.00	-19.51	58.47	3	Horizontal	301	1.80	-	31.40	8.40	43.78
AV	5.459G	41.56	54.00	-12.44	45.14	3	Horizontal	301	1.80	-	31.72	8.45	43.75

5.15-5.25GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5210MHz_TX

EUT_Z_4TX
Setting 68
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4356G	46.24	68.20	-21.96	43.10	3	Vertical	350	1.44	-	38.07	10.40	45.33			
PK	15.595G	48.04	74.00	-25.96	40.78	3	Vertical	216	2.68	-	38.11	12.22	43.07			
AV	15.5842G	35.99	54.00	-18.01	28.70	3	Vertical	216	2.68	-	38.13	12.21	43.05			

5.15-5.25GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




EUT_Z_4TX
Setting 68
03-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.464G	45.96	68.20	-22.24	42.74	3	Horizontal	122	1.80	-	38.13	10.41	45.32			
PK	15.5864G	48.21	74.00	-25.79	40.92	3	Horizontal	169	1.58	-	38.13	12.21	43.05			
AV	15.5846G	36.00	54.00	-18.00	28.71	3	Horizontal	169	1.58	-	38.13	12.21	43.05			

5.25-5.35GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

5290MHz_TX




EUT_Z_4TX
Setting 64
04-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	57.54	74.00	-16.46	61.02	3	Vertical	275.4	1.80	-	32.09	8.28	43.85
AV	5.15G	46.25	54.00	-7.75	49.71	3	Vertical	275.4	1.80	-	32.10	8.29	43.85
PK	5.3G	113.55	Inf	-Inf	117.69	3	Vertical	275.4	1.80	-	31.30	8.36	43.80
AV	5.3G	102.33	Inf	-Inf	106.47	3	Vertical	275.4	1.80	-	31.30	8.36	43.80
PK	5.356G	63.61	74.00	-10.39	67.61	3	Vertical	275.4	1.80	-	31.40	8.39	43.79
AV	5.35G	52.76	54.00	-1.24	56.77	3	Vertical	275.4	1.80	-	31.40	8.38	43.79
PK	5.467G	57.40	68.20	-10.80	60.96	3	Vertical	275.4	1.80	-	31.73	8.46	43.75

5.25-5.35GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU_2_4TX

5290MHz_TX




EUT_Z_4TX
Setting 64
01-E-I-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	58.25	74.00	-15.75	48.03	3	Horizontal	340	1.80	-	33.10	9.71	32.59			
AV	5.146G	46.15	54.00	-7.85	35.95	3	Horizontal	340	1.80	-	33.08	9.71	32.59			
PK	5.326G	108.33	Inf	-Inf	98.39	3	Horizontal	340	1.80	-	32.80	9.69	32.55			
AV	5.321G	94.83	Inf	-Inf	84.89	3	Horizontal	340	1.80	-	32.80	9.69	32.55			
PK	5.357G	63.06	74.00	-10.94	53.13	3	Horizontal	340	1.80	-	32.79	9.68	32.54			
AV	5.352G	49.79	54.00	-4.21	39.85	3	Horizontal	340	1.80	-	32.80	9.68	32.54			
PK	5.527G	59.08	68.20	-9.12	48.94	3	Horizontal	340	1.80	-	32.75	9.89	32.50			

5.25-5.35GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

5290MHz_TX




EUT_Z_4TX
Setting 64
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.59656G	47.77	68.20	-20.43	44.52	3	Vertical	126	2.92	-	38.29	10.45	45.49				
AV	10.6G	34.23	54.00	-19.77	30.98	3	Vertical	126	2.92	-	38.30	10.45	45.50				
PK	15.908G	46.76	74.00	-27.24	40.50	3	Vertical	217	1.23	-	37.62	12.36	43.72				
AV	15.9016G	34.63	54.00	-19.37	28.38	3	Vertical	217	1.23	-	37.60	12.36	43.71				

5.25-5.35GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

5290MHz_TX




EUT_Z_4TX
Setting 64
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.60712G	46.40	74.00	-27.60	43.15	3	Horizontal	143	2.43	-	38.30	10.46	45.51				
AV	10.6016G	34.23	54.00	-19.77	30.97	3	Horizontal	143	2.43	-	38.30	10.46	45.50				
PK	15.90912G	46.62	74.00	-27.38	40.36	3	Horizontal	38	2.45	-	37.62	12.36	43.72				
AV	15.8988G	34.52	54.00	-19.48	28.27	3	Horizontal	38	2.45	-	37.60	12.35	43.70				

5.47-5.725GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5530MHz_TX




EUT_Z_4TX
Setting 76
06-U-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3316G	59.57	68.20	-8.63	55.10	3	Vertical	259	1.80	-	31.26	6.98	33.77
AV	5.35G	47.44	54.00	-6.56	42.92	3	Vertical	259	1.80	-	31.30	6.99	33.77
PK	5.458G	64.24	74.00	-9.76	59.40	3	Vertical	259	1.80	-	31.53	7.11	33.80
AV	5.458G	52.77	54.00	-1.23	47.93	3	Vertical	259	1.80	-	31.53	7.11	33.80
PK	5.4692G	64.24	68.20	-3.96	59.34	3	Vertical	259	1.80	-	31.58	7.12	33.80
PK	5.5548G	116.71	Inf	-Inf	111.55	3	Vertical	259	1.80	-	31.69	7.27	33.80
AV	5.5548G	106.27	Inf	-Inf	101.11	3	Vertical	259	1.80	-	31.69	7.27	33.80
PK	5.7268G	59.56	68.20	-8.64	53.99	3	Vertical	259	1.80	-	32.00	7.35	33.78

5.47-5.725GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5530MHz_TX




EUT_Z_4TX
Setting 76
01-E-J-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.3444G	58.95	68.20	-9.25	49.01	3	Horizontal	347	1.80	-	32.80	9.68	32.54				
AV	5.35G	47.09	54.00	-6.91	37.15	3	Horizontal	347	1.80	-	32.80	9.68	32.54				
PK	5.4548G	63.69	74.00	-10.31	53.73	3	Horizontal	347	1.80	-	32.71	9.76	32.51				
AV	5.4556G	51.81	54.00	-2.19	41.85	3	Horizontal	347	1.80	-	32.71	9.76	32.51				
PK	5.47G	63.76	68.20	-4.44	53.74	3	Horizontal	347	1.80	-	32.74	9.79	32.51				
PK	5.5156G	113.57	Inf	-Inf	103.43	3	Horizontal	347	1.80	-	32.77	9.87	32.50				
AV	5.5252G	101.58	Inf	-Inf	91.44	3	Horizontal	347	1.80	-	32.75	9.89	32.50				
PK	5.7284G	59.54	68.20	-8.66	48.74	3	Horizontal	347	1.80	-	33.31	10.01	32.52				

5.47-5.725GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5530MHz_TX

EUT_Z_4TX
Setting 76
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.11688G	45.17	74.00	-28.83	42.09	3	Vertical	61	2.68	-	38.60	10.62	46.14			
AV	11.00432G	33.04	54.00	-20.96	30.29	3	Vertical	61	2.68	-	38.41	10.59	46.25			
PK	16.63704G	46.28	68.20	-21.92	39.45	3	Vertical	23	1.20	-	38.80	12.68	44.65			

5.47-5.725GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5530MHz_TX

EUT_Z_4TX
Setting 76
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.02952G	45.90	74.00	-28.10	43.07	3	Horizontal	287	2.25	-	38.46	10.59	46.22			
AV	11.01368G	33.10	54.00	-20.90	30.32	3	Horizontal	287	2.25	-	38.43	10.59	46.24			
PK	16.64472G	46.32	68.20	-21.88	39.43	3	Horizontal	156	2.85	-	38.86	12.68	44.65			

5.47-5.725GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5610MHz_TX




EUT_Z_4TX
Setting 64
06-U-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4492G	59.02	74.00	-14.98	54.23	3	Vertical	257	2.10	-	31.50	7.09	33.80			
AV	5.45G	48.25	54.00	-5.75	43.46	3	Vertical	257	2.10	-	31.50	7.09	33.80			
PK	5.4684G	60.31	68.20	-7.89	55.42	3	Vertical	257	2.10	-	31.57	7.12	33.80			
PK	5.5844G	116.91	Inf	-Inf	111.77	3	Vertical	257	2.10	-	31.63	7.31	33.80			
AV	5.5948G	106.31	Inf	-Inf	101.17	3	Vertical	257	2.10	-	31.61	7.33	33.80			
PK	5.73G	66.53	68.20	-1.67	60.96	3	Vertical	257	2.10	-	32.00	7.35	33.78			

5.47-5.725GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5610MHz_TX

EUT_Z_4TX
Setting 64
01-E-J-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4124G	60.66	74.00	-13.34	50.80	3	Horizontal	342	1.80	-	32.70	9.68	32.52
AV	5.4236G	48.24	54.00	-5.76	38.36	3	Horizontal	342	1.80	-	32.70	9.70	32.52
PK	5.4636G	59.85	68.20	-8.35	49.85	3	Horizontal	342	1.80	-	32.73	9.78	32.51
PK	5.6012G	114.48	Inf	-Inf	104.26	3	Horizontal	342	1.80	-	32.70	10.03	32.51
AV	5.5964G	102.38	Inf	-Inf	92.17	3	Horizontal	342	1.80	-	32.70	10.02	32.51
PK	5.742G	61.93	68.20	-6.27	51.07	3	Horizontal	342	1.80	-	33.37	10.01	32.52

5.47-5.725GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5610MHz_TX




EUT_Z_4TX
Setting 64
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.25144G	45.98	74.00	-28.02	42.63	3	Vertical	317	1.33	-	38.70	10.67	46.02			
AV	11.274G	33.51	54.00	-20.49	30.14	3	Vertical	317	1.33	-	38.70	10.67	46.00			
PK	16.8852G	47.66	68.20	-20.54	40.23	3	Vertical	162	1.43	-	39.47	12.79	44.83			

5.47-5.725GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5610MHz_TX

EUT_Z_4TX
Setting 64
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22912G	45.87	74.00	-28.13	42.59	3	Horizontal	265	1.82	-	38.66	10.66	46.04			
AV	11.27712G	33.45	54.00	-20.55	30.07	3	Horizontal	265	1.82	-	38.70	10.68	46.00			
PK	16.81608G	47.52	68.20	-20.68	40.22	3	Horizontal	65	1.88	-	39.33	12.75	44.78			

5.47-5.725GHz_802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 89
06-U-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6812G	121.64	Inf	-Inf	116.20	3	Vertical	354	1.95	-	31.89	7.34	33.79			
AV	5.7108G	111.15	Inf	-Inf	105.58	3	Vertical	354	1.95	-	32.00	7.35	33.78			
PK	5.8564G	67.12	68.20	-1.08	61.33	3	Vertical	354	1.95	-	32.11	7.45	33.77			

5.47-5.725GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 89
01-E-J-1-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6516G	119.40	Inf	-Inf	108.99	3	Horizontal	352	1.80	-	32.91	10.02	32.52			
AV	5.6772G	108.59	Inf	-Inf	98.03	3	Horizontal	352	1.80	-	33.06	10.02	32.52			
PK	5.8524G	63.75	68.20	-4.45	52.33	3	Horizontal	352	1.80	-	33.91	10.05	32.54			

5.47-5.725GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 89
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.33536G	46.50	74.00	-27.50	42.99	3	Vertical	286	2.46	-	38.77	10.69	45.95			
AV	11.39632G	34.24	54.00	-19.76	30.53	3	Vertical	286	2.46	-	38.89	10.71	45.89			
PK	17.10816G	47.79	68.20	-20.41	39.58	3	Vertical	161	2.95	-	40.33	12.88	45.00			

5.47-5.725GHz_802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 89
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38192G	46.49	74.00	-27.51	42.83	3	Horizontal	280	2.53	-	38.86	10.71	45.91			
AV	11.40064G	34.25	54.00	-19.75	30.52	3	Horizontal	280	2.53	-	38.90	10.72	45.89			
PK	17.02368G	47.55	68.20	-20.65	39.54	3	Horizontal	358	1.23	-	40.09	12.85	44.93			

5.725-5.85GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX




EUT_Z_4TX
Setting 83
04-C-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.646G	66.71	68.20	-1.49	69.98	3	Vertical	359.8	1.80	-	31.78	8.57	43.62			
PK	5.746G	119.67	Inf	-Inf	122.61	3	Vertical	359.8	1.80	-	32.00	8.60	43.54			
AV	5.761G	108.42	Inf	-Inf	111.32	3	Vertical	359.8	1.80	-	32.02	8.61	43.53			
PK	5.962G	56.66	68.20	-11.54	58.65	3	Vertical	359.8	1.80	-	32.40	8.98	43.37			

5.725-5.85GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5775MHz_TX

EUT_Z_4TX
Setting 83
01-E-J-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.648G	64.50	68.20	-3.70	54.10	3	Horizontal	352	1.80	-	32.89	10.02	32.51			
PK	5.762G	118.92	Inf	-Inf	107.97	3	Horizontal	352	1.80	-	33.47	10.01	32.53			
AV	5.772G	105.75	Inf	-Inf	94.75	3	Horizontal	352	1.80	-	33.53	10.00	32.53			
PK	5.93G	63.74	68.20	-4.46	52.06	3	Horizontal	352	1.80	-	34.10	10.12	32.54			

5.725-5.85GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX




EUT_Z_4TX
Setting 83
03-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.55024G	46.23	74.00	-27.77	41.99	3	Vertical	79	1.69	-	39.30	10.76	45.82			
AV	11.57112G	34.14	54.00	-19.86	29.85	3	Vertical	79	1.69	-	39.34	10.77	45.82			
PK	17.30988G	49.13	68.20	-19.07	40.14	3	Vertical	355	1.54	-	41.18	12.97	45.16			

5.725-5.85GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX




EUT_Z_4TX
Setting 83
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50896G	46.28	74.00	-27.72	42.19	3	Horizontal	43	1.12	-	39.14	10.75	45.80			
AV	11.54472G	34.17	54.00	-19.83	29.95	3	Horizontal	43	1.12	-	39.28	10.76	45.82			
PK	17.32476G	49.37	68.20	-18.83	40.26	3	Horizontal	55	1.35	-	41.30	12.98	45.17			

5.15-5.25GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 1_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_4TX
Setting 73
04-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1444G	61.68	74.00	-12.32	65.18	3	Vertical	273	1.80	-	32.07	8.28	43.85			
AV	5.146G	50.61	54.00	-3.39	54.10	3	Vertical	273	1.80	-	32.08	8.28	43.85			
PK	5.226G	112.57	Inf	-Inf	116.45	3	Vertical	273	1.80	-	31.64	8.31	43.83			
AV	5.2244G	101.06	Inf	-Inf	104.93	3	Vertical	273	1.80	-	31.65	8.31	43.83			
PK	5.3508G	63.35	74.00	-10.65	67.36	3	Vertical	273	1.80	-	31.40	8.38	43.79			
AV	5.3508G	52.79	54.00	-1.21	56.80	3	Vertical	273	1.80	-	31.40	8.38	43.79			
PK	5.4724G	57.84	68.20	-10.36	61.39	3	Vertical	273	1.80	-	31.74	8.46	43.75			

5.15-5.25GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 1_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_4TX
Setting 73
04-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1332G	56.05	74.00	-17.95	59.63	3	Horizontal	302	1.80	-	32.00	8.28	43.86			
AV	5.146G	45.13	54.00	-8.87	48.62	3	Horizontal	302	1.80	-	32.08	8.28	43.85			
PK	5.2212G	102.71	Inf	-Inf	106.56	3	Horizontal	302	1.80	-	31.67	8.31	43.83			
AV	5.226G	90.84	Inf	-Inf	94.72	3	Horizontal	302	1.80	-	31.64	8.31	43.83			
PK	5.3572G	55.23	74.00	-18.77	59.23	3	Horizontal	302	1.80	-	31.40	8.39	43.79			
AV	5.3508G	44.11	54.00	-9.89	48.12	3	Horizontal	302	1.80	-	31.40	8.38	43.79			
PK	5.5284G	56.10	68.20	-12.10	59.57	3	Horizontal	302	1.80	-	31.74	8.51	43.72			

5.15-5.25GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 1_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_4TX
Setting 73
03-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.49232G	46.43	68.20	-21.77	43.14	3	Vertical	258	1.44	-	38.18	10.42	45.31			
PK	15.79008G	48.39	74.00	-25.61	41.82	3	Vertical	112	1.98	-	37.74	12.30	43.47			
AV	15.69216G	35.41	54.00	-18.59	28.32	3	Vertical	112	1.98	-	38.10	12.26	43.27			

5.15-5.25GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 1_4TX


5250MHz Straddle 5.15-5.25GHz_TX

EUT_Z_4TX
Setting 73
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50528G	46.81	68.20	-21.39	43.51	3	Horizontal	298	2.39	-	38.20	10.42	45.32			
PK	15.69024G	48.51	74.00	-25.49	41.42	3	Horizontal	231	2.87	-	38.10	12.26	43.27			
AV	15.6924G	35.40	54.00	-18.60	28.31	3	Horizontal	231	2.87	-	38.10	12.26	43.27			

5.15-5.25GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484 MRU 1_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_4TX
Setting 73
04-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.146G	60.96	74.00	-13.04	64.45	3	Vertical	273	1.80	-	32.08	8.28	43.85				
AV	5.146G	49.77	54.00	-4.23	53.26	3	Vertical	273	1.80	-	32.08	8.28	43.85				
PK	5.2196G	113.49	Inf	-Inf	117.33	3	Vertical	273	1.80	-	31.68	8.31	43.83				
AV	5.226G	101.40	Inf	-Inf	105.28	3	Vertical	273	1.80	-	31.64	8.31	43.83				
PK	5.3508G	62.85	74.00	-11.15	66.86	3	Vertical	273	1.80	-	31.40	8.38	43.79				
AV	5.3508G	52.79	54.00	-1.21	56.80	3	Vertical	273	1.80	-	31.40	8.38	43.79				
PK	5.5364G	57.13	68.20	-11.07	60.60	3	Vertical	273	1.80	-	31.73	8.51	43.71				

5.15-5.25GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484 MRU 1_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_4TX
Setting 73
01-E-J-1-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.1316G	62.51	74.00	-11.49	52.37	3	Horizontal	356	1.80	-	33.03	9.71	32.60					
AV	5.1476G	49.90	54.00	-4.10	39.69	3	Horizontal	356	1.80	-	33.09	9.71	32.59					
PK	5.2852G	110.53	Inf	-Inf	100.55	3	Horizontal	356	1.80	-	32.83	9.71	32.56					
PK	5.35G	64.73	74.00	-9.27	54.79	3	Horizontal	356	1.80	-	32.80	9.68	32.54					
AV	5.3252G	99.05	Inf	-Inf	89.11	3	Horizontal	356	1.80	-	32.80	9.69	32.55					
AV	5.35G	52.63	54.00	-1.37	42.69	3	Horizontal	356	1.80	-	32.80	9.68	32.54					
PK	5.4724G	59.43	68.20	-8.77	49.41	3	Horizontal	356	1.80	-	32.74	9.79	32.51					

5.15-5.25GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484 MRU 1_4TX


5250MHz Straddle 5.15-5.25GHz_TX

EUT_Z_4TX
Setting 73
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52856G	46.17	68.20	-22.03	42.90	3	Vertical	101	1.80	-	38.20	10.43	45.36			
PK	15.79776G	46.78	74.00	-27.22	40.25	3	Vertical	83	2.21	-	37.71	12.31	43.49			
AV	15.6924G	35.40	54.00	-18.60	28.31	3	Vertical	83	2.21	-	38.10	12.26	43.27			

5.15-5.25GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484 MRU 1_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_4TX
Setting 73
03-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.512G	46.73	68.20	-21.47	43.43	3	Horizontal	110	2.07	-	38.20	10.43	45.33			
PK	15.7248G	47.71	74.00	-26.29	40.78	3	Horizontal	11	1.56	-	38.00	12.27	43.34			
AV	15.69216G	35.41	54.00	-18.59	28.32	3	Horizontal	11	1.56	-	38.10	12.26	43.27			

5.47-5.725GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX


5570MHz_TX

EUT_Z_4TX
Setting 69
06-U-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.414G	63.49	74.00	-10.51	58.82	3	Vertical	260.1	1.80	-	31.43	7.03	33.79			
PK	5.4644G	62.17	68.20	-6.03	57.29	3	Vertical	260.1	1.80	-	31.56	7.12	33.80			
AV	5.4492G	52.69	54.00	-1.31	47.90	3	Vertical	260.1	1.80	-	31.50	7.09	33.80			
PK	5.5796G	113.03	Inf	-Inf	107.88	3	Vertical	260.1	1.80	-	31.64	7.31	33.80			
AV	5.5844G	102.87	Inf	-Inf	97.73	3	Vertical	260.1	1.80	-	31.63	7.31	33.80			
PK	5.75G	62.03	68.20	-6.17	56.46	3	Vertical	260.1	1.80	-	32.00	7.35	33.78			

5.47-5.725GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX

5570MHz_TX




EUT_Z_4TX
Setting 69
01-E-J-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4548G	61.85	74.00	-12.15	51.89	3	Horizontal	302	1.80	-	32.71	9.76	32.51			
AV	5.3876G	48.61	54.00	-5.39	38.76	3	Horizontal	302	1.80	-	32.72	9.66	32.53			
PK	5.466G	65.87	68.20	-2.33	55.87	3	Horizontal	302	1.80	-	32.73	9.78	32.51			
PK	5.6324G	106.19	Inf	-Inf	95.84	3	Horizontal	302	1.80	-	32.83	10.03	32.51			
AV	5.6332G	94.55	Inf	-Inf	84.20	3	Horizontal	302	1.80	-	32.83	10.03	32.51			
PK	5.7356G	62.34	68.20	-5.86	51.51	3	Horizontal	302	1.80	-	33.34	10.01	32.52			

5.47-5.725GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX


5570MHz_TX

EUT_Z_4TX
Setting 69
03-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.19304G	45.13	74.00	-28.87	41.96	3	Vertical	105	1.09	-	38.60	10.65	46.08			
AV	11.19712G	32.99	54.00	-21.01	29.81	3	Vertical	105	1.09	-	38.60	10.65	46.07			
PK	16.71288G	47.03	68.20	-21.17	39.89	3	Vertical	85	2.42	-	39.13	12.71	44.70			

5.47-5.725GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX

5570MHz_TX




EUT_Z_4TX
Setting 69
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.17936G	45.50	74.00	-28.50	42.35	3	Horizontal	303	1.34	-	38.60	10.64	46.09			
AV	11.19616G	32.97	54.00	-21.03	29.79	3	Horizontal	303	1.34	-	38.60	10.65	46.07			
PK	16.7496G	47.34	68.20	-20.86	40.14	3	Horizontal	12	1.00	-	39.20	12.73	44.73			

5.47-5.725GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX


5570MHz_TX

EUT_Z_4TX
Setting 69
06-U-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4092G	63.94	74.00	-10.06	59.28	3	Vertical	258	1.80	-	31.42	7.03	33.79
AV	5.4092G	52.84	54.00	-1.16	48.18	3	Vertical	258	1.80	-	31.42	7.03	33.79
PK	5.4644G	62.55	68.20	-5.65	57.67	3	Vertical	258	1.80	-	31.56	7.12	33.80
PK	5.5396G	113.74	Inf	-Inf	108.61	3	Vertical	258	1.80	-	31.70	7.24	33.81
AV	5.55G	103.00	Inf	-Inf	97.84	3	Vertical	258	1.80	-	31.70	7.26	33.80
PK	5.75G	61.44	68.20	-6.76	55.87	3	Vertical	258	1.80	-	32.00	7.35	33.78

5.47-5.725GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

5570MHz_TX




EUT_Z_4TX
Setting 69
01-E-J-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4556G	62.53	74.00	-11.47	52.57	3	Horizontal	301	1.80	-	32.71	9.76	32.51
AV	5.3828G	49.60	54.00	-4.40	39.73	3	Horizontal	301	1.80	-	32.73	9.67	32.53
PK	5.4676G	61.41	68.20	-6.79	51.39	3	Horizontal	301	1.80	-	32.74	9.79	32.51
PK	5.5132G	106.99	Inf	-Inf	96.85	3	Horizontal	301	1.80	-	32.77	9.87	32.50
AV	5.6276G	95.58	Inf	-Inf	85.25	3	Horizontal	301	1.80	-	32.81	10.03	32.51
PK	5.754G	62.30	68.20	-5.90	51.40	3	Horizontal	301	1.80	-	33.42	10.01	32.53

5.47-5.725GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX


5570MHz_TX

EUT_Z_4TX
Setting 69
03-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.10232G	45.07	74.00	-28.93	42.01	3	Vertical	122	1.75	-	38.60	10.62	46.16			
AV	11.13304G	32.92	54.00	-21.08	29.82	3	Vertical	122	1.75	-	38.60	10.63	46.13			
PK	16.69824G	48.33	68.20	-19.87	41.23	3	Vertical	65	2.42	-	39.09	12.70	44.69			

5.47-5.725GHz_802.11bn UHR160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

5570MHz_TX

EUT_Z_4TX
Setting 69
03-R-G-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14768G	45.50	74.00	-28.50	42.39	3	Horizontal	223	2.93	-	38.60	10.63	46.12			
AV	11.19952G	32.96	54.00	-21.04	29.78	3	Horizontal	223	2.93	-	38.60	10.65	46.07			
PK	16.76784G	47.79	68.20	-20.41	40.56	3	Horizontal	195	1.92	-	39.24	12.73	44.74			



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	3.50215G	42.21	54.00	-11.79	Vertical

Mode 1



Mode 1

