


6.525-6.875GHz_802.11bn UHR20-BF_Nss2,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
Setting 100
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.7926G	55.34	83.54	-28.20	50.17	1	Vertical	232	1.79	-	37.50	16.59	48.92			
AV	19.7854G	44.03	63.54	-19.51	38.85	1	Vertical	232	1.79	-	37.50	16.59	48.91			

6.525-6.875GHz_802.11bn UHR20-BF_Nss2,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
Setting 100
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.797G	55.70	83.54	-27.84	50.53	1	Horizontal	3	1.60	-	37.50	16.59	48.92			
AV	19.7882G	44.41	63.54	-19.13	39.24	1	Horizontal	3	1.60	-	37.50	16.59	48.92			

6.525-6.875GHz_802.11bn UHR20-BF_Nss2,(MCS0)_4TX

6855MHz_TX




EUT_Z_4TX
Setting 100
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7101G	50.20	88.20	-38.00	41.06	3	Vertical	48	2.08	-	40.58	13.62	45.06			
RMS	13.7347G	38.76	68.20	-29.44	29.66	3	Vertical	48	2.08	-	40.53	13.63	45.06			

6.525-6.875GHz_802.11bn UHR20-BF_Nss2,(MCS0)_4TX

6855MHz_TX




EUT_Z_4TX
Setting 100
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.73G	50.70	88.20	-37.50	41.60	3	Horizontal	109	2.09	-	40.54	13.62	45.06			
RMS	13.7341G	38.67	68.20	-29.53	29.57	3	Horizontal	109	2.09	-	40.53	13.63	45.06			

6.525-6.875GHz_802.11bn UHR20-BF_Nss2,(MCS0)_4TX

6855MHz_TX




EUT_Z_4TX
Setting 100
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.7906G	56.59	83.54	-26.95	51.42	1	Vertical	281	1.56	-	37.50	16.59	48.92			
AV	19.7846G	44.66	63.54	-18.88	39.48	1	Vertical	281	1.56	-	37.50	16.59	48.91			

6.525-6.875GHz_802.11bn UHR20-BF_Nss2,(MCS0)_4TX

6855MHz_TX




EUT_Z_4TX
Setting 100
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.7834G	56.55	83.54	-26.99	51.37	1	Horizontal	158	1.95	-	37.50	16.59	48.91			
AV	19.7854G	43.95	63.54	-19.59	38.77	1	Horizontal	158	1.95	-	37.50	16.59	48.91			

6.525-6.875GHz_802.11bn UHR20-BF_Nss2,(MCS0)_4TX

6875MHz_TX




EUT_Z_4TX
Setting 26
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.74632G	47.33	88.20	-40.87	59.94	3	Vertical	58	1.59	-	40.69	11.42	64.72			
RMS	13.75244G	34.24	68.20	-33.96	46.83	3	Vertical	58	1.59	-	40.70	11.42	64.71			

6.525-6.875GHz_802.11bn UHR20-BF_Nss2,(MCS0)_4TX

6875MHz_TX




EUT_Z_4TX
Setting 26
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.75414G	46.98	88.20	-41.22	59.57	3	Horizontal	287	1.02	-	40.70	11.42	64.71			
RMS	13.75478G	33.57	68.20	-34.63	46.16	3	Horizontal	287	1.02	-	40.70	11.42	64.71			

6.525-6.875GHz_802.11bn UHR20-BF_Nss2,(MCS0)_4TX


6875MHz_TX

EUT_Z_4TX
Setting 26
03-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.61972G	47.77	83.54	-35.77	41.83	1	Vertical	66	1.72	-	37.66	17.18	48.90			
RMS	20.6127G	34.20	63.54	-29.34	28.25	1	Vertical	66	1.72	-	37.67	17.18	48.90			

6.525-6.875GHz_802.11bn UHR20-BF_Nss2,(MCS0)_4TX


6875MHz_TX

EUT_Z_4TX
Setting 26
03-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.62776G	47.38	83.54	-36.16	41.45	1	Horizontal	14	2.49	-	37.64	17.19	48.90			
RMS	20.61054G	34.18	63.54	-29.36	28.22	1	Horizontal	14	2.49	-	37.68	17.18	48.90			

6.875-7.125GHz_802.11bn UHR20-BF_Nss2,(MCS0)_4TX

6895MHz_TX




EUT_Z_4TX
Setting 29
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.79334G	46.88	88.20	-41.32	59.45	3	Vertical	90	2.98	-	40.70	11.43	64.70			
RMS	13.79754G	33.82	68.20	-34.38	46.38	3	Vertical	90	2.98	-	40.70	11.43	64.69			

6.875-7.125GHz_802.11bn UHR20-BF_Nss2,(MCS0)_4TX

6895MHz_TX




EUT_Z_4TX
Setting 29
03-E-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.79792G	46.58	88.20	-41.62	59.14	3	Horizontal	3	1.96	-	40.70	11.43	64.69			
RMS	13.7974G	33.81	68.20	-34.39	46.37	3	Horizontal	3	1.96	-	40.70	11.43	64.69			

6.875-7.125GHz_802.11bn UHR20-BF_Nss2,(MCS0)_4TX

6895MHz_TX




EUT_Z_4TX
Setting 29
03-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.6868G	46.89	83.54	-36.65	41.02	1	Vertical	152	1.28	-	37.53	17.24	48.90			
RMS	20.67096G	33.52	63.54	-30.02	27.63	1	Vertical	152	1.28	-	37.56	17.23	48.90			

6.875-7.125GHz_802.11bn UHR20-BF_Nss2,(MCS0)_4TX

6895MHz_TX




EUT_Z_4TX
Setting 29
03-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.67306G	46.83	83.54	-36.71	40.95	1	Horizontal	234	1.29	-	37.55	17.23	48.90				
RMS	20.67342G	33.46	63.54	-30.08	27.58	1	Horizontal	234	1.29	-	37.55	17.23	48.90				

6.875-7.125GHz_802.11bn UHR20-BF_Nss2,(MCS0)_4TX


6995MHz_TX

EUT_Z_4TX
Setting 30
03-E-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.98242G	48.21	88.20	-39.99	60.31	3	Vertical	58	2.42	-	41.03	11.48	64.61			
RMS	13.98438G	34.47	68.20	-33.73	46.55	3	Vertical	58	2.42	-	41.04	11.49	64.61			

6.875-7.125GHz_802.11bn UHR20-BF_Nss2,(MCS0)_4TX

6995MHz_TX




EUT_Z_4TX
Setting 30
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.99736G	47.65	88.20	-40.55	59.67	3	Horizontal	158	1.27	-	41.09	11.49	64.60			
RMS	13.99166G	34.37	68.20	-33.83	46.41	3	Horizontal	158	1.27	-	41.07	11.49	64.60			

6.875-7.125GHz_802.11bn UHR20-BF_Nss2,(MCS0)_4TX

6995MHz_TX




EUT_Z_4TX
Setting 30
03-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.99304G	46.67	83.54	-36.87	40.34	1	Vertical	236	2.38	-	37.71	17.52	48.90			
RMS	20.9955G	33.19	63.54	-30.35	26.85	1	Vertical	236	2.38	-	37.71	17.53	48.90			

6.875-7.125GHz_802.11bn UHR20-BF_Nss2,(MCS0)_4TX

6995MHz_TX




EUT_Z_4TX
Setting 30
03-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.97516G	46.08	83.54	-37.46	39.72	1	Horizontal	9	2.52	-	37.75	17.51	48.90			
RMS	20.99868G	33.27	63.54	-30.27	26.94	1	Horizontal	9	2.52	-	37.70	17.53	48.90			

6.875-7.125GHz_802.11bn UHR20-BF_Nss2,(MCS0)_4TX


7095MHz_TX

EUT_Z_4TX
Setting 31
03-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0941G	109.12	Inf	-Inf	100.10	3	Vertical	122	1.83	-	35.70	8.39	35.07			
RMS	7.0914G	99.56	Inf	-Inf	90.54	3	Vertical	122	1.83	-	35.70	8.39	35.07			
PK	7.2357G	64.39	88.20	-23.81	54.42	3	Vertical	122	1.83	-	36.51	8.48	35.02			
RMS	7.2357G	53.22	68.20	-14.98	43.25	3	Vertical	122	1.83	-	36.51	8.48	35.02			

6.875-7.125GHz_802.11bn UHR20-BF_Nss2,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
Setting 31
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0923G	101.04	Inf	-Inf	92.02	3	Horizontal	150	2.31	-	35.70	8.39	35.07			
RMS	7.0968G	91.80	Inf	-Inf	82.78	3	Horizontal	150	2.31	-	35.70	8.39	35.07			
PK	7.1715G	63.69	88.20	-24.51	54.17	3	Horizontal	150	2.31	-	36.13	8.43	35.04			
RMS	7.2384G	53.18	68.20	-15.02	43.18	3	Horizontal	150	2.31	-	36.53	8.48	35.01			

6.875-7.125GHz_802.11bn UHR20-BF_Nss2,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
Setting 31
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.193G	46.14	88.20	-42.06	57.47	3	Vertical	117	1.67	-	41.57	11.58	64.48			
RMS	14.18028G	33.55	68.20	-34.65	44.95	3	Vertical	117	1.67	-	41.52	11.57	64.49			

6.875-7.125GHz_802.11bn UHR20-BF_Nss2,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
Setting 31
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.19898G	46.58	88.20	-41.62	57.88	3	Horizontal	82	1.35	-	41.60	11.58	64.48			
RMS	14.19932G	33.51	68.20	-34.69	44.81	3	Horizontal	82	1.35	-	41.60	11.58	64.48			

6.875-7.125GHz_802.11bn UHR20-BF_Nss2,(MCS0)_4TX


7095MHz_TX

EUT_Z_4TX
Setting 31
03-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.27318G	47.34	83.54	-36.20	40.94	1	Vertical	33	1.47	-	37.76	17.43	48.79			
RMS	21.27528G	33.99	63.54	-29.55	27.60	1	Vertical	33	1.47	-	37.75	17.43	48.79			

6.875-7.125GHz_802.11bn UHR20-BF_Nss2,(MCS0)_4TX


7095MHz_TX

EUT_Z_4TX
Setting 31
03-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.28242G	47.66	83.54	-35.88	41.31	1	Horizontal	17	1.11	-	37.71	17.43	48.79			
RMS	21.2757G	34.03	63.54	-29.51	27.64	1	Horizontal	17	1.11	-	37.75	17.43	48.79			

6.525-6.875GHz_802.11bn UHR40-BF_Nss2,(MCS0)_4TX

6605MHz_TX




EUT_Z_4TX
Setting 100
05-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.2042G	50.06	88.20	-38.14	42.13	3	Vertical	219	1.78	-	40.10	13.38	45.55			
RMS	13.1951G	38.11	68.20	-30.09	30.18	3	Vertical	219	1.78	-	40.11	13.38	45.56			

6.525-6.875GHz_802.11bn UHR40-BF_Nss2,(MCS0)_4TX

6605MHz_TX




EUT_Z_4TX
Setting 100
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.201G	49.55	88.20	-38.65	41.62	3	Horizontal	274	1.91	-	40.10	13.38	45.55			
RMS	13.1952G	38.08	68.20	-30.12	30.15	3	Horizontal	274	1.91	-	40.11	13.38	45.56			

6.525-6.875GHz_802.11bn UHR40-BF_Nss2,(MCS0)_4TX

6605MHz_TX




EUT_Z_4TX
Setting 100
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.8342G	59.82	83.54	-23.72	54.51	1	Vertical	86	1.41	-	37.64	16.60	48.93			
AV	19.7854G	45.94	63.54	-17.60	40.76	1	Vertical	86	1.41	-	37.50	16.59	48.91			

6.525-6.875GHz_802.11bn UHR40-BF_Nss2,(MCS0)_4TX

6605MHz_TX




EUT_Z_4TX
Setting 100
05-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.8006G	56.72	83.54	-26.82	51.55	1	Horizontal	342	1.45	-	37.50	16.59	48.92			
AV	19.7834G	46.89	63.54	-16.65	41.71	1	Horizontal	342	1.45	-	37.50	16.59	48.91			

6.525-6.875GHz_802.11bn UHR40-BF_Nss2,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
Setting 100
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3911G	49.25	74.00	-24.75	40.59	3	Vertical	232	1.68	-	40.40	13.47	45.21			
AV	13.395G	37.39	54.00	-16.61	28.72	3	Vertical	232	1.68	-	40.40	13.47	45.20			

6.525-6.875GHz_802.11bn UHR40-BF_Nss2,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
Setting 100
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3934G	48.80	74.00	-25.20	40.13	3	Horizontal	252	1.78	-	40.40	13.47	45.20			
AV	13.3818G	37.34	54.00	-16.66	28.71	3	Horizontal	252	1.78	-	40.40	13.46	45.23			

6.525-6.875GHz_802.11bn UHR40-BF_Nss2,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
Setting 100
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.8106G	55.93	83.54	-27.61	50.72	1	Vertical	134	1.70	-	37.54	16.59	48.92			
AV	19.7846G	46.56	63.54	-16.98	41.38	1	Vertical	134	1.70	-	37.50	16.59	48.91			

6.525-6.875GHz_802.11bn UHR40-BF_Nss2,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
Setting 100
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.8334G	59.09	83.54	-24.45	53.79	1	Horizontal	296	1.35	-	37.63	16.60	48.93			
AV	19.7838G	46.90	63.54	-16.64	41.72	1	Horizontal	296	1.35	-	37.50	16.59	48.91			

6.525-6.875GHz_802.11bn UHR40-BF_Nss2,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
Setting 100
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.6703G	49.61	88.20	-38.59	40.40	3	Vertical	79	1.34	-	40.66	13.60	45.05			
RMS	13.6682G	38.12	68.20	-30.08	28.91	3	Vertical	79	1.34	-	40.66	13.60	45.05			

6.525-6.875GHz_802.11bn UHR40-BF_Nss2,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
Setting 100
05-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.6906G	50.19	88.20	-38.01	41.01	3	Horizontal	7	2.07	-	40.62	13.61	45.05			
RMS	13.6672G	38.29	68.20	-29.91	29.07	3	Horizontal	7	2.07	-	40.67	13.60	45.05			

6.525-6.875GHz_802.11bn UHR40-BF_Nss2,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
Setting 100
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.5362G	51.87	83.54	-31.67	46.13	1	Vertical	78	1.65	-	37.53	17.11	48.90			
AV	20.5054G	41.25	63.54	-22.29	35.48	1	Vertical	78	1.65	-	37.59	17.08	48.90			

6.525-6.875GHz_802.11bn UHR40-BF_Nss2,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
Setting 100
05-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.5346G	55.55	83.54	-27.99	49.81	1	Horizontal	132	1.50	-	37.53	17.11	48.90			
AV	20.5066G	41.09	63.54	-22.45	35.32	1	Horizontal	132	1.50	-	37.59	17.08	48.90			

6.525-6.875GHz_802.11bn UHR40-BF_Nss2,(MCS0)_4TX

6885MHz_TX




EUT_Z_4TX
Setting 39
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7608G	46.76	88.20	-41.44	59.35	3	Vertical	73	2.23	-	40.70	11.42	64.71			
RMS	13.77212G	33.54	68.20	-34.66	46.12	3	Vertical	73	2.23	-	40.70	11.42	64.70			

6.525-6.875GHz_802.11bn UHR40-BF_Nss2,(MCS0)_4TX

6885MHz_TX




EUT_Z_4TX
Setting 39
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.77094G	46.94	88.20	-41.26	59.53	3	Horizontal	331	2.47	-	40.70	11.42	64.71			
RMS	13.7606G	33.50	68.20	-34.70	46.09	3	Horizontal	331	2.47	-	40.70	11.42	64.71			

6.525-6.875GHz_802.11bn UHR40-BF_Nss2,(MCS0)_4TX

6885MHz_TX




EUT_Z_4TX
Setting 39
03-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.6619G	47.22	83.54	-36.32	41.32	1	Vertical	78	2.62	-	37.58	17.22	48.90			
RMS	20.64378G	33.79	63.54	-29.75	27.87	1	Vertical	78	2.62	-	37.61	17.21	48.90			

6.525-6.875GHz_802.11bn UHR40-BF_Nss2,(MCS0)_4TX


6885MHz_TX

EUT_Z_4TX
Setting 39
03-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.64012G	47.20	83.54	-36.34	41.28	1	Horizontal	203	1.75	-	37.62	17.20	48.90			
RMS	20.64198G	33.87	63.54	-29.67	27.95	1	Horizontal	203	1.75	-	37.62	17.20	48.90			

6.875-7.125GHz_802.11bn UHR40-BF_Nss2,(MCS0)_4TX

6925MHz_TX




EUT_Z_4TX
Setting 44
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.84264G	46.71	88.20	-41.49	59.15	3	Vertical	55	1.22	-	40.79	11.44	64.67			
RMS	13.85212G	34.10	68.20	-34.10	46.52	3	Vertical	55	1.22	-	40.80	11.45	64.67			

6.875-7.125GHz_802.11bn UHR40-BF_Nss2,(MCS0)_4TX

6925MHz_TX




EUT_Z_4TX
Setting 44
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8513G	46.86	88.20	-41.34	59.28	3	Horizontal	358	2.06	-	40.80	11.45	64.67			
RMS	13.8455G	34.02	68.20	-34.18	46.45	3	Horizontal	358	2.06	-	40.79	11.45	64.67			

6.875-7.125GHz_802.11bn UHR40-BF_Nss2,(MCS0)_4TX


6925MHz_TX

EUT_Z_4TX
Setting 44
03-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.78958G	46.24	83.54	-37.30	40.16	1	Vertical	350	2.90	-	37.64	17.34	48.90			
RMS	20.76456G	33.03	63.54	-30.51	26.87	1	Vertical	350	2.90	-	37.74	17.32	48.90			

6.875-7.125GHz_802.11bn UHR40-BF_Nss2,(MCS0)_4TX


6925MHz_TX

EUT_Z_4TX
Setting 44
03-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.78424G	45.86	83.54	-37.68	39.77	1	Horizontal	229	1.47	-	37.66	17.33	48.90			
RMS	20.7606G	32.95	63.54	-30.59	26.78	1	Horizontal	229	1.47	-	37.76	17.31	48.90			

6.875-7.125GHz_802.11bn UHR40-BF_Nss2,(MCS0)_4TX


7005MHz_TX

EUT_Z_4TX
Setting 35
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.01386G	47.46	88.20	-40.74	59.42	3	Vertical	354	2.37	-	41.13	11.50	64.59			
RMS	14.0134G	34.12	68.20	-34.08	46.08	3	Vertical	354	2.37	-	41.13	11.50	64.59			

6.875-7.125GHz_802.11bn UHR40-BF_Nss2,(MCS0)_4TX

7005MHz_TX




EUT_Z_4TX
Setting 35
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0018G	47.91	88.20	-40.29	59.92	3	Horizontal	7	1.32	-	41.10	11.49	64.60			
RMS	14.0012G	34.19	68.20	-34.01	46.20	3	Horizontal	7	1.32	-	41.10	11.49	64.60			

6.875-7.125GHz_802.11bn UHR40-BF_Nss2,(MCS0)_4TX


7005MHz_TX

EUT_Z_4TX
Setting 35
03-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.00906G	46.72	83.54	-36.82	40.37	1	Vertical	174	2.69	-	37.72	17.53	48.90			
RMS	21.0282G	33.52	63.54	-30.02	27.13	1	Vertical	174	2.69	-	37.76	17.52	48.89			

6.875-7.125GHz_802.11bn UHR40-BF_Nss2,(MCS0)_4TX

7005MHz_TX




EUT_Z_4TX
Setting 35
03-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.0162G	46.59	83.54	-36.95	40.23	1	Horizontal	298	1.47	-	37.73	17.52	48.89			
RMS	21.02868G	33.55	63.54	-29.99	27.16	1	Horizontal	298	1.47	-	37.76	17.52	48.89			

6.875-7.125GHz_802.11bn UHR40-BF_Nss2,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
Setting 40
03-E-E-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0836G	109.80	Inf	-Inf	100.80	3	Vertical	124	1.80	-	35.70	8.38	35.08			
RMS	7.0768G	99.76	Inf	-Inf	90.76	3	Vertical	124	1.80	-	35.70	8.38	35.08			
PK	7.1262G	67.96	88.20	-20.24	58.76	3	Vertical	124	1.80	-	35.86	8.40	35.06			
RMS	7.1252G	53.73	68.20	-14.47	44.54	3	Vertical	124	1.80	-	35.85	8.40	35.06			

6.875-7.125GHz_802.11bn UHR40-BF_Nss2,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
Setting 40
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1018G	101.33	Inf	-Inf	92.30	3	Horizontal	149	2.31	-	35.71	8.39	35.07			
RMS	7.0982G	91.78	Inf	-Inf	82.76	3	Horizontal	149	2.31	-	35.70	8.39	35.07			
PK	7.1252G	65.60	88.20	-22.60	56.41	3	Horizontal	149	2.31	-	35.85	8.40	35.06			
RMS	7.17G	53.13	68.20	-15.07	43.63	3	Horizontal	149	2.31	-	36.12	8.42	35.04			

6.875-7.125GHz_802.11bn UHR40-BF_Nss2,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
Setting 40
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.16092G	46.47	88.20	-41.73	57.97	3	Vertical	88	1.64	-	41.44	11.56	64.50			
RMS	14.16116G	33.58	68.20	-34.62	45.08	3	Vertical	88	1.64	-	41.44	11.56	64.50			

6.875-7.125GHz_802.11bn UHR40-BF_Nss2,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
Setting 40
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.16954G	46.95	88.20	-41.25	58.40	3	Horizontal	66	1.11	-	41.48	11.57	64.50			
RMS	14.16002G	33.67	68.20	-34.53	45.17	3	Horizontal	66	1.11	-	41.44	11.56	64.50			

6.875-7.125GHz_802.11bn UHR40-BF_Nss2,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
Setting 40
03-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.24528G	47.54	83.54	-36.00	41.03	1	Vertical	155	2.36	-	37.87	17.44	48.80			
RMS	21.2481G	34.19	63.54	-29.35	27.66	1	Vertical	155	2.36	-	37.89	17.44	48.80			

6.875-7.125GHz_802.11bn UHR40-BF_Nss2,(MCS0)_4TX


7085MHz_TX

EUT_Z_4TX
Setting 40
03-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.26694G	46.95	83.54	-36.59	40.51	1	Horizontal	276	1.15	-	37.80	17.43	48.79			
RMS	21.25434G	34.20	63.54	-29.34	27.69	1	Horizontal	276	1.15	-	37.87	17.44	48.80			

6.525-6.875GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
Setting 100
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.2503G	49.12	74.00	-24.88	41.08	3	Vertical	80	1.80	-	40.10	13.40	45.46			
RMS	13.2299G	36.84	68.20	-31.36	28.85	3	Vertical	80	1.80	-	40.10	13.39	45.50			

6.525-6.875GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
Setting 100
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.2285G	47.43	88.20	-40.77	39.44	3	Horizontal	264	2.03	-	40.10	13.39	45.50			
RMS	13.2313G	36.99	68.20	-31.21	29.00	3	Horizontal	264	2.03	-	40.10	13.39	45.50			

6.525-6.875GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
Setting 100
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.7866G	66.29	83.54	-17.25	61.11	1	Vertical	79	1.60	-	37.50	16.59	48.91			
AV	19.787G	52.23	63.54	-11.31	47.05	1	Vertical	79	1.60	-	37.50	16.59	48.91			

6.525-6.875GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
Setting 100
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.9402G	64.02	83.54	-19.52	58.81	1	Horizontal	94	1.65	-	37.58	16.61	48.98			
AV	19.9426G	51.11	63.54	-12.43	45.89	1	Horizontal	94	1.65	-	37.59	16.61	48.98			

6.525-6.875GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
Setting 100
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4202G	48.96	88.20	-39.24	40.16	3	Vertical	43	1.56	-	40.48	13.48	45.16			
RMS	13.4288G	37.97	68.20	-30.23	29.11	3	Vertical	43	1.56	-	40.52	13.48	45.14			

6.525-6.875GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
Setting 100
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4316G	49.24	88.20	-38.96	40.35	3	Horizontal	29	1.45	-	40.53	13.49	45.13			
RMS	13.4303G	37.98	68.20	-30.22	29.11	3	Horizontal	29	1.45	-	40.52	13.49	45.14			

6.525-6.875GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
Setting 100
05-X-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.027G	63.01	83.54	-20.53	58.07	1	Vertical	140	1.50	-	37.29	16.64	48.99			
AV	20.0286G	50.72	63.54	-12.82	45.77	1	Vertical	140	1.50	-	37.29	16.65	48.99			

6.525-6.875GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX


6705MHz_TX

EUT_Z_4TX
Setting 100
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0198G	52.63	83.54	-30.91	47.67	1	Horizontal	104	1.63	-	37.32	16.64	49.00			
AV	20.0278G	49.19	63.54	-14.35	44.24	1	Horizontal	104	1.63	-	37.29	16.65	48.99			

6.525-6.875GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
Setting 100
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.5904G	52.16	88.20	-36.04	42.79	3	Vertical	97	1.80	-	40.84	13.56	45.03			
RMS	13.5949G	40.96	68.20	-27.24	31.61	3	Vertical	97	1.80	-	40.82	13.56	45.03			

6.525-6.875GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
Setting 100
05-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.5664G	50.64	88.20	-37.56	41.18	3	Horizontal	31	1.80	-	40.93	13.55	45.02			
RMS	13.562G	38.74	68.20	-29.46	29.26	3	Horizontal	31	1.80	-	40.95	13.55	45.02			

6.525-6.875GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX


6785MHz_TX

EUT_Z_4TX
Setting 100
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.2614G	59.67	83.54	-23.87	54.31	1	Vertical	79	1.78	-	37.45	16.86	48.95			
AV	20.329G	44.45	63.54	-19.09	39.04	1	Vertical	79	1.78	-	37.42	16.92	48.93			

6.525-6.875GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
Setting 100
05-X-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.3114G	56.38	83.54	-27.16	51.07	1	Horizontal	104	1.59	-	37.35	16.90	48.94			
AV	20.267G	45.17	63.54	-18.37	39.83	1	Horizontal	104	1.59	-	37.43	16.86	48.95			

6.525-6.875GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX


6865MHz_TX

EUT_Z_4TX
Setting 57
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.72384G	46.61	88.20	-41.59	59.33	3	Vertical	333	2.19	-	40.60	11.41	64.73			
RMS	13.73824G	33.66	68.20	-34.54	46.32	3	Vertical	333	2.19	-	40.65	11.41	64.72			

6.525-6.875GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX

6865MHz_TX




EUT_Z_4TX
Setting 57
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7312G	46.78	88.20	-41.42	59.47	3	Horizontal	65	2.92	-	40.62	11.41	64.72			
RMS	13.73824G	33.89	68.20	-34.31	46.55	3	Horizontal	65	2.92	-	40.65	11.41	64.72			

6.525-6.875GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX

6865MHz_TX




EUT_Z_4TX
Setting 57
03-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.5833G	48.15	83.54	-35.39	42.27	1	Vertical	155	2.97	-	37.63	17.15	48.90			
RMS	20.58228G	34.71	63.54	-28.83	28.83	1	Vertical	155	2.97	-	37.63	17.15	48.90			

6.525-6.875GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX

6865MHz_TX




EUT_Z_4TX
Setting 57
03-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.58492G	48.34	83.54	-35.20	42.45	1	Horizontal	329	1.57	-	37.64	17.15	48.90			
RMS	20.58876G	34.58	63.54	-28.96	28.66	1	Horizontal	329	1.57	-	37.66	17.16	48.90			

6.875-7.125GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX

6945MHz_TX




EUT_Z_4TX
Setting 54
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.89638G	47.15	88.20	-41.05	59.54	3	Vertical	223	1.08	-	40.80	11.46	64.65			
RMS	13.89468G	34.31	68.20	-33.89	46.70	3	Vertical	223	1.08	-	40.80	11.46	64.65			

6.875-7.125GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX

6945MHz_TX




EUT_Z_4TX
Setting 54
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.88336G	47.25	88.20	-40.95	59.64	3	Horizontal	42	1.48	-	40.80	11.46	64.65			
RMS	13.89998G	34.20	68.20	-34.00	46.59	3	Horizontal	42	1.48	-	40.80	11.46	64.65			

6.875-7.125GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX


6945MHz_TX

EUT_Z_4TX
Setting 54
03-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.84772G	45.42	83.54	-38.12	39.33	1	Vertical	78	2.91	-	37.60	17.39	48.90			
RMS	20.83914G	32.63	63.54	-30.91	26.55	1	Vertical	78	2.91	-	37.60	17.38	48.90			

6.875-7.125GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX

6945MHz_TX




EUT_Z_4TX
Setting 54
03-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.8434G	45.53	83.54	-38.01	39.44	1	Horizontal	92	1.08	-	37.60	17.39	48.90			
RMS	20.83542G	32.61	63.54	-30.93	26.53	1	Horizontal	92	1.08	-	37.60	17.38	48.90			

6.875-7.125GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX


7025MHz_TX

EUT_Z_4TX
Setting 53
03-E-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0134G	110.39	Inf	-Inf	101.44	3	Vertical	99	1.76	-	35.70	8.35	35.10			
RMS	7.0094G	100.71	Inf	-Inf	91.78	3	Vertical	99	1.76	-	35.70	8.34	35.11			
PK	7.1586G	63.09	88.20	-25.11	53.67	3	Vertical	99	1.76	-	36.05	8.42	35.05			
RMS	7.185G	53.77	68.20	-14.43	44.17	3	Vertical	99	1.76	-	36.21	8.43	35.04			

6.875-7.125GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
Setting 53
03-E-E-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9942G	101.61	Inf	-Inf	92.69	3	Horizontal	148	1.80	-	35.69	8.34	35.11			
RMS	7.0074G	91.81	Inf	-Inf	82.88	3	Horizontal	148	1.80	-	35.70	8.34	35.11			
PK	7.1786G	63.33	88.20	-24.87	53.77	3	Horizontal	148	1.80	-	36.17	8.43	35.04			
RMS	7.185G	53.18	68.20	-15.02	43.58	3	Horizontal	148	1.80	-	36.21	8.43	35.04			

6.875-7.125GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
Setting 53
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0589G	47.28	88.20	-40.92	59.12	3	Vertical	15	2.87	-	41.20	11.52	64.56			
RMS	14.04862G	34.06	68.20	-34.14	45.92	3	Vertical	15	2.87	-	41.20	11.51	64.57			

6.875-7.125GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
Setting 53
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.05472G	47.49	88.20	-40.71	59.35	3	Horizontal	194	1.05	-	41.20	11.51	64.57			
RMS	14.045G	34.29	68.20	-33.91	46.16	3	Horizontal	194	1.05	-	41.19	11.51	64.57			

6.875-7.125GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX


7025MHz_TX

EUT_Z_4TX
Setting 53
03-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.06552G	47.56	83.54	-35.98	41.15	1	Vertical	233	2.28	-	37.77	17.51	48.87			
RMS	21.08796G	34.37	63.54	-29.17	28.01	1	Vertical	233	2.28	-	37.72	17.50	48.86			

6.875-7.125GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
Setting 53
03-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.06654G	47.31	83.54	-36.23	40.90	1	Horizontal	23	2.05	-	37.77	17.51	48.87			
RMS	21.0882G	34.41	63.54	-29.13	28.05	1	Horizontal	23	2.05	-	37.72	17.50	48.86			

6.525-6.875GHz_802.11bn UHR160-BF_Nss2,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
Setting 100
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3487G	48.34	74.00	-25.66	39.79	3	Vertical	254.1	1.80	-	40.39	13.45	45.29			
AV	13.3502G	37.13	54.00	-16.87	28.56	3	Vertical	254.1	1.80	-	40.40	13.45	45.28			

6.525-6.875GHz_802.11bn UHR160-BF_Nss2,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
Setting 100
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3059G	48.57	74.00	-25.43	40.28	3	Horizontal	152	1.49	-	40.22	13.43	45.36			
AV	13.3504G	37.19	54.00	-16.81	28.62	3	Horizontal	152	1.49	-	40.40	13.45	45.28			

6.525-6.875GHz_802.11bn UHR160-BF_Nss2,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
Setting 100
05-X-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.9842G	58.18	83.54	-25.36	53.09	1	Vertical	55	1.63	-	37.46	16.62	48.99			
AV	19.7802G	53.25	63.54	-10.29	48.07	1	Vertical	55	1.63	-	37.50	16.59	48.91			

6.525-6.875GHz_802.11bn UHR160-BF_Nss2,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
Setting 100
05-X-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.9842G	54.75	83.54	-28.79	49.66	1	Horizontal	148	1.94	-	37.46	16.62	48.99			
AV	19.7862G	48.83	63.54	-14.71	43.65	1	Horizontal	148	1.94	-	37.50	16.59	48.91			

6.525-6.875GHz_802.11bn UHR160-BF_Nss2,(MCS0)_4TX

6825MHz_TX




EUT_Z_4TX
Setting 67
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.64936G	45.96	88.20	-42.24	58.93	3	Vertical	44	1.81	-	40.40	11.39	64.76			
RMS	13.64466G	31.98	68.20	-36.22	44.95	3	Vertical	44	1.81	-	40.40	11.39	64.76			

6.525-6.875GHz_802.11bn UHR160-BF_Nss2,(MCS0)_4TX

6825MHz_TX




EUT_Z_4TX
Setting 67
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.64946G	45.24	88.20	-42.96	58.21	3	Horizontal	59	1.61	-	40.40	11.39	64.76			
RMS	13.64316G	31.96	68.20	-36.24	44.93	3	Horizontal	59	1.61	-	40.40	11.39	64.76			

6.525-6.875GHz_802.11bn UHR160-BF_Nss2,(MCS0)_4TX


6825MHz_TX

EUT_Z_4TX
Setting 67
03-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.4777G	47.49	83.54	-36.05	41.83	1	Vertical	160	1.64	-	37.51	17.05	48.90			
RMS	20.48976G	33.97	63.54	-29.57	28.24	1	Vertical	160	1.64	-	37.56	17.07	48.90			

6.525-6.875GHz_802.11bn UHR160-BF_Nss2,(MCS0)_4TX

6825MHz_TX




EUT_Z_4TX
Setting 67
03-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.46588G	46.93	83.54	-36.61	41.34	1	Horizontal	46	1.70	-	37.46	17.04	48.91			
RMS	20.4891G	33.97	63.54	-29.57	28.24	1	Horizontal	46	1.70	-	37.56	17.07	48.90			

6.875-7.125GHz_802.11bn UHR160-BF_Nss2,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
Setting 63
06-U-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.923G	111.45	Inf	-Inf	101.51	3	Vertical	118.6	1.76	-	35.04	8.30	33.40			
RMS	6.923G	100.36	Inf	-Inf	90.42	3	Vertical	118.6	1.76	-	35.04	8.30	33.40			
PK	7.13G	76.05	88.20	-12.15	64.95	3	Vertical	118.6	1.76	-	36.12	8.44	33.46			
RMS	7.1285G	56.85	68.20	-11.35	45.76	3	Vertical	118.6	1.76	-	36.11	8.44	33.46			

6.875-7.125GHz_802.11bn UHR160-BF_Nss2,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
Setting 63
06-U-P-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.047G	102.11	Inf	-Inf	91.52	3	Horizontal	49.8	2.14	-	35.58	8.43	33.42			
RMS	6.9085G	90.92	Inf	-Inf	81.11	3	Horizontal	49.8	2.14	-	34.95	8.27	33.41			
PK	7.135G	64.90	88.20	-23.30	53.78	3	Horizontal	49.8	2.14	-	36.14	8.44	33.46			
RMS	7.225G	53.98	68.20	-14.22	42.61	3	Horizontal	49.8	2.14	-	36.35	8.52	33.50			

6.875-7.125GHz_802.11bn UHR160-BF_Nss2,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
Setting 63
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97422G	47.11	88.20	-41.09	59.24	3	Vertical	131	2.78	-	41.00	11.48	64.61			
RMS	13.96174G	34.28	68.20	-33.92	46.47	3	Vertical	131	2.78	-	40.95	11.48	64.62			

6.875-7.125GHz_802.11bn UHR160-BF_Nss2,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
Setting 63
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.973G	47.63	88.20	-40.57	59.77	3	Horizontal	276	2.68	-	40.99	11.48	64.61			
RMS	13.96074G	34.28	68.20	-33.92	46.48	3	Horizontal	276	2.68	-	40.94	11.48	64.62			

6.875-7.125GHz_802.11bn UHR160-BF_Nss2,(MCS0)_4TX


6985MHz_TX

EUT_Z_4TX
Setting 63
03-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95638G	45.87	83.54	-37.67	39.49	1	Vertical	166	1.73	-	37.79	17.49	48.90			
RMS	20.94378G	33.03	63.54	-30.51	26.65	1	Vertical	166	1.73	-	37.80	17.48	48.90			

6.875-7.125GHz_802.11bn UHR160-BF_Nss2,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
Setting 63
03-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95776G	46.73	83.54	-36.81	40.36	1	Horizontal	339	2.16	-	37.78	17.49	48.90			
RMS	20.96238G	33.11	63.54	-30.43	26.73	1	Horizontal	339	2.16	-	37.78	17.50	48.90			

6.525-6.875GHz_802.11bn UHR320-BF_Nss2,(MCS0)_4TX


6745MHz_TX

EUT_Z_4TX
Setting 77
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.49492G	45.91	88.20	-42.29	59.10	3	Vertical	182	2.59	-	40.30	11.34	64.83			
RMS	13.49112G	33.06	68.20	-35.14	46.25	3	Vertical	182	2.59	-	40.30	11.34	64.83			

6.525-6.875GHz_802.11bn UHR320-BF_Nss2,(MCS0)_4TX


6745MHz_TX

EUT_Z_4TX
Setting 77
03-E-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.49486G	46.03	88.20	-42.17	59.22	3	Horizontal	0	2.49	-	40.30	11.34	64.83			
RMS	13.4814G	32.83	68.20	-35.37	46.02	3	Horizontal	0	2.49	-	40.30	11.34	64.83			

6.525-6.875GHz_802.11bn UHR320-BF_Nss2,(MCS0)_4TX


6745MHz_TX

EUT_Z_4TX
Setting 77
03-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.23734G	46.73	83.54	-36.81	41.39	1	Vertical	208	2.11	-	37.45	16.84	48.95			
RMS	20.22084G	34.11	63.54	-29.43	28.87	1	Vertical	208	2.11	-	37.38	16.82	48.96			

6.525-6.875GHz_802.11bn UHR320-BF_Nss2,(MCS0)_4TX


6745MHz_TX

EUT_Z_4TX
Setting 77
03-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.22078G	46.79	83.54	-36.75	41.55	1	Horizontal	352	2.46	-	37.38	16.82	48.96			
RMS	20.22516G	34.09	63.54	-29.45	28.82	1	Horizontal	352	2.46	-	37.40	16.82	48.95			

6.525-6.875GHz_802.11bn UHR320-BF_Nss2,(MCS0)_4TX

6905MHz_TX




EUT_Z_4TX
Setting 75
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.889G	108.71	Inf	-Inf	99.05	3	Vertical	142.1	1.88	-	34.83	8.24	33.41			
AV	6.863G	100.69	Inf	-Inf	91.22	3	Vertical	142.1	1.88	-	34.68	8.20	33.41			
PK	7.273G	64.60	74.00	-9.40	52.99	3	Vertical	142.1	1.88	-	36.49	8.64	33.52			
AV	7.255G	52.99	54.00	-1.01	41.48	3	Vertical	142.1	1.88	-	36.42	8.60	33.51			

6.525-6.875GHz_802.11bn UHR320-BF_Nss2,(MCS0)_4TX

6905MHz_TX




EUT_Z_4TX
Setting 75
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.013G	99.97	Inf	-Inf	89.58	3	Horizontal	224.6	1.95	-	35.38	8.42	33.41			
AV	7.015G	90.24	Inf	-Inf	79.84	3	Horizontal	224.6	1.95	-	35.39	8.42	33.41			
PK	7.263G	57.45	74.00	-16.55	45.90	3	Horizontal	224.6	1.95	-	36.45	8.62	33.52			
AV	7.253G	46.30	54.00	-7.70	34.81	3	Horizontal	224.6	1.95	-	36.41	8.59	33.51			

6.525-6.875GHz_802.11bn UHR320-BF_Nss2,(MCS0)_4TX

6905MHz_TX




EUT_Z_4TX
Setting 75
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.81694G	47.82	88.20	-40.38	60.33	3	Vertical	6	3.00	-	40.73	11.44	64.68			
RMS	13.81836G	34.51	68.20	-33.69	47.01	3	Vertical	6	3.00	-	40.74	11.44	64.68			

6.525-6.875GHz_802.11bn UHR320-BF_Nss2,(MCS0)_4TX

6905MHz_TX




EUT_Z_4TX
Setting 75
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.81018G	46.95	88.20	-41.25	59.49	3	Horizontal	88	1.85	-	40.72	11.43	64.69			
RMS	13.81756G	34.56	68.20	-33.64	47.06	3	Horizontal	88	1.85	-	40.74	11.44	64.68			

6.525-6.875GHz_802.11bn UHR320-BF_Nss2,(MCS0)_4TX


6905MHz_TX

EUT_Z_4TX
Setting 75
03-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71362G	46.67	83.54	-36.87	40.72	1	Vertical	100	1.08	-	37.58	17.27	48.90			
RMS	20.71692G	33.82	63.54	-29.72	27.85	1	Vertical	100	1.08	-	37.60	17.27	48.90			

6.525-6.875GHz_802.11bn UHR320-BF_Nss2,(MCS0)_4TX

6905MHz_TX



EUT_Z_4TX
Setting 75
03-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.7123G	46.15	83.54	-37.39	40.21	1	Horizontal	279	1.83	-	37.57	17.27	48.90			
RMS	20.70522G	33.99	63.54	-29.55	28.10	1	Horizontal	279	1.83	-	37.53	17.26	48.90			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11bn UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX	Pass	AV	12.05367G	44.09	54.00	-9.91	3	Vertical	60	1.98	-

5.925-6.425GHz_802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_Z_4TX
Setting 56
04-C-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9245G	60.59	88.20	-27.61	62.70	3	Vertical	237.2	1.80	-	32.40	8.89	43.40			
RMS	5.9245G	47.53	68.20	-20.67	49.64	3	Vertical	237.2	1.80	-	32.40	8.89	43.40			
PK	5.9795G	108.32	Inf	-Inf	110.27	3	Vertical	237.2	1.80	-	32.40	9.01	43.36			
RMS	6.0145G	100.19	Inf	-Inf	102.02	3	Vertical	237.2	1.80	-	32.43	9.07	43.33			

5.925-6.425GHz_802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5985MHz_TX

EUT_Z_4TX
Setting 56
04-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9005G	55.60	88.20	-32.60	57.78	3	Horizontal	318	3.00	-	32.40	8.84	43.42			
RMS	5.923G	45.33	68.20	-22.87	47.44	3	Horizontal	318	3.00	-	32.40	8.89	43.40			
PK	5.9635G	98.45	Inf	-Inf	100.44	3	Horizontal	318	3.00	-	32.40	8.98	43.37			
RMS	6.0135G	90.78	Inf	-Inf	92.61	3	Horizontal	318	3.00	-	32.43	9.07	43.33			

5.925-6.425GHz_802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_Z_4TX
Setting 56
04-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.97203G	58.10	74.00	-15.90	48.93	3	Vertical	212	2.50	-	38.90	13.55	43.28			
AV	11.97265G	44.03	54.00	-9.97	34.86	3	Vertical	212	2.50	-	38.90	13.55	43.28			

5.925-6.425GHz_802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5985MHz_TX

EUT_Z_4TX
Setting 56
04-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96783G	57.74	74.00	-16.26	48.57	3	Horizontal	214	1.08	-	38.90	13.55	43.28			
AV	11.97278G	43.96	54.00	-10.04	34.79	3	Horizontal	214	1.08	-	38.90	13.55	43.28			

5.925-6.425GHz_802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_Z_4TX
Setting 56
04-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.95795G	51.37	83.54	-32.17	46.93	1	Vertical	72	1.71	-	37.31	15.42	48.29			
AV	17.95143G	37.67	63.54	-25.87	33.22	1	Vertical	72	1.71	-	37.30	15.42	48.27			

5.925-6.425GHz_802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5985MHz_TX

EUT_Z_4TX
Setting 56
04-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	17.95247G	50.95	83.54	-32.59	46.50	1	Horizontal	48	1.59	-	37.30	15.42	48.27			
AV	17.95146G	37.61	63.54	-25.93	33.16	1	Horizontal	48	1.59	-	37.30	15.42	48.27			

5.925-6.425GHz_802.11bn UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX

6025MHz_TX




EUT_Z_4TX
Setting 61
04-C-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9234G	60.75	88.20	-27.45	62.86	3	Vertical	260	1.80	-	32.40	8.89	43.40			
RMS	5.9242G	50.46	68.20	-17.74	52.57	3	Vertical	260	1.80	-	32.40	8.89	43.40			
PK	5.9938G	109.39	Inf	-Inf	111.28	3	Vertical	260	1.80	-	32.40	9.05	43.34			
RMS	6.089G	99.89	Inf	-Inf	101.54	3	Vertical	260	1.80	-	32.50	9.14	43.29			

5.925-6.425GHz_802.11bn UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX

6025MHz_TX




EUT_Z_4TX
Setting 61
04-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.749G	56.15	88.20	-32.05	59.09	3	Horizontal	128	1.80	-	32.00	8.60	43.54			
RMS	5.9234G	45.86	68.20	-22.34	47.97	3	Horizontal	128	1.80	-	32.40	8.89	43.40			
PK	6.089G	97.97	Inf	-Inf	99.62	3	Horizontal	128	1.80	-	32.50	9.14	43.29			
RMS	6.0538G	89.22	Inf	-Inf	90.92	3	Horizontal	128	1.80	-	32.50	9.11	43.31			

5.925-6.425GHz_802.11bn UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX

6025MHz_TX




EUT_Z_4TX
Setting 61
04-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04806G	58.43	74.00	-15.57	48.94	3	Vertical	60	1.98	-	39.19	13.62	43.32			
AV	12.05367G	44.09	54.00	-9.91	34.58	3	Vertical	60	1.98	-	39.21	13.62	43.32			

5.925-6.425GHz_802.11bn UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX

6025MHz_TX




EUT_Z_4TX
Setting 61
04-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.05047G	58.92	74.00	-15.08	49.42	3	Horizontal	200	2.74	-	39.20	13.62	43.32			
AV	12.05085G	44.07	54.00	-9.93	34.57	3	Horizontal	200	2.74	-	39.20	13.62	43.32			

5.925-6.425GHz_802.11bn UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX


6025MHz_TX

EUT_Z_4TX
Setting 61
04-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07791G	51.24	83.54	-32.30	46.91	1	Vertical	117	1.77	-	37.26	15.50	48.43			
AV	18.07163G	37.45	63.54	-26.09	33.15	1	Vertical	117	1.77	-	37.24	15.49	48.43			

5.925-6.425GHz_802.11bn UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX

6025MHz_TX




EUT_Z_4TX
Setting 61
04-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07916G	51.59	83.54	-31.95	47.26	1	Horizontal	321	2.05	-	37.26	15.50	48.43			
AV	18.07728G	37.61	63.54	-25.93	33.29	1	Horizontal	321	2.05	-	37.25	15.50	48.43			

5.925-6.425GHz_802.11bn UHR160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX


6025MHz_TX

EUT_Z_4TX
Setting 58
04-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9242G	61.95	88.20	-26.25	64.06	3	Vertical	266.5	1.80	-	32.40	8.89	43.40			
RMS	5.9242G	51.93	68.20	-16.27	54.04	3	Vertical	266.5	1.80	-	32.40	8.89	43.40			
PK	6.0842G	107.51	Inf	-Inf	109.16	3	Vertical	266.5	1.80	-	32.50	9.14	43.29			
RMS	6.089G	99.49	Inf	-Inf	101.14	3	Vertical	266.5	1.80	-	32.50	9.14	43.29			

5.925-6.425GHz_802.11bn UHR160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

6025MHz_TX




EUT_Z_4TX
Setting 58
04-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8346G	55.29	88.20	-32.91	57.89	3	Horizontal	315	2.64	-	32.17	8.70	43.47			
RMS	5.9234G	45.79	68.20	-22.41	47.90	3	Horizontal	315	2.64	-	32.40	8.89	43.40			
PK	6.0738G	97.57	Inf	-Inf	99.24	3	Horizontal	315	2.64	-	32.50	9.13	43.30			
RMS	6.0786G	88.73	Inf	-Inf	90.40	3	Horizontal	315	2.64	-	32.50	9.13	43.30			

5.925-6.425GHz_802.11bn UHR160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

6025MHz_TX




EUT_Z_4TX
Setting 58
04-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04694G	57.94	74.00	-16.06	48.46	3	Vertical	310	2.00	-	39.18	13.62	43.32			
AV	12.04724G	44.05	54.00	-9.95	34.57	3	Vertical	310	2.00	-	39.18	13.62	43.32			

5.925-6.425GHz_802.11bn UHR160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

6025MHz_TX




EUT_Z_4TX
Setting 58
04-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0478G	57.94	74.00	-16.06	48.45	3	Horizontal	31	2.93	-	39.19	13.62	43.32			
AV	12.05085G	44.07	54.00	-9.93	34.57	3	Horizontal	31	2.93	-	39.20	13.62	43.32			

5.925-6.425GHz_802.11bn UHR160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

6025MHz_TX




EUT_Z_4TX
Setting 58
04-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07652G	50.53	83.54	-33.01	46.21	1	Vertical	249	2.06	-	37.25	15.50	48.43			
AV	18.07164G	37.52	63.54	-26.02	33.22	1	Vertical	249	2.06	-	37.24	15.49	48.43			

5.925-6.425GHz_802.11bn UHR160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

6025MHz_TX




EUT_Z_4TX
Setting 58
04-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07545G	50.27	83.54	-33.27	45.95	1	Horizontal	191	1.95	-	37.25	15.50	48.43			
AV	18.07453G	37.45	63.54	-26.09	33.13	1	Horizontal	191	1.95	-	37.25	15.50	48.43			

5.925-6.425GHz_802.11bn UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX

6105MHz_TX




EUT_Z_4TX
Setting 77
04-C-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9238G	63.53	88.20	-24.67	65.64	3	Vertical	5.7	1.80	-	32.40	8.89	43.40			
RMS	5.9214G	52.59	68.20	-15.61	54.70	3	Vertical	5.7	1.80	-	32.40	8.89	43.40			
PK	6.2094G	107.59	Inf	-Inf	108.80	3	Vertical	5.7	1.80	-	32.76	9.26	43.23			
RMS	6.0642G	99.15	Inf	-Inf	100.84	3	Vertical	5.7	1.80	-	32.50	9.12	43.31			

5.925-6.425GHz_802.11bn UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX


6105MHz_TX

EUT_Z_4TX
Setting 77
04-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9238G	55.51	88.20	-32.69	57.62	3	Horizontal	316	3.00	-	32.40	8.89	43.40			
RMS	5.9238G	46.06	68.20	-22.14	48.17	3	Horizontal	316	3.00	-	32.40	8.89	43.40			
PK	6.0138G	97.18	Inf	-Inf	99.01	3	Horizontal	316	3.00	-	32.43	9.07	43.33			
RMS	6.0534G	88.37	Inf	-Inf	90.07	3	Horizontal	316	3.00	-	32.50	9.11	43.31			

5.925-6.425GHz_802.11bn UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX

6105MHz_TX




EUT_Z_4TX
Setting 77
04-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20674G	56.63	74.00	-17.37	47.36	3	Vertical	79	2.70	-	38.89	13.77	43.39			
AV	12.21183G	43.01	54.00	-10.99	33.74	3	Vertical	79	2.70	-	38.88	13.78	43.39			

5.925-6.425GHz_802.11bn UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX

6105MHz_TX




EUT_Z_4TX
Setting 77
04-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.2143G	57.02	74.00	-16.98	47.76	3	Horizontal	209	1.95	-	38.87	13.78	43.39			
AV	12.21141G	43.05	54.00	-10.95	33.78	3	Horizontal	209	1.95	-	38.88	13.78	43.39			

5.925-6.425GHz_802.11bn UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX

6105MHz_TX




EUT_Z_4TX
Setting 77
04-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31142G	50.86	83.54	-32.68	46.42	1	Vertical	87	1.68	-	37.35	15.61	48.52			
AV	18.31979G	46.13	63.54	-17.41	41.67	1	Vertical	87	1.68	-	37.38	15.61	48.53			

5.925-6.425GHz_802.11bn UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX


6105MHz_TX

EUT_Z_4TX
Setting 77
04-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31425G	50.29	83.54	-33.25	45.85	1	Horizontal	231	1.92	-	37.36	15.61	48.53			
AV	18.31983G	46.17	63.54	-17.37	41.71	1	Horizontal	231	1.92	-	37.38	15.61	48.53			

5.925-6.425GHz_802.11bn UHR320_Nss1,(MCS0),3xRU996 MRU 3_4TX


6105MHz_TX

EUT_Z_4TX
Setting 74
04-C-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9238G	63.25	88.20	-24.95	65.36	3	Vertical	7	1.80	-	32.40	8.89	43.40			
RMS	5.9238G	52.93	68.20	-15.27	55.04	3	Vertical	7	1.80	-	32.40	8.89	43.40			
PK	6.0798G	108.60	Inf	-Inf	110.26	3	Vertical	7	1.80	-	32.50	9.14	43.30			
RMS	6.0594G	98.92	Inf	-Inf	100.61	3	Vertical	7	1.80	-	32.50	9.12	43.31			

5.925-6.425GHz_802.11bn_UHR320_Nss1,(MCS0),3xRU996 MRU 3_4TX

6105MHz_TX




EUT_Z_4TX
Setting 74
04-C-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9202G	55.57	88.20	-32.63	57.69	3	Horizontal	152	2.06	-	32.40	8.88	43.40			
RMS	5.9226G	44.76	68.20	-23.44	46.87	3	Horizontal	152	2.06	-	32.40	8.89	43.40			
PK	6.075G	97.48	Inf	-Inf	99.15	3	Horizontal	152	2.06	-	32.50	9.13	43.30			
RMS	6.0906G	87.03	Inf	-Inf	88.67	3	Horizontal	152	2.06	-	32.50	9.15	43.29			

5.925-6.425GHz_802.11bn UHR320_Nss1,(MCS0),3xRU996 MRU 3_4TX

6105MHz_TX




EUT_Z_4TX
Setting 74
04-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21172G	56.75	74.00	-17.25	47.48	3	Vertical	356	2.24	-	38.88	13.78	43.39			
AV	12.21219G	43.01	54.00	-10.99	33.74	3	Vertical	356	2.24	-	38.88	13.78	43.39			

5.925-6.425GHz_802.11bn UHR320_Nss1,(MCS0),3xRU996 MRU 3_4TX


6105MHz_TX

EUT_Z_4TX
Setting 74
04-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.21176G	57.23	74.00	-16.77	47.96	3	Horizontal	293	1.54	-	38.88	13.78	43.39			
AV	12.20842G	43.01	54.00	-10.99	33.75	3	Horizontal	293	1.54	-	38.88	13.77	43.39			

5.925-6.425GHz_802.11bn UHR320_Nss1,(MCS0),3xRU996 MRU 3_4TX


6105MHz_TX

EUT_Z_4TX
Setting 74
04-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.3176G	51.14	83.54	-32.40	46.69	1	Vertical	23	1.80	-	37.37	15.61	48.53			
AV	18.31949G	48.42	63.54	-15.12	43.96	1	Vertical	23	1.80	-	37.38	15.61	48.53			

5.925-6.425GHz_802.11bn UHR320_Nss1,(MCS0),3xRU996 MRU 3_4TX

6105MHz_TX




EUT_Z_4TX
Setting 74
04-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.3154G	51.29	83.54	-32.25	46.85	1	Horizontal	94	1.57	-	37.36	15.61	48.53			
AV	18.31981G	48.61	63.54	-14.93	44.15	1	Horizontal	94	1.57	-	37.38	15.61	48.53			

5.925-6.425GHz_802.11bn UHR320_Nss1,(MCS0),2xRU996+RU484 MRU 3_4TX

6105MHz_TX




EUT_Z_4TX
Setting 72
04-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.925G	57.85	88.20	-30.35	59.96	3	Vertical	314.3	1.80	-	32.40	8.89	43.40				
RMS	5.925G	48.56	68.20	-19.64	50.67	3	Vertical	314.3	1.80	-	32.40	8.89	43.40				
PK	6.0798G	108.99	Inf	-Inf	110.65	3	Vertical	314.3	1.80	-	32.50	9.14	43.30				
RMS	6.0702G	99.27	Inf	-Inf	100.94	3	Vertical	314.3	1.80	-	32.50	9.13	43.30				

5.925-6.425GHz_802.11bn UHR320_Nss1,(MCS0),2xRU996+RU484 MRU 3_4TX

6105MHz_TX




EUT_Z_4TX
Setting 72
04-C-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9226G	55.69	88.20	-32.51	57.80	3	Horizontal	151.6	1.80	-	32.40	8.89	43.40				
RMS	5.9214G	44.41	68.20	-23.79	46.52	3	Horizontal	151.6	1.80	-	32.40	8.89	43.40				
PK	6.0702G	95.79	Inf	-Inf	97.46	3	Horizontal	151.6	1.80	-	32.50	9.13	43.30				
RMS	6.0702G	86.54	Inf	-Inf	88.21	3	Horizontal	151.6	1.80	-	32.50	9.13	43.30				

5.925-6.425GHz_802.11bn UHR320_Nss1,(MCS0),2xRU996+RU484 MRU 3_4TX

6105MHz_TX




EUT_Z_4TX
Setting 72
04-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21418G	56.66	74.00	-17.34	47.40	3	Vertical	296	2.09	-	38.87	13.78	43.39			
AV	12.21422G	43.00	54.00	-11.00	33.74	3	Vertical	296	2.09	-	38.87	13.78	43.39			

5.925-6.425GHz_802.11bn UHR320_Nss1,(MCS0),2xRU996+RU484 MRU 3_4TX

6105MHz_TX




EUT_Z_4TX
Setting 72
04-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.21494G	56.01	74.00	-17.99	46.75	3	Horizontal	128	2.30	-	38.87	13.78	43.39			
AV	12.21158G	43.02	54.00	-10.98	33.75	3	Horizontal	128	2.30	-	38.88	13.78	43.39			

5.925-6.425GHz_802.11bn UHR320_Nss1,(MCS0),2xRU996+RU484 MRU 3_4TX


6105MHz_TX

EUT_Z_4TX
Setting 72
04-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31929G	50.62	83.54	-32.92	46.16	1	Vertical	6	1.47	-	37.38	15.61	48.53			
AV	18.31978G	48.24	63.54	-15.30	43.78	1	Vertical	6	1.47	-	37.38	15.61	48.53			

5.925-6.425GHz_802.11bn UHR320_Nss1,(MCS0),2xRU996+RU484 MRU 3_4TX

6105MHz_TX



EUT_Z_4TX
Setting 72
04-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31359G	50.35	83.54	-33.19	45.92	1	Horizontal	84	1.54	-	37.35	15.61	48.53			
AV	18.31953G	48.10	63.54	-15.44	43.64	1	Horizontal	84	1.54	-	37.38	15.61	48.53			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11bn UHR320_Nss1,(MCS0),3xRU996 MRU 2_4TX	Pass	AV	7.257G	52.87	54.00	-1.13	3	Vertical	147.7	1.80	-

6.875-7.125GHz_802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX


7025MHz_TX

EUT_Z_4TX
Setting 48
04-C-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0318G	109.08	Inf	-Inf	106.73	3	Vertical	104	1.80	-	35.23	9.95	42.83			
RMS	7.0122G	101.00	Inf	-Inf	98.78	3	Vertical	104	1.80	-	35.15	9.91	42.84			
PK	7.1862G	62.07	88.20	-26.13	58.56	3	Vertical	104	1.80	-	36.02	10.22	42.73			
RMS	7.2238G	51.04	68.20	-17.16	47.35	3	Vertical	104	1.80	-	36.15	10.25	42.71			

6.875-7.125GHz_802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX

7025MHz_TX




EUT_Z_4TX
Setting 48
04-C-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0514G	100.79	Inf	-Inf	98.32	3	Horizontal	141	1.80	-	35.31	9.98	42.82			
RMS	7.0118G	92.29	Inf	-Inf	90.07	3	Horizontal	141	1.80	-	35.15	9.91	42.84			
PK	7.2182G	61.00	88.20	-27.20	57.32	3	Horizontal	141	1.80	-	36.14	10.25	42.71			
RMS	7.223G	50.70	68.20	-17.50	47.01	3	Horizontal	141	1.80	-	36.15	10.25	42.71			

6.875-7.125GHz_802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX

7025MHz_TX




EUT_Z_4TX
Setting 48
04-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.04546G	60.93	88.20	-27.27	48.20	3	Vertical	347	2.80	-	40.89	15.52	43.68			
RMS	14.05422G	47.26	68.20	-20.94	34.49	3	Vertical	347	2.80	-	40.93	15.52	43.68			

6.875-7.125GHz_802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX

7025MHz_TX




EUT_Z_4TX
Setting 48
04-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.05008G	60.64	88.20	-27.56	47.90	3	Horizontal	113	2.13	-	40.90	15.52	43.68			
RMS	14.04765G	47.25	68.20	-20.95	34.51	3	Horizontal	113	2.13	-	40.90	15.52	43.68			

6.875-7.125GHz_802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX

7025MHz_TX




EUT_Z_4TX
Setting 48
04-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.07447G	57.13	83.54	-26.41	51.38	1	Vertical	325	1.87	-	37.75	16.87	48.87			
AV	21.07178G	43.23	63.54	-20.31	37.48	1	Vertical	325	1.87	-	37.76	16.86	48.87			

6.875-7.125GHz_802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX

7025MHz_TX




EUT_Z_4TX
Setting 48
04-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.07646G	56.87	83.54	-26.67	51.12	1	Horizontal	0	1.49	-	37.75	16.87	48.87			
AV	21.07175G	43.08	63.54	-20.46	37.33	1	Horizontal	0	1.49	-	37.76	16.86	48.87			

6.875-7.125GHz_802.11bn UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX

6985MHz_TX




EUT_Z_4TX
Setting 57
04-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9194G	107.35	Inf	-Inf	105.64	3	Vertical	154.4	1.80	-	34.78	9.82	42.89			
RMS	6.9098G	98.22	Inf	-Inf	96.56	3	Vertical	154.4	1.80	-	34.74	9.81	42.89			
PK	7.1306G	69.91	88.20	-18.29	66.84	3	Vertical	154.4	1.80	-	35.72	10.12	42.77			
RMS	7.1258G	52.86	68.20	-15.34	49.82	3	Vertical	154.4	1.80	-	35.70	10.11	42.77			
PK	7.361G	62.41	74.00	-11.59	58.55	3	Vertical	154.4	1.80	-	36.18	10.31	42.63			
AV	7.3354G	49.95	54.00	-4.05	46.09	3	Vertical	154.4	1.80	-	36.20	10.30	42.64			

6.875-7.125GHz_802.11bn UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX

6985MHz_TX




EUT_Z_4TX
Setting 57
04-C-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9234G	98.42	Inf	-Inf	96.69	3	Horizontal	159	1.80	-	34.79	9.82	42.88			
RMS	6.9234G	88.48	Inf	-Inf	86.75	3	Horizontal	159	1.80	-	34.79	9.82	42.88			
PK	7.1298G	65.38	88.20	-22.82	62.31	3	Horizontal	159	1.80	-	35.72	10.12	42.77			
RMS	7.2346G	49.22	68.20	-18.98	45.49	3	Horizontal	159	1.80	-	36.17	10.26	42.70			
PK	7.353G	62.50	74.00	-11.50	58.63	3	Horizontal	159	1.80	-	36.19	10.31	42.63			
AV	7.3746G	49.83	54.00	-4.17	45.98	3	Horizontal	159	1.80	-	36.15	10.32	42.62			

6.875-7.125GHz_802.11bn UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX

6985MHz_TX




EUT_Z_4TX
Setting 57
04-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96591G	61.06	88.20	-27.14	48.67	3	Vertical	67	2.45	-	40.60	15.48	43.69			
RMS	13.97287G	47.31	68.20	-20.89	34.88	3	Vertical	67	2.45	-	40.64	15.48	43.69			

6.875-7.125GHz_802.11bn UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX

6985MHz_TX




EUT_Z_4TX
Setting 57
04-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.9668G	60.92	88.20	-27.28	48.53	3	Horizontal	161	2.32	-	40.60	15.48	43.69			
RMS	13.97423G	47.37	68.20	-20.83	34.92	3	Horizontal	161	2.32	-	40.65	15.49	43.69			

6.875-7.125GHz_802.11bn UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX

6985MHz_TX




EUT_Z_4TX
Setting 57
04-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95718G	55.47	83.54	-28.07	49.76	1	Vertical	189	2.01	-	37.79	16.82	48.90			
AV	20.95519G	41.70	63.54	-21.84	35.99	1	Vertical	189	2.01	-	37.79	16.82	48.90			

6.875-7.125GHz_802.11bn UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX

6985MHz_TX




EUT_Z_4TX
Setting 57
04-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.9536G	55.55	83.54	-27.99	49.84	1	Horizontal	189	2.09	-	37.79	16.82	48.90			
AV	20.9579G	41.61	63.54	-21.93	35.91	1	Horizontal	189	2.09	-	37.78	16.82	48.90			

6.875-7.125GHz_802.11bn UHR160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT_Z_4TX
Setting 54
04-C-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0042G	107.03	Inf	-Inf	104.86	3	Vertical	167.7	1.80	-	35.12	9.90	42.85			
RMS	6.9082G	97.97	Inf	-Inf	96.32	3	Vertical	167.7	1.80	-	34.73	9.81	42.89			
PK	7.1346G	68.56	88.20	-19.64	65.46	3	Vertical	167.7	1.80	-	35.74	10.13	42.77			
RMS	7.1282G	53.76	68.20	-14.44	50.71	3	Vertical	167.7	1.80	-	35.71	10.11	42.77			
PK	7.3746G	61.69	74.00	-12.31	57.84	3	Vertical	167.7	1.80	-	36.15	10.32	42.62			
AV	7.385G	49.99	54.00	-4.01	46.15	3	Vertical	167.7	1.80	-	36.13	10.32	42.61			

6.875-7.125GHz_802.11bn UHR160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT_Z_4TX
Setting 54
04-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.917G	98.76	Inf	-Inf	97.06	3	Horizontal	158	2.42	-	34.77	9.82	42.89			
RMS	6.9226G	89.79	Inf	-Inf	88.06	3	Horizontal	158	2.42	-	34.79	9.82	42.88			
PK	7.1266G	62.36	88.20	-25.84	59.31	3	Horizontal	158	2.42	-	35.71	10.11	42.77			
RMS	7.1426G	49.31	68.20	-18.89	46.16	3	Horizontal	158	2.42	-	35.77	10.14	42.76			
PK	7.3834G	61.77	74.00	-12.23	57.93	3	Horizontal	158	2.42	-	36.13	10.32	42.61			
AV	7.3506G	49.93	54.00	-4.07	46.05	3	Horizontal	158	2.42	-	36.20	10.31	42.63			

6.875-7.125GHz_802.11bn UHR160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT_Z_4TX
Setting 54
04-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96929G	61.40	88.20	-26.80	48.99	3	Vertical	39	1.78	-	40.62	15.48	43.69			
RMS	13.97401G	47.36	68.20	-20.84	34.93	3	Vertical	39	1.78	-	40.64	15.48	43.69			

6.875-7.125GHz_802.11bn UHR160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT_Z_4TX
Setting 54
04-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.96512G	60.62	88.20	-27.58	48.24	3	Horizontal	308	2.35	-	40.59	15.48	43.69			
RMS	13.97389G	47.34	68.20	-20.86	34.91	3	Horizontal	308	2.35	-	40.64	15.48	43.69			

6.875-7.125GHz_802.11bn UHR160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT_Z_4TX
Setting 54
04-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95868G	55.45	83.54	-28.09	49.75	1	Vertical	107	1.87	-	37.78	16.82	48.90			
AV	20.95792G	41.72	63.54	-21.82	36.02	1	Vertical	107	1.87	-	37.78	16.82	48.90			

6.875-7.125GHz_802.11bn UHR160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT_Z_4TX
Setting 54
04-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.95754G	54.87	83.54	-28.67	49.17	1	Horizontal	36	1.80	-	37.78	16.82	48.90			
AV	20.9552G	41.62	63.54	-21.92	35.91	1	Horizontal	36	1.80	-	37.79	16.82	48.90			

6.525-6.875GHz_802.11bn UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 3_4TX

6905MHz_TX




EUT_Z_4TX
Setting 69
04-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9354G	108.18	Inf	-Inf	106.39	3	Vertical	153.9	1.80	-	34.84	9.83	42.88			
RMS	6.8794G	98.08	Inf	-Inf	96.66	3	Vertical	153.9	1.80	-	34.54	9.78	42.90			
PK	7.2074G	65.41	88.20	-22.79	61.78	3	Vertical	153.9	1.80	-	36.11	10.24	42.72			
RMS	7.1354G	53.75	68.20	-14.45	50.65	3	Vertical	153.9	1.80	-	35.74	10.13	42.77			
PK	7.2842G	62.57	74.00	-11.43	58.76	3	Vertical	153.9	1.80	-	36.20	10.28	42.67			
AV	7.2618G	52.16	54.00	-1.84	48.38	3	Vertical	153.9	1.80	-	36.20	10.27	42.69			

6.525-6.875GHz_802.11bn UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 3_4TX

6905MHz_TX




EUT_Z_4TX
Setting 69
04-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9066G	100.13	Inf	-Inf	98.48	3	Horizontal	157	2.45	-	34.73	9.81	42.89			
RMS	6.8714G	89.10	Inf	-Inf	87.77	3	Horizontal	157	2.45	-	34.47	9.77	42.91			
PK	7.209G	61.23	88.20	-26.97	57.59	3	Horizontal	157	2.45	-	36.12	10.24	42.72			
RMS	7.137G	49.64	68.20	-18.56	46.53	3	Horizontal	157	2.45	-	35.75	10.13	42.77			
PK	7.433G	62.29	74.00	-11.71	58.40	3	Horizontal	157	2.45	-	36.17	10.30	42.58			
AV	7.4458G	50.25	54.00	-3.75	46.34	3	Horizontal	157	2.45	-	36.19	10.29	42.57			

6.525-6.875GHz_802.11bn UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 3_4TX

6905MHz_TX




EUT_Z_4TX
Setting 69
04-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8138G	60.35	88.20	-27.85	48.62	3	Vertical	341	2.35	-	40.03	15.33	43.63			
RMS	13.80568G	46.78	68.20	-21.42	35.08	3	Vertical	341	2.35	-	40.01	15.32	43.63			

6.525-6.875GHz_802.11bn UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 3_4TX

6905MHz_TX




EUT_Z_4TX
Setting 69
04-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.80743G	60.90	88.20	-27.30	49.20	3	Horizontal	359	1.41	-	40.01	15.32	43.63			
RMS	13.80931G	46.79	68.20	-21.41	35.07	3	Horizontal	359	1.41	-	40.02	15.33	43.63			

6.525-6.875GHz_802.11bn UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 3_4TX

6905MHz_TX




EUT_Z_4TX
Setting 69
04-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.7142G	53.92	83.54	-29.62	48.52	1	Vertical	209	1.87	-	37.59	16.71	48.90			
AV	20.7129G	40.46	63.54	-23.08	35.07	1	Vertical	209	1.87	-	37.58	16.71	48.90			

6.525-6.875GHz_802.11bn UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 3_4TX

6905MHz_TX




EUT_Z_4TX
Setting 69
04-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71163G	53.37	83.54	-30.17	48.00	1	Horizontal	1	1.97	-	37.57	16.70	48.90			
AV	20.71009G	40.26	63.54	-23.28	34.90	1	Horizontal	1	1.97	-	37.56	16.70	48.90			

6.525-6.875GHz_802.11bn UHR320_Nss1,(MCS0),3xRU996 MRU 2_4TX

6905MHz_TX




EUT_Z_4TX
Setting 69
04-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.921G	107.19	Inf	-Inf	105.47	3	Vertical	147.7	1.80	-	34.78	9.82	42.88			
RMS	6.8058G	97.04	Inf	-Inf	96.14	3	Vertical	147.7	1.80	-	34.12	9.72	42.94			
PK	7.201G	71.78	88.20	-16.42	68.17	3	Vertical	147.7	1.80	-	36.10	10.24	42.73			
RMS	7.1722G	54.93	68.20	-13.27	51.55	3	Vertical	147.7	1.80	-	35.93	10.19	42.74			
PK	7.2826G	62.25	74.00	-11.75	58.44	3	Vertical	147.7	1.80	-	36.20	10.28	42.67			
AV	7.257G	52.87	54.00	-1.13	49.09	3	Vertical	147.7	1.80	-	36.20	10.27	42.69			

6.525-6.875GHz_802.11bn_UHR320_Nss1,(MCS0),3xRU996 MRU 2_4TX


6905MHz_TX

EUT_Z_4TX
Setting 69
04-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8026G	97.69	Inf	-Inf	96.81	3	Horizontal	102.5	1.80	-	34.11	9.71	42.94			
RMS	6.7482G	88.10	Inf	-Inf	87.29	3	Horizontal	102.5	1.80	-	34.10	9.67	42.96			
PK	7.1498G	56.79	88.20	-31.41	53.60	3	Horizontal	102.5	1.80	-	35.80	10.15	42.76			
RMS	7.1402G	45.08	68.20	-23.12	41.94	3	Horizontal	102.5	1.80	-	35.76	10.14	42.76			
PK	7.2762G	53.80	74.00	-20.20	50.01	3	Horizontal	102.5	1.80	-	36.20	10.27	42.68			
AV	7.257G	42.60	54.00	-11.40	38.82	3	Horizontal	102.5	1.80	-	36.20	10.27	42.69			

6.525-6.875GHz_802.11bn UHR320_Nss1,(MCS0),3xRU996 MRU 2_4TX

6905MHz_TX




EUT_Z_4TX
Setting 69
04-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.81193G	60.39	88.20	-27.81	48.67	3	Vertical	301	1.16	-	40.02	15.33	43.63			
RMS	13.80751G	46.78	68.20	-21.42	35.07	3	Vertical	301	1.16	-	40.02	15.32	43.63			

6.525-6.875GHz_802.11bn UHR320_Nss1,(MCS0),3xRU996 MRU 2_4TX

6905MHz_TX




EUT_Z_4TX
Setting 69
04-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80636G	60.13	88.20	-28.07	48.43	3	Horizontal	231	1.57	-	40.01	15.32	43.63			
RMS	13.805G	46.79	68.20	-21.41	35.09	3	Horizontal	231	1.57	-	40.01	15.32	43.63			

6.525-6.875GHz_802.11bn UHR320_Nss1,(MCS0),3xRU996 MRU 2_4TX

6905MHz_TX




EUT_Z_4TX
Setting 69
04-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71004G	53.89	83.54	-29.65	48.53	1	Vertical	261	1.55	-	37.56	16.70	48.90			
AV	20.71016G	40.45	63.54	-23.09	35.09	1	Vertical	261	1.55	-	37.56	16.70	48.90			

6.525-6.875GHz_802.11bn UHR320_Nss1,(MCS0),3xRU996 MRU 2_4TX


6905MHz_TX

EUT_Z_4TX
Setting 69
04-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71981G	53.31	83.54	-30.23	47.88	1	Horizontal	195	1.39	-	37.62	16.71	48.90			
AV	20.71005G	40.24	63.54	-23.30	34.88	1	Horizontal	195	1.39	-	37.56	16.70	48.90			

6.525-6.875GHz_802.11bn UHR320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX

6905MHz_TX




EUT_Z_4TX
Setting 68
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9658G	109.14	Inf	-Inf	107.19	3	Vertical	156	1.80	-	34.96	9.86	42.87			
RMS	6.8602G	98.52	Inf	-Inf	97.29	3	Vertical	156	1.80	-	34.38	9.76	42.91			
PK	7.4298G	61.74	74.00	-12.26	57.86	3	Vertical	156	1.80	-	36.16	10.30	42.58			
AV	7.2522G	50.88	54.00	-3.12	47.11	3	Vertical	156	1.80	-	36.20	10.26	42.69			
PK	7.2218G	66.01	88.20	-22.19	62.33	3	Vertical	156	1.80	-	36.14	10.25	42.71			
RMS	7.2026G	52.27	68.20	-15.93	48.64	3	Vertical	156	1.80	-	36.11	10.24	42.72			

6.525-6.875GHz_802.11bn UHR320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX

6905MHz_TX




EUT_Z_4TX
Setting 68
04-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.913G	99.91	Inf	-Inf	98.24	3	Horizontal	157	1.88	-	34.75	9.81	42.89
RMS	6.8618G	90.14	Inf	-Inf	88.89	3	Horizontal	157	1.88	-	34.39	9.77	42.91
PK	7.1434G	60.57	88.20	-27.63	57.42	3	Horizontal	157	1.88	-	35.77	10.14	42.76
RMS	7.225G	49.19	68.20	-19.01	45.50	3	Horizontal	157	1.88	-	36.15	10.25	42.71
PK	7.473G	62.40	74.00	-11.60	58.49	3	Horizontal	157	1.88	-	36.20	10.27	42.56
AV	7.4378G	50.14	54.00	-3.86	46.24	3	Horizontal	157	1.88	-	36.18	10.30	42.58

6.525-6.875GHz_802.11bn UHR320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX

6905MHz_TX




EUT_Z_4TX
Setting 68
04-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80719G	60.87	88.20	-27.33	49.17	3	Vertical	41	2.01	-	40.01	15.32	43.63			
RMS	13.80954G	47.74	68.20	-20.46	36.02	3	Vertical	41	2.01	-	40.02	15.33	43.63			

6.525-6.875GHz_802.11bn UHR320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX

6905MHz_TX




EUT_Z_4TX
Setting 68
04-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.80801G	60.86	88.20	-27.34	49.15	3	Horizontal	99	1.99	-	40.02	15.32	43.63			
RMS	13.81195G	47.59	68.20	-20.61	35.87	3	Horizontal	99	1.99	-	40.02	15.33	43.63			

6.525-6.875GHz_802.11bn UHR320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX

6905MHz_TX




EUT_Z_4TX
Setting 68
04-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71933G	54.39	83.54	-29.15	48.96	1	Vertical	45	1.84	-	37.62	16.71	48.90			
AV	20.71026G	40.57	63.54	-22.97	35.21	1	Vertical	45	1.84	-	37.56	16.70	48.90			

6.525-6.875GHz_802.11bn_UHR320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX

6905MHz_TX



EUT_Z_4TX
Setting 68
04-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.71103G	53.65	83.54	-29.89	48.28	1	Horizontal	280	1.49	-	37.57	16.70	48.90				
AV	20.71391G	40.42	63.54	-23.12	35.03	1	Horizontal	280	1.49	-	37.58	16.71	48.90				


5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

5955MHz_TX

17/01/2026

CF (Hz)
5.955G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.960949G	-11.90	5.9934G	-61.55	-51.90	-9.65	1
5.957174G	-12.05	5.9868G	-62.00	-52.05	-9.95	2
5.960649G	-11.65	5.986225G	-61.93	-51.61	-10.32	3
5.961923G	-12.13	5.9872G	-61.96	-52.13	-9.83	4


5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6195MHz_TX

17/01/2026

CF (Hz)
6.195G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.187527G	-10.85	6.227G	-61.81	-50.85	-10.96	1
6.188452G	-11.03	6.226675G	-61.57	-51.03	-10.54	2
6.199674G	-10.87	6.242725G	-61.58	-50.87	-10.71	3
6.197549G	-10.96	6.237175G	-61.67	-50.96	-10.71	4


5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6415MHz_TX

17/01/2026

CF (Hz)
6.415G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.413125G	-11.91	6.367375G	-62.04	-51.91	-10.13	1
6.411276G	-11.48	6.3785G	-61.66	-51.48	-10.18	2
6.41375G	-11.76	6.382525G	-62.01	-51.76	-10.25	3
6.41315G	-11.85	6.38245G	-62.13	-51.85	-10.28	4

5.925-6.425GHz_802.11bn_UHR20-BF_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

10/01/2026




5.925-6.425GHz_802.11bn_UHR20-BF_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

10/01/2026




5.925-6.425GHz_802.11bn_UHR20-BF_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

10/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.408302G	-2.60	6.433675G	-43.53	-28.51	-15.02	1
6.4137G	-2.07	6.38445G	-56.10	-40.79	-15.31	2
6.407477G	-2.85	6.3959G	-41.34	-29.00	-12.34	3
6.407802G	-3.51	6.433625G	-40.45	-29.42	-11.03	4

5.925-6.425GHz_802.11bn_UHR40-BF_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

10/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.971898G	-5.07	6.02535G	-56.15	-45.07	-11.08	1
5.972698G	-4.41	6.0261G	-55.73	-44.41	-11.32	2
5.970049G	-4.40	6.031G	-56.84	-44.40	-12.44	3
5.977147G	-5.09	6.027G	-56.57	-45.09	-11.48	4

5.925-6.425GHz_802.11bn_UHR40-BF_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

30/01/2026




5.925-6.425GHz_802.11bn_UHR40-BF_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

30/01/2026




5.925-6.425GHz_802.11bn_UHR80-BF_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

30/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.0044G	-2.69	6.1547G	-51.75	-42.69	-9.06	1
5.9967G	-3.07	6.1326G	-52.25	-43.07	-9.18	2
5.9895G	-2.62	6.1195G	-52.42	-42.62	-9.80	3
5.9961G	-2.96	6.1404G	-52.61	-42.96	-9.65	4

5.925-6.425GHz_802.11bn_UHR80-BF_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

07/02/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2428G	-1.90	6.0799G	-51.97	-41.90	-10.07	1
6.2301G	-2.02	6.0923G	-52.27	-42.02	-10.25	2
6.2133G	-2.53	6.3828G	-52.15	-42.53	-9.62	3
6.19881G	-2.39	6.0619G	-51.65	-42.39	-9.26	4


5.925-6.425GHz_802.11bn_UHR80-BF_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

30/01/2026

CF (Hz)
6.385G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.369G	-2.88	6.2635G	-51.67	-42.88	-8.79	1
6.35411G	-3.01	6.2481G	-52.13	-43.01	-9.12	2
6.3769G	-2.49	6.2607G	-51.76	-42.49	-9.27	3
6.36041G	-2.58	6.2249G	-51.76	-42.58	-9.18	4


5.925-6.425GHz_802.11bn_UHR160-BF_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

10/01/2026

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.08379G	0.99	6.2692G	-49.11	-39.01	-10.10	1
6.08359G	0.44	6.2718G	-50.01	-39.55	-10.46	2
6.10098G	0.49	6.1658G	-34.91	-25.32	-9.59	3
6.0424G	0.18	6.2652G	-49.11	-39.23	-9.88	4

5.925-6.425GHz_802.11bn_UHR160-BF_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

10/01/2026




5.925-6.425GHz_802.11bn_UHR160-BF_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

10/01/2026




5.925-6.425GHz_802.11bn_UHR320-BF_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

10/01/2026




5.925-6.425GHz_802.11bn_UHR320-BF_Nss1,(MCS0)_4TX

MASK

6265MHz_TX

30/01/2026




5.925-6.425GHz_802.11bn_UHR20-BF_Nss2,(MCS0)_4TX

MASK

5955MHz_TX

30/01/2026

CF (Hz)
5.955G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.963023G	-7.49	5.987825G	-59.05	-47.49	-11.56	1
5.949826G	-7.23	5.986225G	-58.28	-46.27	-12.01	2
5.961398G	-7.42	5.975G	-42.71	-34.35	-8.36	3
5.961798G	-7.43	5.917575G	-59.38	-47.43	-11.95	4


5.925-6.425GHz_802.11bn_UHR20-BF_Nss2,(MCS0)_4TX

MASK

6195MHz_TX

10/01/2026

CF (Hz)
6.195G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.202448G	-8.15	6.212775G	-44.08	-33.50	-10.58	1
6.189976G	-8.69	6.236G	-59.43	-48.69	-10.74	2
6.198724G	-8.27	6.157275G	-59.28	-48.27	-11.01	3
6.199199G	-7.82	6.244175G	-59.72	-47.82	-11.90	4

5.925-6.425GHz_802.11bn_UHR20-BF_Nss2,(MCS0)_4TX

MASK

6415MHz_TX

10/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.416675G	-8.06	6.45595G	-58.96	-48.06	-10.90	1
6.420274G	-7.96	6.38275G	-58.42	-47.96	-10.46	2
6.406477G	-8.11	6.434575G	-44.43	-34.65	-9.78	3
6.410151G	-7.97	6.382125G	-59.21	-47.97	-11.24	4

5.925-6.425GHz_802.11bn_UHR40-BF_Nss2,(MCS0)_4TX

MASK

5965MHz_TX

10/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.983245G	-4.79	6.02705G	-56.88	-44.79	-12.09	1
5.982296G	-4.24	6.0263G	-56.46	-44.24	-12.22	2
5.983045G	-4.68	6.0318G	-57.01	-44.68	-12.33	3
5.956352G	-4.52	6.0276G	-56.39	-44.52	-11.87	4

5.925-6.425GHz_802.11bn_UHR40-BF_Nss2,(MCS0)_4TX

MASK

6205MHz_TX

07/02/2026




5.925-6.425GHz_802.11bn_UHR40-BF_Nss2,(MCS0)_4TX

MASK

6405MHz_TX

10/01/2026




5.925-6.425GHz_802.11bn_UHR80-BF_Nss2,(MCS0)_4TX

MASK

5985MHz_TX

10/01/2026




5.925-6.425GHz_802.11bn_UHR80-BF_Nss2,(MCS0)_4TX

MASK

6225MHz_TX

10/01/2026




5.925-6.425GHz_802.11bn_UHR80-BF_Nss2,(MCS0)_4TX

MASK

6385MHz_TX

07/02/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3702G	-0.22	6.2349G	-51.12	-40.22	-10.90	1
6.374G	-0.54	6.2087G	-51.12	-40.54	-10.58	2
6.3763G	-0.11	6.3168G	-36.29	-25.49	-10.80	3
6.34781G	-0.59	6.2418G	-50.82	-40.59	-10.23	4

5.925-6.425GHz_802.11bn_UHR160-BF_Nss2,(MCS0)_4TX

MASK

6025MHz_TX

10/01/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.08059G	2.99	6.2696G	-47.50	-36.88	-10.62	1
6.08938G	3.15	6.2682G	-46.63	-36.61	-10.02	2
6.08918G	3.19	6.2688G	-48.04	-36.81	-11.23	3
6.08658G	2.84	6.2698G	-47.57	-37.16	-10.41	4

5.925-6.425GHz_802.11bn_UHR160-BF_Nss2,(MCS0)_4TX

MASK

6185MHz_TX

10/01/2026




5.925-6.425GHz_802.11bn_UHR160-BF_Nss2,(MCS0)_4TX

MASK

6345MHz_TX

10/01/2026




5.925-6.425GHz_802.11bn_UHR320-BF_Nss2,(MCS0)_4TX

MASK

6105MHz_TX

10/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.21177G	3.54	6.3766G	-33.77	-21.83	-11.94	1
6.24576G	3.78	6.8918G	-48.60	-36.22	-12.38	2
6.07741G	3.76	6.375G	-34.03	-21.45	-12.58	3
6.06701G	3.40	6.3998G	-35.22	-23.08	-12.14	4

5.925-6.425GHz_802.11bn_UHR320-BF_Nss2,(MCS0)_4TX

MASK

6265MHz_TX

10/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.12943G	4.16	6.1018G	-26.54	-15.85	-10.69	1
6.10984G	3.92	6.1022G	-23.93	-13.68	-10.25	2
6.16463G	3.88	5.973G	-32.57	-22.46	-10.11	3
6.16263G	4.74	5.9966G	-32.41	-20.47	-11.94	4

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6595MHz_TX

17/01/2026




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6695MHz_TX

17/01/2026




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6875MHz_TX

17/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.876275G	-13.74	6.9223G	-60.76	-53.74	-7.02	1
6.872501G	-13.37	6.913275G	-60.59	-53.37	-7.22	2
6.878074G	-14.14	6.90755G	-60.99	-54.14	-6.85	3
6.871501G	-14.34	6.915775G	-60.80	-54.34	-6.46	4

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6895MHz_TX

17/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.891251G	-13.69	6.93615G	-61.61	-53.69	-7.92	1
6.890601G	-13.81	6.9341G	-61.28	-53.81	-7.47	2
6.894025G	-14.32	6.940125G	-61.42	-54.32	-7.10	3
6.899049G	-14.04	6.943275G	-61.60	-54.04	-7.56	4

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6995MHz_TX

17/01/2026




6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

7095MHz_TX

17/01/2026




6.525-6.875GHz_802.11bn_UHR20-BF_Nss1,(MCS0)_4TX

MASK

6595MHz_TX

13/01/2026




6.525-6.875GHz_802.11bn_UHR20-BF_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

13/01/2026




6.525-6.875GHz_802.11bn UHR20-BF_Nss1,(MCS0)_4TX

MASK

6875MHz_TX

13/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.869376G	-11.91	6.923425G	-57.73	-51.91	-5.82	1
6.871276G	-11.86	6.923425G	-57.72	-51.86	-5.86	2
6.870101G	-12.32	6.91555G	-57.92	-52.32	-5.60	3
6.881073G	-11.58	6.9168G	-57.66	-51.58	-6.08	4

6.875-7.125GHz_802.11bn UHR20-BF_Nss1,(MCS0)_4TX

MASK

6895MHz_TX

13/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.899949G	-12.78	6.9277G	-57.70	-52.78	-4.92	1
6.899999G	-12.51	6.92865G	-57.78	-52.51	-5.27	2
6.888777G	-12.57	6.9323G	-57.93	-52.57	-5.36	3
6.890226G	-12.26	6.940975G	-57.56	-52.26	-5.30	4

6.875-7.125GHz_802.11bn_UHR20-BF_Nss1,(MCS0)_4TX

MASK

6995MHz_TX

13/01/2026




6.875-7.125GHz_802.11bn_UHR20-BF_Nss1,(MCS0)_4TX

MASK

7095MHz_TX

13/01/2026




6.525-6.875GHz_802.11bn_UHR40-BF_Nss1,(MCS0)_4TX

MASK

6605MHz_TX

13/01/2026




6.525-6.875GHz_802.11bn_UHR40-BF_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

13/01/2026




6.525-6.875GHz_802.11bn_UHR40-BF_Nss1,(MCS0)_4TX

MASK

6885MHz_TX

13/01/2026

CF (Hz)
6.885G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.872503G	-12.37	6.9592G	-55.71	-52.37	-3.34	1
6.897597G	-12.03	6.96695G	-55.78	-52.03	-3.75	2
6.894348G	-12.75	6.9763G	-55.91	-52.75	-3.16	3
6.900046G	-12.10	6.9735G	-55.66	-52.10	-3.56	4


6.875-7.125GHz_802.11bn_UHR40-BF_Nss1,(MCS0)_4TX

MASK

6925MHz_TX

30/01/2026

CF (Hz)
6.925G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.913303G	-9.97	6.98635G	-58.11	-49.97	-8.14	1
6.915602G	-11.20	6.9945G	-58.62	-51.20	-7.42	2
6.934648G	-10.81	7.0086G	-58.26	-50.81	-7.45	3
6.934998G	-10.67	6.98655G	-58.38	-50.67	-7.71	4

6.875-7.125GHz_802.11bn_UHR40-BF_Nss1,(MCS0)_4TX

MASK

7005MHz_TX

13/01/2026




6.875-7.125GHz_802.11bn_UHR40-BF_Nss1,(MCS0)_4TX

MASK

7085MHz_TX

13/01/2026




6.525-6.875GHz_802.11bn_UHR80-BF_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

07/02/2026




6.525-6.875GHz_802.11bn_UHR80-BF_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

30/01/2026




6.525-6.875GHz_802.11bn_UHR80-BF_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

13/01/2026




6.525-6.875GHz_802.11bn_UHR80-BF_Nss1,(MCS0)_4TX

MASK

6865MHz_TX

30/01/2026




6.875-7.125GHz_802.11bn_UHR80-BF_Nss1,(MCS0)_4TX

MASK

6945MHz_TX

07/02/2026




6.875-7.125GHz_802.11bn_UHR80-BF_Nss1,(MCS0)_4TX

MASK

7025MHz_TX

07/02/2026




6.525-6.875GHz_802.11bn_UHR160-BF_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

13/01/2026




6.525-6.875GHz_802.11bn_UHR160-BF_Nss1,(MCS0)_4TX

MASK

6825MHz_TX

30/01/2026



6.875-7.125GHz_802.11bn_UHR160-BF_Nss1,(MCS0)_4TX

MASK

6985MHz_TX

30/01/2026

CF (Hz)
6.985G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.92501G	-1.98	6.665G	-47.84	-41.98	-5.86	1
6.90882G	-1.57	7.3728G	-50.30	-41.57	-8.73	2
6.92382G	-1.31	7.3708G	-50.52	-41.31	-9.21	3
6.92541G	-1.83	7.3754G	-50.29	-41.83	-8.46	4

6.525-6.875GHz_802.11bn_UHR320-BF_Nss1,(MCS0)_4TX

MASK

6745MHz_TX

07/02/2026

CF (Hz)
6.745G


Span (Hz)
1.6G

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.84697G	0.48	7.4842G	-47.63	-39.52	-8.11	1
6.64662G	0.56	7.4978G	-47.42	-39.44	-7.98	2
6.65222G	0.22	7.4994G	-47.70	-39.78	-7.92	3
6.63823G	0.45	7.4898G	-47.63	-39.55	-8.08	4

6.525-6.875GHz_802.11bn_UHR320-BF_Nss1,(MCS0)_4TX

MASK

6905MHz_TX

13/01/2026

CF (Hz)
6.905G


Span (Hz)
1.6G

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.93779G	-0.47	7.4986G	-45.18	-40.47	-4.71	1
6.94059G	-0.06	7.491G	-45.19	-40.06	-5.13	2
6.87381G	-0.10	7.4974G	-45.17	-40.10	-5.07	3
6.86861G	0.23	7.4974G	-45.13	-39.77	-5.36	4

6.525-6.875GHz_802.11bn_UHR20-BF_Nss2,(MCS0)_4TX

MASK

6595MHz_TX

13/01/2026

CF (Hz)
6.595G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.588702G	-10.49	6.63305G	-59.61	-50.49	-9.12	1
6.587502G	-11.99	6.627175G	-59.45	-51.99	-7.46	2
6.588727G	-11.26	6.63485G	-59.83	-51.26	-8.57	3
6.601473G	-10.24	6.63575G	-59.90	-50.24	-9.66	4

6.525-6.875GHz_802.11bn_UHR20-BF_Nss2,(MCS0)_4TX

MASK

6695MHz_TX

13/01/2026




6.525-6.875GHz_802.11bn_UHR20-BF_Nss2,(MCS0)_4TX

MASK

6875MHz_TX

13/01/2026




6.875-7.125GHz_802.11bn_UHR20-BF_Nss2,(MCS0)_4TX

MASK

6895MHz_TX

30/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.900174G	-10.76	6.93885G	-61.32	-50.76	-10.56	1
6.903148G	-11.81	6.932325G	-61.14	-51.81	-9.33	2
6.896275G	-11.07	6.939625G	-61.06	-51.07	-9.99	3
6.889951G	-11.03	6.927475G	-61.03	-51.03	-10.00	4

6.875-7.125GHz_802.11bn_UHR20-BF_Nss2,(MCS0)_4TX

MASK

6995MHz_TX

13/01/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.988777G	-10.55	6.958425G	-57.57	-50.55	-7.02	1
6.989926G	-10.24	6.946125G	-57.55	-50.24	-7.31	2
6.986502G	-10.63	6.959075G	-57.44	-50.63	-6.81	3
6.987452G	-10.60	6.96155G	-57.25	-50.60	-6.65	4

6.875-7.125GHz_802.11bn_UHR20-BF_Nss2,(MCS0)_4TX

MASK

7095MHz_TX

13/01/2026

CF (Hz)
7.095G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.09375G	-11.86	7.131975G	-58.30	-51.86	-6.44	1
7.100449G	-11.75	7.128175G	-58.33	-51.75	-6.58	2
7.086877G	-12.09	7.14215G	-58.36	-52.09	-6.27	3
7.100099G	-11.82	7.1426G	-57.96	-51.82	-6.14	4

6.525-6.875GHz_802.11bn_UHR40-BF_Nss2,(MCS0)_4TX

MASK

6605MHz_TX

13/01/2026

CF (Hz)
6.605G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.613848G	-8.99	6.6666G	-57.64	-48.99	-8.65	1
6.620046G	-10.37	6.6849G	-57.50	-50.37	-7.13	2
6.613548G	-9.70	6.66665G	-57.62	-49.70	-7.92	3
6.617547G	-8.55	6.66795G	-57.36	-48.55	-8.81	4

6.525-6.875GHz_802.11bn_UHR40-BF_Nss2,(MCS0)_4TX

MASK

6685MHz_TX

30/01/2026




6.525-6.875GHz_802.11bn_UHR40-BF_Nss2,(MCS0)_4TX

MASK

6885MHz_TX

13/01/2026




6.875-7.125GHz_802.11bn_UHR40-BF_Nss2,(MCS0)_4TX

MASK

6925MHz_TX

30/01/2026




6.875-7.125GHz_802.11bn_UHR40-BF_Nss2,(MCS0)_4TX

MASK

7005MHz_TX

13/01/2026




6.875-7.125GHz_802.11bn_UHR40-BF_Nss2,(MCS0)_4TX

MASK

7085MHz_TX

13/01/2026




6.525-6.875GHz_802.11bn_UHR80-BF_Nss2,(MCS0)_4TX

MASK

6625MHz_TX

13/01/2026




6.525-6.875GHz_802.11bn_UHR80-BF_Nss2,(MCS0)_4TX

MASK

6705MHz_TX

13/01/2026




6.525-6.875GHz_802.11bn_UHR80-BF_Nss2,(MCS0)_4TX

MASK

6785MHz_TX

13/01/2026




6.525-6.875GHz_802.11bn_UHR80-BF_Nss2,(MCS0)_4TX

MASK

6865MHz_TX

30/01/2026




6.875-7.125GHz_802.11bn_UHR80-BF_Nss2,(MCS0)_4TX

MASK

6945MHz_TX

30/01/2026




6.875-7.125GHz_802.11bn_UHR80-BF_Nss2,(MCS0)_4TX

MASK

7025MHz_TX

30/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0405G	-4.71	7.1851G	-50.30	-44.71	-5.59	1
7.0126G	-5.01	6.9029G	-52.70	-45.01	-7.69	2
6.99491G	-4.37	6.9018G	-52.71	-44.37	-8.34	3
7.0385G	-4.59	6.8991G	-53.20	-44.59	-8.61	4

6.525-6.875GHz_802.11bn_UHR160-BF_Nss2,(MCS0)_4TX

MASK

6665MHz_TX

07/02/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69239G	-0.43	6.985G	-45.97	-40.43	-5.54	1
6.64101G	-0.32	6.9094G	-49.27	-40.32	-8.95	2
6.72638G	-0.37	6.9088G	-48.99	-40.12	-8.87	3
6.64081G	-0.61	6.909G	-48.89	-40.39	-8.50	4

6.525-6.875GHz_802.11bn_UHR160-BF_Nss2,(MCS0)_4TX

MASK

6825MHz_TX

30/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.88518G	-0.83	7.1452G	-47.53	-40.83	-6.70	1
6.88818G	-1.88	6.5822G	-50.98	-41.58	-9.40	2
6.88159G	-1.58	6.582G	-50.66	-41.11	-9.55	3
6.88119G	-1.04	6.5828G	-49.55	-40.55	-9.00	4

6.875-7.125GHz_802.11bn_UHR160-BF_Nss2,(MCS0)_4TX

MASK

6985MHz_TX

30/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.92801G	-2.09	6.665G	-47.98	-42.09	-5.89	1
6.92142G	-1.64	7.3836G	-50.49	-41.64	-8.85	2
6.90922G	-1.35	6.7414G	-50.25	-41.26	-8.99	3
6.92162G	-2.01	6.7414G	-50.00	-42.01	-7.99	4

6.525-6.875GHz_802.11bn_UHR320-BF_Nss2,(MCS0)_4TX

MASK

6745MHz_TX

30/01/2026




6.525-6.875GHz_802.11bn_UHR320-BF_Nss2,(MCS0)_4TX

MASK

6905MHz_TX

30/01/2026




6.875-7.125GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

MASK

7025MHz_TX

24/02/2026

CF (Hz)
7.025G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.035G	-8.89	6.8651G	-53.31	-48.89	-4.42	1
7.00041G	-8.50	6.9007G	-53.81	-48.50	-5.31	2
7.00011G	-9.07	6.88G	-53.62	-49.07	-4.55	3
7.00051G	-9.33	6.9027G	-53.65	-49.29	-4.36	4


6.875-7.125GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_4TX

MASK

6985MHz_TX

24/02/2026

CF (Hz)
6.985G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
20m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.92302G	-3.56	6.6648G	-49.68	-43.56	-6.12	1
6.92222G	-3.30	6.7414G	-50.29	-42.83	-7.46	2
6.92142G	-2.92	6.7414G	-50.36	-42.73	-7.63	3
6.92721G	-3.49	6.741G	-50.19	-43.36	-6.83	4

6.875-7.125GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484 MRU 1_4TX

MASK

6985MHz_TX

24/02/2026




6.525-6.875GHz_802.11bn_UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX

MASK

6905MHz_TX

24/02/2026




6.525-6.875GHz_802.11bn_UHR320_Nss1,(MCS0),3xRU996_MRU_2_4TX

MASK

6905MHz_TX

24/02/2026




6.525-6.875GHz_802.11bn_UHR320_Nss1,(MCS0),2xRU996+RU484_MRU_10_4TX

MASK

6905MHz_TX

24/02/2026




5.925-6.425GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

MASK

5985MHz_TX

25/02/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9785G	-4.22	6.1073G	-54.09	-44.22	-9.87	1
6.01409G	-4.41	6.1063G	-54.30	-44.37	-9.93	2
5.9773G	-4.54	6.1066G	-54.18	-44.54	-9.64	3
6.01349G	-4.68	6.1447G	-53.81	-44.68	-9.13	4

5.925-6.425GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX

MASK

6025MHz_TX

25/02/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.10078G	-3.30	6.2682G	-50.71	-43.25	-7.46	1
6.08818G	-2.76	6.268G	-50.67	-42.58	-8.09	2
6.08738G	-2.67	6.2696G	-51.28	-42.63	-8.65	3
6.10058G	-3.17	6.2684G	-51.19	-43.15	-8.04	4

5.925-6.425GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484 MRU_3_4TX

MASK

6025MHz_TX

25/02/2026




5.925-6.425GHz_802.11bn_UHR320_Nss1,(MCS0),3xRU996+RU484 MRU_5_4TX

MASK

6105MHz_TX

25/02/2026




5.925-6.425GHz_802.11bn_UHR320_Nss1,(MCS0),3xRU996 MRU 3_4TX

MASK

6105MHz_TX

25/02/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.20657G	-0.40	6.9026G	-50.21	-40.40	-9.81	1
6.20378G	-0.26	6.9018G	-50.33	-40.26	-10.07	2
6.20138G	-0.66	6.891G	-50.14	-40.66	-9.48	3
6.00662G	-0.70	6.8382G	-50.11	-40.70	-9.41	4

5.925-6.425GHz_802.11bn_UHR320_Nss1,(MCS0),2xRU996+RU484 MRU 3_4TX

MASK

6105MHz_TX

25/02/2026





Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.13979G	-1.30	6.8738G	-50.25	-41.30	-8.95	1
6.14019G	-0.86	6.799G	-50.34	-40.86	-9.48	2
6.14219G	-0.88	6.9034G	-50.16	-40.88	-9.28	3
6.00263G	-1.19	6.889G	-50.08	-41.19	-8.89	4

Contention Based Protocol Threshold Level 802.11ax HEW20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-60.63	2.37	-63.00	≤ -62
						Minimal	-61.63	2.37	-64.00	≤ -62
						ON	-79.63	2.37	-82.00	≤ -62

Contention Based Protocol Threshold Level 802.11ax HEW320										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	320	6105	Low edge	5950	OFF	-62.63	2.37	-65.00	≤ -62
						Minimal	-63.63	2.37	-66.00	≤ -62
						ON	-79.63	2.37	-82.00	≤ -62
				Center	6105	OFF	-61.63	2.37	-64.00	≤ -62
						Minimal	-62.63	2.37	-65.00	≤ -62
						ON	-79.63	2.37	-82.00	≤ -62
				High edge	6260	OFF	-62.63	2.37	-65.00	≤ -62
						Minimal	-63.63	2.37	-66.00	≤ -62
						ON	-79.63	2.37	-82.00	≤ -62


Contention Based protocol 802.11ax HEW20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-63.00	OFF	10	100	90	Pass

Contention Based protocol 802.11ax HE320											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-65.00	OFF	10	100	90	Pass
				Center	6105	-64.00	OFF	9	90	90	Pass
				High edge	6260	-65.00	OFF	10	100	90	Pass




Bandwidth: 320MHz

Traffic Loading Plot



Date: 27.JAN.2026 16:39:17


Traffic Loading Calculation



Incumbent signal (AWGN) Plot

Bandwidth: 20MHz

Frequency (MHz): 6215 MHz



Date: 29.JAN.2026 18:09:59