


5.25-5.35GHz_802.11bn_UHR40-BF_Nss2,(MCS0)_4TX

PSD

5270MHz

28/05/2026

CF (Hz)
5.27G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.76	7.76	1.95	2.15	1.58	1.49


5.25-5.35GHz_802.11bn_UHR40-BF_Nss2,(MCS0)_4TX

PSD

5310MHz

28/05/2026

CF (Hz)
5.31G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.58	7.58	1.61	1.96	1.45	1.45

5.47-5.725GHz_802.11bn UHR40-BF_Nss2,(MCS0)_4TX

PSD

5510MHz

28/05/2026




5.47-5.725GHz_802.11bn UHR40-BF_Nss2,(MCS0)_4TX

PSD

5550MHz

28/05/2026



5.47-5.725GHz_802.11bn UHR40-BF_Nss2,(MCS0)_4TX

PSD

5670MHz

28/05/2026

CF (Hz)
5.67G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.80	7.80	1.91	2.04	2.11	1.44

5.47-5.725GHz_802.11bn UHR40-BF_Nss2,(MCS0)_4TX

PSD

5710MHz Straddle 5.47-5.725GHz

28/05/2026

CF (Hz)
5.69G


Span (Hz)
140M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.21	8.21	2.41	2.31	2.34	1.86

5.725-5.85GHz_802.11bn UHR40-BF_Nss2,(MCS0)_4TX

PSD

5710MHz Straddle 5.725-5.85GHz

28/05/2026




5.725-5.85GHz_802.11bn UHR40-BF_Nss2,(MCS0)_4TX

PSD

5755MHz

03/06/2026




5.725-5.85GHz_802.11bn UHR40-BF_Nss2,(MCS0)_4TX

PSD

5795MHz

03/06/2026




5.15-5.25GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX

PSD

5210MHz

28/05/2026




5.25-5.35GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX

PSD

5290MHz

28/05/2026




5.47-5.725GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX

PSD

5530MHz

28/05/2026




5.47-5.725GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX

PSD

5610MHz

28/05/2026




5.47-5.725GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

28/05/2026




5.725-5.85GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

28/05/2026




5.725-5.85GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX

PSD

5775MHz

28/05/2026




5.15-5.25GHz_802.11bn UHR160-BF_Nss2,(MCS0)_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

28/05/2026



5150~5250MHz

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.53	4.53	-1.67	-1.07	-1.28	-1.59

5250~5350MHz


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.04	4.04	-1.71	-1.72	-2.22	-1.97

5.47-5.725GHz_802.11bn UHR160-BF_Nss2,(MCS0)_4TX

PSD

5570MHz

28/05/2026



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.89	1.89	-3.78	-4.04	-4.05	-4.25



Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	8.17
802.11bn UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX	4.91
802.11bn UHR160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	4.99
5.25-5.35GHz	-
802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX	5.98
802.11bn UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX	4.31
802.11bn UHR160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	4.35
5.47-5.725GHz	-
802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	7.00
802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX	6.01
802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	5.78
802.11bn UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX	2.49
802.11bn UHR160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	3.25
5.725-5.85GHz	-
802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	3.96
802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX	8.42

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

**Result**

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
5210MHz	Pass	7.61	1.89	2.78	2.49	1.71	8.17	15.39
802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX	-	-	-	-	-	-	-	-
5290MHz	Pass	7.47	1.17	0.13	-0.58	-0.64	5.98	9.53
802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
5530MHz	Pass	7.98	0.86	1.04	1.41	0.94	7.00	9.02
802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX	-	-	-	-	-	-	-	-
5610MHz	Pass	7.98	0.15	0.11	-0.01	-0.02	6.01	9.02
802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	7.98	-0.06	-0.04	-0.12	-0.29	5.78	9.02
5690MHz Straddle 5.725-5.85GHz	Pass	7.33	-2.1	-2.02	-1.91	-2.08	3.96	28.67
802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
5775MHz	Pass	7.33	2.7	1.9	2.76	2.51	8.42	28.67
802.11bn UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	7.61	-1.39	-0.11	-0.82	-1.56	4.91	15.39
802.11bn UHR160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	7.61	-1.7	-0.18	-0.55	-1.75	4.99	15.39
802.11bn UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	7.47	-1.58	-1.13	-2	-2	4.31	9.53
802.11bn UHR160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	7.47	-1.37	-1.08	-1.63	-2.09	4.35	9.53
802.11bn UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX	-	-	-	-	-	-	-	-
5570MHz	Pass	7.98	-3.08	-3.72	-3.81	-3.04	2.49	9.02
802.11bn UHR160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-
5570MHz	Pass	7.98	-2.23	-3.23	-3.06	-2.33	3.25	9.02


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

PSD

5210MHz

09/06/2026




5.25-5.35GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

PSD

5290MHz

09/06/2026




5.47-5.725GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

PSD

5530MHz

17/06/2026




5.47-5.725GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

PSD

5610MHz

09/06/2026




5.47-5.725GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

09/06/2026




5.725-5.85GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

09/06/2026




5.725-5.85GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX

PSD

5775MHz

09/06/2026




5.15-5.25GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

09/06/2026



5250-5350MHz


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.31	4.31	-1.58	-1.13	-2.00	-2.00

5.15-5.25GHz_802.11bn UHR160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

09/06/2026



5150~5250MHz

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.99	4.99	-1.70	-0.18	-0.55	-1.75

5250~5350MHz


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.35	4.35	-1.37	-1.08	-1.63	-2.09

5.47-5.725GHz_802.11bn UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX

PSD

5570MHz

09/06/2026



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.49	2.49	-3.08	-3.72	-3.81	-3.04


5.47-5.725GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

PSD

5570MHz

09/06/2026

CF (Hz)
5.57G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.25	3.25	-2.23	-3.23	-3.06	-2.33




Radiated Emissions below 1GHz

Appendix E.1

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	PK	428.67M	41.89	46.00	-4.11	Horizontal

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)		
PK	63.95M	35.55	40.00	-4.45	-34.77	3	Vertical	123	1.00	-	70.32	18.50	0.72	53.99		
PK	144.95M	35.46	43.50	-8.04	-33.47	3	Vertical	87	2.00	-	68.93	18.99	1.46	53.92		
PK	201.69M	33.30	43.50	-10.20	-36.46	3	Vertical	116	1.00	-	69.76	15.77	1.69	53.92		
PK	324.88M	36.33	46.00	-9.67	-31.57	3	Vertical	246	1.00	-	67.90	19.99	2.24	53.80		
QP	434.98M	41.78	46.00	-4.22	-28.52	3	Vertical	138	1.00	"Worst"	70.30	22.64	2.48	53.64		
PK	574.17M	33.65	46.00	-12.35	-24.95	3	Vertical	99	2.00	-	58.60	24.85	3.23	53.03		

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)		
PK	349.13M	41.13	46.00	-4.87	-31.42	3	Horizontal	88	3.00	-	72.55	20.20	2.32	53.94		
PK	428.67M	41.89	46.00	-4.11	-28.75	3	Horizontal	257	2.00	"Worst"	70.64	22.44	2.48	53.67		
QP	434.49M	41.87	46.00	-4.13	-28.53	3	Horizontal	112	1.00	-	70.40	22.63	2.48	53.64		
QP	699.79M	35.61	46.00	-10.39	-22.19	3	Horizontal	354	1.00	-	57.80	26.75	3.66	52.60		
PK	800.18M	35.73	46.00	-10.27	-19.74	3	Horizontal	163	2.00	-	55.47	28.09	4.04	51.87		
QP	899.61M	33.70	46.00	-12.30	-18.20	3	Horizontal	103	1.00	-	51.90	28.96	4.59	51.75		




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
bn40,BF_40MHz_Nss2,(MCS0)_4TX	Pass	AV	5.15G	52.99	54.00	-1.01	3	Vertical	177.1	2.39	-

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 90
02-R-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1416G	65.39	74.00	-8.61	55.05	3	Vertical	176	2.35	-	32.88	7.58	30.12			
AV	5.1436G	52.71	54.00	-1.29	42.36	3	Vertical	176	2.35	-	32.89	7.58	30.12			
PK	5.1832G	124.47	Inf	-Inf	114.13	3	Vertical	176	2.35	-	32.90	7.59	30.15			
AV	5.1828G	115.67	Inf	-Inf	105.33	3	Vertical	176	2.35	-	32.90	7.59	30.15			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 90
02-R-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1486G	62.91	74.00	-11.09	52.56	3	Horizontal	205	1.73	-	32.90	7.58	30.13			
AV	5.1484G	50.64	54.00	-3.36	40.29	3	Horizontal	205	1.73	-	32.90	7.58	30.13			
PK	5.1876G	116.13	Inf	-Inf	105.79	3	Horizontal	205	1.73	-	32.90	7.59	30.15			
AV	5.1874G	107.50	Inf	-Inf	97.16	3	Horizontal	205	1.73	-	32.90	7.59	30.15			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 90
03-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3585G	44.69	68.20	-23.51	63.01	3	Vertical	43	2.43	-	38.17	10.38	66.87			
PK	15.54732G	44.97	74.00	-29.03	58.50	3	Vertical	98	2.93	-	38.21	12.19	63.93			
AV	15.53922G	31.01	54.00	-22.99	44.51	3	Vertical	98	2.93	-	38.24	12.19	63.93			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 90
03-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35196G	43.97	68.20	-24.23	62.29	3	Horizontal	312	2.16	-	38.19	10.37	66.88			
PK	15.53742G	44.38	74.00	-29.62	57.87	3	Horizontal	319	2.26	-	38.25	12.19	63.93			
AV	15.53922G	30.99	54.00	-23.01	44.49	3	Horizontal	319	2.26	-	38.24	12.19	63.93			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 99
02-R-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1436G	67.62	74.00	-6.38	57.27	3	Vertical	176	2.43	-	32.89	7.58	30.12			
AV	5.144G	52.71	54.00	-1.29	42.36	3	Vertical	176	2.43	-	32.89	7.58	30.12			
PK	5.2028G	127.37	Inf	-Inf	117.03	3	Vertical	176	2.43	-	32.91	7.59	30.16			
AV	5.2026G	118.76	Inf	-Inf	108.42	3	Vertical	176	2.43	-	32.91	7.59	30.16			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 99
02-R-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1498G	65.70	74.00	-8.30	55.35	3	Horizontal	208	1.80	-	32.90	7.58	30.13				
AV	5.149G	50.46	54.00	-3.54	40.11	3	Horizontal	208	1.80	-	32.90	7.58	30.13				
PK	5.2072G	119.42	Inf	-Inf	109.05	3	Horizontal	208	1.80	-	32.93	7.60	30.16				
AV	5.207G	111.10	Inf	-Inf	100.73	3	Horizontal	208	1.80	-	32.93	7.60	30.16				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 99
03-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39175G	44.84	68.20	-23.36	63.24	3	Vertical	341	1.82	-	38.03	10.39	66.82			
PK	15.59031G	43.96	74.00	-30.04	57.57	3	Vertical	181	1.06	-	38.12	12.21	63.94			
AV	15.58683G	30.33	54.00	-23.67	43.93	3	Vertical	181	1.06	-	38.13	12.21	63.94			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 99
03-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39976G	44.77	68.20	-23.43	63.19	3	Horizontal	62	1.47	-	38.00	10.39	66.81			
PK	15.59799G	44.21	74.00	-29.79	57.83	3	Horizontal	313	2.58	-	38.10	12.22	63.94			
AV	15.58743G	30.38	54.00	-23.62	43.98	3	Horizontal	313	2.58	-	38.13	12.21	63.94			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT Y_4TX
Setting 100
02-R-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1155G	60.99	74.00	-13.01	50.70	3	Vertical	176	2.39	-	32.83	7.57	30.11			
AV	5.1476G	49.48	54.00	-4.52	39.13	3	Vertical	176	2.39	-	32.90	7.58	30.13			
PK	5.2421G	127.80	Inf	-Inf	117.29	3	Vertical	176	2.39	-	33.07	7.62	30.18			
AV	5.2427G	119.58	Inf	-Inf	109.07	3	Vertical	176	2.39	-	33.07	7.62	30.18			
PK	5.3537G	61.33	74.00	-12.67	50.54	3	Vertical	176	2.39	-	33.31	7.71	30.23			
AV	5.363G	49.28	54.00	-4.72	38.48	3	Vertical	176	2.39	-	33.33	7.71	30.24			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT Y_4TX
Setting 100
02-R-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1008G	59.85	74.00	-14.15	49.58	3	Horizontal	207	1.79	-	32.80	7.57	30.10			
AV	5.1476G	48.14	54.00	-5.86	37.79	3	Horizontal	207	1.79	-	32.90	7.58	30.13			
PK	5.2472G	119.29	Inf	-Inf	108.75	3	Horizontal	207	1.79	-	33.09	7.63	30.18			
AV	5.2475G	111.05	Inf	-Inf	100.51	3	Horizontal	207	1.79	-	33.09	7.63	30.18			
PK	5.3681G	60.41	74.00	-13.59	49.59	3	Horizontal	207	1.79	-	33.34	7.72	30.24			
AV	5.3846G	48.29	54.00	-5.71	37.44	3	Horizontal	207	1.79	-	33.37	7.73	30.25			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 100
03-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48018G	45.59	68.20	-22.61	63.70	3	Vertical	23	1.75	-	38.16	10.42	66.69			
PK	15.71421G	47.11	74.00	-26.89	60.75	3	Vertical	196	2.63	-	38.04	12.27	63.95			
AV	15.71349G	32.82	54.00	-21.18	46.45	3	Vertical	196	2.63	-	38.05	12.27	63.95			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 100
03-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.48024G	44.75	68.20	-23.45	62.86	3	Horizontal	331	2.80	-	38.16	10.42	66.69				
PK	15.7116G	46.82	74.00	-27.18	60.45	3	Horizontal	196	2.63	-	38.05	12.27	63.95				
AV	15.71316G	32.97	54.00	-21.03	46.60	3	Horizontal	196	2.63	-	38.05	12.27	63.95				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT Y_4TX
Setting 100
02-R-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1373G	60.46	74.00	-13.54	50.13	3	Vertical	177	2.42	-	32.87	7.58	30.12			
AV	5.1487G	49.06	54.00	-4.94	38.71	3	Vertical	177	2.42	-	32.90	7.58	30.13			
PK	5.2627G	128.26	Inf	-Inf	117.68	3	Vertical	177	2.42	-	33.13	7.64	30.19			
AV	5.2624G	119.54	Inf	-Inf	108.97	3	Vertical	177	2.42	-	33.12	7.64	30.19			
PK	5.3716G	62.08	74.00	-11.92	51.26	3	Vertical	177	2.42	-	33.34	7.72	30.24			
AV	5.3674G	49.52	54.00	-4.48	38.71	3	Vertical	177	2.42	-	33.33	7.72	30.24			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT Y_4TX
Setting 100
02-R-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1499G	59.52	74.00	-14.48	49.17	3	Horizontal	119	1.96	-	32.90	7.58	30.13			
AV	5.149G	47.90	54.00	-6.10	37.55	3	Horizontal	119	1.96	-	32.90	7.58	30.13			
PK	5.2549G	118.81	Inf	-Inf	108.25	3	Horizontal	119	1.96	-	33.11	7.63	30.18			
AV	5.2552G	110.44	Inf	-Inf	99.88	3	Horizontal	119	1.96	-	33.11	7.63	30.18			
PK	5.3707G	60.61	74.00	-13.39	49.79	3	Horizontal	119	1.96	-	33.34	7.72	30.24			
AV	5.4094G	48.28	54.00	-5.72	37.35	3	Horizontal	119	1.96	-	33.44	7.75	30.26			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 100
03-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51964G	46.10	68.20	-22.10	64.11	3	Vertical	22	1.80	-	38.20	10.43	66.64			
PK	15.79197G	44.62	74.00	-29.38	58.53	3	Vertical	62	2.48	-	37.73	12.31	63.95			
AV	15.78909G	30.68	54.00	-23.32	44.59	3	Vertical	62	2.48	-	37.74	12.30	63.95			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 100
03-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52018G	51.03	68.20	-17.17	69.04	3	Horizontal	55	1.80	-	38.20	10.43	66.64			
PK	15.78354G	48.20	74.00	-25.80	62.08	3	Horizontal	224	2.57	-	37.77	12.30	63.95			
AV	15.783G	33.73	54.00	-20.27	47.61	3	Horizontal	224	2.57	-	37.77	12.30	63.95			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 100
02-R-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.3014G	127.63	Inf	-Inf	116.97	3	Vertical	175	2.37	-	33.20	7.67	30.21				
AV	5.3022G	119.19	Inf	-Inf	108.53	3	Vertical	175	2.37	-	33.20	7.67	30.21				
PK	5.3616G	70.15	74.00	-3.85	59.36	3	Vertical	175	2.37	-	33.32	7.71	30.24				
AV	5.362G	51.87	54.00	-2.13	41.08	3	Vertical	175	2.37	-	33.32	7.71	30.24				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 100
02-R-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3014G	119.62	Inf	-Inf	108.96	3	Horizontal	137	2.73	-	33.20	7.67	30.21			
AV	5.3016G	111.21	Inf	-Inf	100.55	3	Horizontal	137	2.73	-	33.20	7.67	30.21			
PK	5.359G	61.72	74.00	-12.28	50.93	3	Horizontal	137	2.73	-	33.32	7.71	30.24			
AV	5.3504G	48.96	54.00	-5.04	38.19	3	Horizontal	137	2.73	-	33.30	7.70	30.23			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 100
03-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58551G	45.57	68.20	-22.63	63.43	3	Vertical	282	2.66	-	38.27	10.45	66.58			
PK	15.88779G	45.00	74.00	-29.00	59.03	3	Vertical	164	1.86	-	37.58	12.35	63.96			
AV	15.88566G	30.33	54.00	-23.67	44.37	3	Vertical	164	1.86	-	37.57	12.35	63.96			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 100
03-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59319G	44.94	68.20	-23.26	62.77	3	Horizontal	209	2.35	-	38.29	10.45	66.57			
PK	15.89682G	43.76	74.00	-30.24	57.78	3	Horizontal	105	2.97	-	37.59	12.35	63.96			
AV	15.88995G	30.45	54.00	-23.55	44.48	3	Horizontal	105	2.97	-	37.58	12.35	63.96			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


5320MHz_TX

EUT Y_4TX
Setting 88
02-R-G-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3222G	124.43	Inf	-Inf	113.73	3	Vertical	177	2.37	-	33.24	7.68	30.22			
AV	5.3222G	115.71	Inf	-Inf	105.01	3	Vertical	177	2.37	-	33.24	7.68	30.22			
PK	5.3614G	69.86	74.00	-4.14	59.07	3	Vertical	177	2.37	-	33.32	7.71	30.24			
AV	5.3604G	52.38	54.00	-1.62	41.59	3	Vertical	177	2.37	-	33.32	7.71	30.24			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 88
02-R-G-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3146G	115.00	Inf	-Inf	104.30	3	Horizontal	118	1.75	-	33.23	7.68	30.21			
AV	5.3148G	106.36	Inf	-Inf	95.66	3	Horizontal	118	1.75	-	33.23	7.68	30.21			
PK	5.3546G	60.63	74.00	-13.37	49.84	3	Horizontal	118	1.75	-	33.31	7.71	30.23			
AV	5.3536G	47.24	54.00	-6.76	36.45	3	Horizontal	118	1.75	-	33.31	7.71	30.23			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 88
03-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.63712G	44.10	74.00	-29.90	61.86	3	Vertical	138	2.30	-	38.30	10.47	66.53				
AV	10.655G	30.61	54.00	-23.39	48.35	3	Vertical	138	2.30	-	38.30	10.47	66.51				
PK	15.97335G	43.08	74.00	-30.92	56.87	3	Vertical	77	1.91	-	37.79	12.39	63.97				
AV	15.97254G	29.65	54.00	-24.35	43.44	3	Vertical	77	1.91	-	37.79	12.39	63.97				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 88
03-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6367G	44.14	74.00	-29.86	61.90	3	Horizontal	346	1.23	-	38.30	10.47	66.53			
AV	10.64912G	30.65	54.00	-23.35	48.40	3	Horizontal	346	1.23	-	38.30	10.47	66.52			
PK	15.97248G	43.43	74.00	-30.57	57.22	3	Horizontal	243	2.02	-	37.79	12.39	63.97			
AV	15.97257G	29.63	54.00	-24.37	43.42	3	Horizontal	243	2.02	-	37.79	12.39	63.97			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 88
02-R-G-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4596G	66.04	74.00	-7.96	54.89	3	Vertical	178	2.46	-	33.66	7.78	30.29			
AV	5.46G	51.62	54.00	-2.38	40.47	3	Vertical	178	2.46	-	33.66	7.78	30.29			
PK	5.461G	67.09	68.20	-1.11	55.93	3	Vertical	178	2.46	-	33.67	7.78	30.29			
PK	5.502G	124.42	Inf	-Inf	113.03	3	Vertical	178	2.46	-	33.90	7.80	30.31			
AV	5.502G	115.84	Inf	-Inf	104.45	3	Vertical	178	2.46	-	33.90	7.80	30.31			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 88
02-R-G-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4594G	61.55	74.00	-12.45	50.40	3	Horizontal	135	2.41	-	33.66	7.78	30.29			
AV	5.46G	48.29	54.00	-5.71	37.14	3	Horizontal	135	2.41	-	33.66	7.78	30.29			
PK	5.461G	62.36	68.20	-5.84	51.20	3	Horizontal	135	2.41	-	33.67	7.78	30.29			
PK	5.501G	117.22	Inf	-Inf	105.83	3	Horizontal	135	2.41	-	33.90	7.80	30.31			
AV	5.5012G	109.02	Inf	-Inf	97.63	3	Horizontal	135	2.41	-	33.90	7.80	30.31			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 88
03-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00021G	44.77	74.00	-29.23	61.96	3	Vertical	252	1.21	-	38.40	10.59	66.18			
AV	10.99316G	31.07	54.00	-22.93	48.27	3	Vertical	252	1.21	-	38.41	10.58	66.19			
PK	16.49136G	44.42	68.20	-23.78	57.08	3	Vertical	134	2.06	-	38.22	12.61	63.49			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 88
03-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.01011G	44.84	74.00	-29.16	62.01	3	Horizontal	64	1.01	-	38.42	10.59	66.18			
AV	10.99736G	31.03	54.00	-22.97	48.22	3	Horizontal	64	1.01	-	38.41	10.58	66.18			
PK	16.48752G	44.37	68.20	-23.83	57.03	3	Horizontal	307	2.94	-	38.22	12.61	63.49			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT Y_4TX
Setting 100
02-R-G-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4579G	59.87	74.00	-14.13	48.74	3	Vertical	176	1.59	-	33.65	7.77	30.29			
AV	5.4588G	48.08	54.00	-5.92	36.94	3	Vertical	176	1.59	-	33.65	7.78	30.29			
PK	5.4693G	60.71	68.20	-7.49	49.50	3	Vertical	176	1.59	-	33.72	7.78	30.29			
PK	5.5812G	127.25	Inf	-Inf	115.68	3	Vertical	176	1.59	-	34.00	7.85	30.28			
AV	5.5815G	119.20	Inf	-Inf	107.63	3	Vertical	176	1.59	-	34.00	7.85	30.28			
PK	5.7267G	59.64	68.20	-8.56	47.59	3	Vertical	176	1.59	-	34.20	8.08	30.23			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 100
02-R-G-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4519G	58.28	74.00	-15.72	47.18	3	Horizontal	55	1.52	-	33.61	7.77	30.28			
PK	5.4639G	57.50	68.20	-10.70	46.33	3	Horizontal	55	1.52	-	33.68	7.78	30.29			
AV	5.4594G	46.11	54.00	-7.89	34.96	3	Horizontal	55	1.52	-	33.66	7.78	30.29			
PK	5.5815G	119.60	Inf	-Inf	108.03	3	Horizontal	55	1.52	-	34.00	7.85	30.28			
AV	5.5818G	110.87	Inf	-Inf	99.30	3	Horizontal	55	1.52	-	34.00	7.85	30.28			
PK	5.7261G	59.30	68.20	-8.90	47.25	3	Horizontal	55	1.52	-	34.20	8.08	30.23			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5580MHz_TX

EUT_Y_4TX
Setting 100
03-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15103G	43.91	74.00	-30.09	60.91	3	Vertical	55	1.93	-	38.60	10.63	66.23			
AV	11.14596G	30.24	54.00	-23.76	47.24	3	Vertical	55	1.93	-	38.60	10.63	66.23			
PK	16.75071G	45.70	68.20	-22.50	57.33	3	Vertical	341	2.40	-	39.20	12.73	63.56			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 100
03-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15703G	44.47	74.00	-29.53	61.46	3	Horizontal	44	2.87	-	38.60	10.64	66.23			
AV	11.14512G	30.25	54.00	-23.75	47.25	3	Horizontal	44	2.87	-	38.60	10.63	66.23			
PK	16.74996G	45.78	68.20	-22.42	57.40	3	Horizontal	2	1.31	-	39.20	12.73	63.55			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 79
02-R-G-5-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.7026G	123.58	Inf	-Inf	111.58	3	Vertical	175	2.22	-	34.20	8.04	30.24			
AV	5.7016G	114.53	Inf	-Inf	102.53	3	Vertical	175	2.22	-	34.20	8.04	30.24			
PK	5.725G	65.61	68.20	-2.59	53.56	3	Vertical	175	2.22	-	34.20	8.08	30.23			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 79
02-R-G-5-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.7012G	115.19	Inf	-Inf	103.19	3	Horizontal	54	1.35	-	34.20	8.04	30.24			
AV	5.7012G	106.16	Inf	-Inf	94.16	3	Horizontal	54	1.35	-	34.20	8.04	30.24			
PK	5.7952G	63.33	68.20	-4.87	51.04	3	Horizontal	54	1.35	-	34.29	8.20	30.20			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 79
03-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40192G	45.25	74.00	-28.75	61.94	3	Vertical	252	1.63	-	38.90	10.72	66.31			
AV	11.39538G	31.74	54.00	-22.26	48.45	3	Vertical	252	1.63	-	38.89	10.71	66.31			
PK	17.09118G	45.11	68.20	-23.09	55.72	3	Vertical	266	1.80	-	40.28	12.87	63.76			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 79
03-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.41065G	45.76	74.00	-28.24	62.43	3	Horizontal	207	1.96	-	38.92	10.72	66.31				
AV	11.3955G	31.80	54.00	-22.20	48.51	3	Horizontal	207	1.96	-	38.89	10.71	66.31				
PK	17.10321G	44.80	68.20	-23.40	55.39	3	Horizontal	18	1.40	-	40.31	12.88	63.78				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 100
02-R-G-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7216G	127.53	Inf	-Inf	115.49	3	Vertical	175	1.46	-	34.20	8.07	30.23			
AV	5.7208G	119.29	Inf	-Inf	107.25	3	Vertical	175	1.46	-	34.20	8.07	30.23			
PK	5.8784G	61.28	68.20	-6.92	48.45	3	Vertical	175	1.46	-	34.83	8.17	30.17			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 100
02-R-G-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7224G	119.86	Inf	-Inf	107.82	3	Horizontal	51	1.64	-	34.20	8.07	30.23			
AV	5.7216G	111.55	Inf	-Inf	99.51	3	Horizontal	51	1.64	-	34.20	8.07	30.23			
PK	5.8768G	61.21	68.20	-6.99	48.39	3	Horizontal	51	1.64	-	34.81	8.18	30.17			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 100
03-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43145G	45.54	74.00	-28.46	62.17	3	Vertical	328	2.21	-	38.96	10.73	66.32			
AV	11.4292G	31.62	54.00	-22.38	48.26	3	Vertical	328	2.21	-	38.96	10.72	66.32			
PK	17.17482G	45.82	68.20	-22.38	56.25	3	Vertical	93	1.33	-	40.55	12.91	63.89			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 100
03-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.42929G	45.13	74.00	-28.87	61.77	3	Horizontal	329	2.23	-	38.96	10.72	66.32			
AV	11.4289G	31.56	54.00	-22.44	48.20	3	Horizontal	329	2.23	-	38.96	10.72	66.32			
PK	17.17326G	46.52	68.20	-21.68	56.95	3	Horizontal	270	1.50	-	40.55	12.91	63.89			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 98
02-R-G-5-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6485G	67.09	68.20	-1.11	55.31	3	Vertical	171	2.19	-	34.10	7.94	30.26			
PK	5.7475G	128.57	Inf	-Inf	116.47	3	Vertical	171	2.19	-	34.20	8.12	30.22			
AV	5.747G	120.28	Inf	-Inf	108.18	3	Vertical	171	2.19	-	34.20	8.12	30.22			
PK	5.9355G	60.57	68.20	-7.63	47.43	3	Vertical	171	2.19	-	35.14	8.15	30.15			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 98
02-R-G-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5715G	61.21	68.20	-6.99	49.65	3	Horizontal	182	1.90	-	34.00	7.84	30.28			
PK	5.741G	120.55	Inf	-Inf	108.46	3	Horizontal	182	1.90	-	34.20	8.11	30.22			
AV	5.7405G	111.53	Inf	-Inf	99.44	3	Horizontal	182	1.90	-	34.20	8.11	30.22			
PK	5.941G	61.70	68.20	-6.50	48.54	3	Horizontal	182	1.90	-	35.16	8.15	30.15			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 98
03-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4843G	45.10	74.00	-28.90	61.62	3	Vertical	354	2.03	-	39.07	10.74	66.33			
AV	11.50491G	31.46	54.00	-22.54	47.93	3	Vertical	354	2.03	-	39.12	10.75	66.34			
PK	17.23158G	46.29	68.20	-21.91	56.59	3	Vertical	189	1.82	-	40.73	12.94	63.97			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 98
03-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49918G	45.47	74.00	-28.53	61.96	3	Horizontal	121	1.61	-	39.10	10.75	66.34			
AV	11.50434G	31.45	54.00	-22.55	47.92	3	Horizontal	121	1.61	-	39.12	10.75	66.34			
PK	17.22633G	46.14	68.20	-22.06	56.46	3	Horizontal	203	1.06	-	40.71	12.93	63.96			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 100
02-R-G-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.547G	64.36	68.20	-3.84	52.83	3	Vertical	172	1.24	-	33.99	7.83	30.29			
PK	5.787G	127.98	Inf	-Inf	115.73	3	Vertical	172	1.24	-	34.27	8.19	30.21			
AV	5.787G	119.56	Inf	-Inf	107.31	3	Vertical	172	1.24	-	34.27	8.19	30.21			
PK	5.9365G	61.04	68.20	-7.16	47.89	3	Vertical	172	1.24	-	35.15	8.15	30.15			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 100
02-R-G-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.586G	61.29	68.20	-6.91	49.72	3	Horizontal	166	1.54	-	34.00	7.85	30.28			
PK	5.791G	119.32	Inf	-Inf	107.06	3	Horizontal	166	1.54	-	34.28	8.19	30.21			
AV	5.7915G	111.05	Inf	-Inf	98.78	3	Horizontal	166	1.54	-	34.28	8.20	30.21			
PK	5.9865G	60.99	68.20	-7.21	47.72	3	Horizontal	166	1.54	-	35.27	8.13	30.13			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 100
03-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56382G	45.63	74.00	-28.37	61.90	3	Vertical	98	2.23	-	39.33	10.77	66.37			
AV	11.55839G	31.51	54.00	-22.49	47.79	3	Vertical	98	2.23	-	39.32	10.77	66.37			
PK	17.3631G	48.08	68.20	-20.12	57.71	3	Vertical	183	2.73	-	41.55	12.99	64.17			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5785MHz_TX

EUT_Y_4TX
Setting 100
03-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55743G	45.19	74.00	-28.81	61.48	3	Horizontal	224	2.57	-	39.31	10.77	66.37			
AV	11.55611G	31.55	54.00	-22.45	47.84	3	Horizontal	224	2.57	-	39.31	10.77	66.37			
PK	17.35485G	48.18	68.20	-20.02	57.83	3	Horizontal	40	1.47	-	41.52	12.99	64.16			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 100
02-R-G-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.588G	64.10	68.20	-4.10	52.53	3	Vertical	171	2.01	-	34.00	7.85	30.28				
PK	5.827G	126.73	Inf	-Inf	114.26	3	Vertical	171	2.01	-	34.46	8.20	30.19				
AV	5.8275G	118.23	Inf	-Inf	105.75	3	Vertical	171	2.01	-	34.47	8.20	30.19				
PK	5.963G	61.02	68.20	-7.18	47.79	3	Vertical	171	2.01	-	35.23	8.14	30.14				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 100
02-R-G-5-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.596G	58.40	68.20	-9.80	46.82	3	Horizontal	183	1.61	-	34.00	7.86	30.28				
PK	5.821G	118.68	Inf	-Inf	106.24	3	Horizontal	183	1.61	-	34.43	8.20	30.19				
AV	5.8215G	110.29	Inf	-Inf	97.85	3	Horizontal	183	1.61	-	34.43	8.20	30.19				
PK	5.965G	60.94	68.20	-7.26	47.71	3	Horizontal	183	1.61	-	35.23	8.14	30.14				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 100
03-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.64202G	44.52	74.00	-29.48	60.67	3	Vertical	138	1.78	-	39.48	10.79	66.42			
AV	11.64778G	31.33	54.00	-22.67	47.45	3	Vertical	138	1.78	-	39.50	10.80	66.42			
PK	17.47902G	47.70	68.20	-20.50	56.67	3	Vertical	23	2.76	-	42.33	13.04	64.34			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 100
03-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.63659G	44.74	74.00	-29.26	60.89	3	Horizontal	350	2.83	-	39.47	10.79	66.41			
AV	11.64472G	31.30	54.00	-22.70	47.44	3	Horizontal	350	2.83	-	39.49	10.79	66.42			
PK	17.46369G	48.28	68.20	-19.92	57.35	3	Horizontal	139	1.07	-	42.21	13.04	64.32			

5.15-5.25GHz_bn20,BF_20MHz_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_V_4TX
Setting 92
02-D-P-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1325G	65.97	74.00	-8.03	54.88	3	Vertical	298	1.62	-	33.63	7.58	30.12			
AV	5.15G	52.26	54.00	-1.74	41.11	3	Vertical	298	1.62	-	33.70	7.58	30.13			
PK	5.1844G	128.07	Inf	-Inf	116.86	3	Vertical	298	1.62	-	33.77	7.59	30.15			
AV	5.1839G	115.58	Inf	-Inf	104.37	3	Vertical	298	1.62	-	33.77	7.59	30.15			

5.15-5.25GHz_bn20,BF_20MHz_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 92
02-D-P-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1488G	61.91	74.00	-12.09	50.76	3	Horizontal	212	1.70	-	33.70	7.58	30.13			
AV	5.1493G	48.19	54.00	-5.81	37.04	3	Horizontal	212	1.70	-	33.70	7.58	30.13			
PK	5.1813G	122.10	Inf	-Inf	110.89	3	Horizontal	212	1.70	-	33.76	7.59	30.14			
AV	5.1841G	110.06	Inf	-Inf	98.85	3	Horizontal	212	1.70	-	33.77	7.59	30.15			

5.15-5.25GHz_bn20,BF_20MHz_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_V_4TX
Setting 92
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.53508G	46.03	74.00	-27.97	56.67	3	Vertical	138	2.78	-	37.93	15.36	63.93			
AV	15.54312G	34.50	54.00	-19.50	45.16	3	Vertical	138	2.78	-	37.91	15.36	63.93			

5.15-5.25GHz_bn20,BF_20MHz_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 92
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.53866G	46.40	74.00	-27.60	57.05	3	Horizontal	205	2.00	-	37.92	15.36	63.93			
AV	15.54492G	34.50	54.00	-19.50	45.16	3	Horizontal	205	2.00	-	37.91	15.36	63.93			

5.15-5.25GHz_bn20,BF_20MHz_Nss1,(MCS0)_4TX

5200MHz_TX




EUT Y_4TX
Setting 100
02-D-P-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1476G	66.89	74.00	-7.11	55.75	3	Vertical	231	1.85	-	33.69	7.58	30.13			
AV	5.15G	51.73	54.00	-2.27	40.58	3	Vertical	231	1.85	-	33.70	7.58	30.13			
PK	5.2022G	129.93	Inf	-Inf	118.70	3	Vertical	231	1.85	-	33.80	7.59	30.16			
AV	5.2032G	117.24	Inf	-Inf	106.01	3	Vertical	231	1.85	-	33.80	7.59	30.16			

5.15-5.25GHz_bn20,BF_20MHz_Nss1,(MCS0)_4TX

5200MHz_TX




EUT Y_4TX
Setting 100
02-D-P-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1492G	64.84	74.00	-9.16	53.69	3	Horizontal	213	1.91	-	33.70	7.58	30.13				
AV	5.15G	49.69	54.00	-4.31	38.54	3	Horizontal	213	1.91	-	33.70	7.58	30.13				
PK	5.2034G	123.50	Inf	-Inf	112.27	3	Horizontal	213	1.91	-	33.80	7.59	30.16				
AV	5.1962G	111.35	Inf	-Inf	100.12	3	Horizontal	213	1.91	-	33.79	7.59	30.15				

5.15-5.25GHz_bn20,BF_20MHz_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 100
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.60021G	45.66	74.00	-28.34	56.34	3	Vertical	333	1.06	-	37.90	15.36	63.94			
AV	15.60418G	33.81	54.00	-20.19	44.51	3	Vertical	333	1.06	-	37.88	15.36	63.94			

5.15-5.25GHz_bn20,BF_20MHz_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_V_4TX
Setting 100
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.59534G	46.43	74.00	-27.57	57.11	3	Horizontal	168	1.14	-	37.90	15.36	63.94			
AV	15.60428G	33.86	54.00	-20.14	44.56	3	Horizontal	168	1.14	-	37.88	15.36	63.94			

5.15-5.25GHz_bn20,BF_20MHz_Nss1,(MCS0)_4TX


5240MHz_TX


EUT Y_4TX
Setting 100
02-D-P-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1491G	60.03	74.00	-13.97	48.88	3	Vertical	302	1.66	-	33.70	7.58	30.13			
AV	5.1494G	47.65	54.00	-6.35	36.50	3	Vertical	302	1.66	-	33.70	7.58	30.13			
PK	5.2412G	129.82	Inf	-Inf	118.58	3	Vertical	302	1.66	-	33.80	7.62	30.18			
AV	5.2364G	117.43	Inf	-Inf	106.18	3	Vertical	302	1.66	-	33.80	7.62	30.17			
PK	5.3588G	60.36	74.00	-13.64	48.95	3	Vertical	302	1.66	-	33.94	7.71	30.24			
AV	5.3537G	47.67	54.00	-6.33	36.28	3	Vertical	302	1.66	-	33.91	7.71	30.23			

5.15-5.25GHz_bn20,BF_20MHz_Nss1,(MCS0)_4TX

5240MHz_TX




EUT Y_4TX
Setting 100
02-D-P-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.0981G	57.25	74.00	-16.75	46.28	3	Horizontal	94.2	1.80	-	33.50	7.57	30.10			
AV	5.15G	45.02	54.00	-8.98	33.87	3	Horizontal	94.2	1.80	-	33.70	7.58	30.13			
PK	5.2364G	120.63	Inf	-Inf	109.38	3	Horizontal	94.2	1.80	-	33.80	7.62	30.17			
AV	5.2361G	108.17	Inf	-Inf	96.92	3	Horizontal	94.2	1.80	-	33.80	7.62	30.17			
PK	5.357G	57.90	74.00	-16.10	46.50	3	Horizontal	94.2	1.80	-	33.93	7.71	30.24			
AV	5.3555G	45.37	54.00	-8.63	33.97	3	Horizontal	94.2	1.80	-	33.92	7.71	30.23			

5.15-5.25GHz_bn20,BF_20MHz_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_V_4TX
Setting 100
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.72446G	45.65	74.00	-28.35	56.38	3	Vertical	275	1.19	-	37.85	15.37	63.95			
AV	15.71758G	33.49	54.00	-20.51	44.23	3	Vertical	275	1.19	-	37.84	15.37	63.95			

5.15-5.25GHz_bn20,BF_20MHz_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_V_4TX
Setting 100
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.71784G	45.37	74.00	-28.63	56.11	3	Horizontal	225	1.02	-	37.84	15.37	63.95			
AV	15.72062G	33.50	54.00	-20.50	44.24	3	Horizontal	225	1.02	-	37.84	15.37	63.95			

5.25-5.35GHz_bn20,BF_20MHz_Nss1,(MCS0)_4TX

5260MHz_TX




EUT Y_4TX
Setting 100
02-D-P-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.143G	60.05	74.00	-13.95	48.92	3	Vertical	297	1.80	-	33.67	7.58	30.12			
AV	5.1484G	46.81	54.00	-7.19	35.67	3	Vertical	297	1.80	-	33.69	7.58	30.13			
PK	5.2573G	128.56	Inf	-Inf	117.31	3	Vertical	297	1.80	-	33.80	7.63	30.18			
AV	5.2561G	117.21	Inf	-Inf	105.96	3	Vertical	297	1.80	-	33.80	7.63	30.18			
PK	5.3998G	59.86	74.00	-14.14	48.28	3	Vertical	297	1.80	-	34.10	7.74	30.26			
AV	5.35G	47.73	54.00	-6.27	36.36	3	Vertical	297	1.80	-	33.90	7.70	30.23			

5.25-5.35GHz_bn20,BF_20MHz_Nss1,(MCS0)_4TX

5260MHz_TX




EUT Y_4TX
Setting 100
02-D-P-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1484G	57.01	74.00	-16.99	45.87	3	Horizontal	97	2.08	-	33.69	7.58	30.13			
AV	5.1466G	45.20	54.00	-8.80	34.06	3	Horizontal	97	2.08	-	33.69	7.58	30.13			
PK	5.2582G	120.79	Inf	-Inf	109.54	3	Horizontal	97	2.08	-	33.80	7.63	30.18			
AV	5.2558G	109.10	Inf	-Inf	97.85	3	Horizontal	97	2.08	-	33.80	7.63	30.18			
PK	5.3539G	57.51	74.00	-16.49	46.11	3	Horizontal	97	2.08	-	33.92	7.71	30.23			
AV	5.3776G	45.56	54.00	-8.44	34.08	3	Horizontal	97	2.08	-	34.01	7.72	30.25			

5.25-5.35GHz_bn20,BF_20MHz_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_V_4TX
Setting 100
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.78475G	45.64	74.00	-28.36	56.60	3	Vertical	105	2.45	-	37.62	15.37	63.95			
AV	15.77564G	33.58	54.00	-20.42	44.47	3	Vertical	105	2.45	-	37.69	15.37	63.95			

5.25-5.35GHz_bn20,BF_20MHz_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 100
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.77919G	45.76	74.00	-28.24	56.67	3	Horizontal	153	2.07	-	37.67	15.37	63.95			
AV	15.77553G	33.37	54.00	-20.63	44.25	3	Horizontal	153	2.07	-	37.70	15.37	63.95			

5.25-5.35GHz_bn20,BF_20MHz_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 100
02-D-P-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2988G	129.16	Inf	-Inf	117.91	3	Vertical	201	1.80	-	33.80	7.66	30.21				
AV	5.2962G	116.75	Inf	-Inf	105.49	3	Vertical	201	1.80	-	33.80	7.66	30.20				
PK	5.35G	71.73	74.00	-2.27	60.36	3	Vertical	201	1.80	-	33.90	7.70	30.23				
AV	5.3502G	51.37	54.00	-2.63	40.00	3	Vertical	201	1.80	-	33.90	7.70	30.23				

5.25-5.35GHz_bn20,BF_20MHz_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 100
02-D-P-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3054G	119.93	Inf	-Inf	108.66	3	Horizontal	85	1.81	-	33.81	7.67	30.21				
AV	5.3062G	109.18	Inf	-Inf	97.91	3	Horizontal	85	1.81	-	33.81	7.67	30.21				
PK	5.3534G	65.68	74.00	-8.32	54.29	3	Horizontal	85	1.81	-	33.91	7.71	30.23				
AV	5.35G	49.82	54.00	-4.18	38.45	3	Horizontal	85	1.81	-	33.90	7.70	30.23				

5.25-5.35GHz_bn20,BF_20MHz_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 100
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.90044G	46.30	74.00	-27.70	57.18	3	Vertical	38	2.72	-	37.70	15.38	63.96			
AV	15.90362G	34.03	54.00	-19.97	44.92	3	Vertical	38	2.72	-	37.69	15.38	63.96			

5.25-5.35GHz_bn20,BF_20MHz_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 100
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.90295G	45.81	74.00	-28.19	56.70	3	Horizontal	334	2.10	-	37.69	15.38	63.96			
AV	15.90058G	34.07	54.00	-19.93	44.95	3	Horizontal	334	2.10	-	37.70	15.38	63.96			

5.25-5.35GHz_bn20,BF_20MHz_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 90
02-D-P-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3186G	127.66	Inf	-Inf	116.36	3	Vertical	293	1.80	-	33.84	7.68	30.22			
AV	5.3176G	114.72	Inf	-Inf	103.42	3	Vertical	293	1.80	-	33.84	7.68	30.22			
PK	5.35G	66.64	74.00	-7.36	55.27	3	Vertical	293	1.80	-	33.90	7.70	30.23			
AV	5.3503G	52.81	54.00	-1.19	41.44	3	Vertical	293	1.80	-	33.90	7.70	30.23			

5.25-5.35GHz_bn20,BF_20MHz_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 90
02-D-P-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3235G	117.87	Inf	-Inf	106.56	3	Horizontal	233	1.92	-	33.85	7.68	30.22			
AV	5.3231G	105.91	Inf	-Inf	94.60	3	Horizontal	233	1.92	-	33.85	7.68	30.22			
PK	5.3625G	62.85	74.00	-11.15	51.43	3	Horizontal	233	1.92	-	33.95	7.71	30.24			
AV	5.3505G	49.07	54.00	-4.93	37.70	3	Horizontal	233	1.92	-	33.90	7.70	30.23			

5.25-5.35GHz_bn20,BF_20MHz_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 90
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.95659G	45.75	74.00	-28.25	56.75	3	Vertical	167	1.34	-	37.59	15.38	63.97			
AV	15.96324G	33.72	54.00	-20.28	44.74	3	Vertical	167	1.34	-	37.57	15.38	63.97			

5.25-5.35GHz_bn20,BF_20MHz_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 90
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.96443G	45.64	74.00	-28.36	56.66	3	Horizontal	121	1.16	-	37.57	15.38	63.97			
AV	15.96164G	33.67	54.00	-20.33	44.68	3	Horizontal	121	1.16	-	37.58	15.38	63.97			

5.47-5.725GHz_bn20,BF_20MHz_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 88
02-D-P-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4595G	66.84	74.00	-7.16	55.35	3	Vertical	185	1.46	-	34.00	7.78	30.29			
AV	5.4594G	51.72	54.00	-2.28	40.23	3	Vertical	185	1.46	-	34.00	7.78	30.29			
PK	5.4678G	66.79	68.20	-1.41	55.30	3	Vertical	185	1.46	-	34.00	7.78	30.29			
PK	5.5048G	126.41	Inf	-Inf	114.90	3	Vertical	185	1.46	-	34.02	7.80	30.31			
AV	5.5041G	114.49	Inf	-Inf	102.98	3	Vertical	185	1.46	-	34.02	7.80	30.31			

5.47-5.725GHz_bn20,BF_20MHz_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 88
02-D-P-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4587G	59.75	74.00	-14.25	48.26	3	Horizontal	145	2.64	-	34.00	7.78	30.29			
AV	5.4597G	46.07	54.00	-7.93	34.58	3	Horizontal	145	2.64	-	34.00	7.78	30.29			
PK	5.4655G	58.08	68.20	-10.12	46.59	3	Horizontal	145	2.64	-	34.00	7.78	30.29			
PK	5.4986G	118.11	Inf	-Inf	106.62	3	Horizontal	145	2.64	-	34.00	7.80	30.31			
AV	5.5015G	105.76	Inf	-Inf	94.26	3	Horizontal	145	2.64	-	34.01	7.80	30.31			

5.47-5.725GHz_bn20,BF_20MHz_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_V_4TX
Setting 88
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.00371G	46.53	74.00	-27.47	59.45	3	Vertical	146	1.18	-	38.79	14.47	66.18			
AV	10.99519G	34.31	54.00	-19.69	47.22	3	Vertical	146	1.18	-	38.80	14.47	66.18			

5.47-5.725GHz_bn20,BF_20MHz_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_V_4TX
Setting 88
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.00157G	46.60	74.00	-27.40	59.51	3	Horizontal	112	2.96	-	38.80	14.47	66.18			
AV	10.99513G	34.33	54.00	-19.67	47.24	3	Horizontal	112	2.96	-	38.80	14.47	66.18			

5.47-5.725GHz_bn20,BF_20MHz_Nss1,(MCS0)_4TX

5580MHz_TX




EUT Y_4TX
Setting 100
02-D-P-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4188G	61.83	74.00	-12.17	50.29	3	Vertical	186	1.42	-	34.06	7.75	30.27			
AV	5.4148G	49.77	54.00	-4.23	38.22	3	Vertical	186	1.42	-	34.07	7.75	30.27			
PK	5.4692G	59.60	68.20	-8.60	48.11	3	Vertical	186	1.42	-	34.00	7.78	30.29			
PK	5.5848G	130.58	Inf	-Inf	118.88	3	Vertical	186	1.42	-	34.13	7.85	30.28			
AV	5.5852G	118.57	Inf	-Inf	106.87	3	Vertical	186	1.42	-	34.13	7.85	30.28			
PK	5.7368G	65.06	68.20	-3.14	53.28	3	Vertical	186	1.42	-	33.90	8.10	30.22			

5.47-5.725GHz_bn20,BF_20MHz_Nss1,(MCS0)_4TX

5580MHz_TX




EUT Y_4TX
Setting 100
02-D-P-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4252G	58.63	74.00	-15.37	47.09	3	Horizontal	148	1.62	-	34.05	7.76	30.27			
AV	5.4252G	47.71	54.00	-6.29	36.17	3	Horizontal	148	1.62	-	34.05	7.76	30.27			
PK	5.4672G	57.36	68.20	-10.84	45.87	3	Horizontal	148	1.62	-	34.00	7.78	30.29			
PK	5.5748G	122.22	Inf	-Inf	110.51	3	Horizontal	148	1.62	-	34.15	7.84	30.28			
AV	5.5764G	111.31	Inf	-Inf	99.59	3	Horizontal	148	1.62	-	34.15	7.85	30.28			
PK	5.7476G	58.93	68.20	-9.27	47.13	3	Horizontal	148	1.62	-	33.90	8.12	30.22			

5.47-5.725GHz_bn20,BF_20MHz_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 100
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.15719G	47.54	74.00	-26.46	60.30	3	Vertical	324	2.87	-	38.91	14.56	66.23			
AV	11.15564G	34.89	54.00	-19.11	47.65	3	Vertical	324	2.87	-	38.91	14.56	66.23			

5.47-5.725GHz_bn20,BF_20MHz_Nss1,(MCS0)_4TX


5580MHz_TX

EUT_Y_4TX
Setting 100
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.15624G	47.37	74.00	-26.63	60.13	3	Horizontal	318	2.06	-	38.91	14.56	66.23			
AV	11.1572G	34.94	54.00	-19.06	47.70	3	Horizontal	318	2.06	-	38.91	14.56	66.23			

5.47-5.725GHz_bn20,BF_20MHz_Nss1,(MCS0)_4TX


5700MHz_TX

EUT_Y_4TX
Setting 79
02-D-P-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6971G	124.95	Inf	-Inf	113.26	3	Vertical	175	1.34	-	33.90	8.03	30.24			
AV	5.7039G	112.95	Inf	-Inf	101.25	3	Vertical	175	1.34	-	33.90	8.04	30.24			
PK	5.725G	66.95	68.20	-1.25	55.20	3	Vertical	175	1.34	-	33.90	8.08	30.23			

5.47-5.725GHz_bn20,BF_20MHz_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 79
02-D-P-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6957G	118.10	Inf	-Inf	106.41	3	Horizontal	63	1.80	-	33.90	8.03	30.24				
AV	5.6959G	105.33	Inf	-Inf	93.64	3	Horizontal	63	1.80	-	33.90	8.03	30.24				
PK	5.7254G	62.16	68.20	-6.04	50.41	3	Horizontal	63	1.80	-	33.90	8.08	30.23				

5.47-5.725GHz_bn20,BF_20MHz_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_V_4TX
Setting 79
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.39836G	50.92	74.00	-23.08	63.34	3	Vertical	159	1.29	-	39.20	14.69	66.31			
AV	11.39799G	37.92	54.00	-16.08	50.34	3	Vertical	159	1.29	-	39.20	14.69	66.31			

5.47-5.725GHz_bn20,BF_20MHz_Nss1,(MCS0)_4TX


5700MHz_TX

EUT_Y_4TX
Setting 79
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40257G	50.28	74.00	-23.72	62.71	3	Horizontal	61	1.04	-	39.19	14.69	66.31			
AV	11.39638G	37.84	54.00	-16.16	50.25	3	Horizontal	61	1.04	-	39.21	14.69	66.31			

5.47-5.725GHz_bn20,BF_20MHz_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 100
02-D-P-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7148G	130.18	Inf	-Inf	118.45	3	Vertical	179	1.45	-	33.90	8.06	30.23			
AV	5.716G	117.70	Inf	-Inf	105.97	3	Vertical	179	1.45	-	33.90	8.06	30.23			
PK	5.8764G	60.79	68.20	-7.41	48.77	3	Vertical	179	1.45	-	34.01	8.18	30.17			

5.47-5.725GHz_bn20,BF_20MHz_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 100
02-D-P-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7244G	122.95	Inf	-Inf	111.20	3	Horizontal	56	1.66	-	33.90	8.08	30.23			
AV	5.7236G	111.43	Inf	-Inf	99.68	3	Horizontal	56	1.66	-	33.90	8.08	30.23			
PK	5.8524G	58.90	68.20	-9.30	46.98	3	Horizontal	56	1.66	-	33.91	8.19	30.18			

5.47-5.725GHz_bn20,BF_20MHz_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_V_4TX
Setting 100
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.43711G	48.80	74.00	-25.20	61.36	3	Vertical	86	1.95	-	39.05	14.71	66.32			
AV	11.43537G	36.78	54.00	-17.22	49.33	3	Vertical	86	1.95	-	39.06	14.71	66.32			

5.47-5.725GHz_bn20,BF_20MHz_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_V_4TX
Setting 100
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.43532G	49.17	74.00	-24.83	61.72	3	Horizontal	160	1.22	-	39.06	14.71	66.32			
AV	11.43639G	36.60	54.00	-17.40	49.16	3	Horizontal	160	1.22	-	39.05	14.71	66.32			

5.725-5.85GHz_bn20,BF_20MHz_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 100
02-D-P-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	66.37	68.20	-1.83	54.77	3	Vertical	173	1.45	-	33.92	7.94	30.26
PK	5.7405G	129.17	Inf	-Inf	117.38	3	Vertical	173	1.45	-	33.90	8.11	30.22
AV	5.7425G	117.70	Inf	-Inf	105.91	3	Vertical	173	1.45	-	33.90	8.11	30.22
PK	5.9575G	58.50	68.20	-9.70	46.21	3	Vertical	173	1.45	-	34.30	8.14	30.15

5.725-5.85GHz_bn20,BF_20MHz_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 100
02-D-P-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.5905G	59.36	68.20	-8.84	47.67	3	Horizontal	149	1.69	-	34.12	7.85	30.28			
PK	5.749G	120.32	Inf	-Inf	108.52	3	Horizontal	149	1.69	-	33.90	8.12	30.22			
AV	5.7525G	107.49	Inf	-Inf	95.68	3	Horizontal	149	1.69	-	33.90	8.13	30.22			
PK	5.939G	58.38	68.20	-9.82	46.12	3	Horizontal	149	1.69	-	34.26	8.15	30.15			

5.725-5.85GHz_bn20,BF_20MHz_Nss1,(MCS0)_4TX

5745MHz_TX




EUT V_4TX
Setting 100
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.49422G	47.60	74.00	-26.40	60.20	3	Vertical	317	1.56	-	39.00	14.74	66.34			
AV	11.48502G	35.02	54.00	-18.98	47.62	3	Vertical	317	1.56	-	39.00	14.74	66.34			

5.725-5.85GHz_bn20,BF_20MHz_Nss1,(MCS0)_4TX


5745MHz_TX


EUT_Y_4TX
Setting 100
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.48656G	47.45	74.00	-26.55	60.05	3	Horizontal	254	2.32	-	39.00	14.74	66.34			
AV	11.48606G	35.05	54.00	-18.95	47.65	3	Horizontal	254	2.32	-	39.00	14.74	66.34			

5.725-5.85GHz_bn20,BF_20MHz_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 100
02-D-P-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.538G	61.42	68.20	-6.78	49.75	3	Vertical	125	1.54	-	34.15	7.82	30.30				
PK	5.7845G	128.33	Inf	-Inf	116.46	3	Vertical	125	1.54	-	33.90	8.18	30.21				
AV	5.783G	116.17	Inf	-Inf	104.30	3	Vertical	125	1.54	-	33.90	8.18	30.21				
PK	6.006G	58.91	68.20	-9.29	46.61	3	Vertical	125	1.54	-	34.31	8.12	30.13				

5.725-5.85GHz_bn20,BF_20MHz_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 100
02-D-P-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6215G	59.40	68.20	-8.80	47.76	3	Horizontal	151	1.79	-	34.01	7.90	30.27			
PK	5.7825G	121.39	Inf	-Inf	109.52	3	Horizontal	151	1.79	-	33.90	8.18	30.21			
AV	5.7805G	109.73	Inf	-Inf	97.86	3	Horizontal	151	1.79	-	33.90	8.18	30.21			
PK	5.971G	58.70	68.20	-9.50	46.41	3	Horizontal	151	1.79	-	34.30	8.13	30.14			

5.725-5.85GHz_bn20,BF_20MHz_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_V_4TX
Setting 100
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.5658G	47.79	74.00	-26.21	60.58	3	Vertical	199	2.06	-	38.81	14.78	66.38			
AV	11.56855G	35.18	54.00	-18.82	47.99	3	Vertical	199	2.06	-	38.79	14.78	66.38			

5.725-5.85GHz_bn20,BF_20MHz_Nss1,(MCS0)_4TX


5785MHz_TX


EUT_V_4TX
Setting 100
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.5708G	47.38	74.00	-26.62	60.20	3	Horizontal	13	2.68	-	38.78	14.78	66.38			
AV	11.56726G	35.18	54.00	-18.82	47.98	3	Horizontal	13	2.68	-	38.80	14.78	66.38			

5.725-5.85GHz_bn20,BF_20MHz_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 100
02-D-P-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.5775G	62.32	68.20	-5.88	50.60	3	Vertical	295	1.89	-	34.15	7.85	30.28			
PK	5.8215G	126.84	Inf	-Inf	114.93	3	Vertical	295	1.89	-	33.90	8.20	30.19			
AV	5.821G	115.42	Inf	-Inf	103.51	3	Vertical	295	1.89	-	33.90	8.20	30.19			
PK	5.947G	58.73	68.20	-9.47	46.45	3	Vertical	295	1.89	-	34.29	8.14	30.15			

5.725-5.85GHz_bn20,BF_20MHz_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 100
02-D-P-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.586G	58.54	68.20	-9.66	46.84	3	Horizontal	54.2	1.68	-	34.13	7.85	30.28				
PK	5.8285G	119.26	Inf	-Inf	107.35	3	Horizontal	54.2	1.68	-	33.90	8.20	30.19				
AV	5.8295G	108.03	Inf	-Inf	96.12	3	Horizontal	54.2	1.68	-	33.90	8.20	30.19				
PK	5.9735G	59.27	68.20	-8.93	46.98	3	Horizontal	54.2	1.68	-	34.30	8.13	30.14				

5.725-5.85GHz_bn20,BF_20MHz_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_V_4TX
Setting 100
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.65218G	46.63	74.00	-27.37	59.71	3	Vertical	144	1.98	-	38.51	14.83	66.42			
AV	11.655G	34.01	54.00	-19.99	47.08	3	Vertical	144	1.98	-	38.52	14.83	66.42			

5.725-5.85GHz_bn20,BF_20MHz_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_V_4TX
Setting 100
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.65165G	46.07	74.00	-27.93	59.15	3	Horizontal	144	1.98	-	38.51	14.83	66.42			
AV	11.65386G	33.93	54.00	-20.07	47.00	3	Horizontal	144	1.98	-	38.52	14.83	66.42			

5.15-5.25GHz_bn40,BF_40MHz_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 75
02-D-P-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	66.09	74.00	-7.91	54.94	3	Vertical	297	1.56	-	33.70	7.58	30.13			
AV	5.15G	52.81	54.00	-1.19	41.66	3	Vertical	297	1.56	-	33.70	7.58	30.13			
PK	5.1806G	120.94	Inf	-Inf	109.73	3	Vertical	297	1.56	-	33.76	7.59	30.14			
AV	5.1832G	109.16	Inf	-Inf	97.95	3	Vertical	297	1.56	-	33.77	7.59	30.15			

5.15-5.25GHz_bn40,BF_40MHz_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 75
02-D-P-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1464G	60.60	74.00	-13.40	49.46	3	Horizontal	196.7	2.82	-	33.69	7.58	30.13			
AV	5.1476G	47.45	54.00	-6.55	36.31	3	Horizontal	196.7	2.82	-	33.69	7.58	30.13			
PK	5.1976G	111.92	Inf	-Inf	100.68	3	Horizontal	196.7	2.82	-	33.80	7.59	30.15			
AV	5.196G	99.48	Inf	-Inf	88.25	3	Horizontal	196.7	2.82	-	33.79	7.59	30.15			

5.15-5.25GHz_bn40,BF_40MHz_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_V_4TX
Setting 75
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.57397G	46.11	74.00	-27.89	56.79	3	Vertical	221	2.32	-	37.90	15.36	63.94			
AV	15.57477G	34.33	54.00	-19.67	45.01	3	Vertical	221	2.32	-	37.90	15.36	63.94			

5.15-5.25GHz_bn40,BF_40MHz_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_V_4TX
Setting 75
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.57023G	46.21	74.00	-27.79	56.89	3	Horizontal	77	2.93	-	37.90	15.36	63.94			
AV	15.57418G	34.18	54.00	-19.82	44.86	3	Horizontal	77	2.93	-	37.90	15.36	63.94			

5.15-5.25GHz_bn40,BF_40MHz_Nss1,(MCS0)_4TX

5230MHz_TX




EUT Y_4TX
Setting 97
02-D-P-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1472G	67.94	74.00	-6.06	56.80	3	Vertical	294.9	2.03	-	33.69	7.58	30.13			
AV	5.1488G	52.71	54.00	-1.29	41.56	3	Vertical	294.9	2.03	-	33.70	7.58	30.13			
PK	5.2356G	126.22	Inf	-Inf	114.97	3	Vertical	294.9	2.03	-	33.80	7.62	30.17			
AV	5.2376G	114.29	Inf	-Inf	103.04	3	Vertical	294.9	2.03	-	33.80	7.62	30.17			
PK	5.384G	63.12	74.00	-10.88	51.60	3	Vertical	294.9	2.03	-	34.04	7.73	30.25			
AV	5.3836G	50.55	54.00	-3.45	39.04	3	Vertical	294.9	2.03	-	34.03	7.73	30.25			

5.15-5.25GHz_bn40,BF_40MHz_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 97
02-D-P-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	63.64	74.00	-10.36	52.49	3	Horizontal	204	1.70	-	33.70	7.58	30.13
AV	5.15G	48.78	54.00	-5.22	37.63	3	Horizontal	204	1.70	-	33.70	7.58	30.13
PK	5.2264G	121.28	Inf	-Inf	110.04	3	Horizontal	204	1.70	-	33.80	7.61	30.17
AV	5.2244G	109.69	Inf	-Inf	98.45	3	Horizontal	204	1.70	-	33.80	7.61	30.17
PK	5.3744G	59.26	74.00	-14.74	47.78	3	Horizontal	204	1.70	-	34.00	7.72	30.24
AV	5.3548G	46.56	54.00	-7.44	35.16	3	Horizontal	204	1.70	-	33.92	7.71	30.23

5.15-5.25GHz_bn40,BF_40MHz_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_V_4TX
Setting 97
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.6907G	46.55	74.00	-27.45	57.36	3	Vertical	166	1.37	-	37.78	15.36	63.95			
AV	15.68755G	34.16	54.00	-19.84	44.97	3	Vertical	166	1.37	-	37.78	15.36	63.95			

5.15-5.25GHz_bn40,BF_40MHz_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_V_4TX
Setting 97
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.68779G	46.25	74.00	-27.75	57.06	3	Horizontal	127	1.88	-	37.78	15.36	63.95			
AV	15.68805G	34.18	54.00	-19.82	44.99	3	Horizontal	127	1.88	-	37.78	15.36	63.95			

5.25-5.35GHz_bn40,BF_40MHz_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 95
02-D-P-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1492G	60.73	74.00	-13.27	49.58	3	Vertical	291	1.96	-	33.70	7.58	30.13			
AV	5.1196G	48.52	54.00	-5.48	37.48	3	Vertical	291	1.96	-	33.58	7.57	30.11			
PK	5.2788G	125.14	Inf	-Inf	113.88	3	Vertical	291	1.96	-	33.80	7.65	30.19			
AV	5.2784G	113.71	Inf	-Inf	102.45	3	Vertical	291	1.96	-	33.80	7.65	30.19			
PK	5.3568G	65.99	74.00	-8.01	54.59	3	Vertical	291	1.96	-	33.93	7.71	30.24			
AV	5.35G	52.66	54.00	-1.34	41.29	3	Vertical	291	1.96	-	33.90	7.70	30.23			
PK	5.4636G	59.32	68.20	-8.88	47.83	3	Vertical	291	1.96	-	34.00	7.78	30.29			

5.25-5.35GHz_bn40,BF_40MHz_Nss1,(MCS0)_4TX


5270MHz_TX


EUT_Y_4TX
Setting 95
02-D-P-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)					
PK	5.1464G	58.78	74.00	-15.22	47.64	3	Horizontal	228	1.83	-	33.69	7.58	30.13					
AV	5.1468G	46.38	54.00	-7.62	35.24	3	Horizontal	228	1.83	-	33.69	7.58	30.13					
PK	5.2664G	118.36	Inf	-Inf	107.11	3	Horizontal	228	1.83	-	33.80	7.64	30.19					
AV	5.2636G	106.81	Inf	-Inf	95.56	3	Horizontal	228	1.83	-	33.80	7.64	30.19					
PK	5.3596G	64.46	74.00	-9.54	53.05	3	Horizontal	228	1.83	-	33.94	7.71	30.24					
AV	5.35G	49.19	54.00	-4.81	37.82	3	Horizontal	228	1.83	-	33.90	7.70	30.23					
PK	5.4688G	57.90	68.20	-10.30	46.41	3	Horizontal	228	1.83	-	34.00	7.78	30.29					

5.25-5.35GHz_bn40,BF_40MHz_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_V_4TX
Setting 95
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.80922G	45.44	74.00	-28.56	56.54	3	Vertical	53	1.20	-	37.48	15.37	63.95			
AV	15.81193G	33.33	54.00	-20.67	44.43	3	Vertical	53	1.20	-	37.48	15.37	63.95			

5.25-5.35GHz_bn40,BF_40MHz_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 95
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.81197G	45.61	74.00	-28.39	56.71	3	Horizontal	190	1.10	-	37.48	15.37	63.95			
AV	15.81234G	33.23	54.00	-20.77	44.33	3	Horizontal	190	1.10	-	37.48	15.37	63.95			

5.25-5.35GHz_bn40,BF_40MHz_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 75
02-D-P-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3187G	120.12	Inf	-Inf	108.82	3	Vertical	294.9	1.66	-	33.84	7.68	30.22			
AV	5.3154G	107.74	Inf	-Inf	96.44	3	Vertical	294.9	1.66	-	33.83	7.68	30.21			
PK	5.3505G	64.97	74.00	-9.03	53.60	3	Vertical	294.9	1.66	-	33.90	7.70	30.23			
AV	5.3502G	52.57	54.00	-1.43	41.20	3	Vertical	294.9	1.66	-	33.90	7.70	30.23			

5.25-5.35GHz_bn40,BF_40MHz_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 75
02-D-P-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3262G	111.92	Inf	-Inf	100.61	3	Horizontal	50.8	1.86	-	33.85	7.68	30.22			
AV	5.325G	99.93	Inf	-Inf	88.62	3	Horizontal	50.8	1.86	-	33.85	7.68	30.22			
PK	5.3523G	61.79	74.00	-12.21	50.41	3	Horizontal	50.8	1.86	-	33.91	7.70	30.23			
AV	5.35G	49.58	54.00	-4.42	38.21	3	Horizontal	50.8	1.86	-	33.90	7.70	30.23			

5.25-5.35GHz_bn40,BF_40MHz_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 75
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.92627G	45.80	74.00	-28.20	56.73	3	Vertical	121	3.00	-	37.65	15.38	63.96			
AV	15.93093G	33.97	54.00	-20.03	44.91	3	Vertical	121	3.00	-	37.64	15.38	63.96			

5.25-5.35GHz_bn40,BF_40MHz_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 75
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.92521G	45.82	74.00	-28.18	56.75	3	Horizontal	61	1.21	-	37.65	15.38	63.96			
AV	15.93479G	33.99	54.00	-20.01	44.94	3	Horizontal	61	1.21	-	37.63	15.38	63.96			

5.47-5.725GHz_bn40,BF_40MHz_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 77
02-D-P-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4599G	62.01	74.00	-11.99	50.52	3	Vertical	175.6	2.03	-	34.00	7.78	30.29			
AV	5.4593G	50.00	54.00	-4.00	38.51	3	Vertical	175.6	2.03	-	34.00	7.78	30.29			
PK	5.468G	66.92	68.20	-1.28	55.43	3	Vertical	175.6	2.03	-	34.00	7.78	30.29			
PK	5.5154G	120.03	Inf	-Inf	108.46	3	Vertical	175.6	2.03	-	34.06	7.81	30.30			
AV	5.5166G	108.38	Inf	-Inf	96.80	3	Vertical	175.6	2.03	-	34.07	7.81	30.30			

5.47-5.725GHz_bn40,BF_40MHz_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 77
02-D-P-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4203G	58.55	74.00	-15.45	47.01	3	Horizontal	234	1.75	-	34.06	7.75	30.27			
PK	5.4659G	58.88	68.20	-9.32	47.39	3	Horizontal	234	1.75	-	34.00	7.78	30.29			
AV	5.4587G	46.48	54.00	-7.52	34.99	3	Horizontal	234	1.75	-	34.00	7.78	30.29			
PK	5.5151G	113.25	Inf	-Inf	101.68	3	Horizontal	234	1.75	-	34.06	7.81	30.30			
AV	5.5145G	102.11	Inf	-Inf	90.54	3	Horizontal	234	1.75	-	34.06	7.81	30.30			

5.47-5.725GHz_bn40,BF_40MHz_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_V_4TX
Setting 77
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.01886G	46.50	74.00	-27.50	59.45	3	Vertical	233	2.52	-	38.76	14.48	66.19			
AV	11.01545G	34.11	54.00	-19.89	47.04	3	Vertical	233	2.52	-	38.77	14.48	66.18			

5.47-5.725GHz_bn40,BF_40MHz_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 77
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.01533G	46.32	74.00	-27.68	59.25	3	Horizontal	360	1.09	-	38.77	14.48	66.18			
AV	11.01531G	34.11	54.00	-19.89	47.04	3	Horizontal	360	1.09	-	38.77	14.48	66.18			

5.47-5.725GHz_bn40,BF_40MHz_Nss1,(MCS0)_4TX

5550MHz_TX




EUT Y_4TX
Setting 90
03-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4591G	64.30	74.00	-9.70	57.23	3	Vertical	176	1.62	-	34.70	7.24	34.87			
AV	5.46G	50.89	54.00	-3.11	43.81	3	Vertical	176	1.62	-	34.70	7.25	34.87			
PK	5.4672G	67.11	68.20	-1.09	60.03	3	Vertical	176	1.62	-	34.70	7.25	34.87			
PK	5.5362G	123.89	Inf	-Inf	116.90	3	Vertical	176	1.62	-	34.56	7.30	34.87			
AV	5.5389G	112.60	Inf	-Inf	105.63	3	Vertical	176	1.62	-	34.54	7.30	34.87			

5.47-5.725GHz_bn40,BF_40MHz_Nss1,(MCS0)_4TX

5550MHz_TX




EUT Y_4TX
Setting 90
03-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.406G	59.54	74.00	-14.46	52.52	3	Horizontal	89	1.84	-	34.70	7.20	34.88			
PK	5.4666G	60.65	68.20	-7.55	53.57	3	Horizontal	89	1.84	-	34.70	7.25	34.87			
AV	5.4555G	47.53	54.00	-6.47	40.46	3	Horizontal	89	1.84	-	34.70	7.24	34.87			
PK	5.5623G	115.50	Inf	-Inf	108.54	3	Horizontal	89	1.84	-	34.52	7.32	34.88			
AV	5.5566G	104.02	Inf	-Inf	97.07	3	Horizontal	89	1.84	-	34.51	7.32	34.88			

5.47-5.725GHz_bn40,BF_40MHz_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_V_4TX
Setting 90
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.10461G	47.59	74.00	-26.41	60.46	3	Vertical	20	1.95	-	38.81	14.53	66.21			
AV	11.10123G	34.57	54.00	-19.43	47.45	3	Vertical	20	1.95	-	38.80	14.53	66.21			

5.47-5.725GHz_bn40,BF_40MHz_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_V_4TX
Setting 90
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.09916G	47.37	74.00	-26.63	60.26	3	Horizontal	120	2.95	-	38.80	14.52	66.21			
AV	11.10057G	34.61	54.00	-19.39	47.49	3	Horizontal	120	2.95	-	38.80	14.53	66.21			

5.47-5.725GHz_bn40,BF_40MHz_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 85
03-R-G-4-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6628G	122.39	Inf	-Inf	115.45	3	Vertical	56	2.74	-	34.45	7.40	34.91			
AV	5.6734G	111.08	Inf	-Inf	104.17	3	Vertical	56	2.74	-	34.41	7.41	34.91			
PK	5.7258G	66.99	68.20	-1.21	60.17	3	Vertical	56	2.74	-	34.30	7.45	34.93			

5.47-5.725GHz_bn40,BF_40MHz_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 85
03-R-G-4-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6806G	115.42	Inf	-Inf	108.54	3	Horizontal	257	2.54	-	34.38	7.41	34.91			
AV	5.6666G	104.70	Inf	-Inf	97.78	3	Horizontal	257	2.54	-	34.43	7.40	34.91			
PK	5.7258G	63.48	68.20	-4.72	56.66	3	Horizontal	257	2.54	-	34.30	7.45	34.93			

5.47-5.725GHz_bn40,BF_40MHz_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 85
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.34073G	49.54	74.00	-24.46	61.89	3	Vertical	112	2.61	-	39.28	14.66	66.29			
AV	11.34159G	37.41	54.00	-16.59	49.76	3	Vertical	112	2.61	-	39.28	14.66	66.29			

5.47-5.725GHz_bn40,BF_40MHz_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_V_4TX
Setting 85
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.34387G	50.30	74.00	-23.70	62.64	3	Horizontal	182	2.46	-	39.29	14.66	66.29			
AV	11.34361G	37.38	54.00	-16.62	49.72	3	Horizontal	182	2.46	-	39.29	14.66	66.29			

5.47-5.725GHz_bn40,BF_40MHz_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 100
06-U-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3196G	58.71	68.20	-9.49	54.25	3	Vertical	180	1.80	-	31.24	6.98	33.76			
AV	5.35G	46.44	54.00	-7.56	41.92	3	Vertical	180	1.80	-	31.30	6.99	33.77			
PK	5.3836G	60.52	74.00	-13.48	55.93	3	Vertical	180	1.80	-	31.37	7.00	33.78			
AV	5.3964G	49.33	54.00	-4.67	44.71	3	Vertical	180	1.80	-	31.39	7.01	33.78			
PK	5.462G	59.72	68.20	-8.48	54.86	3	Vertical	180	1.80	-	31.55	7.11	33.80			
PK	5.7116G	122.99	Inf	-Inf	117.42	3	Vertical	180	1.80	-	32.00	7.35	33.78			
AV	5.702G	111.74	Inf	-Inf	106.18	3	Vertical	180	1.80	-	32.00	7.35	33.79			
PK	5.8652G	59.19	68.20	-9.01	53.36	3	Vertical	180	1.80	-	32.13	7.47	33.77			

5.47-5.725GHz_bn40,BF_40MHz_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 100
06-U-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3388G	56.74	68.20	-11.46	52.24	3	Horizontal	261.3	1.80	-	31.28	6.99	33.77			
AV	5.35G	45.13	54.00	-8.87	40.61	3	Horizontal	261.3	1.80	-	31.30	6.99	33.77			
PK	5.4412G	57.41	74.00	-16.59	52.64	3	Horizontal	261.3	1.80	-	31.48	7.08	33.79			
PK	5.4668G	58.62	68.20	-9.58	53.73	3	Horizontal	261.3	1.80	-	31.57	7.12	33.80			
AV	5.46G	45.84	54.00	-8.16	40.99	3	Horizontal	261.3	1.80	-	31.54	7.11	33.80			
PK	5.7196G	112.57	Inf	-Inf	107.00	3	Horizontal	261.3	1.80	-	32.00	7.35	33.78			
AV	5.718G	101.42	Inf	-Inf	95.85	3	Horizontal	261.3	1.80	-	32.00	7.35	33.78			
PK	5.9292G	58.90	68.20	-9.30	52.82	3	Horizontal	261.3	1.80	-	32.26	7.58	33.76			

5.47-5.725GHz_bn40,BF_40MHz_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 100
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.4186G	51.08	74.00	-22.92	63.56	3	Vertical	277	2.70	-	39.13	14.70	66.31			
AV	11.41644G	37.73	54.00	-16.27	50.21	3	Vertical	277	2.70	-	39.13	14.70	66.31			

5.47-5.725GHz_bn40,BF_40MHz_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_V_4TX
Setting 100
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.4169G	50.15	74.00	-23.85	62.63	3	Horizontal	251	2.10	-	39.13	14.70	66.31			
AV	11.41522G	37.62	54.00	-16.38	50.09	3	Horizontal	251	2.10	-	39.14	14.70	66.31			

5.725-5.85GHz_bn40,BF_40MHz_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
Setting 100
06-U-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
AV	5.443G	47.48	54.00	-6.52	42.71	3	Vertical	175	1.52	-	31.49	7.08	33.80				
PK	5.6558G	69.97	72.49	-2.52	64.69	3	Vertical	175	1.52	-	31.73	7.34	33.79				
PK	5.7486G	122.30	Inf	-Inf	116.73	3	Vertical	175	1.52	-	32.00	7.35	33.78				
AV	5.7486G	113.13	Inf	-Inf	107.56	3	Vertical	175	1.52	-	32.00	7.35	33.78				
PK	6.0094G	59.47	68.20	-8.73	53.09	3	Vertical	175	1.52	-	32.42	7.70	33.74				

5.725-5.85GHz_bn40,BF_40MHz_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
Setting 100
06-U-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.4446G	45.62	54.00	-8.38	40.85	3	Horizontal	207.3	1.80	-	31.49	7.08	33.80			
PK	5.6414G	57.96	68.20	-10.24	52.73	3	Horizontal	207.3	1.80	-	31.68	7.34	33.79			
PK	5.7502G	108.05	Inf	-Inf	102.48	3	Horizontal	207.3	1.80	-	32.00	7.35	33.78			
AV	5.739G	101.54	Inf	-Inf	95.97	3	Horizontal	207.3	1.80	-	32.00	7.35	33.78			
PK	5.9518G	59.04	68.20	-9.16	52.88	3	Horizontal	207.3	1.80	-	32.30	7.62	33.76			

5.725-5.85GHz_bn40,BF_40MHz_Nss1,(MCS0)_4TX


5755MHz_TX

EUT_Y_4TX
Setting 100
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.5058G	48.32	74.00	-25.68	60.92	3	Vertical	193	1.03	-	38.99	14.75	66.34			
AV	11.50594G	36.12	54.00	-17.88	48.72	3	Vertical	193	1.03	-	38.99	14.75	66.34			

5.725-5.85GHz_bn40,BF_40MHz_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_V_4TX
Setting 100
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.50978G	48.59	74.00	-25.41	61.21	3	Horizontal	162	1.17	-	38.98	14.75	66.35			
AV	11.50544G	36.10	54.00	-17.90	48.70	3	Horizontal	162	1.17	-	38.99	14.75	66.34			

5.725-5.85GHz_bn40,BF_40MHz_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
Setting 100
06-U-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
AV	5.459G	47.06	54.00	-6.94	42.21	3	Vertical	175	1.53	-	31.54	7.11	33.80					
PK	5.6414G	59.87	68.20	-8.33	54.64	3	Vertical	175	1.53	-	31.68	7.34	33.79					
PK	5.787G	119.86	Inf	-Inf	114.29	3	Vertical	175	1.53	-	32.00	7.35	33.78					
AV	5.7854G	109.96	Inf	-Inf	104.39	3	Vertical	175	1.53	-	32.00	7.35	33.78					
PK	6.1054G	59.42	68.20	-8.78	52.94	3	Vertical	175	1.53	-	32.52	7.64	33.68					

5.725-5.85GHz_bn40,BF_40MHz_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
Setting 100
06-U-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.4574G	45.68	54.00	-8.32	40.85	3	Horizontal	51	1.68	-	31.53	7.10	33.80			
PK	5.6254G	57.93	68.20	-10.27	52.73	3	Horizontal	51	1.68	-	31.65	7.34	33.79			
PK	5.7902G	108.72	Inf	-Inf	103.15	3	Horizontal	51	1.68	-	32.00	7.35	33.78			
AV	5.7806G	102.40	Inf	-Inf	96.83	3	Horizontal	51	1.68	-	32.00	7.35	33.78			
PK	6.171G	60.27	68.20	-7.93	53.57	3	Horizontal	51	1.68	-	32.74	7.60	33.64			

5.725-5.85GHz_bn40,BF_40MHz_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_V_4TX
Setting 100
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.58772G	47.48	74.00	-26.52	60.41	3	Vertical	314	1.92	-	38.67	14.79	66.39			
AV	11.58698G	35.13	54.00	-18.87	48.05	3	Vertical	314	1.92	-	38.68	14.79	66.39			

5.725-5.85GHz_bn40,BF_40MHz_Nss1,(MCS0)_4TX


5795MHz_TX


EUT_V_4TX
Setting 100
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.59406G	47.63	74.00	-26.37	60.58	3	Horizontal	292	1.18	-	38.64	14.80	66.39			
AV	11.58606G	35.09	54.00	-18.91	48.01	3	Horizontal	292	1.18	-	38.68	14.79	66.39			

5.15-5.25GHz_802.11bn_UHR80-BF_(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 79
04-W-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.148G	63.81	74.00	-10.19	67.18	3	Vertical	10.5	2.28	-	32.09	8.39	43.85			
AV	5.15G	52.24	54.00	-1.76	55.60	3	Vertical	10.5	2.28	-	32.10	8.39	43.85			
PK	5.187G	115.42	Inf	-Inf	118.97	3	Vertical	10.5	2.28	-	31.88	8.41	43.84			
AV	5.1745G	104.71	Inf	-Inf	108.19	3	Vertical	10.5	2.28	-	31.95	8.41	43.84			
PK	5.367G	57.19	74.00	-16.81	61.09	3	Vertical	10.5	2.28	-	31.40	8.48	43.78			
AV	5.352G	45.41	54.00	-8.59	49.33	3	Vertical	10.5	2.28	-	31.40	8.47	43.79			

5.15-5.25GHz_802.11bn_UHR80-BF_(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 79
04-W-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.117G	56.99	74.00	-17.01	60.58	3	Horizontal	210	1.80	-	31.90	8.37	43.86
AV	5.15G	45.83	54.00	-8.17	49.19	3	Horizontal	210	1.80	-	32.10	8.39	43.85
PK	5.207G	111.34	Inf	-Inf	114.99	3	Horizontal	210	1.80	-	31.76	8.42	43.83
AV	5.202G	100.78	Inf	-Inf	104.41	3	Horizontal	210	1.80	-	31.79	8.42	43.84
PK	5.452G	56.86	74.00	-17.14	60.38	3	Horizontal	210	1.80	-	31.70	8.54	43.76
AV	5.37G	44.28	54.00	-9.72	48.18	3	Horizontal	210	1.80	-	31.40	8.48	43.78

5.15-5.25GHz_bn80,BF_80MHz_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 79
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.62574G	46.77	74.00	-27.23	57.55	3	Vertical	60	1.67	-	37.80	15.36	63.94			
AV	15.62944G	34.56	54.00	-19.44	45.36	3	Vertical	60	1.67	-	37.78	15.36	63.94			

5.15-5.25GHz_bn80,BF_80MHz_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_V_4TX
Setting 79
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.62849G	47.00	74.00	-27.00	57.79	3	Horizontal	96	3.00	-	37.79	15.36	63.94			
AV	15.62566G	34.53	54.00	-19.47	45.31	3	Horizontal	96	3.00	-	37.80	15.36	63.94			

5.25-5.35GHz_bn80,BF_80MHz_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 71
06-U-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.128G	58.51	74.00	-15.49	53.51	3	Vertical	175	1.98	-	31.81	6.90	33.71			
AV	5.13G	46.48	54.00	-7.52	41.47	3	Vertical	175	1.98	-	31.82	6.90	33.71			
PK	5.302G	114.16	Inf	-Inf	109.75	3	Vertical	175	1.98	-	31.20	6.97	33.76			
AV	5.2616G	108.82	Inf	-Inf	104.34	3	Vertical	175	1.98	-	31.28	6.95	33.75			
PK	5.35G	65.52	74.00	-8.48	61.00	3	Vertical	175	1.98	-	31.30	6.99	33.77			
AV	5.35G	52.98	54.00	-1.02	48.46	3	Vertical	175	1.98	-	31.30	6.99	33.77			
PK	5.4644G	59.32	68.20	-8.88	54.44	3	Vertical	175	1.98	-	31.56	7.12	33.80			

5.25-5.35GHz_bn80,BF_80MHz_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 71
06-U-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1404G	57.33	74.00	-16.67	52.29	3	Horizontal	360	1.50	-	31.86	6.90	33.72			
AV	5.1456G	45.30	54.00	-8.70	40.23	3	Horizontal	360	1.50	-	31.88	6.91	33.72			
PK	5.2576G	105.75	Inf	-Inf	101.27	3	Horizontal	360	1.50	-	31.28	6.95	33.75			
AV	5.2548G	100.34	Inf	-Inf	95.85	3	Horizontal	360	1.50	-	31.29	6.95	33.75			
PK	5.3556G	57.36	74.00	-16.64	52.83	3	Horizontal	360	1.50	-	31.31	6.99	33.77			
AV	5.35G	46.21	54.00	-7.79	41.69	3	Horizontal	360	1.50	-	31.30	6.99	33.77			
PK	5.4856G	58.05	68.20	-10.15	53.07	3	Horizontal	360	1.50	-	31.64	7.15	33.81			

5.25-5.35GHz_bn80,BF_80MHz_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 71
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.8704G	45.56	74.00	-28.44	56.63	3	Vertical	33	2.46	-	37.52	15.37	63.96			
AV	15.87398G	33.37	54.00	-20.63	44.42	3	Vertical	33	2.46	-	37.54	15.37	63.96			

5.25-5.35GHz_bn80,BF_80MHz_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 71
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.87393G	45.76	74.00	-28.24	56.81	3	Horizontal	238	1.24	-	37.54	15.37	63.96			
AV	15.86595G	33.41	54.00	-20.59	44.50	3	Horizontal	238	1.24	-	37.50	15.37	63.96			

5.47-5.725GHz_bn80,BF_80MHz_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 77
06-U-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3488G	58.62	68.20	-9.58	54.10	3	Vertical	174	1.60	-	31.30	6.99	33.77			
PK	5.4572G	63.75	74.00	-10.25	58.92	3	Vertical	174	1.60	-	31.53	7.10	33.80			
AV	5.46G	52.83	54.00	-1.17	47.98	3	Vertical	174	1.60	-	31.54	7.11	33.80			
PK	5.47G	65.93	68.20	-2.27	61.02	3	Vertical	174	1.60	-	31.58	7.13	33.80			
AV	5.5024G	109.87	Inf	-Inf	104.80	3	Vertical	174	1.60	-	31.70	7.18	33.81			
PK	5.5392G	117.56	Inf	-Inf	112.43	3	Vertical	174	1.60	-	31.70	7.24	33.81			
PK	5.726G	59.26	68.20	-8.94	53.69	3	Vertical	174	1.60	-	32.00	7.35	33.78			

5.47-5.725GHz_bn80,BF_80MHz_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 77
06-U-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3416G	57.13	68.20	-11.07	52.63	3	Horizontal	360	1.50	-	31.28	6.99	33.77			
PK	5.458G	58.85	74.00	-15.15	54.01	3	Horizontal	360	1.50	-	31.53	7.11	33.80			
AV	5.46G	47.99	54.00	-6.01	43.14	3	Horizontal	360	1.50	-	31.54	7.11	33.80			
PK	5.4668G	59.79	68.20	-8.41	54.90	3	Horizontal	360	1.50	-	31.57	7.12	33.80			
PK	5.512G	106.92	Inf	-Inf	101.84	3	Horizontal	360	1.50	-	31.70	7.19	33.81			
AV	5.5004G	99.29	Inf	-Inf	94.22	3	Horizontal	360	1.50	-	31.70	7.18	33.81			
PK	5.7292G	57.41	68.20	-10.79	51.84	3	Horizontal	360	1.50	-	32.00	7.35	33.78			

5.47-5.725GHz_bn80,BF_80MHz_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 77
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.06028G	47.30	74.00	-26.70	60.28	3	Vertical	189	1.20	-	38.72	14.50	66.20			
AV	11.06332G	34.66	54.00	-19.34	47.63	3	Vertical	189	1.20	-	38.73	14.50	66.20			

5.47-5.725GHz_bn80,BF_80MHz_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 77
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.06336G	46.69	74.00	-27.31	59.66	3	Horizontal	291	1.40	-	38.73	14.50	66.20			
AV	11.06323G	34.69	54.00	-19.31	47.66	3	Horizontal	291	1.40	-	38.73	14.50	66.20			

5.47-5.725GHz_802.11bn_UHR80-BF_(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 88
04-U-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	63.07	74.00	-10.93	58.24	3	Vertical	175	1.66	-	31.53	7.10	33.80
AV	5.4232G	51.92	54.00	-2.08	47.21	3	Vertical	175	1.66	-	31.45	7.05	33.79
PK	5.47G	65.33	68.20	-2.87	60.42	3	Vertical	175	1.66	-	31.58	7.13	33.80
PK	5.5984G	119.66	Inf	-Inf	114.52	3	Vertical	175	1.66	-	31.60	7.34	33.80
AV	5.582G	113.92	Inf	-Inf	108.77	3	Vertical	175	1.66	-	31.64	7.31	33.80
PK	5.7268G	66.28	68.20	-1.92	60.71	3	Vertical	175	1.66	-	32.00	7.35	33.78

5.47-5.725GHz_802.11bn_UHR80-BF_(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 88
04-U-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	51.89	74.00	-22.11	55.37	3	Horizontal	87	1.76	-	31.72	8.55	43.75
AV	5.4224G	39.74	54.00	-14.26	43.46	3	Horizontal	87	1.76	-	31.53	8.51	43.76
PK	5.4676G	51.54	68.20	-16.66	54.99	3	Horizontal	87	1.76	-	31.74	8.56	43.75
PK	5.5828G	103.36	Inf	-Inf	106.72	3	Horizontal	87	1.76	-	31.63	8.68	43.67
AV	5.5772G	96.06	Inf	-Inf	99.41	3	Horizontal	87	1.76	-	31.65	8.68	43.68
PK	5.7288G	51.36	68.20	-16.84	54.08	3	Horizontal	87	1.76	-	32.00	8.84	43.56

5.47-5.725GHz_bn80,BF_80MHz_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_V_4TX
Setting 88
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.21511G	48.79	74.00	-25.21	61.39	3	Vertical	36	1.23	-	39.06	14.59	66.25			
AV	11.21998G	35.74	54.00	-18.26	48.32	3	Vertical	36	1.23	-	39.08	14.59	66.25			

5.47-5.725GHz_bn80,BF_80MHz_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_V_4TX
Setting 88
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.22009G	47.97	74.00	-26.03	60.55	3	Horizontal	10	1.09	-	39.08	14.59	66.25			
AV	11.22421G	35.81	54.00	-18.19	48.37	3	Horizontal	10	1.09	-	39.10	14.59	66.25			

5.47-5.725GHz_bn80,BF_80MHz_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Y_4TX
Setting 88
06-U-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7072G	120.48	Inf	-Inf	114.92	3	Vertical	176	1.42	-	32.00	7.35	33.79			
AV	5.7028G	112.10	Inf	-Inf	106.54	3	Vertical	176	1.42	-	32.00	7.35	33.79			
PK	5.85G	61.81	68.20	-6.39	56.04	3	Vertical	176	1.42	-	32.10	7.44	33.77			

5.47-5.725GHz_bn80,BF_80MHz_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Y_4TX
Setting 88
06-U-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.722G	110.42	Inf	-Inf	104.85	3	Horizontal	10	1.34	-	32.00	7.35	33.78			
AV	5.6992G	103.18	Inf	-Inf	97.63	3	Horizontal	10	1.34	-	32.00	7.34	33.79			
PK	5.888G	58.77	68.20	-9.43	52.84	3	Horizontal	10	1.34	-	32.18	7.51	33.76			

5.47-5.725GHz_bn80,BF_80MHz_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 88
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.38279G	50.64	74.00	-23.36	63.03	3	Vertical	230	1.51	-	39.23	14.68	66.30			
AV	11.38034G	38.16	54.00	-15.84	50.54	3	Vertical	230	1.51	-	39.24	14.68	66.30			

5.47-5.725GHz_bn80,BF_80MHz_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 88
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.37935G	50.53	74.00	-23.47	62.91	3	Horizontal	19	2.50	-	39.24	14.68	66.30			
AV	11.37739G	38.10	54.00	-15.90	50.47	3	Horizontal	19	2.50	-	39.25	14.68	66.30			

5.725-5.85GHz_bn80,BF_80MHz_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
Setting 91
06-U-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
AV	5.4374G	50.34	54.00	-3.66	45.59	3	Vertical	189	1.39	-	31.47	7.07	33.79			
PK	5.6534G	69.42	70.72	-1.30	64.15	3	Vertical	189	1.39	-	31.72	7.34	33.79			
PK	5.7838G	116.65	Inf	-Inf	111.08	3	Vertical	189	1.39	-	32.00	7.35	33.78			
AV	5.7838G	105.33	Inf	-Inf	99.76	3	Vertical	189	1.39	-	32.00	7.35	33.78			
PK	6.0702G	58.52	68.20	-9.68	52.07	3	Vertical	189	1.39	-	32.50	7.66	33.71			

5.725-5.85GHz_bn80,BF_80MHz_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
Setting 91
06-U-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
AV	5.4438G	45.66	54.00	-8.34	40.89	3	Horizontal	292	1.80	-	31.49	7.08	33.80			
PK	5.6382G	58.78	68.20	-9.42	53.55	3	Horizontal	292	1.80	-	31.68	7.34	33.79			
PK	5.7606G	109.21	Inf	-Inf	103.64	3	Horizontal	292	1.80	-	32.00	7.35	33.78			
AV	5.7694G	102.49	Inf	-Inf	96.92	3	Horizontal	292	1.80	-	32.00	7.35	33.78			
PK	6.1406G	59.48	68.20	-8.72	52.86	3	Horizontal	292	1.80	-	32.66	7.62	33.66			

5.725-5.85GHz_bn80,BF_80MHz_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_V_4TX
Setting 91
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.55228G	48.10	74.00	-25.90	60.81	3	Vertical	59	1.23	-	38.89	14.77	66.37			
AV	11.55141G	35.88	54.00	-18.12	48.59	3	Vertical	59	1.23	-	38.89	14.77	66.37			

5.725-5.85GHz_bn80,BF_80MHz_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
Setting 91
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.55176G	49.11	74.00	-24.89	61.82	3	Horizontal	89	1.55	-	38.89	14.77	66.37			
AV	11.5548G	35.89	54.00	-18.11	48.61	3	Horizontal	89	1.55	-	38.87	14.78	66.37			

5.25-5.35GHz_802.11bn UHR160-BF_(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 79
04-W-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.15G	60.79	74.00	-13.21	64.15	3	Vertical	7.2	1.80	-	32.10	8.39	43.85			
AV	5.15G	50.65	54.00	-3.35	54.01	3	Vertical	7.2	1.80	-	32.10	8.39	43.85			
AV	5.1956G	102.88	Inf	-Inf	106.47	3	Vertical	7.2	1.80	-	31.83	8.42	43.84			
PK	5.2564G	112.60	Inf	-Inf	116.51	3	Vertical	7.2	1.80	-	31.47	8.44	43.82			
PK	5.3516G	63.50	74.00	-10.50	67.42	3	Vertical	7.2	1.80	-	31.40	8.47	43.79			
AV	5.35G	52.99	54.00	-1.01	56.91	3	Vertical	7.2	1.80	-	31.40	8.47	43.79			
PK	5.5452G	57.37	68.20	-10.83	60.72	3	Vertical	7.2	1.80	-	31.71	8.64	43.70			

5.25-5.35GHz_802.11bn UHR160-BF_(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 79
04-W-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1276G	56.70	74.00	-17.30	60.21	3	Horizontal	304.5	1.80	-	31.97	8.38	43.86			
AV	5.15G	46.00	54.00	-8.00	49.36	3	Horizontal	304.5	1.80	-	32.10	8.39	43.85			
PK	5.1988G	107.03	Inf	-Inf	110.64	3	Horizontal	304.5	1.80	-	31.81	8.42	43.84			
AV	5.2004G	97.88	Inf	-Inf	101.50	3	Horizontal	304.5	1.80	-	31.80	8.42	43.84			
PK	5.3532G	58.65	74.00	-15.35	62.57	3	Horizontal	304.5	1.80	-	31.40	8.47	43.79			
AV	5.35G	47.50	54.00	-6.50	51.42	3	Horizontal	304.5	1.80	-	31.40	8.47	43.79			
PK	5.6356G	56.93	68.20	-11.27	60.08	3	Horizontal	304.5	1.80	-	31.74	8.74	43.63			

5.25-5.35GHz_bn160,BF_160MHz_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_V_4TX
Setting 79
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.75489G	45.93	74.00	-28.07	56.65	3	Vertical	258	1.98	-	37.86	15.37	63.95			
AV	15.75293G	33.94	54.00	-20.06	44.64	3	Vertical	258	1.98	-	37.88	15.37	63.95			

5.25-5.35GHz_bn160,BF_160MHz_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_V_4TX
Setting 79
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.75026G	45.85	74.00	-28.15	56.53	3	Horizontal	58	2.84	-	37.90	15.37	63.95			
AV	15.75334G	33.99	54.00	-20.01	44.70	3	Horizontal	58	2.84	-	37.87	15.37	63.95			

5.47-5.725GHz_802.11bn UHR160-BF_(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 79
04-W-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2868G	57.22	68.20	-10.98	61.23	3	Vertical	183.6	1.80	-	31.35	8.45	43.81			
PK	5.4596G	63.32	74.00	-10.68	66.80	3	Vertical	183.6	1.80	-	31.72	8.55	43.75			
AV	5.4588G	52.62	54.00	-1.38	56.10	3	Vertical	183.6	1.80	-	31.72	8.55	43.75			
PK	5.4604G	63.22	68.20	-4.98	66.70	3	Vertical	183.6	1.80	-	31.72	8.55	43.75			
PK	5.5612G	119.26	Inf	-Inf	122.61	3	Vertical	183.6	1.80	-	31.68	8.66	43.69			
AV	5.5604G	109.34	Inf	-Inf	112.69	3	Vertical	183.6	1.80	-	31.68	8.66	43.69			
PK	5.9676G	60.04	68.20	-8.16	61.91	3	Vertical	183.6	1.80	-	32.40	9.10	43.37			

5.47-5.725GHz_802.11bn UHR160-BF_(MCS0)_4TX

5570MHz_TX




EUT_V_4TX
Setting 79
04-W-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.302G	55.82	68.20	-12.38	59.86	3	Horizontal	304.7	2.26	-	31.30	8.46	43.80			
PK	5.446G	57.12	74.00	-16.88	60.66	3	Horizontal	304.7	2.26	-	31.68	8.54	43.76			
AV	5.4548G	45.41	54.00	-8.59	48.90	3	Horizontal	304.7	2.26	-	31.71	8.55	43.75			
PK	5.4636G	57.09	68.20	-11.11	60.55	3	Horizontal	304.7	2.26	-	31.73	8.56	43.75			
PK	5.558G	109.71	Inf	-Inf	113.06	3	Horizontal	304.7	2.26	-	31.68	8.66	43.69			
AV	5.5564G	98.08	Inf	-Inf	101.43	3	Horizontal	304.7	2.26	-	31.69	8.65	43.69			
PK	5.782G	57.92	68.20	-10.28	60.48	3	Horizontal	304.7	2.26	-	32.06	8.89	43.51			

5.47-5.725GHz_bn160,BF_160MHz_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 79
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14139G	47.21	74.00	-26.79	60.01	3	Vertical	294	2.31	-	38.88	14.55	66.23			
AV	11.13777G	34.98	54.00	-19.02	47.77	3	Vertical	294	2.31	-	38.88	14.55	66.22			

5.47-5.725GHz_bn160,BF_160MHz_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_V_4TX
Setting 79
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.14075G	47.96	74.00	-26.04	60.76	3	Horizontal	84	2.40	-	38.88	14.55	66.23			
AV	11.13832G	35.01	54.00	-18.99	47.80	3	Horizontal	84	2.40	-	38.88	14.55	66.22			

5.15-5.25GHz_bn20,BF_20MHz_Nss2,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 91
02-D-P-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.135G	68.45	74.00	-5.55	57.35	3	Vertical	185	1.80	-	33.64	7.58	30.12			
AV	5.1492G	52.79	54.00	-1.21	41.64	3	Vertical	185	1.80	-	33.70	7.58	30.13			
PK	5.1779G	124.96	Inf	-Inf	113.75	3	Vertical	185	1.80	-	33.76	7.59	30.14			
AV	5.1827G	112.01	Inf	-Inf	100.80	3	Vertical	185	1.80	-	33.77	7.59	30.15			

5.15-5.25GHz_bn20,BF_20MHz_Nss2,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 91
02-D-P-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1485G	61.61	74.00	-12.39	50.47	3	Horizontal	211	1.71	-	33.69	7.58	30.13				
AV	5.1498G	49.31	54.00	-4.69	38.16	3	Horizontal	211	1.71	-	33.70	7.58	30.13				
PK	5.1774G	120.62	Inf	-Inf	109.42	3	Horizontal	211	1.71	-	33.75	7.59	30.14				
AV	5.1832G	107.52	Inf	-Inf	96.31	3	Horizontal	211	1.71	-	33.77	7.59	30.15				

5.15-5.25GHz_bn20,BF_20MHz_Nss2,(MCS0)_4TX

5180MHz_TX




EUT_V_4TX
Setting 91
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.54342G	47.27	74.00	-26.73	57.93	3	Vertical	69	1.82	-	37.91	15.36	63.93			
AV	15.54306G	34.88	54.00	-19.12	45.54	3	Vertical	69	1.82	-	37.91	15.36	63.93			

5.15-5.25GHz_bn20,BF_20MHz_Nss2,(MCS0)_4TX

5180MHz_TX




EUT_V_4TX
Setting 91
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.54478G	47.04	74.00	-26.96	57.70	3	Horizontal	180	2.77	-	37.91	15.36	63.93			
AV	15.54481G	34.89	54.00	-19.11	45.55	3	Horizontal	180	2.77	-	37.91	15.36	63.93			

5.15-5.25GHz_bn20,BF_20MHz_Nss2,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 100
02-D-P-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1462G	68.78	74.00	-5.22	57.65	3	Vertical	302	1.37	-	33.68	7.58	30.13			
AV	5.15G	52.81	54.00	-1.19	41.66	3	Vertical	302	1.37	-	33.70	7.58	30.13			
PK	5.2036G	127.80	Inf	-Inf	116.57	3	Vertical	302	1.37	-	33.80	7.59	30.16			
AV	5.2034G	115.34	Inf	-Inf	104.11	3	Vertical	302	1.37	-	33.80	7.59	30.16			

5.15-5.25GHz_bn20,BF_20MHz_Nss2,(MCS0)_4TX

5200MHz_TX




EUT Y_4TX
Setting 100
02-D-P-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1466G	60.96	74.00	-13.04	49.82	3	Horizontal	212	1.92	-	33.69	7.58	30.13				
AV	5.1484G	48.17	54.00	-5.83	37.03	3	Horizontal	212	1.92	-	33.69	7.58	30.13				
PK	5.1984G	120.96	Inf	-Inf	109.72	3	Horizontal	212	1.92	-	33.80	7.59	30.15				
AV	5.1964G	108.44	Inf	-Inf	97.21	3	Horizontal	212	1.92	-	33.79	7.59	30.15				

5.15-5.25GHz_bn20,BF_20MHz_Nss2,(MCS0)_4TX

5200MHz_TX




EUT V_4TX
Setting 100
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.59647G	46.22	74.00	-27.78	56.90	3	Vertical	14	1.09	-	37.90	15.36	63.94			
AV	15.60494G	34.28	54.00	-19.72	44.98	3	Vertical	14	1.09	-	37.88	15.36	63.94			

5.15-5.25GHz_bn20,BF_20MHz_Nss2,(MCS0)_4TX

5200MHz_TX




EUT_V_4TX
Setting 100
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.6028G	46.60	74.00	-27.40	57.29	3	Horizontal	34	1.94	-	37.89	15.36	63.94			
AV	15.60444G	34.32	54.00	-19.68	45.02	3	Horizontal	34	1.94	-	37.88	15.36	63.94			

5.15-5.25GHz_bn20,BF_20MHz_Nss2,(MCS0)_4TX

5240MHz_TX




EUT Y_4TX
Setting 100
02-D-P-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.141G	58.71	74.00	-15.29	47.59	3	Vertical	299	2.40	-	33.66	7.58	30.12			
AV	5.1497G	46.58	54.00	-7.42	35.43	3	Vertical	299	2.40	-	33.70	7.58	30.13			
PK	5.243G	125.13	Inf	-Inf	113.89	3	Vertical	299	2.40	-	33.80	7.62	30.18			
AV	5.2442G	113.18	Inf	-Inf	101.94	3	Vertical	299	2.40	-	33.80	7.62	30.18			
PK	5.3831G	58.50	74.00	-15.50	46.99	3	Vertical	299	2.40	-	34.03	7.73	30.25			
AV	5.3642G	46.35	54.00	-7.65	34.92	3	Vertical	299	2.40	-	33.96	7.71	30.24			

5.15-5.25GHz_bn20,BF_20MHz_Nss2,(MCS0)_4TX

5240MHz_TX




EUT Y_4TX
Setting 100
02-D-P-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.123G	58.07	74.00	-15.93	47.02	3	Horizontal	211	1.66	-	33.59	7.57	30.11			
AV	5.1494G	45.12	54.00	-8.88	33.97	3	Horizontal	211	1.66	-	33.70	7.58	30.13			
PK	5.2379G	120.58	Inf	-Inf	109.33	3	Horizontal	211	1.66	-	33.80	7.62	30.17			
AV	5.2436G	107.48	Inf	-Inf	96.24	3	Horizontal	211	1.66	-	33.80	7.62	30.18			
PK	5.3792G	57.94	74.00	-16.06	46.45	3	Horizontal	211	1.66	-	34.02	7.72	30.25			
AV	5.3597G	45.28	54.00	-8.72	33.87	3	Horizontal	211	1.66	-	33.94	7.71	30.24			

5.15-5.25GHz_bn20,BF_20MHz_Nss2,(MCS0)_4TX

5240MHz_TX




EUT_V_4TX
Setting 100
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.71755G	46.03	74.00	-27.97	56.77	3	Vertical	121	2.56	-	37.84	15.37	63.95			
AV	15.71771G	33.87	54.00	-20.13	44.61	3	Vertical	121	2.56	-	37.84	15.37	63.95			

5.15-5.25GHz_bn20,BF_20MHz_Nss2,(MCS0)_4TX

5240MHz_TX




EUT_V_4TX
Setting 100
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.72382G	46.25	74.00	-27.75	56.98	3	Horizontal	316	2.77	-	37.85	15.37	63.95			
AV	15.71761G	33.78	54.00	-20.22	44.52	3	Horizontal	316	2.77	-	37.84	15.37	63.95			

5.25-5.35GHz_bn20,BF_20MHz_Nss2,(MCS0)_4TX

5260MHz_TX




EUT Y_4TX
Setting 100
02-D-P-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1448G	59.26	74.00	-14.74	48.13	3	Vertical	302	1.78	-	33.68	7.58	30.13			
AV	5.1493G	46.65	54.00	-7.35	35.50	3	Vertical	302	1.78	-	33.70	7.58	30.13			
PK	5.2645G	128.03	Inf	-Inf	116.78	3	Vertical	302	1.78	-	33.80	7.64	30.19			
AV	5.2582G	114.99	Inf	-Inf	103.74	3	Vertical	302	1.78	-	33.80	7.63	30.18			
PK	5.3782G	59.94	74.00	-14.06	48.46	3	Vertical	302	1.78	-	34.01	7.72	30.25			
AV	5.35G	47.54	54.00	-6.46	36.17	3	Vertical	302	1.78	-	33.90	7.70	30.23			

5.25-5.35GHz_bn20,BF_20MHz_Nss2,(MCS0)_4TX

5260MHz_TX




EUT Y_4TX
Setting 100
02-D-P-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1184G	57.73	74.00	-16.27	46.70	3	Horizontal	208	1.45	-	33.57	7.57	30.11			
AV	5.1451G	44.88	54.00	-9.12	33.75	3	Horizontal	208	1.45	-	33.68	7.58	30.13			
PK	5.2609G	119.69	Inf	-Inf	108.44	3	Horizontal	208	1.45	-	33.80	7.64	30.19			
AV	5.2567G	107.00	Inf	-Inf	95.75	3	Horizontal	208	1.45	-	33.80	7.63	30.18			
PK	5.3704G	57.89	74.00	-16.11	46.43	3	Horizontal	208	1.45	-	33.98	7.72	30.24			
AV	5.3641G	45.35	54.00	-8.65	33.92	3	Horizontal	208	1.45	-	33.96	7.71	30.24			

5.25-5.35GHz_bn20,BF_20MHz_Nss2,(MCS0)_4TX

5260MHz_TX




EUT Y_4TX
Setting 100
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.77657G	45.93	74.00	-28.07	56.82	3	Vertical	199	1.79	-	37.69	15.37	63.95			
AV	15.77573G	33.67	54.00	-20.33	44.56	3	Vertical	199	1.79	-	37.69	15.37	63.95			

5.25-5.35GHz_bn20,BF_20MHz_Nss2,(MCS0)_4TX


5260MHz_TX


EUT Y_4TX
Setting 100
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.77634G	46.05	74.00	-27.95	56.94	3	Horizontal	185	1.55	-	37.69	15.37	63.95			
AV	15.77569G	33.61	54.00	-20.39	44.50	3	Horizontal	185	1.55	-	37.69	15.37	63.95			

5.25-5.35GHz_bn20,BF_20MHz_Nss2,(MCS0)_4TX

5300MHz_TX




EUT Y_4TX
Setting 100
02-D-P-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3026G	127.47	Inf	-Inf	116.20	3	Vertical	303	1.71	-	33.81	7.67	30.21				
AV	5.2978G	114.20	Inf	-Inf	102.94	3	Vertical	303	1.71	-	33.80	7.66	30.20				
PK	5.3502G	67.13	74.00	-6.87	55.76	3	Vertical	303	1.71	-	33.90	7.70	30.23				
AV	5.3502G	52.99	54.00	-1.01	41.62	3	Vertical	303	1.71	-	33.90	7.70	30.23				

5.25-5.35GHz_bn20,BF_20MHz_Nss2,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 100
02-D-P-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3046G	116.57	Inf	-Inf	105.30	3	Horizontal	207	2.12	-	33.81	7.67	30.21				
AV	5.304G	104.43	Inf	-Inf	93.16	3	Horizontal	207	2.12	-	33.81	7.67	30.21				
PK	5.3518G	62.01	74.00	-11.99	50.63	3	Horizontal	207	2.12	-	33.91	7.70	30.23				
AV	5.3502G	48.05	54.00	-5.95	36.68	3	Horizontal	207	2.12	-	33.90	7.70	30.23				

5.25-5.35GHz_bn20,BF_20MHz_Nss2,(MCS0)_4TX

5300MHz_TX




EUT Y_4TX
Setting 100
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.89999G	46.53	74.00	-27.47	57.42	3	Vertical	351	2.25	-	37.70	15.37	63.96			
AV	15.89777G	34.20	54.00	-19.80	45.10	3	Vertical	351	2.25	-	37.69	15.37	63.96			

5.25-5.35GHz_bn20,BF_20MHz_Nss2,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 100
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.8972G	46.16	74.00	-27.84	57.07	3	Horizontal	275	2.15	-	37.68	15.37	63.96			
AV	15.90077G	34.27	54.00	-19.73	45.15	3	Horizontal	275	2.15	-	37.70	15.38	63.96			

5.25-5.35GHz_bn20,BF_20MHz_Nss2,(MCS0)_4TX


5320MHz_TX

EUT_Y_4TX
Setting 88
02-D-P-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3169G	124.63	Inf	-Inf	113.33	3	Vertical	300	1.80	-	33.83	7.68	30.21			
AV	5.3174G	111.90	Inf	-Inf	100.61	3	Vertical	300	1.80	-	33.83	7.68	30.22			
PK	5.3508G	65.58	74.00	-8.42	54.21	3	Vertical	300	1.80	-	33.90	7.70	30.23			
AV	5.3514G	52.95	54.00	-1.05	41.57	3	Vertical	300	1.80	-	33.91	7.70	30.23			

5.25-5.35GHz_bn20,BF_20MHz_Nss2,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 88
02-D-P-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3162G	116.80	Inf	-Inf	105.50	3	Horizontal	98	2.06	-	33.83	7.68	30.21			
AV	5.3168G	103.56	Inf	-Inf	92.26	3	Horizontal	98	2.06	-	33.83	7.68	30.21			
PK	5.3501G	60.05	74.00	-13.95	48.68	3	Horizontal	98	2.06	-	33.90	7.70	30.23			
AV	5.35G	46.79	54.00	-7.21	35.42	3	Horizontal	98	2.06	-	33.90	7.70	30.23			

5.25-5.35GHz_bn20,BF_20MHz_Nss2,(MCS0)_4TX

5320MHz_TX




EUT_V_4TX
Setting 88
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.96097G	46.83	74.00	-27.17	57.84	3	Vertical	171	2.62	-	37.58	15.38	63.97			
AV	15.9617G	33.87	54.00	-20.13	44.88	3	Vertical	171	2.62	-	37.58	15.38	63.97			

5.25-5.35GHz_bn20,BF_20MHz_Nss2,(MCS0)_4TX

5320MHz_TX




EUT_V_4TX
Setting 88
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.95691G	46.36	74.00	-27.64	57.36	3	Horizontal	14	2.66	-	37.59	15.38	63.97			
AV	15.96232G	33.87	54.00	-20.13	44.88	3	Horizontal	14	2.66	-	37.58	15.38	63.97			

5.47-5.725GHz_bn20,BF_20MHz_Nss2,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 91
02-D-P-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4592G	65.45	74.00	-8.55	53.96	3	Vertical	178	2.22	-	34.00	7.78	30.29			
PK	5.4601G	66.95	68.20	-1.25	55.46	3	Vertical	178	2.22	-	34.00	7.78	30.29			
AV	5.4597G	51.24	54.00	-2.76	39.75	3	Vertical	178	2.22	-	34.00	7.78	30.29			
PK	5.4991G	123.25	Inf	-Inf	111.76	3	Vertical	178	2.22	-	34.00	7.80	30.31			
AV	5.5015G	110.59	Inf	-Inf	99.09	3	Vertical	178	2.22	-	34.01	7.80	30.31			

5.47-5.725GHz_bn20,BF_20MHz_Nss2,(MCS0)_4TX

5500MHz_TX




EUT Y_4TX
Setting 91
02-D-P-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.458G	60.27	74.00	-13.73	48.79	3	Horizontal	93	1.82	-	34.00	7.77	30.29			
AV	5.4589G	47.16	54.00	-6.84	35.67	3	Horizontal	93	1.82	-	34.00	7.78	30.29			
PK	5.4669G	59.96	68.20	-8.24	48.47	3	Horizontal	93	1.82	-	34.00	7.78	30.29			
PK	5.5034G	117.79	Inf	-Inf	106.29	3	Horizontal	93	1.82	-	34.01	7.80	30.31			
AV	5.5039G	105.35	Inf	-Inf	93.84	3	Horizontal	93	1.82	-	34.02	7.80	30.31			

5.47-5.725GHz_bn20,BF_20MHz_Nss2,(MCS0)_4TX


5500MHz_TX


EUT_Y_4TX
Setting 91
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.00346G	47.42	74.00	-26.58	60.34	3	Vertical	264	1.08	-	38.79	14.47	66.18			
AV	10.99589G	34.56	54.00	-19.44	47.47	3	Vertical	264	1.08	-	38.80	14.47	66.18			

5.47-5.725GHz_bn20,BF_20MHz_Nss2,(MCS0)_4TX


5500MHz_TX

EUT_Y_4TX
Setting 91
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99862G	47.23	74.00	-26.77	60.14	3	Horizontal	235	1.12	-	38.80	14.47	66.18			
AV	11.00234G	34.60	54.00	-19.40	47.51	3	Horizontal	235	1.12	-	38.80	14.47	66.18			

5.47-5.725GHz_bn20,BF_20MHz_Nss2,(MCS0)_4TX


5580MHz_TX

EUT Y_4TX
Setting 100
02-D-P-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.414G	61.52	74.00	-12.48	49.97	3	Vertical	176	1.31	-	34.07	7.75	30.27			
AV	5.4136G	49.37	54.00	-4.63	37.82	3	Vertical	176	1.31	-	34.07	7.75	30.27			
PK	5.4668G	59.96	68.20	-8.24	48.47	3	Vertical	176	1.31	-	34.00	7.78	30.29			
PK	5.5836G	126.34	Inf	-Inf	114.64	3	Vertical	176	1.31	-	34.13	7.85	30.28			
AV	5.5828G	114.51	Inf	-Inf	102.81	3	Vertical	176	1.31	-	34.13	7.85	30.28			
PK	5.7392G	63.33	68.20	-4.87	51.55	3	Vertical	176	1.31	-	33.90	8.10	30.22			

5.47-5.725GHz_bn20,BF_20MHz_Nss2,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 100
02-D-P-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4108G	59.24	74.00	-14.76	47.67	3	Horizontal	141	2.32	-	34.08	7.75	30.26			
AV	5.4232G	47.16	54.00	-6.84	35.63	3	Horizontal	141	2.32	-	34.05	7.75	30.27			
PK	5.4636G	57.48	68.20	-10.72	45.99	3	Horizontal	141	2.32	-	34.00	7.78	30.29			
PK	5.5784G	119.44	Inf	-Inf	107.73	3	Horizontal	141	2.32	-	34.14	7.85	30.28			
AV	5.5764G	106.66	Inf	-Inf	94.94	3	Horizontal	141	2.32	-	34.15	7.85	30.28			
PK	5.742G	60.26	68.20	-7.94	48.47	3	Horizontal	141	2.32	-	33.90	8.11	30.22			

5.47-5.725GHz_bn20,BF_20MHz_Nss2,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 100
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.1554G	47.88	74.00	-26.12	60.64	3	Vertical	56	2.52	-	38.91	14.56	66.23			
AV	11.1582G	35.18	54.00	-18.82	47.93	3	Vertical	56	2.52	-	38.92	14.56	66.23			

5.47-5.725GHz_bn20,BF_20MHz_Nss2,(MCS0)_4TX

5580MHz_TX




EUT_V_4TX
Setting 100
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.16394G	47.74	74.00	-26.26	60.48	3	Horizontal	71	1.45	-	38.93	14.56	66.23			
AV	11.15791G	35.17	54.00	-18.83	47.92	3	Horizontal	71	1.45	-	38.92	14.56	66.23			

5.47-5.725GHz_bn20,BF_20MHz_Nss2,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 80
02-D-P-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6965G	123.17	Inf	-Inf	111.48	3	Vertical	175	1.39	-	33.90	8.03	30.24			
AV	5.7042G	110.17	Inf	-Inf	98.47	3	Vertical	175	1.39	-	33.90	8.04	30.24			
PK	5.7252G	66.99	68.20	-1.21	55.24	3	Vertical	175	1.39	-	33.90	8.08	30.23			

5.47-5.725GHz_bn20,BF_20MHz_Nss2,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 80
02-D-P-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.703G	116.78	Inf	-Inf	105.08	3	Horizontal	54	1.76	-	33.90	8.04	30.24			
AV	5.7042G	104.01	Inf	-Inf	92.31	3	Horizontal	54	1.76	-	33.90	8.04	30.24			
PK	5.725G	62.25	68.20	-5.95	50.50	3	Horizontal	54	1.76	-	33.90	8.08	30.23			

5.47-5.725GHz_bn20,BF_20MHz_Nss2,(MCS0)_4TX

5700MHz_TX




EUT_V_4TX
Setting 80
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.39551G	51.42	74.00	-22.58	63.83	3	Vertical	340	1.59	-	39.21	14.69	66.31			
AV	11.39938G	38.13	54.00	-15.87	50.55	3	Vertical	340	1.59	-	39.20	14.69	66.31			

5.47-5.725GHz_bn20,BF_20MHz_Nss2,(MCS0)_4TX


5700MHz_TX

EUT_Y_4TX
Setting 80
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39889G	51.88	74.00	-22.12	64.30	3	Horizontal	282	2.81	-	39.20	14.69	66.31			
AV	11.39976G	38.11	54.00	-15.89	50.53	3	Horizontal	282	2.81	-	39.20	14.69	66.31			

5.47-5.725GHz_bn20,BF_20MHz_Nss2,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 100
02-D-P-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.7244G	125.74	Inf	-Inf	113.99	3	Vertical	265	1.80	-	33.90	8.08	30.23				
AV	5.7232G	113.42	Inf	-Inf	101.67	3	Vertical	265	1.80	-	33.90	8.08	30.23				
PK	5.8844G	59.37	68.20	-8.83	47.33	3	Vertical	265	1.80	-	34.04	8.17	30.17				

5.47-5.725GHz_bn20,BF_20MHz_Nss2,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 100
02-D-P-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.7188G	120.23	Inf	-Inf	108.49	3	Horizontal	52	1.45	-	33.90	8.07	30.23			
AV	5.7172G	107.56	Inf	-Inf	95.82	3	Horizontal	52	1.45	-	33.90	8.07	30.23			
PK	5.864G	59.09	68.20	-9.11	47.13	3	Horizontal	52	1.45	-	33.96	8.18	30.18			

5.47-5.725GHz_bn20,BF_20MHz_Nss2,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_V_4TX
Setting 100
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.43716G	49.90	74.00	-24.10	62.46	3	Vertical	241	1.23	-	39.05	14.71	66.32			
AV	11.43638G	36.89	54.00	-17.11	49.45	3	Vertical	241	1.23	-	39.05	14.71	66.32			

5.47-5.725GHz_bn20,BF_20MHz_Nss2,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_V_4TX
Setting 100
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43586G	49.88	74.00	-24.12	62.43	3	Horizontal	116	1.34	-	39.06	14.71	66.32			
AV	11.43653G	36.92	54.00	-17.08	49.48	3	Horizontal	116	1.34	-	39.05	14.71	66.32			

5.725-5.85GHz_bn20,BF_20MHz_Nss2,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 100
02-D-P-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.582G	62.36	68.20	-5.84	50.65	3	Vertical	278	1.46	-	34.14	7.85	30.28
PK	5.749G	124.72	Inf	-Inf	112.92	3	Vertical	278	1.46	-	33.90	8.12	30.22
AV	5.748G	112.44	Inf	-Inf	100.64	3	Vertical	278	1.46	-	33.90	8.12	30.22
PK	5.9885G	58.53	68.20	-9.67	46.23	3	Vertical	278	1.46	-	34.30	8.13	30.13

5.725-5.85GHz_bn20,BF_20MHz_Nss2,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 100
02-D-P-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.501G	58.92	68.20	-9.28	47.43	3	Horizontal	183	1.80	-	34.00	7.80	30.31			
PK	5.7405G	117.29	Inf	-Inf	105.50	3	Horizontal	183	1.80	-	33.90	8.11	30.22			
AV	5.75G	105.00	Inf	-Inf	93.20	3	Horizontal	183	1.80	-	33.90	8.12	30.22			
PK	5.97G	58.48	68.20	-9.72	46.19	3	Horizontal	183	1.80	-	34.30	8.13	30.14			

5.725-5.85GHz_bn20,BF_20MHz_Nss2,(MCS0)_4TX

5745MHz_TX




EUT_V_4TX
Setting 100
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.48652G	47.87	74.00	-26.13	60.47	3	Vertical	332	2.59	-	39.00	14.74	66.34			
AV	11.48507G	35.17	54.00	-18.83	47.77	3	Vertical	332	2.59	-	39.00	14.74	66.34			

5.725-5.85GHz_bn20,BF_20MHz_Nss2,(MCS0)_4TX

5745MHz_TX




EUT_V_4TX
Setting 100
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49311G	47.62	74.00	-26.38	60.22	3	Horizontal	200	1.34	-	39.00	14.74	66.34			
AV	11.4855G	35.16	54.00	-18.84	47.76	3	Horizontal	200	1.34	-	39.00	14.74	66.34			

5.725-5.85GHz_bn20,BF_20MHz_Nss2,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 100
02-D-P-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.5465G	61.63	68.20	-6.57	49.90	3	Vertical	176	1.80	-	34.19	7.83	30.29				
PK	5.7875G	124.91	Inf	-Inf	113.03	3	Vertical	176	1.80	-	33.90	8.19	30.21				
AV	5.7815G	111.81	Inf	-Inf	99.94	3	Vertical	176	1.80	-	33.90	8.18	30.21				
PK	6.03G	59.24	68.20	-8.96	46.92	3	Vertical	176	1.80	-	34.36	8.10	30.14				

5.725-5.85GHz_bn20,BF_20MHz_Nss2,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 100
02-D-P-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6215G	59.31	68.20	-8.89	47.67	3	Horizontal	183	1.77	-	34.01	7.90	30.27			
PK	5.7805G	117.93	Inf	-Inf	106.06	3	Horizontal	183	1.77	-	33.90	8.18	30.21			
AV	5.7805G	105.67	Inf	-Inf	93.80	3	Horizontal	183	1.77	-	33.90	8.18	30.21			
PK	5.98G	58.13	68.20	-10.07	45.84	3	Horizontal	183	1.77	-	34.30	8.13	30.14			

5.725-5.85GHz_bn20,BF_20MHz_Nss2,(MCS0)_4TX

5785MHz_TX




EUT_V_4TX
Setting 100
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.56521G	47.58	74.00	-26.42	60.37	3	Vertical	63	2.60	-	38.81	14.78	66.38			
AV	11.56837G	35.26	54.00	-18.74	48.07	3	Vertical	63	2.60	-	38.79	14.78	66.38			

5.725-5.85GHz_bn20,BF_20MHz_Nss2,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 100
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.57339G	47.76	74.00	-26.24	60.59	3	Horizontal	31	1.21	-	38.76	14.79	66.38			
AV	11.56819G	35.25	54.00	-18.75	48.06	3	Horizontal	31	1.21	-	38.79	14.78	66.38			

5.725-5.85GHz_bn20,BF_20MHz_Nss2,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 100
02-D-P-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.5775G	60.55	68.20	-7.65	48.83	3	Vertical	177	1.95	-	34.15	7.85	30.28				
PK	5.827G	124.42	Inf	-Inf	112.51	3	Vertical	177	1.95	-	33.90	8.20	30.19				
AV	5.8205G	111.37	Inf	-Inf	99.46	3	Vertical	177	1.95	-	33.90	8.20	30.19				
PK	6.0205G	59.16	68.20	-9.04	46.85	3	Vertical	177	1.95	-	34.34	8.11	30.14				

5.725-5.85GHz_bn20,BF_20MHz_Nss2,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 100
02-D-P-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.607G	58.63	68.20	-9.57	46.96	3	Horizontal	154	1.68	-	34.07	7.87	30.27			
PK	5.8255G	116.85	Inf	-Inf	104.94	3	Horizontal	154	1.68	-	33.90	8.20	30.19			
AV	5.8285G	105.16	Inf	-Inf	93.25	3	Horizontal	154	1.68	-	33.90	8.20	30.19			
PK	5.9555G	58.69	68.20	-9.51	46.40	3	Horizontal	154	1.68	-	34.30	8.14	30.15			

5.725-5.85GHz_bn20,BF_20MHz_Nss2,(MCS0)_4TX

5825MHz_TX




EUT_V_4TX
Setting 100
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.65081G	46.26	74.00	-27.74	59.35	3	Vertical	166	1.70	-	38.50	14.83	66.42			
AV	11.65392G	34.08	54.00	-19.92	47.15	3	Vertical	166	1.70	-	38.52	14.83	66.42			

5.725-5.85GHz_bn20,BF_20MHz_Nss2,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 100
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.65235G	47.40	74.00	-26.60	60.48	3	Horizontal	5	2.59	-	38.51	14.83	66.42			
AV	11.65398G	34.11	54.00	-19.89	47.18	3	Horizontal	5	2.59	-	38.52	14.83	66.42			

5.15-5.25GHz_bn40,BF_40MHz_Nss2,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 79
02-D-P-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1486G	64.68	74.00	-9.32	53.54	3	Vertical	292	1.69	-	33.69	7.58	30.13			
AV	5.15G	52.86	54.00	-1.14	41.71	3	Vertical	292	1.69	-	33.70	7.58	30.13			
PK	5.1836G	118.77	Inf	-Inf	107.56	3	Vertical	292	1.69	-	33.77	7.59	30.15			
AV	5.183G	106.66	Inf	-Inf	95.45	3	Vertical	292	1.69	-	33.77	7.59	30.15			

5.15-5.25GHz_bn40,BF_40MHz_Nss2,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 79
02-D-P-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1498G	62.35	74.00	-11.65	51.20	3	Horizontal	211	1.95	-	33.70	7.58	30.13			
AV	5.1496G	47.80	54.00	-6.20	36.65	3	Horizontal	211	1.95	-	33.70	7.58	30.13			
PK	5.1846G	112.07	Inf	-Inf	100.86	3	Horizontal	211	1.95	-	33.77	7.59	30.15			
AV	5.1834G	99.94	Inf	-Inf	88.73	3	Horizontal	211	1.95	-	33.77	7.59	30.15			

5.15-5.25GHz_bn40,BF_40MHz_Nss2,(MCS0)_4TX

5190MHz_TX




EUT_V_4TX
Setting 79
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.57152G	47.20	74.00	-26.80	57.88	3	Vertical	33	1.53	-	37.90	15.36	63.94			
AV	15.57478G	34.30	54.00	-19.70	44.98	3	Vertical	33	1.53	-	37.90	15.36	63.94			

5.15-5.25GHz_bn40,BF_40MHz_Nss2,(MCS0)_4TX

5190MHz_TX




EUT_V_4TX
Setting 79
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.57405G	46.31	74.00	-27.69	56.99	3	Horizontal	239	1.32	-	37.90	15.36	63.94			
AV	15.5746G	34.25	54.00	-19.75	44.93	3	Horizontal	239	1.32	-	37.90	15.36	63.94			

5.15-5.25GHz_bn40,BF_40MHz_Nss2,(MCS0)_4TX


5230MHz_TX

EUT_Y_4TX
Setting 94
02-D-P-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.148G	66.61	74.00	-7.39	55.47	3	Vertical	177.1	2.39	-	33.69	7.58	30.13			
AV	5.15G	52.99	54.00	-1.01	41.84	3	Vertical	177.1	2.39	-	33.70	7.58	30.13			
PK	5.228G	123.66	Inf	-Inf	112.42	3	Vertical	177.1	2.39	-	33.80	7.61	30.17			
AV	5.222G	111.18	Inf	-Inf	99.94	3	Vertical	177.1	2.39	-	33.80	7.61	30.17			
PK	5.4068G	61.93	74.00	-12.07	50.36	3	Vertical	177.1	2.39	-	34.09	7.74	30.26			
AV	5.3808G	49.50	54.00	-4.50	38.00	3	Vertical	177.1	2.39	-	34.02	7.73	30.25			

5.15-5.25GHz_bn40,BF_40MHz_Nss2,(MCS0)_4TX

5230MHz_TX




EUT Y_4TX
Setting 94
02-D-P-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.134G	60.07	74.00	-13.93	48.97	3	Horizontal	141.2	1.91	-	33.64	7.58	30.12			
AV	5.15G	46.85	54.00	-7.15	35.70	3	Horizontal	141.2	1.91	-	33.70	7.58	30.13			
PK	5.2216G	117.16	Inf	-Inf	105.92	3	Horizontal	141.2	1.91	-	33.80	7.61	30.17			
AV	5.2376G	103.64	Inf	-Inf	92.39	3	Horizontal	141.2	1.91	-	33.80	7.62	30.17			
PK	5.3516G	59.80	74.00	-14.20	48.42	3	Horizontal	141.2	1.91	-	33.91	7.70	30.23			
AV	5.378G	47.15	54.00	-6.85	35.67	3	Horizontal	141.2	1.91	-	34.01	7.72	30.25			

5.15-5.25GHz_bn40,BF_40MHz_Nss2,(MCS0)_4TX

5230MHz_TX




EUT_V_4TX
Setting 94
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.69183G	46.22	74.00	-27.78	57.03	3	Vertical	208	1.62	-	37.78	15.36	63.95			
AV	15.68841G	34.24	54.00	-19.76	45.05	3	Vertical	208	1.62	-	37.78	15.36	63.95			

5.15-5.25GHz_bn40,BF_40MHz_Nss2,(MCS0)_4TX

5230MHz_TX




EUT_V_4TX
Setting 94
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.68593G	46.72	74.00	-27.28	57.53	3	Horizontal	54	2.48	-	37.77	15.36	63.94			
AV	15.6882G	34.25	54.00	-19.75	45.06	3	Horizontal	54	2.48	-	37.78	15.36	63.95			

5.25-5.35GHz_bn40,BF_40MHz_Nss2,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 94
02-D-P-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.148G	61.09	74.00	-12.91	49.95	3	Vertical	295.9	1.80	-	33.69	7.58	30.13				
AV	5.1484G	48.31	54.00	-5.69	37.17	3	Vertical	295.9	1.80	-	33.69	7.58	30.13				
PK	5.2604G	123.22	Inf	-Inf	111.97	3	Vertical	295.9	1.80	-	33.80	7.64	30.19				
AV	5.2628G	110.64	Inf	-Inf	99.39	3	Vertical	295.9	1.80	-	33.80	7.64	30.19				
PK	5.3584G	67.70	74.00	-6.30	56.30	3	Vertical	295.9	1.80	-	33.93	7.71	30.24				
AV	5.35G	52.85	54.00	-1.15	41.48	3	Vertical	295.9	1.80	-	33.90	7.70	30.23				
PK	5.4648G	58.86	68.20	-9.34	47.37	3	Vertical	295.9	1.80	-	34.00	7.78	30.29				

5.25-5.35GHz_bn40,BF_40MHz_Nss2,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 94
02-D-P-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.0796G	57.78	74.00	-16.22	46.84	3	Horizontal	51	1.56	-	33.46	7.57	30.09			
AV	5.15G	45.82	54.00	-8.18	34.67	3	Horizontal	51	1.56	-	33.70	7.58	30.13			
PK	5.2788G	115.56	Inf	-Inf	104.30	3	Horizontal	51	1.56	-	33.80	7.65	30.19			
AV	5.2772G	103.71	Inf	-Inf	92.45	3	Horizontal	51	1.56	-	33.80	7.65	30.19			
PK	5.3588G	60.86	74.00	-13.14	49.45	3	Horizontal	51	1.56	-	33.94	7.71	30.24			
AV	5.35G	47.84	54.00	-6.16	36.47	3	Horizontal	51	1.56	-	33.90	7.70	30.23			
PK	5.4632G	58.48	68.20	-9.72	46.99	3	Horizontal	51	1.56	-	34.00	7.78	30.29			

5.25-5.35GHz_bn40,BF_40MHz_Nss2,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 94
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.81187G	45.62	74.00	-28.38	56.72	3	Vertical	139	1.24	-	37.48	15.37	63.95			
AV	15.8123G	33.15	54.00	-20.85	44.25	3	Vertical	139	1.24	-	37.48	15.37	63.95			

5.25-5.35GHz_bn40,BF_40MHz_Nss2,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 94
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.80896G	45.26	74.00	-28.74	56.36	3	Horizontal	108	2.88	-	37.48	15.37	63.95			
AV	15.81253G	33.09	54.00	-20.91	44.21	3	Horizontal	108	2.88	-	37.47	15.37	63.96			

5.25-5.35GHz_bn40,BF_40MHz_Nss2,(MCS0)_4TX


5310MHz_TX

EUT_Y_4TX
Setting 73
02-D-P-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3046G	117.23	Inf	-Inf	105.96	3	Vertical	299.3	1.72	-	33.81	7.67	30.21			
AV	5.3154G	104.77	Inf	-Inf	93.47	3	Vertical	299.3	1.72	-	33.83	7.68	30.21			
PK	5.3514G	64.53	74.00	-9.47	53.15	3	Vertical	299.3	1.72	-	33.91	7.70	30.23			
AV	5.3502G	52.63	54.00	-1.37	41.26	3	Vertical	299.3	1.72	-	33.90	7.70	30.23			

5.25-5.35GHz_bn40,BF_40MHz_Nss2,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 73
02-D-P-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3208G	108.73	Inf	-Inf	97.43	3	Horizontal	140.2	2.28	-	33.84	7.68	30.22			
AV	5.3184G	96.66	Inf	-Inf	85.36	3	Horizontal	140.2	2.28	-	33.84	7.68	30.22			
PK	5.3502G	60.58	74.00	-13.42	49.21	3	Horizontal	140.2	2.28	-	33.90	7.70	30.23			
AV	5.3514G	47.86	54.00	-6.14	36.48	3	Horizontal	140.2	2.28	-	33.91	7.70	30.23			

5.25-5.35GHz_bn40,BF_40MHz_Nss2,(MCS0)_4TX


5310MHz_TX

EUT_Y_4TX
Setting 73
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61661G	50.17	74.00	-23.83	63.43	3	Vertical	132	2.03	-	39.03	14.26	66.55			
AV	10.62298G	36.98	54.00	-17.02	50.21	3	Vertical	132	2.03	-	39.05	14.26	66.54			

5.25-5.35GHz_bn40,BF_40MHz_Nss2,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 73
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.62352G	49.95	74.00	-24.05	63.18	3	Horizontal	288	2.58	-	39.05	14.26	66.54			
AV	10.62263G	36.98	54.00	-17.02	50.21	3	Horizontal	288	2.58	-	39.05	14.26	66.54			

5.47-5.725GHz_bn40,BF_40MHz_Nss2,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 80
02-D-P-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4593G	61.85	74.00	-12.15	50.36	3	Vertical	176.4	1.68	-	34.00	7.78	30.29			
AV	5.4596G	50.20	54.00	-3.80	38.71	3	Vertical	176.4	1.68	-	34.00	7.78	30.29			
PK	5.4692G	66.90	68.20	-1.30	55.41	3	Vertical	176.4	1.68	-	34.00	7.78	30.29			
PK	5.5016G	121.82	Inf	-Inf	110.32	3	Vertical	176.4	1.68	-	34.01	7.80	30.31			
AV	5.5043G	107.04	Inf	-Inf	95.53	3	Vertical	176.4	1.68	-	34.02	7.80	30.31			

5.47-5.725GHz_bn40,BF_40MHz_Nss2,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 80
02-D-P-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.435G	59.59	74.00	-14.41	48.08	3	Horizontal	103.4	2.09	-	34.03	7.76	30.28			
PK	5.4668G	62.99	68.20	-5.21	51.50	3	Horizontal	103.4	2.09	-	34.00	7.78	30.29			
AV	5.4593G	46.81	54.00	-7.19	35.32	3	Horizontal	103.4	2.09	-	34.00	7.78	30.29			
PK	5.5046G	113.38	Inf	-Inf	101.87	3	Horizontal	103.4	2.09	-	34.02	7.80	30.31			
AV	5.5031G	100.79	Inf	-Inf	89.29	3	Horizontal	103.4	2.09	-	34.01	7.80	30.31			

5.47-5.725GHz_bn40,BF_40MHz_Nss2,(MCS0)_4TX

5510MHz_TX




EUT_V_4TX
Setting 80
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.01677G	46.43	74.00	-27.57	59.37	3	Vertical	99	2.32	-	38.77	14.48	66.19			
AV	11.01506G	34.09	54.00	-19.91	47.02	3	Vertical	99	2.32	-	38.77	14.48	66.18			

5.47-5.725GHz_bn40,BF_40MHz_Nss2,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 80
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.0193G	46.05	74.00	-27.95	59.00	3	Horizontal	146	2.46	-	38.76	14.48	66.19			
AV	11.01505G	34.12	54.00	-19.88	47.05	3	Horizontal	146	2.46	-	38.77	14.48	66.18			

5.47-5.725GHz_bn40,BF_40MHz_Nss2,(MCS0)_4TX

5550MHz_TX



EUT Y_4TX
Setting 92
03-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4327G	66.20	74.00	-7.80	59.15	3	Vertical	180	1.80	-	34.70	7.22	34.87			
PK	5.4648G	66.67	68.20	-1.53	59.59	3	Vertical	180	1.80	-	34.70	7.25	34.87			
AV	5.4594G	52.32	54.00	-1.68	45.25	3	Vertical	180	1.80	-	34.70	7.24	34.87			
PK	5.5428G	124.61	Inf	-Inf	117.64	3	Vertical	180	1.80	-	34.53	7.31	34.87			
AV	5.5422G	115.08	Inf	-Inf	108.11	3	Vertical	180	1.80	-	34.53	7.31	34.87			