


5.47-5.725GHz_bn40,BF_40MHz_Nss2,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 92
03-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4591G	63.12	74.00	-10.88	56.05	3	Horizontal	89	2.14	-	34.70	7.24	34.87			
AV	5.4582G	48.05	54.00	-5.95	40.98	3	Horizontal	89	2.14	-	34.70	7.24	34.87			
PK	5.4696G	64.44	68.20	-3.76	57.36	3	Horizontal	89	2.14	-	34.70	7.25	34.87			
PK	5.5569G	115.61	Inf	-Inf	108.66	3	Horizontal	89	2.14	-	34.51	7.32	34.88			
AV	5.5467G	104.82	Inf	-Inf	97.87	3	Horizontal	89	2.14	-	34.51	7.31	34.87			

5.47-5.725GHz_bn40,BF_40MHz_Nss2,(MCS0)_4TX


5550MHz_TX

EUT_Y_4TX
Setting 92
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0951G	47.07	74.00	-26.93	59.97	3	Vertical	131	2.01	-	38.79	14.52	66.21			
AV	11.10007G	34.25	54.00	-19.75	47.13	3	Vertical	131	2.01	-	38.80	14.53	66.21			

5.47-5.725GHz_bn40,BF_40MHz_Nss2,(MCS0)_4TX


5550MHz_TX

EUT_Y_4TX
Setting 92
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.09896G	47.41	74.00	-26.59	60.30	3	Horizontal	108	1.14	-	38.80	14.52	66.21			
AV	11.10083G	34.25	54.00	-19.75	47.13	3	Horizontal	108	1.14	-	38.80	14.53	66.21			

5.47-5.725GHz_bn40,BF_40MHz_Nss2,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 83
03-R-G-4-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6616G	120.87	Inf	-Inf	113.93	3	Vertical	181	1.78	-	34.45	7.40	34.91			
AV	5.6622G	111.60	Inf	-Inf	104.66	3	Vertical	181	1.78	-	34.45	7.40	34.91			
PK	5.7314G	66.51	68.20	-1.69	59.68	3	Vertical	181	1.78	-	34.30	7.46	34.93			

5.47-5.725GHz_bn40,BF_40MHz_Nss2,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 83
03-R-G-4-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6778G	114.28	Inf	-Inf	107.39	3	Horizontal	50	1.80	-	34.39	7.41	34.91				
AV	5.6618G	104.39	Inf	-Inf	97.45	3	Horizontal	50	1.80	-	34.45	7.40	34.91				
PK	5.7256G	62.51	68.20	-5.69	55.69	3	Horizontal	50	1.80	-	34.30	7.45	34.93				

5.47-5.725GHz_bn40,BF_40MHz_Nss2,(MCS0)_4TX

5670MHz_TX




EUT_V_4TX
Setting 83
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.34386G	50.39	74.00	-23.61	62.73	3	Vertical	226	2.03	-	39.29	14.66	66.29			
AV	11.34395G	37.32	54.00	-16.68	49.66	3	Vertical	226	2.03	-	39.29	14.66	66.29			

5.47-5.725GHz_bn40,BF_40MHz_Nss2,(MCS0)_4TX

5670MHz_TX




EUT_V_4TX
Setting 83
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.34323G	50.25	74.00	-23.75	62.59	3	Horizontal	333	2.55	-	39.29	14.66	66.29			
AV	11.34459G	37.44	54.00	-16.56	49.78	3	Horizontal	333	2.55	-	39.29	14.66	66.29			

5.47-5.725GHz_bn40,BF_40MHz_Nss2,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 100
06-U-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3164G	58.66	68.20	-9.54	54.21	3	Vertical	171	1.24	-	31.23	6.98	33.76			
AV	5.35G	46.04	54.00	-7.96	41.52	3	Vertical	171	1.24	-	31.30	6.99	33.77			
PK	5.39G	59.61	74.00	-14.39	55.00	3	Vertical	171	1.24	-	31.38	7.01	33.78			
AV	5.39G	48.94	54.00	-5.06	44.33	3	Vertical	171	1.24	-	31.38	7.01	33.78			
PK	5.4612G	59.20	68.20	-9.00	54.35	3	Vertical	171	1.24	-	31.54	7.11	33.80			
PK	5.7044G	120.93	Inf	-Inf	115.37	3	Vertical	171	1.24	-	32.00	7.35	33.79			
AV	5.7004G	112.68	Inf	-Inf	107.12	3	Vertical	171	1.24	-	32.00	7.35	33.79			
PK	5.8628G	60.19	68.20	-8.01	54.37	3	Vertical	171	1.24	-	32.13	7.46	33.77			

5.47-5.725GHz_bn40,BF_40MHz_Nss2,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_V_4TX
Setting 100
06-U-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3236G	57.52	68.20	-10.68	53.05	3	Horizontal	0	1.17	-	31.25	6.98	33.76
AV	5.35G	45.05	54.00	-8.95	40.53	3	Horizontal	0	1.17	-	31.30	6.99	33.77
PK	5.4348G	57.61	74.00	-16.39	52.86	3	Horizontal	0	1.17	-	31.47	7.07	33.79
PK	5.4692G	56.50	68.20	-11.70	51.60	3	Horizontal	0	1.17	-	31.58	7.12	33.80
AV	5.4588G	45.88	54.00	-8.12	41.03	3	Horizontal	0	1.17	-	31.54	7.11	33.80
PK	5.718G	112.36	Inf	-Inf	106.79	3	Horizontal	0	1.17	-	32.00	7.35	33.78
AV	5.718G	102.13	Inf	-Inf	96.56	3	Horizontal	0	1.17	-	32.00	7.35	33.78
PK	5.9556G	59.17	68.20	-9.03	52.99	3	Horizontal	0	1.17	-	32.31	7.63	33.76

5.47-5.725GHz_bn40,BF_40MHz_Nss2,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_V_4TX
Setting 100
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41963G	50.47	74.00	-23.53	62.96	3	Vertical	291	1.38	-	39.12	14.70	66.31			
AV	11.41656G	37.47	54.00	-16.53	49.95	3	Vertical	291	1.38	-	39.13	14.70	66.31			

5.47-5.725GHz_bn40,BF_40MHz_Nss2,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX


EUT_Y_4TX
Setting 100
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.41673G	50.05	74.00	-23.95	62.53	3	Horizontal	206	1.10	-	39.13	14.70	66.31			
AV	11.41662G	37.44	54.00	-16.56	49.92	3	Horizontal	206	1.10	-	39.13	14.70	66.31			

5.725-5.85GHz_bn40,BF_40MHz_Nss2,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
Setting 100
06-U-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.5182G	61.15	68.20	-7.05	56.05	3	Vertical	173	1.48	-	31.70	7.21	33.81			
AV	5.427G	49.19	54.00	-4.81	44.48	3	Vertical	173	1.48	-	31.45	7.05	33.79			
PK	5.751G	121.54	Inf	-Inf	115.97	3	Vertical	173	1.48	-	32.00	7.35	33.78			
AV	5.747G	114.77	Inf	-Inf	109.20	3	Vertical	173	1.48	-	32.00	7.35	33.78			
PK	6.1342G	59.43	68.20	-8.77	52.83	3	Vertical	173	1.48	-	32.64	7.62	33.66			

5.725-5.85GHz_bn40,BF_40MHz_Nss2,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
Setting 100
06-U-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.4222G	45.84	54.00	-8.16	41.14	3	Horizontal	117	1.69	-	31.44	7.05	33.79			
PK	5.6494G	67.18	68.20	-1.02	61.93	3	Horizontal	117	1.69	-	31.70	7.34	33.79			
PK	5.7638G	114.60	Inf	-Inf	109.03	3	Horizontal	117	1.69	-	32.00	7.35	33.78			
AV	5.739G	106.54	Inf	-Inf	100.97	3	Horizontal	117	1.69	-	32.00	7.35	33.78			
PK	6.051G	59.40	68.20	-8.80	52.94	3	Horizontal	117	1.69	-	32.50	7.68	33.72			

5.725-5.85GHz_bn40,BF_40MHz_Nss2,(MCS0)_4TX

5755MHz_TX




EUT V_4TX
Setting 100
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.51334G	48.93	74.00	-25.07	61.56	3	Vertical	307	1.65	-	38.97	14.75	66.35			
AV	11.50602G	35.87	54.00	-18.13	48.47	3	Vertical	307	1.65	-	38.99	14.75	66.34			

5.725-5.85GHz_bn40,BF_40MHz_Nss2,(MCS0)_4TX


5755MHz_TX


EUT Y_4TX
Setting 100
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.50558G	48.81	74.00	-25.19	61.41	3	Horizontal	37	1.50	-	38.99	14.75	66.34			
AV	11.50613G	35.86	54.00	-18.14	48.46	3	Horizontal	37	1.50	-	38.99	14.75	66.34			

5.725-5.85GHz_bn40,BF_40MHz_Nss2,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
Setting 100
06-U-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
AV	5.4598G	47.74	54.00	-6.26	42.89	3	Vertical	172	1.63	-	31.54	7.11	33.80			
PK	5.6374G	61.55	68.20	-6.65	56.33	3	Vertical	172	1.63	-	31.67	7.34	33.79			
PK	5.7878G	122.00	Inf	-Inf	116.43	3	Vertical	172	1.63	-	32.00	7.35	33.78			
AV	5.7838G	111.67	Inf	-Inf	106.10	3	Vertical	172	1.63	-	32.00	7.35	33.78			
PK	5.9478G	59.35	68.20	-8.85	53.19	3	Vertical	172	1.63	-	32.30	7.62	33.76			

5.725-5.85GHz_bn40,BF_40MHz_Nss2,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
Setting 100
06-U-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5534G	59.11	68.20	-9.09	53.96	3	Horizontal	50	1.67	-	31.69	7.26	33.80			
AV	5.4574G	45.59	54.00	-8.41	40.76	3	Horizontal	50	1.67	-	31.53	7.10	33.80			
PK	5.7982G	113.06	Inf	-Inf	107.48	3	Horizontal	50	1.67	-	32.00	7.35	33.77			
AV	5.7846G	102.74	Inf	-Inf	97.17	3	Horizontal	50	1.67	-	32.00	7.35	33.78			
PK	6.1806G	59.59	68.20	-8.61	52.87	3	Horizontal	50	1.67	-	32.76	7.59	33.63			

5.725-5.85GHz_bn40,BF_40MHz_Nss2,(MCS0)_4TX

5795MHz_TX




EUT_V_4TX
Setting 100
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.59372G	47.90	74.00	-26.10	60.85	3	Vertical	141	1.80	-	38.64	14.80	66.39			
AV	11.58762G	35.25	54.00	-18.75	48.18	3	Vertical	141	1.80	-	38.67	14.79	66.39			

5.725-5.85GHz_bn40,BF_40MHz_Nss2,(MCS0)_4TX

5795MHz_TX




EUT_V_4TX
Setting 100
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.58825G	47.62	74.00	-26.38	60.55	3	Horizontal	23	1.39	-	38.67	14.79	66.39			
AV	11.58742G	35.28	54.00	-18.72	48.20	3	Horizontal	23	1.39	-	38.68	14.79	66.39			

5.15-5.25GHz_802.11bn_UHR80-BF_(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 81
04-W-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.15G	64.01	74.00	-9.99	67.37	3	Vertical	228	1.80	-	32.10	8.39	43.85					
AV	5.15G	52.95	54.00	-1.05	56.31	3	Vertical	228	1.80	-	32.10	8.39	43.85					
PK	5.187G	113.62	Inf	-Inf	117.17	3	Vertical	228	1.80	-	31.88	8.41	43.84					
AV	5.1845G	109.60	Inf	-Inf	113.14	3	Vertical	228	1.80	-	31.89	8.41	43.84					
PK	5.356G	58.23	74.00	-15.77	62.15	3	Vertical	228	1.80	-	31.40	8.47	43.79					
AV	5.37G	45.94	54.00	-8.06	49.84	3	Vertical	228	1.80	-	31.40	8.48	43.78					

5.15-5.25GHz_802.11bn UHR80-BF_(MCS0)_4TX

5210MHz_TX




EUT Y_4TX
Setting 81
04-W-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.149G	58.18	74.00	-15.82	61.55	3	Horizontal	210	1.80	-	32.09	8.39	43.85			
AV	5.15G	47.59	54.00	-6.41	50.95	3	Horizontal	210	1.80	-	32.10	8.39	43.85			
PK	5.187G	111.12	Inf	-Inf	114.67	3	Horizontal	210	1.80	-	31.88	8.41	43.84			
AV	5.1785G	99.19	Inf	-Inf	102.69	3	Horizontal	210	1.80	-	31.93	8.41	43.84			
PK	5.4415G	56.58	74.00	-17.42	60.16	3	Horizontal	210	1.80	-	31.65	8.53	43.76			
AV	5.37G	44.28	54.00	-9.72	48.18	3	Horizontal	210	1.80	-	31.40	8.48	43.78			

5.15-5.25GHz_bn80,BF_80MHz_Nss2,(MCS0)_4TX

5210MHz_TX




EUT_V_4TX
Setting 81
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.63115G	46.92	74.00	-27.08	57.72	3	Vertical	18	2.58	-	37.78	15.36	63.94			
AV	15.62609G	34.29	54.00	-19.71	45.07	3	Vertical	18	2.58	-	37.80	15.36	63.94			

5.15-5.25GHz_bn80,BF_80MHz_Nss2,(MCS0)_4TX

5210MHz_TX




EUT_V_4TX
Setting 81
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.62597G	47.07	74.00	-26.93	57.85	3	Horizontal	334	1.47	-	37.80	15.36	63.94			
AV	15.6261G	34.29	54.00	-19.71	45.07	3	Horizontal	334	1.47	-	37.80	15.36	63.94			

5.25-5.35GHz_802.11bn_UHR80-BF_(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 70
04-U-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.13G	57.89	74.00	-16.11	52.88	3	Vertical	183	1.80	-	31.82	6.90	33.71			
AV	5.1484G	46.48	54.00	-7.52	41.40	3	Vertical	183	1.80	-	31.89	6.91	33.72			
PK	5.2612G	116.10	Inf	-Inf	111.62	3	Vertical	183	1.80	-	31.28	6.95	33.75			
AV	5.264G	106.63	Inf	-Inf	102.15	3	Vertical	183	1.80	-	31.27	6.96	33.75			
PK	5.35G	63.54	74.00	-10.46	59.02	3	Vertical	183	1.80	-	31.30	6.99	33.77			
AV	5.35G	52.64	54.00	-1.36	48.12	3	Vertical	183	1.80	-	31.30	6.99	33.77			
PK	5.4736G	59.41	68.20	-8.79	54.49	3	Vertical	183	1.80	-	31.59	7.13	33.80			

5.25-5.35GHz_802.11bn UHR80-BF_(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 70
04-U-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1192G	56.57	74.00	-17.43	51.61	3	Horizontal	69	1.80	-	31.78	6.89	33.71			
AV	5.1472G	45.21	54.00	-8.79	40.13	3	Horizontal	69	1.80	-	31.89	6.91	33.72			
PK	5.3052G	103.78	Inf	-Inf	99.36	3	Horizontal	69	1.80	-	31.21	6.97	33.76			
AV	5.2604G	98.93	Inf	-Inf	94.45	3	Horizontal	69	1.80	-	31.28	6.95	33.75			
PK	5.3912G	58.43	74.00	-15.57	53.82	3	Horizontal	69	1.80	-	31.38	7.01	33.78			
AV	5.35G	46.63	54.00	-7.37	42.11	3	Horizontal	69	1.80	-	31.30	6.99	33.77			
PK	5.4772G	57.75	68.20	-10.45	52.80	3	Horizontal	69	1.80	-	31.61	7.14	33.80			

5.25-5.35GHz_bn80,BF_80MHz_Nss2,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 70
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.8725G	45.09	74.00	-28.91	56.15	3	Vertical	108	2.10	-	37.53	15.37	63.96			
AV	15.87402G	33.17	54.00	-20.83	44.22	3	Vertical	254	2.78	-	37.54	15.37	63.96			

5.25-5.35GHz_bn80,BF_80MHz_Nss2,(MCS0)_4TX

5290MHz_TX




EUT Y_4TX
Setting 70
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.87032G	45.75	74.00	-28.25	56.82	3	Horizontal	312	1.20	-	37.52	15.37	63.96			
AV	15.87097G	32.72	54.00	-21.28	43.78	3	Horizontal	312	1.20	-	37.53	15.37	63.96			

5.47-5.725GHz_802.11bn_UHR80-BF_(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 78
04-U-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3396G	58.00	68.20	-10.20	53.50	3	Vertical	175	1.43	-	31.28	6.99	33.77
AV	5.35G	47.14	54.00	-6.86	42.62	3	Vertical	175	1.43	-	31.30	6.99	33.77
PK	5.4224G	59.11	74.00	-14.89	54.41	3	Vertical	175	1.43	-	31.44	7.05	33.79
PK	5.4664G	58.90	68.20	-9.30	54.01	3	Vertical	175	1.43	-	31.57	7.12	33.80
AV	5.46G	52.49	54.00	-1.51	47.64	3	Vertical	175	1.43	-	31.54	7.11	33.80
AV	5.5G	109.05	Inf	-Inf	103.99	3	Vertical	175	1.43	-	31.70	7.17	33.81
PK	5.5412G	110.53	Inf	-Inf	105.40	3	Vertical	175	1.43	-	31.70	7.24	33.81
PK	5.728G	58.65	68.20	-9.55	53.08	3	Vertical	175	1.43	-	32.00	7.35	33.78

5.47-5.725GHz_802.11bn_UHR80-BF_(MCS0)_4TX

5530MHz_TX




EUT_V_4TX
Setting 78
04-U-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.332G	56.89	68.20	-11.31	52.42	3	Horizontal	48	1.79	-	31.26	6.98	33.77			
AV	5.35G	45.44	54.00	-8.56	40.92	3	Horizontal	48	1.79	-	31.30	6.99	33.77			
PK	5.46G	59.00	74.00	-15.00	54.15	3	Horizontal	48	1.79	-	31.54	7.11	33.80			
AV	5.4588G	47.74	54.00	-6.26	42.89	3	Horizontal	48	1.79	-	31.54	7.11	33.80			
PK	5.47G	60.42	68.20	-7.78	55.51	3	Horizontal	48	1.79	-	31.58	7.13	33.80			
PK	5.524G	107.65	Inf	-Inf	102.55	3	Horizontal	48	1.79	-	31.70	7.21	33.81			
AV	5.498G	100.63	Inf	-Inf	95.58	3	Horizontal	48	1.79	-	31.69	7.17	33.81			
PK	5.7252G	58.92	68.20	-9.28	53.35	3	Horizontal	48	1.79	-	32.00	7.35	33.78			

5.47-5.725GHz_bn80,BF_80MHz_Nss2,(MCS0)_4TX


5530MHz_TX

EUT_V_4TX
Setting 78
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.06262G	47.14	74.00	-26.86	60.11	3	Vertical	43	1.56	-	38.73	14.50	66.20			
AV	11.06282G	34.39	54.00	-19.61	47.36	3	Vertical	43	1.56	-	38.73	14.50	66.20			

5.47-5.725GHz_bn80,BF_80MHz_Nss2,(MCS0)_4TX


5530MHz_TX

EUT_Y_4TX
Setting 78
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.06198G	47.56	74.00	-26.44	60.54	3	Horizontal	242	1.16	-	38.72	14.50	66.20			
AV	11.0627G	34.38	54.00	-19.62	47.35	3	Horizontal	242	1.16	-	38.73	14.50	66.20			

5.47-5.725GHz_802.11bn_UHR80-BF_(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 88
04-U-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4532G	63.50	74.00	-10.50	58.69	3	Vertical	180	1.61	-	31.51	7.10	33.80			
AV	5.4176G	51.87	54.00	-2.13	47.18	3	Vertical	180	1.61	-	31.44	7.04	33.79			
PK	5.4688G	63.92	68.20	-4.28	59.02	3	Vertical	180	1.61	-	31.58	7.12	33.80			
PK	5.6148G	118.03	Inf	-Inf	112.86	3	Vertical	180	1.61	-	31.63	7.34	33.80			
AV	5.5804G	112.75	Inf	-Inf	107.60	3	Vertical	180	1.61	-	31.64	7.31	33.80			
PK	5.7496G	67.01	68.20	-1.19	61.44	3	Vertical	180	1.61	-	32.00	7.35	33.78			

5.47-5.725GHz_802.11bn_UHR80-BF_(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 88
04-U-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45G	58.86	74.00	-15.14	54.07	3	Horizontal	95	1.80	-	31.50	7.09	33.80
AV	5.424G	47.55	54.00	-6.45	42.84	3	Horizontal	95	1.80	-	31.45	7.05	33.79
PK	5.462G	58.58	68.20	-9.62	53.72	3	Horizontal	95	1.80	-	31.55	7.11	33.80
PK	5.5868G	111.23	Inf	-Inf	106.08	3	Horizontal	95	1.80	-	31.63	7.32	33.80
AV	5.5784G	104.83	Inf	-Inf	99.69	3	Horizontal	95	1.80	-	31.64	7.30	33.80
PK	5.7276G	60.64	68.20	-7.56	55.07	3	Horizontal	95	1.80	-	32.00	7.35	33.78

5.47-5.725GHz_bn80,BF_80MHz_Nss2,(MCS0)_4TX

5610MHz_TX




EUT_V_4TX
Setting 88
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.22121G	48.32	74.00	-25.68	60.90	3	Vertical	302	1.52	-	39.08	14.59	66.25			
AV	11.2197G	35.45	54.00	-18.55	48.03	3	Vertical	302	1.52	-	39.08	14.59	66.25			

5.47-5.725GHz_bn80,BF_80MHz_Nss2,(MCS0)_4TX


5610MHz_TX


EUT_Y_4TX
Setting 88
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.22197G	48.91	74.00	-25.09	61.48	3	Horizontal	197	1.50	-	39.09	14.59	66.25			
AV	11.21969G	35.47	54.00	-18.53	48.05	3	Horizontal	197	1.50	-	39.08	14.59	66.25			

5.47-5.725GHz_bn80,BF_80MHz_Nss2,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 88
06-U-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.7008G	122.94	Inf	-Inf	117.38	3	Vertical	176	1.58	-	32.00	7.35	33.79			
AV	5.6992G	113.21	Inf	-Inf	107.66	3	Vertical	176	1.58	-	32.00	7.34	33.79			
PK	5.8528G	60.54	68.20	-7.66	54.75	3	Vertical	176	1.58	-	32.11	7.45	33.77			

5.47-5.725GHz_bn80,BF_80MHz_Nss2,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Y_4TX
Setting 88
06-U-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7148G	107.33	Inf	-Inf	101.76	3	Horizontal	142	1.80	-	32.00	7.35	33.78			
AV	5.6964G	98.28	Inf	-Inf	92.75	3	Horizontal	142	1.80	-	31.98	7.34	33.79			
PK	5.8848G	59.86	68.20	-8.34	53.95	3	Horizontal	142	1.80	-	32.17	7.50	33.76			

5.47-5.725GHz_bn80,BF_80MHz_Nss2,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_V_4TX
Setting 88
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.38202G	51.00	74.00	-23.00	63.38	3	Vertical	114	1.34	-	39.24	14.68	66.30			
AV	11.38132G	37.79	54.00	-16.21	50.17	3	Vertical	114	1.34	-	39.24	14.68	66.30			

5.47-5.725GHz_bn80,BF_80MHz_Nss2,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_V_4TX
Setting 88
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.3773G	50.59	74.00	-23.41	62.96	3	Horizontal	0	1.74	-	39.25	14.68	66.30			
AV	11.38418G	37.79	54.00	-16.21	50.18	3	Horizontal	0	1.74	-	39.23	14.68	66.30			

5.725-5.85GHz_802.11bn_UHR80-BF_(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
Setting 89
04-W-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6395G	66.78	68.20	-1.42	69.91	3	Vertical	180	1.80	-	31.76	8.74	43.63			
PK	5.7465G	122.92	Inf	-Inf	125.61	3	Vertical	180	1.80	-	32.00	8.85	43.54			
AV	5.7435G	112.57	Inf	-Inf	115.27	3	Vertical	180	1.80	-	32.00	8.85	43.55			
PK	5.9945G	57.98	68.20	-10.22	59.79	3	Vertical	180	1.80	-	32.40	9.13	43.34			

5.725-5.85GHz_802.11bn_UHR80-BF_(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
Setting 89
04-W-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.617G	57.33	68.20	-10.87	60.59	3	Horizontal	143	1.80	-	31.67	8.72	43.65			
PK	5.742G	110.02	Inf	-Inf	112.72	3	Horizontal	143	1.80	-	32.00	8.85	43.55			
AV	5.7415G	100.66	Inf	-Inf	103.36	3	Horizontal	143	1.80	-	32.00	8.85	43.55			
PK	5.953G	57.67	68.20	-10.53	59.56	3	Horizontal	143	1.80	-	32.40	9.09	43.38			

5.725-5.85GHz_bn80,BF_80MHz_Nss2,(MCS0)_4TX

5775MHz_TX




EUT_V_4TX
Setting 89
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.54713G	48.64	74.00	-25.36	61.33	3	Vertical	47	1.08	-	38.91	14.77	66.37			
AV	11.55494G	35.64	54.00	-18.36	48.36	3	Vertical	47	1.08	-	38.87	14.78	66.37			

5.725-5.85GHz_bn80,BF_80MHz_Nss2,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
Setting 89
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.5504G	48.12	74.00	-25.88	60.82	3	Horizontal	346	1.13	-	38.90	14.77	66.37			
AV	11.55161G	35.64	54.00	-18.36	48.35	3	Horizontal	346	1.13	-	38.89	14.77	66.37			

5.25-5.35GHz_bn160,BF_160MHz_Nss2,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 81
06-U-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1124G	60.69	74.00	-13.31	55.76	3	Vertical	176	1.56	-	31.75	6.89	33.71			
AV	5.15G	50.06	54.00	-3.94	44.97	3	Vertical	176	1.56	-	31.90	6.91	33.72			
PK	5.2732G	111.13	Inf	-Inf	106.67	3	Vertical	176	1.56	-	31.25	6.96	33.75			
AV	5.202G	111.48	Inf	-Inf	106.69	3	Vertical	176	1.56	-	31.59	6.93	33.73			
PK	5.3524G	62.43	74.00	-11.57	57.91	3	Vertical	176	1.56	-	31.30	6.99	33.77			
AV	5.35G	52.42	54.00	-1.58	47.90	3	Vertical	176	1.56	-	31.30	6.99	33.77			
PK	5.4612G	58.53	68.20	-9.67	53.68	3	Vertical	176	1.56	-	31.54	7.11	33.80			

5.25-5.35GHz_bn160,BF_160MHz_Nss2,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 81
06-U-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1492G	58.34	74.00	-15.66	53.25	3	Horizontal	311	2.32	-	31.90	6.91	33.72			
AV	5.15G	46.49	54.00	-7.51	41.40	3	Horizontal	311	2.32	-	31.90	6.91	33.72			
PK	5.278G	103.69	Inf	-Inf	99.24	3	Horizontal	311	2.32	-	31.24	6.96	33.75			
AV	5.2756G	91.82	Inf	-Inf	87.36	3	Horizontal	311	2.32	-	31.25	6.96	33.75			
PK	5.3596G	57.65	74.00	-16.35	53.11	3	Horizontal	311	2.32	-	31.32	6.99	33.77			
AV	5.35G	47.34	54.00	-6.66	42.82	3	Horizontal	311	2.32	-	31.30	6.99	33.77			
PK	5.6204G	57.57	68.20	-10.63	52.39	3	Horizontal	311	2.32	-	31.64	7.34	33.80			

5.25-5.35GHz_bn160,BF_160MHz_Nss2,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 81
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.75434G	46.82	74.00	-27.18	57.53	3	Vertical	101	2.80	-	37.87	15.37	63.95			
AV	15.75282G	34.07	54.00	-19.93	44.77	3	Vertical	101	2.80	-	37.88	15.37	63.95			

5.25-5.35GHz_bn160,BF_160MHz_Nss2,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_V_4TX
Setting 81
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.75326G	46.20	74.00	-27.80	56.91	3	Horizontal	223	1.38	-	37.87	15.37	63.95			
AV	15.75217G	34.10	54.00	-19.90	44.80	3	Horizontal	223	1.38	-	37.88	15.37	63.95			

5.47-5.725GHz_bn160,BF_160MHz_Nss2,(MCS0)_4TX


5570MHz_TX


EUT_Y_4TX
Setting 83
06-U-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2972G	59.45	68.20	-8.75	55.03	3	Vertical	229.8	1.80	-	31.21	6.97	33.76			
AV	5.35G	46.84	54.00	-7.16	42.32	3	Vertical	229.8	1.80	-	31.30	6.99	33.77			
PK	5.454G	64.52	74.00	-9.48	59.70	3	Vertical	229.8	1.80	-	31.52	7.10	33.80			
AV	5.4572G	52.04	54.00	-1.96	47.21	3	Vertical	229.8	1.80	-	31.53	7.10	33.80			
PK	5.4684G	63.66	68.20	-4.54	58.77	3	Vertical	229.8	1.80	-	31.57	7.12	33.80			
PK	5.5932G	109.17	Inf	-Inf	104.03	3	Vertical	229.8	1.80	-	31.61	7.33	33.80			
AV	5.5636G	109.72	Inf	-Inf	104.57	3	Vertical	229.8	1.80	-	31.67	7.28	33.80			
PK	5.7268G	61.43	68.20	-6.77	55.86	3	Vertical	229.8	1.80	-	32.00	7.35	33.78			

5.47-5.725GHz_bn160,BF_160MHz_Nss2,(MCS0)_4TX

5570MHz_TX




EUT_V_4TX
Setting 83
06-U-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2356G	58.06	68.20	-10.14	53.47	3	Horizontal	97.1	1.80	-	31.39	6.94	33.74			
PK	5.426G	59.00	74.00	-15.00	54.29	3	Horizontal	97.1	1.80	-	31.45	7.05	33.79			
AV	5.35G	45.04	54.00	-8.96	40.52	3	Horizontal	97.1	1.80	-	31.30	6.99	33.77			
PK	5.4676G	59.71	68.20	-8.49	54.82	3	Horizontal	97.1	1.80	-	31.57	7.12	33.80			
AV	5.4596G	48.46	54.00	-5.54	43.61	3	Horizontal	97.1	1.80	-	31.54	7.11	33.80			
PK	5.5828G	104.35	Inf	-Inf	99.21	3	Horizontal	97.1	1.80	-	31.63	7.31	33.80			
AV	5.5652G	98.52	Inf	-Inf	93.37	3	Horizontal	97.1	1.80	-	31.67	7.28	33.80			
PK	5.9292G	58.51	68.20	-9.69	52.43	3	Horizontal	97.1	1.80	-	32.26	7.58	33.76			

5.47-5.725GHz_bn160,BF_160MHz_Nss2,(MCS0)_4TX

5570MHz_TX




EUT_V_4TX
Setting 83
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14166G	47.87	74.00	-26.13	60.67	3	Vertical	260	2.44	-	38.88	14.55	66.23			
AV	11.1393G	35.18	54.00	-18.82	47.97	3	Vertical	260	2.44	-	38.88	14.55	66.22			

5.47-5.725GHz_bn160,BF_160MHz_Nss2,(MCS0)_4TX

5570MHz_TX


EUT_Y_4TX
Setting 83
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.13942G	47.57	74.00	-26.43	60.36	3	Horizontal	338	1.45	-	38.88	14.55	66.22				
AV	11.13697G	35.13	54.00	-18.87	47.93	3	Horizontal	338	1.45	-	38.87	14.55	66.22				




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11bn UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX	Pass	AV	5.3524G	53.88	54.00	-0.12	3	Vertical	355	1.80	-

5.15-5.25GHz_802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




EUT Y_4TX
Setting 78
04-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.149G	65.64	74.00	-8.36	69.12	3	Vertical	10	1.80	-	32.09	8.28	43.85			
AV	5.1485G	53.81	54.00	-0.19	57.29	3	Vertical	10	1.80	-	32.09	8.28	43.85			
PK	5.1935G	114.38	Inf	-Inf	118.08	3	Vertical	10	1.80	-	31.84	8.30	43.84			
AV	5.194G	103.13	Inf	-Inf	106.83	3	Vertical	10	1.80	-	31.84	8.30	43.84			
PK	5.359G	56.07	74.00	-17.93	60.07	3	Vertical	10	1.80	-	31.40	8.39	43.79			
AV	5.3585G	43.62	54.00	-10.38	47.62	3	Vertical	10	1.80	-	31.40	8.39	43.79			

5.15-5.25GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




EUT_Y_4TX
Setting 78
04-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.145G	61.68	74.00	-12.32	65.18	3	Horizontal	215.2	1.80	-	32.07	8.28	43.85			
AV	5.15G	49.60	54.00	-4.40	53.06	3	Horizontal	215.2	1.80	-	32.10	8.29	43.85			
PK	5.1985G	108.83	Inf	-Inf	112.56	3	Horizontal	215.2	1.80	-	31.81	8.30	43.84			
AV	5.1985G	96.36	Inf	-Inf	100.09	3	Horizontal	215.2	1.80	-	31.81	8.30	43.84			
PK	5.413G	54.93	74.00	-19.07	58.80	3	Horizontal	215.2	1.80	-	31.48	8.42	43.77			
AV	5.45G	42.22	54.00	-11.78	45.83	3	Horizontal	215.2	1.80	-	31.70	8.45	43.76			

5.15-5.25GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




EUT_Y_4TX
Setting 78
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.62902G	59.33	74.00	-14.67	48.99	3	Vertical	352	2.03	-	37.61	15.84	43.11			
AV	15.63099G	44.81	54.00	-9.19	34.49	3	Vertical	352	2.03	-	37.59	15.84	43.11			

5.15-5.25GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




EUT_Y_4TX
Setting 78
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.63085G	59.54	74.00	-14.46	49.22	3	Horizontal	22	1.36	-	37.59	15.84	43.11			
AV	15.63079G	44.86	54.00	-9.14	34.54	3	Horizontal	22	1.36	-	37.59	15.84	43.11			

5.25-5.35GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

5290MHz_TX




EUT_V_4TX
Setting 72
04-C-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1325G	57.32	74.00	-16.68	60.90	3	Vertical	293.8	1.80	-	32.00	8.28	43.86				
AV	5.1445G	44.84	54.00	-9.16	48.34	3	Vertical	293.8	1.80	-	32.07	8.28	43.85				
PK	5.294G	113.72	Inf	-Inf	117.86	3	Vertical	293.8	1.80	-	31.32	8.35	43.81				
AV	5.304G	102.12	Inf	-Inf	106.25	3	Vertical	293.8	1.80	-	31.31	8.36	43.80				
PK	5.354G	65.51	74.00	-8.49	69.52	3	Vertical	293.8	1.80	-	31.40	8.38	43.79				
AV	5.354G	53.76	54.00	-0.24	57.77	3	Vertical	293.8	1.80	-	31.40	8.38	43.79				
PK	5.465G	57.74	68.20	-10.46	61.30	3	Vertical	293.8	1.80	-	31.73	8.46	43.75				

5.25-5.35GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

5290MHz_TX




EUT_V_4TX
Setting 72
04-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	55.45	74.00	-18.55	58.93	3	Horizontal	208	1.80	-	32.09	8.28	43.85
AV	5.14G	42.52	54.00	-11.48	46.06	3	Horizontal	208	1.80	-	32.04	8.28	43.86
PK	5.299G	105.07	Inf	-Inf	109.22	3	Horizontal	208	1.80	-	31.30	8.35	43.80
AV	5.3035G	93.45	Inf	-Inf	97.58	3	Horizontal	208	1.80	-	31.31	8.36	43.80
PK	5.3505G	58.05	74.00	-15.95	62.06	3	Horizontal	208	1.80	-	31.40	8.38	43.79
AV	5.3535G	45.99	54.00	-8.01	50.00	3	Horizontal	208	1.80	-	31.40	8.38	43.79
PK	5.509G	56.10	68.20	-12.10	59.56	3	Horizontal	208	1.80	-	31.78	8.49	43.73

5.25-5.35GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

5290MHz_TX




EUT Y_4TX
Setting 72
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.86975G	58.41	74.00	-15.59	48.17	3	Vertical	216	1.82	-	37.54	15.89	43.19			
AV	15.87057G	44.12	54.00	-9.88	33.88	3	Vertical	216	1.82	-	37.54	15.89	43.19			

5.25-5.35GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

5290MHz_TX




EUT Y_4TX
Setting 72
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.86999G	57.60	74.00	-16.40	47.36	3	Horizontal	209	1.01	-	37.54	15.89	43.19			
AV	15.87005G	44.12	54.00	-9.88	33.88	3	Horizontal	209	1.01	-	37.54	15.89	43.19			

5.47-5.725GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5530MHz_TX

EUT_Y_4TX
Setting 74
04-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.334G	56.54	68.20	-11.66	60.59	3	Vertical	349	1.80	-	31.37	8.37	43.79			
PK	5.458G	66.04	74.00	-7.96	69.62	3	Vertical	349	1.80	-	31.72	8.45	43.75			
AV	5.4575G	53.78	54.00	-0.22	57.37	3	Vertical	349	1.80	-	31.71	8.45	43.75			
PK	5.4675G	67.26	68.20	-0.94	70.82	3	Vertical	349	1.80	-	31.73	8.46	43.75			
PK	5.5125G	114.39	Inf	-Inf	117.86	3	Vertical	349	1.80	-	31.77	8.49	43.73			
AV	5.5175G	102.40	Inf	-Inf	105.86	3	Vertical	349	1.80	-	31.77	8.50	43.73			
PK	5.729G	57.03	68.20	-11.17	59.99	3	Vertical	349	1.80	-	32.00	8.60	43.56			

5.47-5.725GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5530MHz_TX

EUT_Y_4TX
Setting 74
04-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3095G	54.35	68.20	-13.85	58.47	3	Horizontal	119	1.80	-	31.32	8.36	43.80			
PK	5.456G	58.16	74.00	-15.84	61.75	3	Horizontal	119	1.80	-	31.71	8.45	43.75			
AV	5.4565G	45.95	54.00	-8.05	49.54	3	Horizontal	119	1.80	-	31.71	8.45	43.75			
PK	5.462G	58.81	68.20	-9.39	62.38	3	Horizontal	119	1.80	-	31.72	8.46	43.75			
PK	5.5515G	106.19	Inf	-Inf	109.67	3	Horizontal	119	1.80	-	31.70	8.52	43.70			
AV	5.5515G	95.63	Inf	-Inf	99.11	3	Horizontal	119	1.80	-	31.70	8.52	43.70			
PK	5.776G	55.98	68.20	-12.22	58.84	3	Horizontal	119	1.80	-	32.05	8.61	43.52			

5.47-5.725GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5530MHz_TX




EUT_Y_4TX
Setting 74
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	16.58991G	61.28	68.20	-6.92	49.19	3	Vertical	281	2.10	-	38.92	16.04	42.87				

5.47-5.725GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5530MHz_TX




EUT Y_4TX
Setting 74
04-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	16.59063G	60.87	68.20	-7.33	48.78	3	Horizontal	294	1.68	-	38.92	16.04	42.87			

5.47-5.725GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX


5610MHz_TX

EUT Y_4TX
Setting 82
04-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4525G	61.40	74.00	-12.60	65.00	3	Vertical	352	1.79	-	31.71	8.45	43.76
AV	5.4575G	48.41	54.00	-5.59	52.00	3	Vertical	352	1.79	-	31.71	8.45	43.75
PK	5.4655G	65.09	68.20	-3.11	68.65	3	Vertical	352	1.79	-	31.73	8.46	43.75
PK	5.6225G	118.07	Inf	-Inf	121.45	3	Vertical	352	1.79	-	31.69	8.57	43.64
AV	5.6225G	105.55	Inf	-Inf	108.93	3	Vertical	352	1.79	-	31.69	8.57	43.64
PK	5.748G	67.97	68.20	-0.23	70.91	3	Vertical	352	1.79	-	32.00	8.60	43.54

5.47-5.725GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX


5610MHz_TX

EUT Y_4TX
Setting 82
04-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4565G	57.25	74.00	-16.75	60.84	3	Horizontal	121	1.80	-	31.71	8.45	43.75
AV	5.456G	43.71	54.00	-10.29	47.30	3	Horizontal	121	1.80	-	31.71	8.45	43.75
PK	5.467G	57.67	68.20	-10.53	61.23	3	Horizontal	121	1.80	-	31.73	8.46	43.75
PK	5.616G	110.72	Inf	-Inf	114.15	3	Horizontal	121	1.80	-	31.66	8.56	43.65
AV	5.6265G	98.16	Inf	-Inf	101.52	3	Horizontal	121	1.80	-	31.71	8.57	43.64
PK	5.7325G	62.68	68.20	-5.52	65.63	3	Horizontal	121	1.80	-	32.00	8.60	43.55

5.47-5.725GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

5610MHz_TX




EUT Y_4TX
Setting 82
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.22061G	57.86	74.00	-16.14	48.63	3	Vertical	305	1.77	-	39.56	12.99	43.32			
AV	11.21965G	43.30	54.00	-10.70	34.07	3	Vertical	305	1.77	-	39.56	12.99	43.32			

5.47-5.725GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

5610MHz_TX




EUT Y_4TX
Setting 82
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.22083G	57.37	74.00	-16.63	48.14	3	Horizontal	323	2.82	-	39.56	12.99	43.32			
AV	11.21942G	43.31	54.00	-10.69	34.08	3	Horizontal	323	2.82	-	39.56	12.99	43.32			

5.47-5.725GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 96
04-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.451G	61.47	74.00	-12.53	65.08	3	Vertical	176	1.80	-	31.70	8.45	43.76
AV	5.45G	47.27	54.00	-6.73	50.88	3	Vertical	176	1.80	-	31.70	8.45	43.76
PK	5.4605G	62.04	68.20	-6.16	65.61	3	Vertical	176	1.80	-	31.72	8.46	43.75
PK	5.7155G	119.26	Inf	-Inf	122.24	3	Vertical	176	1.80	-	32.00	8.59	43.57
AV	5.68G	107.49	Inf	-Inf	110.59	3	Vertical	176	1.80	-	31.92	8.58	43.60
PK	5.8515G	67.96	68.20	-0.24	70.48	3	Vertical	176	1.80	-	32.21	8.73	43.46

5.47-5.725GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 96
04-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.453G	55.37	74.00	-18.63	58.97	3	Horizontal	125	1.80	-	31.71	8.45	43.76
AV	5.456G	42.61	54.00	-11.39	46.20	3	Horizontal	125	1.80	-	31.71	8.45	43.75
PK	5.4635G	55.81	68.20	-12.39	59.37	3	Horizontal	125	1.80	-	31.73	8.46	43.75
PK	5.7165G	112.76	Inf	-Inf	115.74	3	Horizontal	125	1.80	-	32.00	8.59	43.57
AV	5.7115G	100.30	Inf	-Inf	103.28	3	Horizontal	125	1.80	-	32.00	8.59	43.57
PK	5.8525G	57.36	68.20	-10.84	59.87	3	Horizontal	125	1.80	-	32.21	8.74	43.46

5.47-5.725GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT Y_4TX
Setting 96
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.38031G	58.83	74.00	-15.17	49.13	3	Vertical	71	1.26	-	39.70	13.11	43.11			
AV	11.3804G	44.35	54.00	-9.65	34.65	3	Vertical	71	1.26	-	39.70	13.11	43.11			

5.47-5.725GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 96
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.38001G	58.67	74.00	-15.33	48.97	3	Horizontal	86	1.28	-	39.70	13.11	43.11			
AV	11.38046G	44.41	54.00	-9.59	34.71	3	Horizontal	86	1.28	-	39.70	13.11	43.11			

5.725-5.85GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX

5775MHz_TX




EUT_Y_4TX
Setting 83
04-C-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.65G	67.77	68.20	-0.43	71.02	3	Vertical	162	1.80	-	31.80	8.57	43.62			
PK	5.7565G	116.94	Inf	-Inf	119.85	3	Vertical	162	1.80	-	32.01	8.61	43.53			
AV	5.7615G	105.81	Inf	-Inf	108.71	3	Vertical	162	1.80	-	32.02	8.61	43.53			
PK	5.9785G	56.12	68.20	-12.08	58.07	3	Vertical	162	1.80	-	32.40	9.01	43.36			

5.725-5.85GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX

5775MHz_TX




EUT_Y_4TX
Setting 83
04-C-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6445G	62.76	68.20	-5.44	66.03	3	Horizontal	162	1.80	-	31.78	8.57	43.62				
PK	5.7595G	111.08	Inf	-Inf	113.98	3	Horizontal	162	1.80	-	32.02	8.61	43.53				
AV	5.759G	99.26	Inf	-Inf	102.16	3	Horizontal	162	1.80	-	32.02	8.61	43.53				
PK	5.952G	56.04	68.20	-12.16	58.07	3	Horizontal	162	1.80	-	32.40	8.95	43.38				

5.725-5.85GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX

5775MHz_TX




EUT Y_4TX
Setting 83
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.54917G	60.20	74.00	-13.80	49.95	3	Vertical	304	2.02	-	40.00	13.24	42.99			
AV	11.55075G	45.11	54.00	-8.89	34.86	3	Vertical	304	2.02	-	40.00	13.24	42.99			

5.725-5.85GHz_802.11bn_UHR80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX


5775MHz_TX

EUT Y_4TX
Setting 83
04-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54916G	59.30	74.00	-14.70	49.05	3	Horizontal	301	2.00	-	40.00	13.24	42.99			
AV	11.55087G	45.10	54.00	-8.90	34.85	3	Horizontal	301	2.00	-	40.00	13.24	42.99			

5.15-5.25GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_V_4TX
Setting 80
04-C-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1476G	62.41	74.00	-11.59	65.89	3	Vertical	355	1.80	-	32.09	8.28	43.85			
AV	5.1476G	50.55	54.00	-3.45	54.03	3	Vertical	355	1.80	-	32.09	8.28	43.85			
PK	5.2524G	113.17	Inf	-Inf	117.17	3	Vertical	355	1.80	-	31.49	8.33	43.82			
AV	5.278G	101.36	Inf	-Inf	105.44	3	Vertical	355	1.80	-	31.39	8.34	43.81			
PK	5.3524G	65.81	74.00	-8.19	69.82	3	Vertical	355	1.80	-	31.40	8.38	43.79			
AV	5.3524G	53.88	54.00	-0.12	57.89	3	Vertical	355	1.80	-	31.40	8.38	43.79			
PK	5.4628G	60.15	68.20	-8.05	63.71	3	Vertical	355	1.80	-	31.73	8.46	43.75			

5.15-5.25GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_V_4TX
Setting 80
04-C-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1492G	57.44	74.00	-16.56	60.91	3	Horizontal	232	1.80	-	32.10	8.28	43.85			
AV	5.1492G	45.37	54.00	-8.63	48.84	3	Horizontal	232	1.80	-	32.10	8.28	43.85			
PK	5.2644G	104.74	Inf	-Inf	108.78	3	Horizontal	232	1.80	-	31.44	8.34	43.82			
AV	5.2596G	93.09	Inf	-Inf	97.12	3	Horizontal	232	1.80	-	31.46	8.33	43.82			
PK	5.35G	59.03	74.00	-14.97	63.04	3	Horizontal	232	1.80	-	31.40	8.38	43.79			
AV	5.35G	48.16	54.00	-5.84	52.17	3	Horizontal	232	1.80	-	31.40	8.38	43.79			
PK	5.4844G	55.82	68.20	-12.38	59.32	3	Horizontal	232	1.80	-	31.77	8.47	43.74			

5.15-5.25GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_4TX
Setting 80
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.74953G	59.83	74.00	-14.17	49.41	3	Vertical	26	1.88	-	37.70	15.87	43.15			
AV	15.75036G	45.51	54.00	-8.49	35.09	3	Vertical	26	1.88	-	37.70	15.87	43.15			

5.15-5.25GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT Y_4TX
Setting 80
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.74957G	59.46	74.00	-14.54	49.04	3	Horizontal	23	2.11	-	37.70	15.87	43.15			
AV	15.75042G	45.52	54.00	-8.48	35.10	3	Horizontal	23	2.11	-	37.70	15.87	43.15			

5.15-5.25GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_4TX
Setting 80
04-C-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.146G	62.10	74.00	-11.90	65.59	3	Vertical	201	1.80	-	32.08	8.28	43.85					
AV	5.146G	50.00	54.00	-4.00	53.49	3	Vertical	201	1.80	-	32.08	8.28	43.85					
PK	5.2716G	113.69	Inf	-Inf	117.75	3	Vertical	201	1.80	-	31.41	8.34	43.81					
AV	5.2764G	101.48	Inf	-Inf	105.56	3	Vertical	201	1.80	-	31.39	8.34	43.81					
PK	5.3564G	65.33	74.00	-8.67	69.33	3	Vertical	201	1.80	-	31.40	8.39	43.79					
AV	5.3516G	53.56	54.00	-0.44	57.57	3	Vertical	201	1.80	-	31.40	8.38	43.79					
PK	5.4668G	59.16	68.20	-9.04	62.72	3	Vertical	201	1.80	-	31.73	8.46	43.75					

5.15-5.25GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_V_4TX
Setting 80
04-C-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1292G	58.48	74.00	-15.52	62.08	3	Horizontal	231	1.80	-	31.98	8.28	43.86			
AV	5.1492G	45.18	54.00	-8.82	48.65	3	Horizontal	231	1.80	-	32.10	8.28	43.85			
PK	5.2748G	104.83	Inf	-Inf	108.90	3	Horizontal	231	1.80	-	31.40	8.34	43.81			
AV	5.254G	93.53	Inf	-Inf	97.54	3	Horizontal	231	1.80	-	31.48	8.33	43.82			
PK	5.35G	60.41	74.00	-13.59	64.42	3	Horizontal	231	1.80	-	31.40	8.38	43.79			
AV	5.35G	47.97	54.00	-6.03	51.98	3	Horizontal	231	1.80	-	31.40	8.38	43.79			
PK	5.4788G	56.70	68.20	-11.50	60.22	3	Horizontal	231	1.80	-	31.76	8.47	43.75			

5.15-5.25GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT Y_4TX
Setting 80
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.74932G	60.00	74.00	-14.00	49.58	3	Vertical	279	1.71	-	37.70	15.87	43.15			
AV	15.749G	45.64	54.00	-8.36	35.22	3	Vertical	279	1.71	-	37.70	15.87	43.15			

5.15-5.25GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT Y_4TX
Setting 80
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.75004G	60.02	74.00	-13.98	49.60	3	Horizontal	357	2.75	-	37.70	15.87	43.15			
AV	15.74907G	45.66	54.00	-8.34	35.24	3	Horizontal	357	2.75	-	37.70	15.87	43.15			

5.47-5.725GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX

5570MHz_TX




EUT_Y_4TX
Setting 76
04-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3004G	57.53	68.20	-10.67	61.67	3	Vertical	177	1.80	-	31.30	8.36	43.80
PK	5.4452G	64.93	74.00	-9.07	68.58	3	Vertical	177	1.80	-	31.67	8.44	43.76
PK	5.47G	66.98	68.20	-1.22	70.53	3	Vertical	177	1.80	-	31.74	8.46	43.75
AV	5.4596G	53.81	54.00	-0.19	57.39	3	Vertical	177	1.80	-	31.72	8.45	43.75
PK	5.5804G	112.20	Inf	-Inf	115.69	3	Vertical	177	1.80	-	31.64	8.55	43.68
AV	5.5956G	99.97	Inf	-Inf	103.46	3	Vertical	177	1.80	-	31.61	8.56	43.66
PK	5.7252G	61.96	68.20	-6.24	64.92	3	Vertical	177	1.80	-	32.00	8.60	43.56

5.47-5.725GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX


5570MHz_TX

EUT_Y_4TX
Setting 76
04-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2252G	55.16	68.20	-13.04	59.03	3	Horizontal	124	1.80	-	31.65	8.31	43.83			
PK	5.4572G	58.90	74.00	-15.10	62.49	3	Horizontal	124	1.80	-	31.71	8.45	43.75			
AV	5.4564G	46.52	54.00	-7.48	50.11	3	Horizontal	124	1.80	-	31.71	8.45	43.75			
PK	5.4612G	59.61	68.20	-8.59	63.18	3	Horizontal	124	1.80	-	31.72	8.46	43.75			
PK	5.586G	105.96	Inf	-Inf	109.45	3	Horizontal	124	1.80	-	31.63	8.55	43.67			
AV	5.5964G	93.31	Inf	-Inf	96.80	3	Horizontal	124	1.80	-	31.61	8.56	43.66			
PK	5.7468G	57.38	68.20	-10.82	60.32	3	Horizontal	124	1.80	-	32.00	8.60	43.54			

5.47-5.725GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX

5570MHz_TX




EUT Y_4TX
Setting 76
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.14075G	58.30	74.00	-15.70	49.17	3	Vertical	275	2.94	-	39.62	12.93	43.42			
AV	11.13905G	43.51	54.00	-10.49	34.38	3	Vertical	275	2.94	-	39.62	12.93	43.42			

5.47-5.725GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX

5570MHz_TX




EUT Y_4TX
Setting 76
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.13958G	58.16	74.00	-15.84	49.03	3	Horizontal	171	1.98	-	39.62	12.93	43.42			
AV	11.14033G	43.52	54.00	-10.48	34.39	3	Horizontal	171	1.98	-	39.62	12.93	43.42			

5.47-5.725GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


5570MHz_TX

EUT_Y_4TX
Setting 77
04-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3476G	58.15	68.20	-10.05	62.16	3	Vertical	354	1.55	-	31.40	8.38	43.79
PK	5.4372G	66.99	74.00	-7.01	70.69	3	Vertical	354	1.55	-	31.62	8.44	43.76
AV	5.4428G	53.86	54.00	-0.14	57.52	3	Vertical	354	1.55	-	31.66	8.44	43.76
PK	5.4676G	65.17	68.20	-3.03	68.72	3	Vertical	354	1.55	-	31.74	8.46	43.75
PK	5.5924G	114.30	Inf	-Inf	117.80	3	Vertical	354	1.55	-	31.62	8.55	43.67
AV	5.5924G	102.49	Inf	-Inf	105.99	3	Vertical	354	1.55	-	31.62	8.55	43.67
PK	5.7332G	65.28	68.20	-2.92	68.23	3	Vertical	354	1.55	-	32.00	8.60	43.55

5.47-5.725GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


5570MHz_TX

EUT_Y_4TX
Setting 77
04-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2332G	55.03	68.20	-13.17	58.94	3	Horizontal	120	1.80	-	31.60	8.32	43.83			
PK	5.4412G	58.70	74.00	-15.30	62.37	3	Horizontal	120	1.80	-	31.65	8.44	43.76			
AV	5.446G	46.49	54.00	-7.51	50.13	3	Horizontal	120	1.80	-	31.68	8.44	43.76			
PK	5.4612G	58.49	68.20	-9.71	62.06	3	Horizontal	120	1.80	-	31.72	8.46	43.75			
PK	5.5916G	106.45	Inf	-Inf	109.95	3	Horizontal	120	1.80	-	31.62	8.55	43.67			
AV	5.5964G	94.23	Inf	-Inf	97.72	3	Horizontal	120	1.80	-	31.61	8.56	43.66			
PK	5.7364G	60.43	68.20	-7.77	63.38	3	Horizontal	120	1.80	-	32.00	8.60	43.55			

5.47-5.725GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5570MHz_TX




EUT Y_4TX
Setting 77
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.13991G	58.69	74.00	-15.31	49.56	3	Vertical	307	2.10	-	39.62	12.93	43.42			
AV	11.13976G	44.29	54.00	-9.71	35.16	3	Vertical	307	2.10	-	39.62	12.93	43.42			

5.47-5.725GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5570MHz_TX

EUT Y_4TX
Setting 77
04-C-S-5


Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.14002G	59.15	74.00	-14.85	50.02	3	Horizontal	253	2.80	-	39.62	12.93	43.42			
AV	11.13932G	44.24	54.00	-9.76	35.11	3	Horizontal	253	2.80	-	39.62	12.93	43.42			



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	8.07339G	49.79	54.00	-4.21	Vertical


Radiated Emissions above 1GHz_Mode 1



EUT Y
Power AC120V/60Hz
06-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
PK	1.75942G	37.36	74.00	-36.64	-3.81	3	Vertical	240	1.84	-	41.17	25.20	3.96	32.97		
AV	1.76109G	24.09	54.00	-29.91	-3.82	3	Vertical	240	1.84	-	27.91	25.19	3.96	32.97		
PK	3.37519G	62.71	74.00	-11.29	0.55	3	Vertical	172	1.96	-	62.16	28.25	5.76	33.46		
AV	3.37664G	49.49	54.00	-4.51	0.56	3	Vertical	172	1.96	-	48.93	28.25	5.77	33.46		
PK	8.07342G	56.66	74.00	-17.34	12.66	3	Vertical	163	1.36	-	44.00	37.30	9.02	33.66		
AV	8.07339G	49.79	54.00	-4.21	12.66	3	Vertical	163	1.36	"Worst"	37.13	37.30	9.02	33.66		

Radiated Emissions above 1GHz_Mode 1



EUT Y
Power AC120V/60Hz
06-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
PK	1.75927G	34.25	74.00	-39.75	-3.81	3	Horizontal	285	1.89	-	38.06	25.20	3.96	32.97		
AV	1.76145G	23.96	54.00	-30.04	-3.82	3	Horizontal	285	1.89	-	27.78	25.19	3.96	32.97		
PK	3.37754G	58.91	74.00	-15.09	0.55	3	Horizontal	201	1.75	-	58.36	28.24	5.77	33.46		
AV	3.37578G	45.52	54.00	-8.48	0.56	3	Horizontal	201	1.75	-	44.96	28.25	5.77	33.46		
PK	8.07342G	55.77	74.00	-18.23	12.66	3	Horizontal	304	1.12	-	43.11	37.30	9.02	33.66		
AV	8.07338G	47.87	54.00	-6.13	12.66	3	Horizontal	304	1.12	"Worst"	35.21	37.30	9.02	33.66		