


5.925-6.425GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
Setting 70
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4496G	47.08	74.00	-26.92	38.06	3	Horizontal	183	2.10	-	38.50	14.01	43.49			
AV	12.451G	33.99	54.00	-20.01	24.97	3	Horizontal	183	2.10	-	38.50	14.01	43.49			

5.925-6.425GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
Setting 70
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.7706G	47.13	88.20	-41.07	37.37	3	Vertical	2	1.46	-	38.94	14.32	43.50			
RMS	12.77034G	33.81	68.20	-34.39	24.05	3	Vertical	2	1.46	-	38.94	14.32	43.50			

5.925-6.425GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
Setting 70
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77062G	47.39	88.20	-40.81	37.63	3	Horizontal	28	1.23	-	38.94	14.32	43.50			
RMS	12.77086G	33.87	68.20	-34.33	24.11	3	Horizontal	28	1.23	-	38.94	14.32	43.50			

6.425-6.525GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX

6465MHz_TX




EUT_Y_4TX
Setting 66
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.93062G	48.22	88.20	-39.98	38.08	3	Vertical	232	1.55	-	39.16	14.47	43.49			
RMS	12.92956G	34.51	68.20	-33.69	24.37	3	Vertical	232	1.55	-	39.16	14.47	43.49			

6.425-6.525GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX

6465MHz_TX




EUT_Y_4TX
Setting 66
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.931G	48.26	88.20	-39.94	38.12	3	Horizontal	74	1.66	-	39.16	14.47	43.49			
RMS	12.92954G	34.46	68.20	-33.74	24.32	3	Horizontal	74	1.66	-	39.16	14.47	43.49			

6.425-6.525GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX

6545MHz_TX




EUT Y_4TX
Setting 64
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.09064G	48.11	88.20	-40.09	38.08	3	Vertical	323	2.86	-	38.90	14.63	43.50			
RMS	13.089G	34.24	68.20	-33.96	24.21	3	Vertical	323	2.86	-	38.90	14.63	43.50			

6.425-6.525GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX

6545MHz_TX




EUT_Y_4TX
Setting 64
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.09002G	47.98	88.20	-40.22	37.95	3	Horizontal	246	1.75	-	38.90	14.63	43.50			
RMS	13.09034G	34.21	68.20	-33.99	24.18	3	Horizontal	246	1.75	-	38.90	14.63	43.50			

6.525-6.875GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 64
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.24922G	48.06	88.20	-40.14	37.58	3	Vertical	205	2.63	-	39.20	14.78	43.50			
AV	13.25059G	34.67	54.00	-19.33	24.20	3	Vertical	205	2.63	-	39.20	14.78	43.51			

6.525-6.875GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 64
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.24937G	48.03	88.20	-40.17	37.55	3	Horizontal	57	2.26	-	39.20	14.78	43.50			
AV	13.25036G	34.56	54.00	-19.44	24.09	3	Horizontal	57	2.26	-	39.20	14.78	43.51			

6.525-6.875GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 66
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41005G	49.04	88.20	-39.16	38.05	3	Vertical	115	2.64	-	39.56	14.94	43.51			
RMS	13.411G	35.55	68.20	-32.65	24.55	3	Vertical	115	2.64	-	39.57	14.94	43.51			

6.525-6.875GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 66
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40938G	50.17	88.20	-38.03	39.18	3	Horizontal	115	1.17	-	39.56	14.94	43.51			
RMS	13.41013G	35.58	68.20	-32.62	24.59	3	Horizontal	115	1.17	-	39.56	14.94	43.51			

6.525-6.875GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX


6785MHz_TX

EUT_Y_4TX
Setting 67
04-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.57066G	49.79	88.20	-38.41	38.13	3	Vertical	350	1.83	-	40.12	15.09	43.55			
RMS	13.56994G	35.81	68.20	-32.39	24.15	3	Vertical	350	1.83	-	40.12	15.09	43.55			

6.525-6.875GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
Setting 67
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57038G	49.89	88.20	-38.31	38.23	3	Horizontal	250	1.44	-	40.12	15.09	43.55			
RMS	13.57061G	35.83	68.20	-32.37	24.17	3	Horizontal	250	1.44	-	40.12	15.09	43.55			

6.525-6.875GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX

6865MHz_TX




EUT Y_4TX
Setting 68
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.72911G	52.71	88.20	-35.49	40.98	3	Vertical	238	2.38	-	40.08	15.25	43.60			
RMS	13.73028G	38.93	68.20	-29.27	27.20	3	Vertical	238	2.38	-	40.08	15.25	43.60			

6.525-6.875GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX

6865MHz_TX




EUT Y_4TX
Setting 68
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.73013G	52.43	88.20	-35.77	40.70	3	Horizontal	3	2.20	-	40.08	15.25	43.60			
RMS	13.73034G	38.81	68.20	-29.39	27.08	3	Horizontal	3	2.20	-	40.08	15.25	43.60			

6.875-7.125GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX

6945MHz_TX




EUT Y_4TX
Setting 73
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.88964G	53.04	88.20	-35.16	40.96	3	Vertical	49	1.71	-	40.34	15.40	43.66			
RMS	13.88965G	39.36	68.20	-28.84	27.28	3	Vertical	49	1.71	-	40.34	15.40	43.66			

6.875-7.125GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX

6945MHz_TX




EUT_V_4TX
Setting 73
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.89071G	52.87	88.20	-35.33	40.79	3	Horizontal	258	1.84	-	40.34	15.40	43.66			
RMS	13.89066G	39.34	68.20	-28.86	27.26	3	Horizontal	258	1.84	-	40.34	15.40	43.66			

6.875-7.125GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 92
04-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0186G	113.67	Inf	-Inf	111.42	3	Vertical	204	1.80	-	35.17	9.92	42.84			
RMS	7.021G	104.42	Inf	-Inf	102.15	3	Vertical	204	1.80	-	35.18	9.93	42.84			
PK	7.125G	77.69	88.20	-10.51	74.65	3	Vertical	204	1.80	-	35.70	10.11	42.77			
RMS	7.125G	66.68	68.20	-1.52	63.64	3	Vertical	204	1.80	-	35.70	10.11	42.77			

6.875-7.125GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 92
04-C-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0194G	112.67	Inf	-Inf	110.41	3	Horizontal	357	3.00	-	35.18	9.92	42.84			
RMS	6.9982G	102.59	Inf	-Inf	100.46	3	Horizontal	357	3.00	-	35.09	9.89	42.85			
PK	7.1282G	76.23	88.20	-11.97	73.18	3	Horizontal	357	3.00	-	35.71	10.11	42.77			
RMS	7.125G	65.36	68.20	-2.84	62.32	3	Horizontal	357	3.00	-	35.70	10.11	42.77			

6.875-7.125GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX


7025MHz_TX

EUT Y_4TX
Setting 72
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.04976G	53.67	88.20	-34.53	40.93	3	Vertical	132	1.40	-	40.90	15.52	43.68			
RMS	14.04955G	40.33	68.20	-27.87	27.59	3	Vertical	132	1.40	-	40.90	15.52	43.68			

6.875-7.125GHz_802.11bn UHR80-BF_Nss2,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 72
04-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.04963G	54.65	88.20	-33.55	41.91	3	Horizontal	293	3.00	-	40.90	15.52	43.68			
RMS	14.05046G	40.27	68.20	-27.93	27.53	3	Horizontal	293	3.00	-	40.90	15.52	43.68			

5.925-6.425GHz_802.11bn UHR160-BF_Nss2,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 83
04-C-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9194G	78.57	88.20	-9.63	80.69	3	Vertical	9	1.80	-	32.40	8.88	43.40				
RMS	5.925G	66.51	68.20	-1.69	68.62	3	Vertical	9	1.80	-	32.40	8.89	43.40				
PK	5.969G	110.07	Inf	-Inf	112.04	3	Vertical	9	1.80	-	32.40	8.99	43.36				
RMS	6.0514G	101.71	Inf	-Inf	103.41	3	Vertical	9	1.80	-	32.50	9.11	43.31				

5.925-6.425GHz_802.11bn UHR160-BF_Nss2,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 83
04-C-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.921G	72.70	88.20	-15.50	74.81	3	Horizontal	130	2.70	-	32.40	8.89	43.40			
RMS	5.925G	61.92	68.20	-6.28	64.03	3	Horizontal	130	2.70	-	32.40	8.89	43.40			
PK	6.0586G	107.15	Inf	-Inf	108.84	3	Horizontal	130	2.70	-	32.50	9.12	43.31			
RMS	6.0482G	97.52	Inf	-Inf	99.22	3	Horizontal	130	2.70	-	32.50	9.11	43.31			

5.925-6.425GHz_802.11bn UHR160-BF_Nss2,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
Setting 78
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05008G	47.90	74.00	-26.10	38.40	3	Vertical	176	2.75	-	39.20	13.62	43.32			
AV	12.04943G	33.96	54.00	-20.04	24.46	3	Vertical	176	2.75	-	39.20	13.62	43.32			

5.925-6.425GHz_802.11bn UHR160-BF_Nss2,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
Setting 78
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04911G	47.65	74.00	-26.35	38.16	3	Horizontal	12	2.38	-	39.19	13.62	43.32			
AV	12.05084G	34.04	54.00	-19.96	24.54	3	Horizontal	12	2.38	-	39.20	13.62	43.32			

5.925-6.425GHz_802.11bn UHR160-BF_Nss2,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX
Setting 74
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.37064G	46.68	74.00	-27.32	37.35	3	Vertical	287	2.99	-	38.86	13.93	43.46			
AV	12.36993G	33.10	54.00	-20.90	23.77	3	Vertical	287	2.99	-	38.86	13.93	43.46			

5.925-6.425GHz_802.11bn UHR160-BF_Nss2,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX
Setting 74
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.36907G	46.77	74.00	-27.23	37.44	3	Horizontal	275	1.17	-	38.86	13.93	43.46			
AV	12.36969G	33.07	54.00	-20.93	23.74	3	Horizontal	275	1.17	-	38.86	13.93	43.46			

5.925-6.425GHz_802.11bn UHR160-BF_Nss2,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 78
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68993G	47.18	74.00	-26.82	37.68	3	Vertical	350	1.68	-	38.76	14.24	43.50			
AV	12.68981G	33.52	54.00	-20.48	24.02	3	Vertical	350	1.68	-	38.76	14.24	43.50			

5.925-6.425GHz_802.11bn UHR160-BF_Nss2,(MCS0)_4TX

6345MHz_TX




EUT_V_4TX
Setting 78
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68905G	47.22	74.00	-26.78	37.72	3	Horizontal	21	2.44	-	38.76	14.24	43.50			
AV	12.69001G	33.25	54.00	-20.75	23.75	3	Horizontal	21	2.44	-	38.76	14.24	43.50			

6.425-6.525GHz_802.11bn UHR160-BF_Nss2,(MCS0)_4TX

6505MHz_TX




EUT_Y_4TX
Setting 76
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.01053G	47.72	88.20	-40.48	37.60	3	Vertical	115	2.00	-	39.06	14.55	43.49			
RMS	13.01085G	34.18	68.20	-34.02	24.06	3	Vertical	115	2.00	-	39.06	14.55	43.49			

6.425-6.525GHz_802.11bn UHR160-BF_Nss2,(MCS0)_4TX

6505MHz_TX




EUT_Y_4TX
Setting 76
04-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.00926G	47.93	88.20	-40.27	37.81	3	Horizontal	260	2.73	-	39.06	14.55	43.49			
RMS	13.01068G	34.25	68.20	-33.95	24.13	3	Horizontal	260	2.73	-	39.06	14.55	43.49			

6.525-6.875GHz_802.11bn UHR160-BF_Nss2,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
Setting 75
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.32902G	49.52	74.00	-24.48	38.77	3	Vertical	243	2.80	-	39.40	14.86	43.51			
AV	13.33096G	35.15	54.00	-18.85	24.40	3	Vertical	243	2.80	-	39.40	14.86	43.51			

6.525-6.875GHz_802.11bn UHR160-BF_Nss2,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
Setting 75
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3302G	48.64	74.00	-25.36	37.89	3	Horizontal	71	1.93	-	39.40	14.86	43.51			
AV	13.33011G	35.19	54.00	-18.81	24.44	3	Horizontal	71	1.93	-	39.40	14.86	43.51			

6.525-6.875GHz_802.11bn UHR160-BF_Nss2,(MCS0)_4TX

6825MHz_TX




EUT_Y_4TX
Setting 77
04-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.64951G	52.27	88.20	-35.93	40.57	3	Vertical	145	2.18	-	40.10	15.17	43.57			
RMS	13.64958G	38.44	68.20	-29.76	26.74	3	Vertical	145	2.18	-	40.10	15.17	43.57			

6.525-6.875GHz_802.11bn UHR160-BF_Nss2,(MCS0)_4TX

6825MHz_TX




EUT_Y_4TX
Setting 77
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.64979G	51.99	88.20	-36.21	40.29	3	Horizontal	231	2.17	-	40.10	15.17	43.57			
RMS	13.65061G	38.48	68.20	-29.72	26.78	3	Horizontal	231	2.17	-	40.10	15.17	43.57			

6.875-7.125GHz_802.11bn UHR160-BF_Nss2,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 75
04-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.907G	109.33	Inf	-Inf	107.68	3	Vertical	346.6	1.80	-	34.73	9.81	42.89			
RMS	6.9085G	99.86	Inf	-Inf	98.21	3	Vertical	346.6	1.80	-	34.73	9.81	42.89			
PK	7.152G	67.36	88.20	-20.84	64.15	3	Vertical	346.6	1.80	-	35.81	10.16	42.76			
RMS	7.1255G	54.27	68.20	-13.93	51.23	3	Vertical	346.6	1.80	-	35.70	10.11	42.77			

6.875-7.125GHz_802.11bn UHR160-BF_Nss2,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 75
04-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.93G	106.25	Inf	-Inf	104.48	3	Horizontal	217	1.80	-	34.82	9.83	42.88			
RMS	6.957G	97.16	Inf	-Inf	95.25	3	Horizontal	217	1.80	-	34.93	9.85	42.87			
PK	7.13G	65.28	88.20	-22.92	62.21	3	Horizontal	217	1.80	-	35.72	10.12	42.77			
RMS	7.126G	53.13	68.20	-15.07	50.09	3	Horizontal	217	1.80	-	35.70	10.11	42.77			

6.875-7.125GHz_802.11bn UHR160-BF_Nss2,(MCS0)_4TX


6985MHz_TX

EUT_Y_4TX
Setting 75
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97016G	53.55	88.20	-34.65	41.14	3	Vertical	265	2.47	-	40.62	15.48	43.69			
RMS	13.97072G	40.11	68.20	-28.09	27.70	3	Vertical	265	2.47	-	40.62	15.48	43.69			

6.875-7.125GHz_802.11bn UHR160-BF_Nss2,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 75
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.9696G	53.58	88.20	-34.62	41.17	3	Horizontal	238	2.82	-	40.62	15.48	43.69			
RMS	13.96937G	40.06	68.20	-28.14	27.65	3	Horizontal	238	2.82	-	40.62	15.48	43.69			

5.925-6.425GHz_802.11bn UHR320-BF_Nss2,(MCS0)_4TX

6105MHz_TX




EUT_V_2TX
Setting 83
04-C-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9154G	73.30	88.20	-14.90	75.44	3	Vertical	354.5	1.79	-	32.40	8.87	43.41				
RMS	5.9238G	63.87	68.20	-4.33	65.98	3	Vertical	354.5	1.79	-	32.40	8.89	43.40				
PK	6.0786G	107.29	Inf	-Inf	108.96	3	Vertical	354.5	1.79	-	32.50	9.13	43.30				
RMS	6.1326G	99.67	Inf	-Inf	101.18	3	Vertical	354.5	1.79	-	32.57	9.19	43.27				

5.925-6.425GHz_802.11bn UHR320-BF_Nss2,(MCS0)_4TX

6105MHz_TX




EUT_V_2TX
Setting 83
04-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9154G	74.10	88.20	-14.10	76.24	3	Horizontal	202	1.80	-	32.40	8.87	43.41			
RMS	5.925G	60.78	68.20	-7.42	62.89	3	Horizontal	202	1.80	-	32.40	8.89	43.40			
PK	6.1146G	103.41	Inf	-Inf	104.99	3	Horizontal	202	1.80	-	32.53	9.17	43.28			
RMS	6.0618G	94.60	Inf	-Inf	96.29	3	Horizontal	202	1.80	-	32.50	9.12	43.31			

5.925-6.425GHz_802.11bn UHR320-BF_Nss2,(MCS0)_4TX

6105MHz_TX




EUT V_2TX
Setting 83
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.2104G	47.00	74.00	-27.00	37.74	3	Vertical	66	1.08	-	38.88	13.77	43.39			
AV	12.20946G	34.60	54.00	-19.40	25.34	3	Vertical	66	1.08	-	38.88	13.77	43.39			

5.925-6.425GHz_802.11bn UHR320-BF_Nss2,(MCS0)_4TX

6105MHz_TX




EUT V_2TX
Setting 83
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20911G	47.17	74.00	-26.83	37.91	3	Horizontal	71	1.90	-	38.88	13.77	43.39			
AV	12.21044G	34.70	54.00	-19.30	25.44	3	Horizontal	71	1.90	-	38.88	13.77	43.39			

5.925-6.425GHz_802.11bn UHR320-BF_Nss2,(MCS0)_4TX

6265MHz_TX




EUT_V_4TX
Setting 86
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.52995G	46.61	74.00	-27.39	37.74	3	Vertical	280	2.49	-	38.30	14.08	43.51			
AV	12.5296G	34.57	54.00	-19.43	25.70	3	Vertical	280	2.49	-	38.30	14.08	43.51			

5.925-6.425GHz_802.11bn UHR320-BF_Nss2,(MCS0)_4TX

6265MHz_TX




EUT_V_4TX
Setting 86
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.53055G	47.63	74.00	-26.37	38.76	3	Horizontal	191	1.99	-	38.30	14.08	43.51			
AV	12.53053G	34.67	54.00	-19.33	25.80	3	Horizontal	191	1.99	-	38.30	14.08	43.51			

5.925-6.425GHz_802.11bn UHR320-BF_Nss2,(MCS0)_4TX


6425MHz_TX

EUT_Y_4TX
Setting 84
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.84985G	47.13	88.20	-41.07	37.14	3	Vertical	189	1.45	-	39.10	14.39	43.50			
RMS	12.85026G	35.32	68.20	-32.88	25.33	3	Vertical	189	1.45	-	39.10	14.39	43.50			

5.925-6.425GHz_802.11bn UHR320-BF_Nss2,(MCS0)_4TX

6425MHz_TX




EUT_Y_4TX
Setting 84
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8496G	47.75	88.20	-40.45	37.76	3	Horizontal	285	1.66	-	39.10	14.39	43.50			
RMS	12.85058G	34.88	68.20	-33.32	24.88	3	Horizontal	285	1.66	-	39.10	14.40	43.50			

6.425-6.525GHz_802.11bn UHR320-BF_Nss2,(MCS0)_4TX

6585MHz_TX




EUT Y_4TX
Setting 86
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.17082G	48.00	88.20	-40.20	37.59	3	Vertical	50	1.79	-	39.20	14.71	43.50			
RMS	13.17013G	35.56	68.20	-32.64	25.15	3	Vertical	50	1.79	-	39.20	14.71	43.50			

6.425-6.525GHz_802.11bn UHR320-BF_Nss2,(MCS0)_4TX

6585MHz_TX




EUT_Y_4TX
Setting 86
04-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.17021G	47.38	88.20	-40.82	36.97	3	Horizontal	116	2.93	-	39.20	14.71	43.50			
RMS	13.1695G	35.43	68.20	-32.77	25.03	3	Horizontal	116	2.93	-	39.20	14.70	43.50			

6.525-6.875GHz_802.11bn UHR320-BF_Nss2,(MCS0)_4TX

6745MHz_TX




EUT_Y_4TX
Setting 86
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.49072G	49.19	88.20	-39.01	37.81	3	Vertical	234	2.02	-	39.88	15.02	43.52			
RMS	13.49043G	37.22	68.20	-30.98	25.84	3	Vertical	234	2.02	-	39.88	15.02	43.52			

6.525-6.875GHz_802.11bn UHR320-BF_Nss2,(MCS0)_4TX

6745MHz_TX




EUT_V_4TX
Setting 86
04-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.48993G	49.27	88.20	-38.93	37.89	3	Horizontal	186	2.50	-	39.88	15.02	43.52			
RMS	13.49034G	37.60	68.20	-30.60	26.22	3	Horizontal	186	2.50	-	39.88	15.02	43.52			

6.525-6.875GHz_802.11bn UHR320-BF_Nss2,(MCS0)_4TX

6905MHz_TX




EUT_Y_4TX
Setting 81
04-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8858G	107.03	Inf	-Inf	105.55	3	Vertical	343.1	1.80	-	34.59	9.79	42.90			
RMS	6.8858G	96.07	Inf	-Inf	94.59	3	Vertical	343.1	1.80	-	34.59	9.79	42.90			
PK	7.1546G	67.90	88.20	-20.30	64.66	3	Vertical	343.1	1.80	-	35.83	10.16	42.75			
RMS	7.1322G	56.06	68.20	-12.14	52.98	3	Vertical	343.1	1.80	-	35.73	10.12	42.77			
PK	7.25G	63.97	74.00	-10.03	60.20	3	Vertical	343.1	1.80	-	36.20	10.26	42.69			
AV	7.2538G	52.98	54.00	-1.02	49.21	3	Vertical	343.1	1.80	-	36.20	10.26	42.69			

6.525-6.875GHz_802.11bn UHR320-BF_Nss2,(MCS0)_4TX


6905MHz_TX

EUT_Y_4TX
Setting 81
04-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.7706G	104.91	Inf	-Inf	104.07	3	Horizontal	98	2.82	-	34.10	9.69	42.95			
RMS	6.761G	104.65	Inf	-Inf	103.83	3	Horizontal	98	2.82	-	34.10	9.68	42.96			
PK	7.1578G	63.73	88.20	-24.47	60.46	3	Horizontal	98	2.82	-	35.85	10.17	42.75			
RMS	7.1386G	53.59	68.20	-14.61	50.47	3	Horizontal	98	2.82	-	35.75	10.13	42.76			
PK	7.289G	63.82	74.00	-10.18	60.01	3	Horizontal	98	2.82	-	36.20	10.28	42.67			
AV	7.2922G	51.52	54.00	-2.48	47.71	3	Horizontal	98	2.82	-	36.20	10.28	42.67			

6.525-6.875GHz_802.11bn UHR320-BF_Nss2,(MCS0)_4TX

6905MHz_TX




EUT_Y_4TX
Setting 81
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.81086G	53.21	88.20	-34.99	41.49	3	Vertical	317	2.30	-	40.02	15.33	43.63			
RMS	13.80997G	39.49	68.20	-28.71	27.77	3	Vertical	317	2.30	-	40.02	15.33	43.63			

6.525-6.875GHz_802.11bn UHR320-BF_Nss2,(MCS0)_4TX

6905MHz_TX



EUT_Y_4TX
Setting 81
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80982G	53.19	88.20	-35.01	41.47	3	Horizontal	134	1.13	-	40.02	15.33	43.63			
RMS	13.80998G	39.48	68.20	-28.72	27.76	3	Horizontal	134	1.13	-	40.02	15.33	43.63			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11bn UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX	Pass	AV	7.2602G	53.80	54.00	-0.20	3	Vertical	341	1.80	-

5.925-6.425GHz_802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_Y_4TX
Setting 60
04-C-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9122G	57.60	88.20	-30.60	59.74	3	Vertical	337.6	1.80	-	32.40	8.87	43.41				
RMS	5.9178G	46.35	68.20	-21.85	48.48	3	Vertical	337.6	1.80	-	32.40	8.88	43.41				
PK	5.9714G	109.70	Inf	-Inf	111.66	3	Vertical	337.6	1.80	-	32.40	9.00	43.36				
RMS	5.9762G	99.48	Inf	-Inf	101.43	3	Vertical	337.6	1.80	-	32.40	9.01	43.36				

5.925-6.425GHz_802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_Y_4TX
Setting 60
04-C-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9186G	60.23	88.20	-27.97	62.36	3	Horizontal	337	1.80	-	32.40	8.88	43.41			
RMS	5.9242G	45.71	68.20	-22.49	47.82	3	Horizontal	337	1.80	-	32.40	8.89	43.40			
PK	5.969G	104.60	Inf	-Inf	106.57	3	Horizontal	337	1.80	-	32.40	8.99	43.36			
RMS	5.9794G	96.88	Inf	-Inf	98.83	3	Horizontal	337	1.80	-	32.40	9.01	43.36			

5.925-6.425GHz_802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_Y_4TX
Setting 60
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.98359G	46.69	74.00	-27.31	37.52	3	Vertical	293	1.80	-	38.90	13.56	43.29			
AV	11.97G	34.44	54.00	-19.56	25.27	3	Vertical	293	1.80	-	38.90	13.55	43.28			
PK	17.95929G	62.88	74.00	-11.12	40.80	3	Vertical	46	1.80	-	48.70	16.33	42.95			
AV	17.96913G	49.36	54.00	-4.64	26.96	3	Vertical	46	1.80	-	49.01	16.33	42.94			

5.925-6.425GHz_802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_Y_4TX
Setting 60
04-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97867G	47.54	74.00	-26.46	38.38	3	Horizontal	36	1.80	-	38.90	13.55	43.29			
AV	11.97003G	34.15	54.00	-19.85	24.98	3	Horizontal	36	1.80	-	38.90	13.55	43.28			
PK	17.95404G	63.30	74.00	-10.70	41.40	3	Horizontal	280	1.80	-	48.53	16.33	42.96			
AV	17.96958G	49.15	54.00	-4.85	26.73	3	Horizontal	280	1.80	-	49.03	16.33	42.94			

5.925-6.425GHz_802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT Y_4TX
Setting 60
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94027G	56.04	83.54	-27.50	46.77	1	Vertical	187	1.80	-	38.98	18.19	47.90			
AV	23.94003G	50.07	63.54	-13.47	40.80	1	Vertical	187	1.80	-	38.98	18.19	47.90			

5.925-6.425GHz_802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT Y_4TX
Setting 60
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94006G	54.28	83.54	-29.26	45.01	1	Horizontal	225.8	1.80	-	38.98	18.19	47.90			
AV	23.94006G	47.73	63.54	-15.81	38.46	1	Horizontal	225.8	1.80	-	38.98	18.19	47.90			

6.875-7.125GHz_802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX

7025MHz_TX




EUT_Y_4TX
Setting 59
04-C-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.055G	108.94	Inf	-Inf	106.44	3	Vertical	325.1	1.80	-	35.33	9.99	42.82			
RMS	7.015G	100.61	Inf	-Inf	98.37	3	Vertical	325.1	1.80	-	35.16	9.92	42.84			
PK	7.1674G	61.04	88.20	-27.16	57.71	3	Vertical	325.1	1.80	-	35.90	10.18	42.75			
RMS	7.2222G	50.47	68.20	-17.73	46.79	3	Vertical	325.1	1.80	-	36.14	10.25	42.71			

6.875-7.125GHz_802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX

7025MHz_TX




EUT Y_4TX
Setting 59
04-C-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0426G	109.13	Inf	-Inf	106.72	3	Horizontal	226	2.28	-	35.27	9.96	42.82			
RMS	7.0126G	99.70	Inf	-Inf	97.48	3	Horizontal	226	2.28	-	35.15	9.91	42.84			
PK	7.2246G	60.74	88.20	-27.46	57.05	3	Horizontal	226	2.28	-	36.15	10.25	42.71			
RMS	7.2234G	50.39	68.20	-17.81	46.70	3	Horizontal	226	2.28	-	36.15	10.25	42.71			

6.875-7.125GHz_802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX

7025MHz_TX




EUT Y_4TX
Setting 59
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.05315G	53.53	88.20	-34.67	40.77	3	Vertical	72	2.96	-	40.92	15.52	43.68			
RMS	14.05942G	40.42	68.20	-27.78	27.62	3	Vertical	72	2.96	-	40.96	15.52	43.68			

6.875-7.125GHz_802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX

7025MHz_TX




EUT Y_4TX
Setting 59
04-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.04862G	54.11	88.20	-34.09	41.37	3	Horizontal	3	1.38	-	40.90	15.52	43.68			
RMS	14.06119G	40.50	68.20	-27.70	27.69	3	Horizontal	3	1.38	-	40.97	15.52	43.68			

6.875-7.125GHz_802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX

7025MHz_TX




EUT Y_4TX
Setting 59
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.08094G	54.31	83.54	-29.23	48.57	1	Vertical	180	1.74	-	37.74	16.87	48.87			
AV	21.07506G	43.50	63.54	-20.04	37.75	1	Vertical	180	1.74	-	37.75	16.87	48.87			

6.875-7.125GHz_802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX

7025MHz_TX




EUT Y_4TX
Setting 59
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.075G	54.47	74.00	-19.53	48.72	1	Horizontal	72	1.80	-	37.75	16.87	48.87			
AV	21.07503G	44.69	63.54	-18.85	38.94	1	Horizontal	72	1.80	-	37.75	16.87	48.87			

5.925-6.425GHz_802.11bn UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX

6025MHz_TX




EUT Y_4TX
Setting 73
04-C-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9114G	66.65	88.20	-21.55	68.79	3	Vertical	336.8	1.80	-	32.40	8.87	43.41			
RMS	5.9162G	53.18	68.20	-15.02	55.31	3	Vertical	336.8	1.80	-	32.40	8.88	43.41			
PK	6.0818G	108.53	Inf	-Inf	110.19	3	Vertical	336.8	1.80	-	32.50	9.14	43.30			
RMS	6.0866G	99.75	Inf	-Inf	101.40	3	Vertical	336.8	1.80	-	32.50	9.14	43.29			

5.925-6.425GHz_802.11bn UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX


6025MHz_TX

EUT_Y_4TX
Setting 73
04-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9234G	64.82	88.20	-23.38	66.93	3	Horizontal	341	1.80	-	32.40	8.89	43.40			
RMS	5.9186G	50.33	68.20	-17.87	52.46	3	Horizontal	341	1.80	-	32.40	8.88	43.41			
PK	6.0386G	107.00	Inf	-Inf	108.74	3	Horizontal	341	1.80	-	32.48	9.10	43.32			
RMS	6.0842G	97.39	Inf	-Inf	99.04	3	Horizontal	341	1.80	-	32.50	9.14	43.29			

5.925-6.425GHz_802.11bn UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX

6025MHz_TX




EUT Y_4TX
Setting 73
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05014G	47.58	74.00	-26.42	38.08	3	Vertical	195	1.12	-	39.20	13.62	43.32			
AV	12.05079G	33.62	54.00	-20.38	24.12	3	Vertical	195	1.12	-	39.20	13.62	43.32			

5.925-6.425GHz_802.11bn UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX

6025MHz_TX




EUT V_4TX
Setting 73
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04982G	47.69	74.00	-26.31	38.19	3	Horizontal	228	2.65	-	39.20	13.62	43.32			
AV	12.051G	33.57	54.00	-20.43	24.07	3	Horizontal	228	2.65	-	39.20	13.62	43.32			

5.925-6.425GHz_802.11bn UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX

6025MHz_TX




EUT Y_4TX
Setting 73
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07411G	47.15	83.54	-36.39	42.83	1	Vertical	24	1.55	-	37.25	15.50	48.43			
AV	18.07501G	33.08	63.54	-30.46	28.76	1	Vertical	24	1.55	-	37.25	15.50	48.43			

5.925-6.425GHz_802.11bn UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX

6025MHz_TX




EUT Y_4TX
Setting 73
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07411G	47.18	83.54	-36.36	42.86	1	Horizontal	287	1.51	-	37.25	15.50	48.43			
AV	18.07514G	33.09	63.54	-30.45	28.77	1	Horizontal	287	1.51	-	37.25	15.50	48.43			

5.925-6.425GHz_802.11bn UHR160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

6025MHz_TX




EUT_Y_4TX
Setting 72
04-C-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9106G	68.96	88.20	-19.24	71.11	3	Vertical	334.4	1.80	-	32.40	8.86	43.41			
RMS	5.9162G	51.82	68.20	-16.38	53.95	3	Vertical	334.4	1.80	-	32.40	8.88	43.41			
PK	6.0466G	108.55	Inf	-Inf	110.27	3	Vertical	334.4	1.80	-	32.49	9.10	43.31			
RMS	6.0466G	99.55	Inf	-Inf	101.27	3	Vertical	334.4	1.80	-	32.49	9.10	43.31			

5.925-6.425GHz_802.11bn UHR160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

6025MHz_TX




EUT Y_4TX
Setting 72
04-C-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9122G	68.25	88.20	-19.95	70.39	3	Horizontal	337	1.80	-	32.40	8.87	43.41			
RMS	5.9242G	50.48	68.20	-17.72	52.59	3	Horizontal	337	1.80	-	32.40	8.89	43.40			
PK	6.0346G	106.39	Inf	-Inf	108.15	3	Horizontal	337	1.80	-	32.47	9.09	43.32			
RMS	6.049G	97.82	Inf	-Inf	99.52	3	Horizontal	337	1.80	-	32.50	9.11	43.31			

5.925-6.425GHz_802.11bn UHR160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

6025MHz_TX




EUT Y_4TX
Setting 72
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05051G	47.31	74.00	-26.69	37.81	3	Vertical	57	2.21	-	39.20	13.62	43.32			
AV	12.05084G	33.30	54.00	-20.70	23.80	3	Vertical	57	2.21	-	39.20	13.62	43.32			

5.925-6.425GHz_802.11bn UHR160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

6025MHz_TX




EUT_V_4TX
Setting 72
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04975G	47.25	74.00	-26.75	37.75	3	Horizontal	98	2.05	-	39.20	13.62	43.32			
AV	12.051G	33.28	54.00	-20.72	23.78	3	Horizontal	98	2.05	-	39.20	13.62	43.32			

5.925-6.425GHz_802.11bn UHR160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

6025MHz_TX




EUT Y_4TX
Setting 72
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07532G	47.50	83.54	-36.04	43.18	1	Vertical	327	1.50	-	37.25	15.50	48.43			
AV	18.07535G	33.11	63.54	-30.43	28.79	1	Vertical	327	1.50	-	37.25	15.50	48.43			

5.925-6.425GHz_802.11bn UHR160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

6025MHz_TX




EUT Y_4TX
Setting 72
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07544G	46.59	83.54	-36.95	42.27	1	Horizontal	299	1.53	-	37.25	15.50	48.43			
AV	18.076G	33.11	63.54	-30.43	28.79	1	Horizontal	299	1.53	-	37.25	15.50	48.43			

6.875-7.125GHz_802.11bn UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_4TX

6985MHz_TX




EUT_Y_4TX
Setting 68
04-C-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9618G	107.92	Inf	-Inf	105.98	3	Vertical	343	2.99	-	34.95	9.86	42.87			
RMS	6.9562G	97.53	Inf	-Inf	95.63	3	Vertical	343	2.99	-	34.92	9.85	42.87			
PK	7.1426G	62.76	88.20	-25.44	59.61	3	Vertical	343	2.99	-	35.77	10.14	42.76			
RMS	7.1266G	49.91	68.20	-18.29	46.86	3	Vertical	343	2.99	-	35.71	10.11	42.77			
PK	7.3098G	62.58	74.00	-11.42	58.75	3	Vertical	343	2.99	-	36.20	10.29	42.66			
AV	7.3794G	48.89	54.00	-5.11	45.04	3	Vertical	343	2.99	-	36.14	10.32	42.61			

6.875-7.125GHz_802.11bn UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_4TX

6985MHz_TX




EUT_Y_4TX
Setting 68
04-C-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9434G	107.83	Inf	-Inf	105.99	3	Horizontal	349	2.96	-	34.87	9.84	42.87			
RMS	6.9082G	96.34	Inf	-Inf	94.69	3	Horizontal	349	2.96	-	34.73	9.81	42.89			
PK	7.1274G	63.20	88.20	-25.00	60.15	3	Horizontal	349	2.96	-	35.71	10.11	42.77			
RMS	7.133G	50.21	68.20	-17.99	47.13	3	Horizontal	349	2.96	-	35.73	10.12	42.77			
PK	7.2802G	61.67	74.00	-12.33	57.87	3	Horizontal	349	2.96	-	36.20	10.28	42.68			
AV	7.3682G	48.90	54.00	-5.10	45.04	3	Horizontal	349	2.96	-	36.16	10.32	42.62			

6.875-7.125GHz_802.11bn UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_4TX

6985MHz_TX




EUT_V_4TX
Setting 68
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97606G	53.01	88.20	-35.19	40.55	3	Vertical	343	1.62	-	40.66	15.49	43.69			
RMS	13.98011G	40.27	68.20	-27.93	27.79	3	Vertical	343	1.62	-	40.68	15.49	43.69			

6.875-7.125GHz_802.11bn UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_4TX

6985MHz_TX




EUT_V_4TX
Setting 68
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97024G	53.70	88.20	-34.50	41.29	3	Horizontal	94	2.38	-	40.62	15.48	43.69			
RMS	13.9705G	40.18	68.20	-28.02	27.77	3	Horizontal	94	2.38	-	40.62	15.48	43.69			

6.875-7.125GHz_802.11bn UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_4TX

6985MHz_TX




EUT Y_4TX
Setting 68
04-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95476G	53.52	83.54	-30.02	47.81	1	Vertical	273	1.50	-	37.79	16.82	48.90			
AV	20.95539G	39.00	63.54	-24.54	33.29	1	Vertical	273	1.50	-	37.79	16.82	48.90			

6.875-7.125GHz_802.11bn UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_4TX

6985MHz_TX




EUT_Y_4TX
Setting 68
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.95415G	52.91	83.54	-30.63	47.20	1	Horizontal	253	1.50	-	37.79	16.82	48.90			
AV	20.95418G	38.98	63.54	-24.56	33.27	1	Horizontal	253	1.50	-	37.79	16.82	48.90			

6.875-7.125GHz_802.11bn UHR160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT Y_4TX
Setting 67
04-C-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9114G	109.35	Inf	-Inf	107.68	3	Vertical	343	1.80	-	34.75	9.81	42.89			
RMS	6.9218G	97.80	Inf	-Inf	96.07	3	Vertical	343	1.80	-	34.79	9.82	42.88			
PK	7.157G	64.98	88.20	-23.22	61.73	3	Vertical	343	1.80	-	35.84	10.16	42.75			
RMS	7.1522G	48.91	68.20	-19.29	45.70	3	Vertical	343	1.80	-	35.81	10.16	42.76			
PK	7.2578G	61.70	74.00	-12.30	57.92	3	Vertical	343	1.80	-	36.20	10.27	42.69			
AV	7.373G	48.91	54.00	-5.09	45.06	3	Vertical	343	1.80	-	36.15	10.32	42.62			

6.875-7.125GHz_802.11bn UHR160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT_Y_4TX
Setting 67
04-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9074G	107.88	Inf	-Inf	106.23	3	Horizontal	346	2.97	-	34.73	9.81	42.89			
RMS	6.9082G	96.53	Inf	-Inf	94.88	3	Horizontal	346	2.97	-	34.73	9.81	42.89			
PK	7.1498G	65.72	88.20	-22.48	62.53	3	Horizontal	346	2.97	-	35.80	10.15	42.76			
RMS	7.1338G	49.61	68.20	-18.59	46.52	3	Horizontal	346	2.97	-	35.74	10.12	42.77			
PK	7.3042G	61.48	74.00	-12.52	57.65	3	Horizontal	346	2.97	-	36.20	10.29	42.66			
AV	7.3706G	48.91	54.00	-5.09	45.05	3	Horizontal	346	2.97	-	36.16	10.32	42.62			

6.875-7.125GHz_802.11bn UHR160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT_V_4TX
Setting 67
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97068G	54.06	88.20	-34.14	41.65	3	Vertical	296	2.15	-	40.62	15.48	43.69			
RMS	13.97059G	39.94	68.20	-28.26	27.53	3	Vertical	296	2.15	-	40.62	15.48	43.69			

6.875-7.125GHz_802.11bn UHR160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT V_4TX
Setting 67
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96919G	54.05	88.20	-34.15	41.64	3	Horizontal	181	2.50	-	40.62	15.48	43.69			
RMS	13.97094G	39.97	68.20	-28.23	27.55	3	Horizontal	181	2.50	-	40.63	15.48	43.69			

6.875-7.125GHz_802.11bn UHR160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT Y_4TX
Setting 67
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.95489G	53.87	83.54	-29.67	48.16	1	Vertical	258	1.54	-	37.79	16.82	48.90			
AV	20.95422G	38.93	63.54	-24.61	33.22	1	Vertical	258	1.54	-	37.79	16.82	48.90			

6.875-7.125GHz_802.11bn UHR160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT Y_4TX
Setting 67
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.95519G	52.44	83.54	-31.10	46.73	1	Horizontal	6	1.52	-	37.79	16.82	48.90			
AV	20.9543G	38.91	63.54	-24.63	33.20	1	Horizontal	6	1.52	-	37.79	16.82	48.90			

5.925-6.425GHz_802.11bn UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX

6105MHz_TX




EUT_Y_4TX
Setting 81
04-C-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9214G	73.58	88.20	-14.62	75.69	3	Vertical	338	1.80	-	32.40	8.89	43.40				
RMS	5.9214G	63.40	68.20	-4.80	65.51	3	Vertical	338	1.80	-	32.40	8.89	43.40				
PK	6.1074G	108.28	Inf	-Inf	109.89	3	Vertical	338	1.80	-	32.51	9.16	43.28				
RMS	6.0618G	98.60	Inf	-Inf	100.29	3	Vertical	338	1.80	-	32.50	9.12	43.31				

5.925-6.425GHz_802.11bn UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX

6105MHz_TX




EUT Y_4TX
Setting 81
04-C-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9238G	69.44	88.20	-18.76	71.55	3	Horizontal	343	1.80	-	32.40	8.89	43.40			
RMS	5.9238G	60.35	68.20	-7.85	62.46	3	Horizontal	343	1.80	-	32.40	8.89	43.40			
PK	6.1398G	105.95	Inf	-Inf	107.44	3	Horizontal	343	1.80	-	32.58	9.19	43.26			
RMS	6.129G	97.12	Inf	-Inf	98.65	3	Horizontal	343	1.80	-	32.56	9.18	43.27			

5.925-6.425GHz_802.11bn UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX

6105MHz_TX




EUT Y_4TX
Setting 81
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21093G	46.64	74.00	-27.36	37.38	3	Vertical	116	1.49	-	38.88	13.77	43.39			
AV	12.20987G	33.19	54.00	-20.81	23.93	3	Vertical	116	1.49	-	38.88	13.77	43.39			

5.925-6.425GHz_802.11bn UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX

6105MHz_TX




EUT Y_4TX
Setting 81
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21053G	46.79	74.00	-27.21	37.53	3	Horizontal	126	2.87	-	38.88	13.77	43.39			
AV	12.2107G	33.18	54.00	-20.82	23.92	3	Horizontal	126	2.87	-	38.88	13.77	43.39			

5.925-6.425GHz_802.11bn UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX

6105MHz_TX




EUT Y_4TX
Setting 81
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31524G	46.70	83.54	-36.84	42.26	1	Vertical	139	1.53	-	37.36	15.61	48.53			
AV	18.31496G	33.14	63.54	-30.40	28.70	1	Vertical	139	1.53	-	37.36	15.61	48.53			

5.925-6.425GHz_802.11bn UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX

6105MHz_TX




EUT Y_4TX
Setting 81
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31529G	47.00	83.54	-36.54	42.56	1	Horizontal	234	1.50	-	37.36	15.61	48.53			
AV	18.31412G	33.13	63.54	-30.41	28.69	1	Horizontal	234	1.50	-	37.36	15.61	48.53			

5.925-6.425GHz_802.11bn UHR320_Nss1,(MCS0),3xRU996 MRU 2_4TX


6105MHz_TX

EUT_Y_4TX
Setting 81
04-C-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9226G	74.13	88.20	-14.07	76.24	3	Vertical	354	1.80	-	32.40	8.89	43.40			
RMS	5.9238G	63.60	68.20	-4.60	65.71	3	Vertical	354	1.80	-	32.40	8.89	43.40			
PK	6.1182G	109.36	Inf	-Inf	110.93	3	Vertical	354	1.80	-	32.54	9.17	43.28			
RMS	6.1386G	99.41	Inf	-Inf	100.91	3	Vertical	354	1.80	-	32.58	9.19	43.27			

5.925-6.425GHz_802.11bn UHR320_Nss1,(MCS0),3xRU996 MRU 2_4TX


6105MHz_TX

EUT Y_4TX
Setting 81
04-C-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.919G	70.12	88.20	-18.08	72.24	3	Horizontal	342	1.80	-	32.40	8.88	43.40			
RMS	5.9238G	60.92	68.20	-7.28	63.03	3	Horizontal	342	1.80	-	32.40	8.89	43.40			
PK	6.1398G	107.52	Inf	-Inf	109.01	3	Horizontal	342	1.80	-	32.58	9.19	43.26			
RMS	6.129G	97.36	Inf	-Inf	98.89	3	Horizontal	342	1.80	-	32.56	9.18	43.27			

5.925-6.425GHz_802.11bn_UHR320_Nss1,(MCS0),3xRU996 MRU 2_4TX

6105MHz_TX




EUT Y_4TX
Setting 81
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20975G	47.19	74.00	-26.81	37.93	3	Vertical	218	2.38	-	38.88	13.77	43.39			
AV	12.2108G	33.46	54.00	-20.54	24.20	3	Vertical	218	2.38	-	38.88	13.77	43.39			

5.925-6.425GHz_802.11bn_UHR320_Nss1,(MCS0),3xRU996 MRU 2_4TX

6105MHz_TX




EUT Y_4TX
Setting 81
04-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.21085G	47.15	74.00	-26.85	37.89	3	Horizontal	268	1.74	-	38.88	13.77	43.39			
AV	12.21092G	33.43	54.00	-20.57	24.17	3	Horizontal	268	1.74	-	38.88	13.77	43.39			

5.925-6.425GHz_802.11bn_UHR320_Nss1,(MCS0),3xRU996 MRU 2_4TX

6105MHz_TX




EUT Y_4TX
Setting 81
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31487G	46.81	83.54	-36.73	42.37	1	Vertical	37	1.54	-	37.36	15.61	48.53			
AV	18.31408G	33.13	63.54	-30.41	28.69	1	Vertical	37	1.54	-	37.36	15.61	48.53			

5.925-6.425GHz_802.11bn UHR320_Nss1,(MCS0),3xRU996 MRU 2_4TX


6105MHz_TX

EUT Y_4TX
Setting 81
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31401G	46.65	83.54	-36.89	42.21	1	Horizontal	117	1.55	-	37.36	15.61	48.53			
AV	18.3149G	33.12	63.54	-30.42	28.68	1	Horizontal	117	1.55	-	37.36	15.61	48.53			

5.925-6.425GHz_802.11bn UHR320_Nss1,(MCS0),2xRU996+RU484 MRU 3_4TX

6105MHz_TX




EUT Y_4TX
Setting 78
04-C-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9154G	72.01	88.20	-16.19	74.15	3	Vertical	339	1.80	-	32.40	8.87	43.41				
RMS	5.9214G	59.08	68.20	-9.12	61.19	3	Vertical	339	1.80	-	32.40	8.89	43.40				
PK	6.0858G	110.04	Inf	-Inf	111.69	3	Vertical	339	1.80	-	32.50	9.14	43.29				
RMS	6.0762G	99.30	Inf	-Inf	100.97	3	Vertical	339	1.80	-	32.50	9.13	43.30				

5.925-6.425GHz_802.11bn UHR320_Nss1,(MCS0),2xRU996+RU484 MRU 3_4TX

6105MHz_TX




EUT Y_4TX
Setting 78
04-C-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9214G	68.34	88.20	-19.86	70.45	3	Horizontal	338	1.80	-	32.40	8.89	43.40			
RMS	5.9238G	57.90	68.20	-10.30	60.01	3	Horizontal	338	1.80	-	32.40	8.89	43.40			
PK	6.075G	107.47	Inf	-Inf	109.14	3	Horizontal	338	1.80	-	32.50	9.13	43.30			
RMS	6.0738G	96.57	Inf	-Inf	98.24	3	Horizontal	338	1.80	-	32.50	9.13	43.30			

5.925-6.425GHz_802.11bn UHR320_Nss1,(MCS0),2xRU996+RU484 MRU 3_4TX

6105MHz_TX




EUT Y_4TX
Setting 78
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20965G	47.10	74.00	-26.90	37.84	3	Vertical	248	1.49	-	38.88	13.77	43.39			
AV	12.20996G	33.25	54.00	-20.75	23.99	3	Vertical	248	1.49	-	38.88	13.77	43.39			

5.925-6.425GHz_802.11bn UHR320_Nss1,(MCS0),2xRU996+RU484 MRU 3_4TX

6105MHz_TX




EUT Y_4TX
Setting 78
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20964G	47.22	74.00	-26.78	37.96	3	Horizontal	110	1.32	-	38.88	13.77	43.39			
AV	12.2102G	33.28	54.00	-20.72	24.02	3	Horizontal	110	1.32	-	38.88	13.77	43.39			

5.925-6.425GHz_802.11bn UHR320_Nss1,(MCS0),2xRU996+RU484 MRU 3_4TX

6105MHz_TX




EUT Y_4TX
Setting 78
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31474G	46.73	83.54	-36.81	42.29	1	Vertical	330	1.52	-	37.36	15.61	48.53			
AV	18.31458G	33.13	63.54	-30.41	28.69	1	Vertical	330	1.52	-	37.36	15.61	48.53			

5.925-6.425GHz_802.11bn UHR320_Nss1,(MCS0),2xRU996+RU484 MRU 3_4TX


6105MHz_TX

EUT Y_4TX
Setting 78
04-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.31513G	46.58	83.54	-36.96	42.14	1	Horizontal	222	1.55	-	37.36	15.61	48.53			
AV	18.31416G	33.11	63.54	-30.43	28.67	1	Horizontal	222	1.55	-	37.36	15.61	48.53			

6.525-6.875GHz_802.11bn UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 77
04-C-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.8522G	106.31	Inf	-Inf	105.15	3	Vertical	341	1.80	-	34.32	9.76	42.92			
RMS	6.841G	96.63	Inf	-Inf	95.54	3	Vertical	341	1.80	-	34.26	9.75	42.92			
PK	7.1418G	67.52	88.20	-20.68	64.37	3	Vertical	341	1.80	-	35.77	10.14	42.76			
RMS	7.1274G	56.55	68.20	-11.65	53.50	3	Vertical	341	1.80	-	35.71	10.11	42.77			
PK	7.2602G	66.55	74.00	-7.45	62.77	3	Vertical	341	1.80	-	36.20	10.27	42.69			
AV	7.2602G	53.80	54.00	-0.20	50.02	3	Vertical	341	1.80	-	36.20	10.27	42.69			

6.525-6.875GHz_802.11bn UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 77
04-C-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.8586G	105.81	Inf	-Inf	104.59	3	Horizontal	345	2.38	-	34.37	9.76	42.91			
RMS	6.7482G	95.04	Inf	-Inf	94.23	3	Horizontal	345	2.38	-	34.10	9.67	42.96			
PK	7.1434G	68.05	88.20	-20.15	64.90	3	Horizontal	345	2.38	-	35.77	10.14	42.76			
RMS	7.129G	55.95	68.20	-12.25	52.88	3	Horizontal	345	2.38	-	35.72	10.12	42.77			
PK	7.2746G	64.40	74.00	-9.60	60.61	3	Horizontal	345	2.38	-	36.20	10.27	42.68			
AV	7.2586G	52.83	54.00	-1.17	49.05	3	Horizontal	345	2.38	-	36.20	10.27	42.69			

6.525-6.875GHz_802.11bn UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 77
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80955G	53.25	88.20	-34.95	41.53	3	Vertical	283	2.74	-	40.02	15.33	43.63			
RMS	13.80947G	38.76	68.20	-29.44	27.04	3	Vertical	283	2.74	-	40.02	15.33	43.63			

6.525-6.875GHz_802.11bn UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 77
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.81078G	53.34	88.20	-34.86	41.62	3	Horizontal	218	1.05	-	40.02	15.33	43.63			
AV	13.80949G	38.75	68.20	-29.45	27.03	3	Horizontal	218	1.05	-	40.02	15.33	43.63			

6.525-6.875GHz_802.11bn UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 77
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.7158G	49.32	83.54	-34.22	43.92	1	Vertical	145	1.50	-	37.59	16.71	48.90			
AV	20.71482G	35.95	63.54	-27.59	30.55	1	Vertical	145	1.50	-	37.59	16.71	48.90			

6.525-6.875GHz_802.11bn UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 77
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71531G	49.26	83.54	-34.28	43.86	1	Horizontal	282	1.53	-	37.59	16.71	48.90			
AV	20.71491G	35.96	63.54	-27.58	30.56	1	Horizontal	282	1.53	-	37.59	16.71	48.90			

6.525-6.875GHz_802.11bn UHR320_Nss1,(MCS0),3xRU996 MRU 2_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 77
04-C-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9506G	106.65	Inf	-Inf	104.77	3	Vertical	324	1.80	-	34.90	9.85	42.87			
RMS	7.0046G	95.90	Inf	-Inf	93.73	3	Vertical	324	1.80	-	35.12	9.90	42.85			
PK	7.1546G	66.28	88.20	-21.92	63.04	3	Vertical	324	1.80	-	35.83	10.16	42.75			
RMS	7.1654G	55.25	68.20	-12.95	51.93	3	Vertical	324	1.80	-	35.89	10.18	42.75			
PK	7.2602G	65.91	74.00	-8.09	62.13	3	Vertical	324	1.80	-	36.20	10.27	42.69			
AV	7.2506G	53.77	54.00	-0.23	50.00	3	Vertical	324	1.80	-	36.20	10.26	42.69			

6.525-6.875GHz_802.11bn UHR320_Nss1,(MCS0),3xRU996 MRU 2_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 77
04-C-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.7982G	107.86	Inf	-Inf	106.99	3	Horizontal	347	2.99	-	34.10	9.71	42.94			
RMS	6.9434G	96.00	Inf	-Inf	94.16	3	Horizontal	347	2.99	-	34.87	9.84	42.87			
PK	7.139G	67.34	88.20	-20.86	64.21	3	Horizontal	347	2.99	-	35.76	10.13	42.76			
RMS	7.1438G	54.71	68.20	-13.49	51.55	3	Horizontal	347	2.99	-	35.78	10.14	42.76			
PK	7.2542G	65.45	74.00	-8.55	61.68	3	Horizontal	347	2.99	-	36.20	10.26	42.69			
AV	7.25G	53.59	54.00	-0.41	49.82	3	Horizontal	347	2.99	-	36.20	10.26	42.69			

6.525-6.875GHz_802.11bn UHR320_Nss1,(MCS0),3xRU996 MRU 2_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 77
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.81021G	52.36	88.20	-35.84	40.64	3	Vertical	78	1.63	-	40.02	15.33	43.63			
RMS	13.80952G	38.82	68.20	-29.38	27.10	3	Vertical	78	1.63	-	40.02	15.33	43.63			

6.525-6.875GHz_802.11bn UHR320_Nss1,(MCS0),3xRU996 MRU 2_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 77
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8092G	52.43	88.20	-35.77	40.72	3	Horizontal	233	2.06	-	40.02	15.32	43.63			
RMS	13.80913G	38.78	68.20	-29.42	27.07	3	Horizontal	233	2.06	-	40.02	15.32	43.63			

6.525-6.875GHz_802.11bn UHR320_Nss1,(MCS0),3xRU996 MRU 2_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 77
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71405G	49.59	83.54	-33.95	44.20	1	Vertical	73	1.54	-	37.58	16.71	48.90			
AV	20.71584G	35.96	63.54	-27.58	30.55	1	Vertical	73	1.54	-	37.60	16.71	48.90			

6.525-6.875GHz_802.11bn UHR320_Nss1,(MCS0),3xRU996 MRU 2_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 77
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71429G	50.25	83.54	-33.29	44.85	1	Horizontal	198	1.54	-	37.59	16.71	48.90			
AV	20.71437G	35.91	63.54	-27.63	30.51	1	Horizontal	198	1.54	-	37.59	16.71	48.90			

6.525-6.875GHz_802.11bn UHR320_Nss1,(MCS0),2xRU996+RU484 MRU 9_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 77
04-C-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.8618G	108.77	Inf	-Inf	107.52	3	Vertical	338	1.80	-	34.39	9.77	42.91			
RMS	6.8714G	97.97	Inf	-Inf	96.64	3	Vertical	338	1.80	-	34.47	9.77	42.91			
PK	7.2014G	68.86	88.20	-19.34	65.25	3	Vertical	338	1.80	-	36.10	10.24	42.73			
RMS	7.139G	55.40	68.20	-12.80	52.27	3	Vertical	338	1.80	-	35.76	10.13	42.76			
PK	7.259G	62.68	74.00	-11.32	58.90	3	Vertical	338	1.80	-	36.20	10.27	42.69			
AV	7.25G	51.75	54.00	-2.25	47.99	3	Vertical	338	1.80	-	36.20	10.26	42.70			

6.525-6.875GHz_802.11bn UHR320_Nss1,(MCS0),2xRU996+RU484 MRU 9_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 77
04-C-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.8738G	108.97	Inf	-Inf	107.61	3	Horizontal	348	3.00	-	34.49	9.78	42.91			
RMS	6.8678G	97.46	Inf	-Inf	96.16	3	Horizontal	348	3.00	-	34.44	9.77	42.91			
PK	7.1738G	72.34	88.20	-15.86	68.95	3	Horizontal	348	3.00	-	35.94	10.19	42.74			
RMS	7.1378G	58.11	68.20	-10.09	54.99	3	Horizontal	348	3.00	-	35.75	10.13	42.76			
PK	7.2638G	65.58	74.00	-8.42	61.80	3	Horizontal	348	3.00	-	36.20	10.27	42.69			
AV	7.25G	52.75	54.00	-1.25	48.98	3	Horizontal	348	3.00	-	36.20	10.26	42.69			

6.525-6.875GHz_802.11bn UHR320_Nss1,(MCS0),2xRU996+RU484 MRU 9_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 77
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8093G	52.39	88.20	-35.81	40.67	3	Vertical	251	2.66	-	40.02	15.33	43.63			
RMS	13.8095G	38.82	68.20	-29.38	27.10	3	Vertical	251	2.66	-	40.02	15.33	43.63			

6.525-6.875GHz_802.11bn UHR320_Nss1,(MCS0),2xRU996+RU484 MRU 9_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 77
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.81052G	52.35	88.20	-35.85	40.63	3	Horizontal	73	2.23	-	40.02	15.33	43.63			
RMS	13.80908G	38.81	68.20	-29.39	27.10	3	Horizontal	73	2.23	-	40.02	15.32	43.63			

6.525-6.875GHz_802.11bn UHR320_Nss1,(MCS0),2xRU996+RU484 MRU 9_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT Y_4TX
Setting 77
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71589G	49.81	83.54	-33.73	44.40	1	Vertical	132	1.55	-	37.60	16.71	48.90			
AV	20.71593G	35.92	63.54	-27.62	30.51	1	Vertical	132	1.55	-	37.60	16.71	48.90			

6.525-6.875GHz_802.11bn UHR320_Nss1,(MCS0),2xRU996+RU484 MRU 9_4TX

6905MHz Straddle 6.525-6.875GHz_TX



EUT Y_4TX
Setting 77
04-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71442G	49.66	83.54	-33.88	44.26	1	Horizontal	155	1.54	-	37.59	16.71	48.90			
AV	20.7146G	35.90	63.54	-27.64	30.50	1	Horizontal	155	1.54	-	37.59	16.71	48.90			


5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

5955MHz_TX

01/06/2026

CF (Hz)
5.955G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.95375G	-10.64	5.987025G	-62.24	-50.64	-11.60	1
5.948802G	-11.04	5.919975G	-62.44	-51.04	-11.40	2
5.950026G	-10.82	5.921175G	-62.53	-50.82	-11.71	3
5.953775G	-10.30	6.00055G	-62.42	-50.30	-12.12	4


5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6195MHz_TX

01/06/2026

CF (Hz)
6.195G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.190026G	-11.22	6.240925G	-62.86	-51.22	-11.64	1
6.198774G	-11.76	6.226325G	-62.50	-51.76	-10.74	2
6.201248G	-11.75	6.1572G	-62.26	-51.75	-10.51	3
6.201273G	-10.87	6.15505G	-62.33	-50.87	-11.46	4

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6415MHz_TX

01/06/2026




6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6435MHz_TX

01/06/2026




6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6475MHz_TX

01/06/2026

CF (Hz)
6.475G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.481623G	-12.15	6.508825G	-62.14	-52.15	-9.99	1
6.477799G	-11.43	6.50785G	-62.11	-51.43	-10.68	2
6.47315G	-12.22	6.5065G	-62.36	-52.22	-10.14	3
6.469401G	-11.85	6.50915G	-62.24	-51.85	-10.39	4


6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6515MHz_TX

01/06/2026

CF (Hz)
6.515G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.513425G	-11.60	6.476225G	-62.05	-51.60	-10.45	1
6.517524G	-11.59	6.478175G	-62.38	-51.59	-10.79	2
6.509076G	-11.67	6.473125G	-62.57	-51.67	-10.90	3
6.511301G	-11.74	6.48015G	-62.26	-51.74	-10.52	4

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6535MHz_TX

01/06/2026




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6695MHz_TX

01/06/2026




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6855MHz_TX

01/06/2026




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6875MHz_TX

01/06/2026




6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6995MHz_TX

01/06/2026




6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

7055MHz_TX

01/06/2026




5.925-6.425GHz_802.11bn_UHR20-BF_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

01/06/2026




5.925-6.425GHz_802.11bn_UHR20-BF_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

01/06/2026




5.925-6.425GHz_802.11bn_UHR20-BF_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

01/06/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.409826G	-11.37	6.445725G	-61.84	-51.13	-10.71	1
6.4163G	-11.79	6.369275G	-62.14	-51.79	-10.35	2
6.420049G	-11.53	6.45445G	-62.39	-51.53	-10.86	3
6.412551G	-10.61	6.447125G	-61.96	-50.61	-11.35	4

6.425-6.525GHz_802.11bn_UHR20-BF_Nss1,(MCS0)_4TX

MASK

6435MHz_TX

01/06/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.441023G	-11.52	6.40235G	-62.25	-51.52	-10.73	1
6.434425G	-10.73	6.482225G	-62.19	-50.73	-11.46	2
6.427452G	-10.88	6.4685G	-61.78	-50.88	-10.90	3
6.442523G	-11.26	6.4661G	-61.93	-51.26	-10.67	4

6.425-6.525GHz_802.11bn_UHR20-BF_Nss1,(MCS0)_4TX

MASK

6475MHz_TX

01/06/2026

CF (Hz)
6.475G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.479999G	-11.29	6.50765G	-61.76	-51.29	-10.47	1
6.465902G	-10.84	6.505625G	-61.37	-50.84	-10.53	2
6.479674G	-11.60	6.506575G	-61.95	-51.38	-10.57	3
6.47585G	-11.27	6.506575G	-61.66	-50.96	-10.70	4

6.425-6.525GHz_802.11bn_UHR20-BF_Nss1,(MCS0)_4TX

MASK

6515MHz_TX

01/06/2026

CF (Hz)
6.515G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.509726G	-10.45	6.4845G	-61.80	-50.45	-11.35	1
6.509501G	-10.67	6.4843G	-61.56	-50.30	-11.26	2
6.507552G	-10.42	6.4826G	-62.35	-50.42	-11.93	3
6.519374G	-10.12	6.4845G	-61.15	-49.24	-11.91	4

6.525-6.875GHz_802.11bn_UHR20-BF_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

01/06/2026




6.525-6.875GHz_802.11bn_UHR20-BF_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

01/06/2026




6.525-6.875GHz_802.11bn_UHR20-BF_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

01/06/2026




6.525-6.875GHz_802.11bn_UHR20-BF_Nss1,(MCS0)_4TX

MASK

6875MHz_TX

01/06/2026




6.875-7.125GHz_802.11bn_UHR20-BF_Nss1,(MCS0)_4TX

MASK

6995MHz_TX

01/06/2026




6.875-7.125GHz_802.11bn_UHR20-BF_Nss1,(MCS0)_4TX

MASK

7055MHz_TX

01/06/2026




5.925-6.425GHz_802.11bn_UHR40-BF_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

01/06/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.960751G	-5.22	6.0263G	-58.07	-45.22	-12.85	1
5.968649G	-4.89	6.0263G	-57.97	-44.89	-13.08	2
5.971298G	-5.25	6.02645G	-58.22	-45.25	-12.97	3
5.969899G	-4.95	6.0266G	-58.31	-44.95	-13.36	4

5.925-6.425GHz_802.11bn_UHR40-BF_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

01/06/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.200101G	-7.46	6.144G	-58.48	-47.46	-11.02	1
6.211448G	-7.01	6.14385G	-59.28	-47.01	-12.27	2
6.20625G	-7.16	6.14395G	-59.24	-47.16	-12.08	3
6.20635G	-7.29	6.26625G	-58.86	-47.29	-11.57	4

5.925-6.425GHz_802.11bn_UHR40-BF_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

01/06/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.402601G	-7.20	6.4661G	-59.15	-47.20	-11.95	1
6.391853G	-6.75	6.34385G	-58.89	-46.75	-12.14	2
6.417547G	-6.67	6.34375G	-58.88	-46.67	-12.21	3
6.414648G	-6.78	6.34385G	-58.10	-46.78	-11.32	4

6.425-6.525GHz_802.11bn_UHR40-BF_Nss1,(MCS0)_4TX

MASK

6445MHz_TX

01/06/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.435252G	-7.10	6.38325G	-58.59	-47.10	-11.49	1
6.435002G	-7.09	6.50655G	-59.06	-47.09	-11.97	2
6.436402G	-6.84	6.3839G	-59.29	-46.84	-12.45	3
6.448049G	-6.95	6.5061G	-58.59	-46.95	-11.64	4

6.425-6.525GHz_802.11bn_UHR40-BF_Nss1,(MCS0)_4TX

MASK

6485MHz_TX

01/06/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.481351G	-7.38	6.42375G	-58.79	-47.38	-11.41	1
6.487899G	-7.68	6.42375G	-58.65	-47.68	-10.97	2
6.490349G	-7.41	6.4219G	-59.42	-47.41	-12.01	3
6.471953G	-7.57	6.4241G	-59.28	-47.57	-11.71	4

6.425-6.525GHz_802.11bn_UHR40-BF_Nss1,(MCS0)_4TX

MASK

6525MHz_TX

01/06/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.508954G	-7.92	6.4607G	-59.27	-47.92	-11.35	1
6.515152G	-7.74	6.46325G	-59.35	-47.74	-11.61	2
6.511453G	-7.94	6.46315G	-59.71	-47.94	-11.77	3
6.518902G	-7.90	6.4635G	-59.20	-47.90	-11.30	4

6.525-6.875GHz_802.11bn_UHR40-BF_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

01/06/2026




6.525-6.875GHz_802.11bn_UHR40-BF_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

01/06/2026




6.525-6.875GHz_802.11bn_UHR40-BF_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

03/06/2026




6.525-6.875GHz_802.11bn_UHR40-BF_Nss1,(MCS0)_4TX

MASK

6885MHz_TX

01/06/2026




6.875-7.125GHz_802.11bn_UHR40-BF_Nss1,(MCS0)_4TX

MASK

7005MHz_TX

01/06/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.991303G	-7.47	6.94335G	-58.63	-47.47	-11.16	1
6.997052G	-7.39	6.94325G	-58.84	-47.39	-11.45	2
7.009649G	-7.32	6.9437G	-58.53	-47.32	-11.21	3
6.994303G	-7.85	6.943G	-58.57	-47.85	-10.72	4

6.875-7.125GHz_802.11bn_UHR40-BF_Nss1,(MCS0)_4TX

MASK

7045MHz_TX

01/06/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.049999G	-8.34	6.9835G	-57.92	-48.34	-9.58	1
7.037502G	-7.55	6.9836G	-58.28	-47.55	-10.73	2
7.027604G	-7.81	6.9839G	-58.60	-47.81	-10.79	3
7.050749G	-7.82	6.9832G	-58.53	-47.82	-10.71	4

5.925-6.425GHz_802.11bn_UHR80-BF_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

01/06/2026




5.925-6.425GHz_802.11bn_UHR80-BF_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

01/06/2026



5.925-6.425GHz_802.11bn_UHR80-BF_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

01/06/2026

CF (Hz)
6.385G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3699G	-4.97	6.2625G	-54.05	-44.97	-9.08	1
6.3721G	-4.63	6.1967G	-54.50	-44.63	-9.87	2
6.3691G	-5.08	6.2637G	-54.45	-45.08	-9.37	3
6.37G	-4.99	6.2623G	-54.22	-44.99	-9.23	4

6.425-6.525GHz_802.11bn_UHR80-BF_Nss1,(MCS0)_4TX

MASK

6465MHz_TX

01/06/2026

CF (Hz)
6.465G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4719G	-4.45	6.3432G	-53.55	-44.45	-9.10	1
6.4508G	-3.87	6.3431G	-54.17	-43.87	-10.30	2
6.4542G	-4.47	6.3179G	-54.40	-44.47	-9.93	3
6.4552G	-4.20	6.2957G	-54.34	-44.20	-10.14	4

6.425-6.525GHz_802.11bn_UHR80-BF_Nss1,(MCS0)_4TX

MASK

6545MHz_TX

01/06/2026




6.525-6.875GHz_802.11bn_UHR80-BF_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

01/06/2026




6.525-6.875GHz_802.11bn_UHR80-BF_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

01/06/2026




6.525-6.875GHz_802.11bn_UHR80-BF_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

01/06/2026




6.525-6.875GHz_802.11bn_UHR80-BF_Nss1,(MCS0)_4TX

MASK

6865MHz_TX

01/06/2026




6.875-7.125GHz_802.11bn_UHR80-BF_Nss1,(MCS0)_4TX

MASK

6945MHz_TX

01/06/2026




6.875-7.125GHz_802.11bn_UHR80-BF_Nss1,(MCS0)_4TX

MASK

7025MHz_TX

01/06/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0153G	-4.94	6.9022G	-53.61	-44.86	-8.75	1
7.0117G	-5.09	7.1656G	-54.11	-45.09	-9.02	2
7.0133G	-4.35	6.9033G	-53.46	-44.35	-9.11	3
7.013G	-4.88	6.9033G	-53.69	-44.88	-8.81	4

5.925-6.425GHz_802.11bn_UHR160-BF_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

01/06/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.04959G	1.26	6.2694G	-47.11	-38.67	-8.44	1
6.05379G	1.76	6.2686G	-46.73	-38.24	-8.49	2
6.05219G	1.63	6.2682G	-46.23	-38.32	-7.91	3
6.04939G	1.43	6.268G	-46.83	-38.49	-8.34	4

5.925-6.425GHz_802.11bn_UHR160-BF_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

01/06/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.12302G	0.17	6.4282G	-49.02	-39.68	-9.34	1
6.10902G	0.78	6.427G	-48.89	-39.09	-9.80	2
6.20799G	0.59	6.429G	-48.88	-39.41	-9.47	3
6.12022G	0.68	6.4304G	-48.43	-39.32	-9.11	4

5.925-6.425GHz_802.11bn_UHR160-BF_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

01/06/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37039G	0.58	6.1024G	-48.43	-39.18	-9.25	1
6.36779G	0.67	6.1014G	-49.13	-39.33	-9.80	2
6.28561G	0.61	6.1006G	-48.85	-39.32	-9.53	3
6.36759G	0.57	6.5888G	-48.43	-39.43	-9.00	4

6.425-6.525GHz_802.11bn_UHR160-BF_Nss1,(MCS0)_4TX

MASK

6505MHz_TX

01/06/2026




6.525-6.875GHz_802.11bn_UHR160-BF_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

01/06/2026




6.525-6.875GHz_802.11bn_UHR160-BF_Nss1,(MCS0)_4TX

MASK

6825MHz_TX

01/06/2026

CF (Hz)
6.825G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.74922G	-0.09	6.5816G	-48.05	-39.88	-8.17	1
6.84739G	-0.35	7.0686G	-50.45	-40.35	-10.10	2
6.76322G	-0.19	6.5818G	-49.78	-40.19	-9.59	3
6.85199G	-0.39	6.581G	-49.63	-40.17	-9.46	4


6.875-7.125GHz_802.11bn_UHR160-BF_Nss1,(MCS0)_4TX

MASK

6985MHz_TX

01/06/2026

CF (Hz)
6.985G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.92242G	-0.47	6.7416G	-48.31	-40.35	-7.96	1
6.96301G	-0.41	6.7426G	-49.72	-40.34	-9.38	2
6.92342G	-0.40	6.7416G	-49.40	-40.40	-9.00	3
6.92422G	-0.19	6.741G	-48.51	-39.97	-8.54	4


5.925-6.425GHz_802.11bn_UHR320-BF_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

01/06/2026

CF (Hz)
6.105G
Span (Hz)
1.6G
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.06941G	2.26	6.5898G	-43.71	-37.67	-6.04	1
6.14099G	2.90	6.6142G	-43.62	-36.80	-6.82	2
6.06061G	2.93	6.5946G	-42.45	-37.07	-5.38	3
6.06221G	2.71	6.6098G	-43.42	-37.29	-6.13	4


5.925-6.425GHz_802.11bn_UHR320-BF_Nss1,(MCS0)_4TX

MASK

6265MHz_TX

01/06/2026

CF (Hz)
6.265G
Span (Hz)
1.6G
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.24061G	1.97	6.7522G	-44.31	-38.03	-6.28	1
6.12503G	2.83	6.7774G	-43.71	-37.17	-6.54	2
6.22181G	2.40	6.7522G	-42.51	-37.60	-4.91	3
6.22181G	2.50	6.7478G	-42.14	-37.18	-4.96	4

5.925-6.425GHz_802.11bn_UHR320-BF_Nss1,(MCS0)_4TX

MASK

6425MHz_TX

01/06/2026

CF (Hz)
6.425G


Span (Hz)
1.6G

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.39141G	2.45	5.9434G	-43.12	-37.24	-5.88	1
6.32862G	2.99	5.9434G	-41.60	-36.70	-4.90	2
6.32822G	2.43	5.9414G	-42.10	-37.41	-4.69	3
6.46179G	2.71	6.917G	-42.12	-37.26	-4.86	4

6.425-6.525GHz_802.11bn_UHR320-BF_Nss1,(MCS0)_4TX

MASK

6585MHz_TX

01/06/2026

CF (Hz)
6.585G


Span (Hz)
1.6G

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.55061G	1.56	6.099G	-44.92	-38.44	-6.48	1
6.69137G	1.67	6.0954G	-44.09	-38.33	-5.76	2
6.61659G	1.27	6.0946G	-44.67	-38.73	-5.94	3
6.68617G	1.99	6.0998G	-44.39	-37.97	-6.42	4

6.525-6.875GHz_802.11bn_UHR320-BF_Nss1,(MCS0)_4TX

MASK

6745MHz_TX

01/06/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.65182G	1.53	6.2574G	-44.83	-38.31	-6.52	1
6.70021G	1.77	6.2582G	-44.13	-38.21	-5.92	2
6.69101G	1.44	6.2562G	-44.66	-38.56	-6.10	3
6.69501G	1.79	6.247G	-45.38	-38.21	-7.17	4

6.525-6.875GHz_802.11bn_UHR320-BF_Nss1,(MCS0)_4TX

MASK

6905MHz_TX

01/06/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.80782G	2.48	6.4194G	-42.49	-37.51	-4.98	1
6.87101G	2.40	6.4194G	-42.26	-37.39	-4.87	2
6.80183G	2.28	6.363G	-43.21	-37.51	-5.70	3
6.76424G	2.63	6.399G	-43.44	-37.37	-6.07	4

5.925-6.425GHz_802.11bn_UHR20-BF_Nss2,(MCS0)_4TX

MASK

5955MHz_TX

01/06/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.959674G	-9.36	5.990025G	-61.44	-49.36	-12.08	1
5.953825G	-9.26	5.9866G	-61.61	-49.26	-12.35	2
5.950076G	-9.37	5.996975G	-62.04	-49.37	-12.67	3
5.957549G	-9.25	5.988775G	-61.90	-49.25	-12.65	4

5.925-6.425GHz_802.11bn_UHR20-BF_Nss2,(MCS0)_4TX

MASK

6195MHz_TX

01/06/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.201348G	-7.51	6.164325G	-60.22	-46.92	-13.30	1
6.19345G	-7.22	6.1642G	-59.98	-46.04	-13.94	2
6.198324G	-7.07	6.225725G	-60.13	-45.89	-14.24	3
6.199949G	-7.32	6.16435G	-59.41	-45.97	-13.44	4

5.925-6.425GHz_802.11bn_UHR20-BF_Nss2,(MCS0)_4TX

MASK

6415MHz_TX

01/06/2026




6.425-6.525GHz_802.11bn_UHR20-BF_Nss2,(MCS0)_4TX

MASK

6435MHz_TX

01/06/2026




6.425-6.525GHz_802.11bn_UHR20-BF_Nss2,(MCS0)_4TX

MASK

6475MHz_TX

01/06/2026




6.425-6.525GHz_802.11bn_UHR20-BF_Nss2,(MCS0)_4TX

MASK

6515MHz_TX

01/06/2026




6.525-6.875GHz_802.11bn_UHR20-BF_Nss2,(MCS0)_4TX

MASK

6535MHz_TX

01/06/2026




6.525-6.875GHz_802.11bn_UHR20-BF_Nss2,(MCS0)_4TX

MASK

6695MHz_TX

01/06/2026




6.525-6.875GHz_802.11bn_UHR20-BF_Nss2,(MCS0)_4TX

MASK

6855MHz_TX

01/06/2026




6.525-6.875GHz_802.11bn_UHR20-BF_Nss2,(MCS0)_4TX

MASK

6875MHz_TX

01/06/2026




6.875-7.125GHz_802.11bn_UHR20-BF_Nss2,(MCS0)_4TX

MASK

6995MHz_TX

01/06/2026




6.875-7.125GHz_802.11bn_UHR20-BF_Nss2,(MCS0)_4TX

MASK

7055MHz_TX

01/06/2026




5.925-6.425GHz_802.11bn_UHR40-BF_Nss2,(MCS0)_4TX

MASK

5965MHz_TX

01/06/2026




5.925-6.425GHz_802.11bn_UHR40-BF_Nss2,(MCS0)_4TX

MASK

6205MHz_TX

01/06/2026




5.925-6.425GHz_802.11bn_UHR40-BF_Nss2,(MCS0)_4TX

MASK

6405MHz_TX

01/06/2026




6.425-6.525GHz_802.11bn_UHR40-BF_Nss2,(MCS0)_4TX

MASK

6445MHz_TX

01/06/2026




6.425-6.525GHz_802.11bn_UHR40-BF_Nss2,(MCS0)_4TX

MASK

6485MHz_TX

01/06/2026




6.425-6.525GHz_802.11bn_UHR40-BF_Nss2,(MCS0)_4TX

MASK

6525MHz_TX

01/06/2026




6.525-6.875GHz_802.11bn_UHR40-BF_Nss2,(MCS0)_4TX

MASK

6565MHz_TX

01/06/2026




6.525-6.875GHz_802.11bn_UHR40-BF_Nss2,(MCS0)_4TX

MASK

6685MHz_TX

01/06/2026




6.525-6.875GHz_802.11bn_UHR40-BF_Nss2,(MCS0)_4TX

MASK

6845MHz_TX

01/06/2026




6.525-6.875GHz_802.11bn_UHR40-BF_Nss2,(MCS0)_4TX

MASK

6885MHz_TX

01/06/2026




6.875-7.125GHz_802.11bn_UHR40-BF_Nss2,(MCS0)_4TX

MASK

7005MHz_TX

01/06/2026




6.875-7.125GHz_802.11bn_UHR40-BF_Nss2,(MCS0)_4TX

MASK

7045MHz_TX

01/06/2026




5.925-6.425GHz_802.11bn_UHR80-BF_Nss2,(MCS0)_4TX

MASK

5985MHz_TX

01/06/2026




5.925-6.425GHz_802.11bn_UHR80-BF_Nss2,(MCS0)_4TX

MASK

6225MHz_TX

01/06/2026




5.925-6.425GHz_802.11bn_UHR80-BF_Nss2,(MCS0)_4TX

MASK

6385MHz_TX

01/06/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3795G	0.04	6.5069G	-51.17	-39.96	-11.21	1
6.3696G	0.52	6.2635G	-51.52	-39.48	-12.04	2
6.3739G	-0.00	6.5062G	-51.76	-40.00	-11.76	3
6.3714G	0.34	6.5078G	-51.19	-39.66	-11.53	4

6.425-6.525GHz_802.11bn_UHR80-BF_Nss2,(MCS0)_4TX

MASK

6465MHz_TX

01/06/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4545G	-0.88	6.3421G	-52.12	-40.88	-11.24	1
6.4512G	-0.45	6.3439G	-52.23	-40.45	-11.78	2
6.4549G	-0.68	6.3421G	-52.19	-40.68	-11.51	3
6.4576G	-0.55	6.5875G	-52.25	-40.55	-11.70	4

6.425-6.525GHz_802.11bn_UHR80-BF_Nss2,(MCS0)_4TX

MASK

6545MHz_TX

01/06/2026




6.525-6.875GHz_802.11bn_UHR80-BF_Nss2,(MCS0)_4TX

MASK

6625MHz_TX

01/06/2026



6.525-6.875GHz_802.11bn_UHR80-BF_Nss2,(MCS0)_4TX

MASK

6705MHz_TX

01/06/2026

CF (Hz)
6.705G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6903G	-1.01	6.583G	-52.08	-40.98	-11.10	1
6.6947G	-0.87	6.8266G	-52.30	-40.87	-11.43	2
6.6964G	-0.67	6.8272G	-52.40	-40.67	-11.73	3
6.7189G	-0.74	6.8269G	-52.57	-40.74	-11.83	4

6.525-6.875GHz_802.11bn_UHR80-BF_Nss2,(MCS0)_4TX

MASK

6785MHz_TX

01/06/2026

CF (Hz)
6.785G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.771G	-0.54	6.662G	-51.56	-40.54	-11.02	1
6.7716G	-0.15	6.9066G	-51.99	-40.15	-11.84	2
6.7788G	-0.31	6.9083G	-52.21	-40.31	-11.90	3
6.7691G	-0.56	6.9062G	-52.25	-40.56	-11.69	4

6.525-6.875GHz_802.11bn_UHR80-BF_Nss2,(MCS0)_4TX

MASK

6865MHz_TX

01/06/2026




6.875-7.125GHz_802.11bn_UHR80-BF_Nss2,(MCS0)_4TX

MASK

6945MHz_TX

01/06/2026




6.875-7.125GHz_802.11bn_UHR80-BF_Nss2,(MCS0)_4TX

MASK

7025MHz_TX

01/06/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0144G	0.42	6.9035G	-50.49	-39.58	-10.91	1
7.01G	0.60	6.9032G	-50.44	-39.40	-11.04	2
7.0135G	0.85	6.9035G	-50.51	-39.15	-11.36	3
7.0126G	0.62	6.9035G	-50.00	-39.38	-10.62	4

5.925-6.425GHz_802.11bn_UHR160-BF_Nss2,(MCS0)_4TX

MASK

6025MHz_TX

01/06/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05099G	3.12	6.2668G	-43.95	-36.72	-7.23	1
6.04859G	3.24	6.268G	-43.35	-36.68	-6.67	2
6.05059G	3.31	6.2726G	-43.00	-36.69	-6.31	3
6.0448G	2.98	6.2678G	-44.15	-36.91	-7.24	4

5.925-6.425GHz_802.11bn_UHR160-BF_Nss2,(MCS0)_4TX

MASK

6185MHz_TX

01/06/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.12162G	1.57	6.4296G	-47.15	-38.43	-8.72	1
6.12641G	2.09	6.4282G	-46.97	-37.86	-9.11	2
6.15741G	1.72	6.4282G	-47.43	-38.28	-9.15	3
6.15821G	2.30	6.4294G	-46.26	-37.70	-8.56	4

5.925-6.425GHz_802.11bn_UHR160-BF_Nss2,(MCS0)_4TX

MASK

6345MHz_TX

01/06/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.36759G	2.66	6.1012G	-45.10	-37.09	-8.01	1
6.36759G	2.83	6.1024G	-45.06	-37.03	-8.03	2
6.31381G	2.76	6.1006G	-44.68	-37.24	-7.44	3
6.36919G	2.89	6.589G	-44.23	-36.89	-7.34	4

6.425-6.525GHz_802.11bn_UHR160-BF_Nss2,(MCS0)_4TX

MASK

6505MHz_TX

01/06/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.48081G	2.41	6.2624G	-45.36	-37.55	-7.81	1
6.44362G	2.52	6.749G	-45.76	-37.26	-8.50	2
6.47881G	2.08	6.2618G	-45.95	-37.39	-8.56	3
6.53039G	2.34	6.7488G	-45.43	-37.12	-8.31	4

6.525-6.875GHz_802.11bn_UHR160-BF_Nss2,(MCS0)_4TX

MASK

6665MHz_TX

01/06/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.58842G	1.83	6.4222G	-46.30	-38.16	-8.14	1
6.69519G	2.20	6.9086G	-46.76	-37.80	-8.96	2
6.68839G	2.29	6.4208G	-46.41	-37.71	-8.70	3
6.69199G	2.11	6.91G	-46.78	-37.89	-8.89	4

6.525-6.875GHz_802.11bn_UHR160-BF_Nss2,(MCS0)_4TX

MASK

6825MHz_TX

01/06/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.76442G	3.22	6.5826G	-44.02	-36.42	-7.60	1
6.76521G	2.65	7.068G	-45.37	-37.35	-8.02	2
6.79941G	2.97	7.0676G	-44.87	-36.70	-8.17	3
6.79861G	3.03	6.583G	-45.21	-36.94	-8.27	4

6.875-7.125GHz_802.11bn_UHR160-BF_Nss2,(MCS0)_4TX

MASK

6985MHz_TX

01/06/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.96241G	2.30	6.7424G	-45.29	-37.46	-7.83	1
6.92282G	2.17	6.7428G	-46.25	-37.63	-8.62	2
7.00679G	2.20	6.7422G	-46.25	-37.79	-8.46	3
6.92262G	2.47	6.7416G	-45.43	-37.53	-7.90	4

5.925-6.425GHz_802.11bn_UHR320-BF_Nss2,(MCS0)_4TX

MASK

6105MHz_TX

01/06/2026




5.925-6.425GHz_802.11bn_UHR320-BF_Nss2,(MCS0)_4TX

MASK

6265MHz_TX

01/06/2026




5.925-6.425GHz_802.11bn_UHR320-BF_Nss2,(MCS0)_4TX

MASK

6425MHz_TX

01/06/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.32982G	4.23	5.937G	-40.19	-35.77	-4.42	1
6.32702G	4.56	5.9394G	-39.05	-35.33	-3.72	2
6.37861G	4.25	5.9358G	-40.00	-35.75	-4.25	3
6.37181G	4.40	6.9102G	-39.00	-35.56	-3.44	4

6.425-6.525GHz_802.11bn_UHR320-BF_Nss2,(MCS0)_4TX

MASK

6585MHz_TX

01/06/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.49062G	4.88	6.107G	-36.80	-34.54	-2.26	1
6.68897G	5.12	6.0838G	-37.24	-34.76	-2.48	2
6.54901G	4.84	6.0966G	-36.53	-35.06	-1.47	3
6.69017G	5.15	6.1046G	-36.94	-34.36	-2.58	4

6.525-6.875GHz_802.11bn_UHR320-BF_Nss2,(MCS0)_4TX

MASK

6745MHz_TX

01/06/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.64502G	4.72	6.2514G	-38.28	-35.28	-3.00	1
6.70141G	4.66	6.2622G	-37.64	-34.93	-2.71	2
6.71181G	4.61	6.2486G	-38.08	-35.39	-2.69	3
6.77819G	5.00	6.257G	-37.88	-34.97	-2.91	4

6.525-6.875GHz_802.11bn_UHR320-BF_Nss2,(MCS0)_4TX

MASK

6905MHz_TX

01/06/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.76703G	3.80	6.4138G	-41.69	-36.20	-5.49	1
6.87261G	3.46	6.4198G	-41.40	-36.30	-5.10	2
6.76344G	3.59	6.4146G	-41.18	-36.41	-4.77	3
6.86861G	3.97	6.4194G	-41.48	-35.82	-5.66	4

5.925-6.425GHz_802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

MASK

5985MHz_TX

10/06/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.01409G	-1.66	6.1079G	-52.09	-41.60	-10.49	1
5.9736G	-1.69	6.1071G	-53.02	-41.69	-11.33	2
6.01379G	-1.61	6.107G	-53.70	-41.61	-12.09	3
5.9725G	-2.11	6.1077G	-53.62	-42.11	-11.51	4

6.875-7.125GHz_802.11bn UHR80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX

MASK

7025MHz_TX

10/06/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0154G	-1.48	7.0652G	-25.03	-20.08	-4.95	1
7.0151G	-2.76	7.1853G	-53.92	-42.76	-11.16	2
7.0111G	-2.27	7.1665G	-53.71	-42.27	-11.44	3
7.0197G	-1.33	6.8589G	-53.06	-41.33	-11.73	4

5.925-6.425GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX

MASK

6025MHz_TX

10/06/2026




5.925-6.425GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

MASK

6025MHz_TX

10/06/2026




6.875-7.125GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_4TX

MASK

6985MHz_TX

10/06/2026




6.875-7.125GHz_802.11bn_UHR160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

MASK

6985MHz_TX

10/06/2026




5.925-6.425GHz_802.11bn_UHR320_Nss1,(MCS0),3xRU996+RU484 MRU_4_4TX

MASK

6105MHz_TX

10/06/2026




5.925-6.425GHz_802.11bn_UHR320_Nss1,(MCS0),3xRU996 MRU_2_4TX

MASK

6105MHz_TX

10/06/2026




5.925-6.425GHz_802.11bn_UHR320_Nss1,(MCS0),2xRU996+RU484 MRU 3_4TX

MASK

6105MHz_TX

10/06/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.07061G	3.29	6.5986G	-49.21	-36.71	-12.50	1
6.07061G	3.20	6.5914G	-48.98	-36.56	-12.42	2
6.07861G	2.98	6.5938G	-49.00	-36.95	-12.05	3
6.13979G	2.57	6.5958G	-49.15	-37.43	-11.72	4

6.525-6.875GHz_802.11bn_UHR320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX

MASK

6905MHz Straddle 6.525-6.875GHz_TX

10/06/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.76424G	1.38	6.4206G	-44.53	-38.13	-6.40	1
6.87101G	0.68	6.413G	-45.33	-39.32	-6.01	2
6.86901G	0.04	6.371G	-46.20	-39.92	-6.28	3
6.80343G	1.11	6.4034G	-45.78	-38.70	-7.08	4

6.525-6.875GHz_802.11bn_UHR320_Nss1,(MCS0),3xRU996_MRU_2_4TX

MASK

6905MHz Straddle 6.525-6.875GHz_TX

10/06/2026




6.525-6.875GHz_802.11bn_UHR320_Nss1,(MCS0),2xRU996+RU484_MRU_9_4TX

MASK

6905MHz Straddle 6.525-6.875GHz_TX

10/06/2026



Contention Based Protocol Threshold Level 802.11ax HEW20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-62.84	3.16	-66.00	≤ -62
						Minimal	-63.84	3.16	-67.00	≤ -62
						ON	-78.84	3.16	-82.00	≤ -62
6	101	20	6455	Center	6455	OFF	-60.84	3.16	-64.00	≤ -62
						Minimal	-61.84	3.16	-65.00	≤ -62
						ON	-78.84	3.16	-82.00	≤ -62
7	149	20	6695	Center	6695	OFF	-61.84	3.16	-65.00	≤ -62
						Minimal	-62.84	3.16	-66.00	≤ -62
						ON	-78.84	3.16	-82.00	≤ -62
8	213	20	7015	Center	7015	OFF	-62.84	3.16	-66.00	≤ -62
						Minimal	-63.84	3.16	-67.00	≤ -62
						ON	-78.84	3.16	-82.00	≤ -62


Contention Based Protocol Threshold Level 802.11ax HEW320										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	320	6105	Low edge	5950	OFF	-58.84	3.16	-62.00	≤ -62
						Minimal	-59.84	3.16	-63.00	≤ -62
						ON	-78.84	3.16	-82.00	≤ -62
				Center	6105	OFF	-58.84	3.16	-62.00	≤ -62
						Minimal	-59.84	3.16	-63.00	≤ -62
						ON	-78.84	3.16	-82.00	≤ -62
				High edge	6260	OFF	-60.84	3.16	-64.00	≤ -62
						Minimal	-61.84	3.16	-65.00	≤ -62
						ON	-78.84	3.16	-82.00	≤ -62
6	95	320	6425	Low edge	6270	OFF	-60.84	3.16	-64.00	≤ -62
						Minimal	-61.84	3.16	-65.00	≤ -62
						ON	-78.84	3.16	-82.00	≤ -62
				Center	6425	OFF	-67.84	3.16	-71.00	≤ -62
						Minimal	-68.84	3.16	-72.00	≤ -62
						ON	-78.84	3.16	-82.00	≤ -62
				High edge	6580	OFF	-60.84	3.16	-64.00	≤ -62
						Minimal	-61.84	3.16	-65.00	≤ -62
						ON	-78.84	3.16	-82.00	≤ -62
7	159	320	6745	Low edge	6590	OFF	-58.84	3.16	-62.00	≤ -62
						Minimal	-59.84	3.16	-63.00	≤ -62
						ON	-78.84	3.16	-82.00	≤ -62
				Center	6745	OFF	-65.84	3.16	-69.00	≤ -62
						Minimal	-66.84	3.16	-70.00	≤ -62
						ON	-78.84	3.16	-82.00	≤ -62
				High edge	6900	OFF	-60.84	3.16	-64.00	≤ -62
						Minimal	-61.84	3.16	-65.00	≤ -62
						ON	-78.84	3.16	-82.00	≤ -62
8	191	320	6905	Low edge	6750	OFF	-61.84	3.16	-65.00	≤ -62
						Minimal	-62.84	3.16	-66.00	≤ -62
						ON	-78.84	3.16	-82.00	≤ -62
				Center	6905	OFF	-65.84	3.16	-69.00	≤ -62
						Minimal	-66.84	3.16	-70.00	≤ -62
						ON	-78.84	3.16	-82.00	≤ -62
				High edge	7060	OFF	-58.84	3.16	-62.00	≤ -62
						Minimal	-59.84	3.16	-63.00	≤ -62
						ON	-78.84	3.16	-82.00	≤ -62

Contention Based protocol 802.11ax HEW20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-66.00	OFF	10	100	90	Pass
6	101	20	6455	Center	6455	-64.00	OFF	9	90	90	Pass
7	149	20	6695	Center	6695	-65.00	OFF	10	100	90	Pass
8	213	20	7015	Center	7015	-66.00	OFF	10	100	90	Pass

Contention Based protocol 802.11ax HEW320											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-62.00	OFF	10	100	90	Pass
				Center	6105	-62.00	OFF	9	90	90	Pass
				High edge	6260	-64.00	OFF	10	100	90	Pass
6	95	320	6425	Low edge	6270	-64.00	OFF	10	100	90	Pass
				Center	6425	-71.00	OFF	10	100	90	Pass
				High edge	6580	-64.00	OFF	10	100	90	Pass
7	159	320	6745	Low edge	6590	-62.00	OFF	10	100	90	Pass
				Center	6745	-69.00	OFF	10	100	90	Pass
				High edge	6900	-64.00	OFF	9	90	90	Pass
8	191	320	6905	Low edge	6750	-65.00	OFF	9	90	90	Pass
				Center	6905	-69.00	OFF	10	100	90	Pass
				High edge	7060	-62.00	OFF	9	90	90	Pass


Bandwidth: 20MHz

Traffic Loading Plot




Date: 9.APR.2026 12:00:08

Traffic Loading Calculation




Bandwidth: 320MHz

Traffic Loading Plot



Date: 8 APR 2026 16:18:20


Traffic Loading Calculation



Incumbent signal (AWGN) Plot


Bandwidth: 20MHz

Frequency (MHz): 6215 MHz




Date: 4.JUN.2026 16:41:27

Frequency (MHz): 6455 MHz




Date: 4.JUN.2026 16:42:38

Frequency (MHz): 6695 MHz



Date: 4 JUN 2026 16:43:14


Frequency (MHz): 7015 MHz



Date: 4 JUN 2026 16:43:50


Bandwidth: 320MHz

Frequency (MHz): 5950 MHz




Date: 4.JUN.2026 16:46:53

Frequency (MHz): 6105 MHz




Date: 4.JUN.2026 16:49:35

Frequency (MHz): 6260 MHz




Date: 4 JUN 2026 16:50:19

Frequency (MHz): 6270 MHz




Date: 4 JUN 2026 16:50:58


Frequency (MHz): 6425 MHz



Frequency (MHz): 6580 MHz




Frequency (MHz): 6590 MHz




Date: 4 JUN 2026 16:53:46

Frequency (MHz): 6745 MHz




Date: 4 JUN 2026 16:54:42

Frequency (MHz): 6750 MHz




Date: 4 JUN 2026 16:56:01

Frequency (MHz): 6900 MHz



Date: 4 JUN 2026 16:55:24

Frequency (MHz): 6905 MHz



Frequency (MHz): 7060 MHz

