

|                                                                                  |                                                                                       |                                           |                              |                            |
|----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------------------------------------------|------------------------------|----------------------------|
|  | Document<br><b>Appendix E for the BlackBerry® Smartphone Model RFN81UW SAR Report</b> |                                           |                              | Page<br><b>1(18)</b>       |
| Author Data<br><b>Andrew Becker</b>                                              | Dates of Test<br><b>Nov 26, 2012- Feb 28, 2013</b>                                    | Test Report No<br><b>RTS-6026-1302-18</b> | FCC ID:<br><b>L6ARFN80UW</b> | IC<br><b>2503A-RFN80UW</b> |

## APPENDIX E: PHOTOGRAPHS

Author Data  
**Andrew Becker**

Dates of Test  
**Nov 26, 2012- Feb 28, 2013**

Test Report No  
**RTS-6026-1302-18**

FCC ID:  
**L6ARFN80UW**

IC  
**2503A-RFN80UW**

Headset Jack

Audio Output



Voice Microphone

**Figure E1. BlackBerry Smartphone**

**Figure E2. Body worn holster – front**

|                                                                                  |                                                                                       |                                           |                              |                            |
|----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------------------------------------------|------------------------------|----------------------------|
|  | Document<br><b>Appendix E for the BlackBerry® Smartphone Model RFN81UW SAR Report</b> |                                           |                              | Page<br><b>4(18)</b>       |
| Author Data<br><b>Andrew Becker</b>                                              | Dates of Test<br><b>Nov 26, 2012- Feb 28, 2013</b>                                    | Test Report No<br><b>RTS-6026-1302-18</b> | FCC ID:<br><b>L6ARFN80UW</b> | IC<br><b>2503A-RFN80UW</b> |



**Figure E3. Body worn holsters – back**



**Figure E4. Head configuration (Right Touch/Tilt)**



**Figure E5. Head configuration (Left Touch/Tilt)**



**Figure E6. Body-worn configuration (No Holster, back side 15mm away)**



**Figure E7. Body-worn configuration (No Holster, front side 15mm away)**



**Figure E8. Body-worn configuration (Vertical Holster, back facing phantom)**




**Figure E9. Body-worn configuration (Vertical Holster, front facing phantom)**




**Figure E10. Body-worn configuration (No Holster, headset, back 15mm away)**




**Figure E11. Body-worn configuration (Vertical Holster, headset, back)**



**Figure E12. Back side MHS configuration, 10 mm away**



**Figure E13. Front side MHS configuration, 10 mm away**



**Figure E14. Right side MHS configuration, 10 mm away**

Author Data

**Andrew Becker**

Dates of Test

**Nov 26, 2012- Feb 28, 2013**

Test Report No

**RTS-6026-1302-18**

FCC ID:

**L6ARFN80UW**

IC

**2503A-RFN80UW**

**Figure E15. Left side MHS configuration, 10 mm away**



**Figure E16. Top side MHS configuration, 10 mm away**

|                                                                                  |                                                                                       |                                           |                              |                            |
|----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------------------------------------------|------------------------------|----------------------------|
|  | Document<br><b>Appendix E for the BlackBerry® Smartphone Model RFN81UW SAR Report</b> |                                           |                              | Page<br><b>18(18)</b>      |
| Author Data<br><b>Andrew Becker</b>                                              | Dates of Test<br><b>Nov 26, 2012- Feb 28, 2013</b>                                    | Test Report No<br><b>RTS-6026-1302-18</b> | FCC ID:<br><b>L6ARFN80UW</b> | IC<br><b>2503A-RFN80UW</b> |



**Figure E17. Bottom side MHS configuration, 10 mm away**