

COMTREND

Home Gateway Model: PRT-6351

Input: 12V $\overline{\sim}$ 2.5A $\diamond \ominus \oplus$

USB 3.0 $\overline{\sim}$ 900mA

SSID: Comtrend7611_2.4GHz

Comtrend7611_5GHz

Comtrend7611_6GHz

WiFi Key: AB8nXJ4VLP

Encryption Type: WPA2-PSK (2.4GHz, 5GHz)

Encryption Type: WPA3 (6GHz)



FCC ID: L9VPRT6351

IC: 4013A- PRT6351



S/N: 2352412UXXF-A9000001



MAC: C8D12A007611

P/N: 7XXXXXX-XXX Made in Taiwan

Operation shall be limited to indoor use only.
Operation on oil platforms, automobiles,
trains, maritime vessels and aircraft shall be
prohibited except for on large aircraft flying
above 3,048 m (10,000 ft).

COMTREND

Home Gateway Model: WR-2412u

Input: 12V  2.5A  

USB 3.0  900mA

SSID: **Comtrend7611_2.4GHz**

Comtrend7611_5GHz

Comtrend7611_6GHz

WiFi Key: **AB8nXJ4VLP**

Encryption Type: WPA2-PSK (2.4GHz, 5GHz)

Encryption Type: WPA3 (6GHz)




FCC ID: L9VPRT6351

IC: 4013A- PRT6351



S/N: **2352412UXXF-A9000001**



MAC: **C8D12A007611**

P/N: **7XXXXXX-XXX**

Made in **Taiwan**

Operation shall be limited to indoor use only.
Operation on oil platforms, automobiles,
trains, maritime vessels and aircraft shall be
prohibited except for onlarge aircraft flying
above 3,048 m (10,000 ft).

Label Location

