



5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TX



5.725-5.85GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.777G	113.11	Inf	-Inf	6.65	3	Vertical	94	1.92	106.46	33.96	6.89	34.20
PK	5.6498G	66.79	68.20	-1.41	5.61	3	Vertical	94	1.92	61.18	33.00	6.80	34.19
PK	5.7782G	123.65	Inf	-Inf	6.66	3	Vertical	94	1.92	116.99	33.97	6.89	34.20
PK	6.077G	59.32	68.20	-8.88	6.92	3	Vertical	94	1.92	52.40	34.05	7.11	34.24

5.725-5.85GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.7998G	111.90	Inf	-Inf	6.80	3	Horizontal	94	2.72	105.10	34.10	6.90	34.20
PK	5.6318G	66.99	68.20	-1.21	5.60	3	Horizontal	94	2.72	61.39	33.00	6.79	34.19
PK	5.7998G	123.89	Inf	-Inf	6.80	3	Horizontal	94	2.72	117.09	34.10	6.90	34.20
PK	6.0878G	58.96	68.20	-9.24	6.89	3	Horizontal	94	2.72	52.07	34.02	7.11	34.24


5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TX



5.15-5.25GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.61	54.00	-2.39	5.37	3	Vertical	331	1.52	46.24	33.10	6.41	34.14
AV	5.224G	105.04	Inf	-Inf	5.37	3	Vertical	331	1.52	99.67	33.05	6.47	34.15
AV	5.36G	49.48	54.00	-4.52	5.30	3	Vertical	331	1.52	44.18	32.90	6.56	34.16
PK	5.15G	63.11	74.00	-10.89	5.37	3	Vertical	331	1.52	57.74	33.10	6.41	34.14
PK	5.223G	115.77	Inf	-Inf	5.37	3	Vertical	331	1.52	110.40	33.05	6.47	34.15
PK	5.35G	61.37	74.00	-12.63	5.29	3	Vertical	331	1.52	56.08	32.90	6.55	34.16

5.15-5.25GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.62	54.00	-1.38	5.37	3	Horizontal	238	1.60	47.25	33.10	6.41	34.14
AV	5.198G	107.08	Inf	-Inf	5.41	3	Horizontal	238	1.60	101.67	33.10	6.45	34.14
AV	5.36G	47.97	54.00	-6.03	5.30	3	Horizontal	238	1.60	42.67	32.90	6.56	34.16
PK	5.146G	63.50	74.00	-10.50	5.37	3	Horizontal	238	1.60	58.13	33.10	6.41	34.14
PK	5.198G	118.17	Inf	-Inf	5.41	3	Horizontal	238	1.60	112.76	33.10	6.45	34.14
PK	5.371G	59.60	74.00	-14.40	5.31	3	Horizontal	238	1.60	54.29	32.90	6.57	34.16


5.15-5.25GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




5.15-5.25GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TX



5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.68	54.00	-6.32	5.37	3	Vertical	62	1.50	42.31	33.10	6.41	34.14
AV	5.26G	105.02	Inf	-Inf	5.34	3	Vertical	62	1.50	99.68	33.00	6.49	34.15
AV	5.355G	53.41	54.00	-0.59	5.30	3	Vertical	62	1.50	48.11	32.90	6.56	34.16
AV	5.46G	48.38	54.00	-5.62	5.36	3	Vertical	62	1.50	43.02	32.90	6.64	34.18
PK	5.149G	61.10	74.00	-12.90	5.37	3	Vertical	62	1.50	55.73	33.10	6.41	34.14
PK	5.259G	118.95	Inf	-Inf	5.34	3	Vertical	62	1.50	113.61	33.00	6.49	34.15
PK	5.379G	65.98	74.00	-8.02	5.31	3	Vertical	62	1.50	60.67	32.90	6.58	34.17
PK	5.483G	61.51	68.20	-6.69	5.38	3	Vertical	62	1.50	56.13	32.90	6.66	34.18

5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	46.74	54.00	-7.26	5.37	3	Horizontal	248	1.77	41.37	33.10	6.41	34.14
AV	5.252G	104.31	Inf	-Inf	5.34	3	Horizontal	248	1.77	98.97	33.00	6.49	34.15
AV	5.35G	52.03	54.00	-1.97	5.29	3	Horizontal	248	1.77	46.74	32.90	6.55	34.16
AV	5.46G	47.36	54.00	-6.64	5.36	3	Horizontal	248	1.77	42.00	32.90	6.64	34.18
PK	5.149G	59.48	74.00	-14.52	5.37	3	Horizontal	248	1.77	54.11	33.10	6.41	34.14
PK	5.252G	115.88	Inf	-Inf	5.34	3	Horizontal	248	1.77	110.54	33.00	6.49	34.15
PK	5.378G	65.66	74.00	-8.34	5.30	3	Horizontal	248	1.77	60.36	32.90	6.57	34.17
PK	5.473G	60.65	68.20	-7.55	5.38	3	Horizontal	248	1.77	55.27	32.90	6.66	34.18


5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TX



5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	52.46	54.00	-1.54	5.36	3	Vertical	53	1.50	47.10	32.90	6.64	34.18
AV	5.522G	104.46	Inf	-Inf	5.42	3	Vertical	53	1.50	99.04	32.90	6.70	34.18
PK	5.327G	60.57	68.20	-7.63	5.33	3	Vertical	53	1.50	55.24	32.95	6.54	34.16
PK	5.459G	65.57	74.00	-8.43	5.36	3	Vertical	53	1.50	60.21	32.90	6.64	34.18
PK	5.469G	67.82	68.20	-0.38	5.37	3	Vertical	53	1.50	62.45	32.90	6.65	34.18
PK	5.507G	117.39	Inf	-Inf	5.41	3	Vertical	53	1.50	111.98	32.90	6.69	34.18
PK	5.734G	60.91	68.20	-7.29	6.40	3	Vertical	53	1.50	54.51	33.74	6.86	34.20

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.453G	51.77	54.00	-2.23	5.37	3	Horizontal	89	2.88	46.40	32.90	6.64	34.17
AV	5.544G	104.16	Inf	-Inf	5.44	3	Horizontal	89	2.88	98.72	32.90	6.72	34.18
PK	5.336G	60.57	68.20	-7.63	5.32	3	Horizontal	89	2.88	55.25	32.93	6.55	34.16
PK	5.456G	67.79	74.00	-6.21	5.37	3	Horizontal	89	2.88	62.42	32.90	6.64	34.17
PK	5.467G	65.36	68.20	-2.84	5.37	3	Horizontal	89	2.88	59.99	32.90	6.65	34.18
PK	5.544G	117.19	Inf	-Inf	5.44	3	Horizontal	89	2.88	111.75	32.90	6.72	34.18
PK	5.738G	60.51	68.20	-7.69	6.41	3	Horizontal	89	2.88	54.10	33.75	6.86	34.20


5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.768G	110.54	Inf	-Inf	6.59	3	Vertical	77	1.78	103.95	33.91	6.88	34.20
PK	5.65G	66.49	68.20	-1.71	5.61	3	Vertical	77	1.78	60.88	33.00	6.80	34.19
PK	5.765G	119.24	Inf	-Inf	6.57	3	Vertical	77	1.78	112.67	33.89	6.88	34.20
PK	5.963G	59.29	68.20	-8.91	6.99	3	Vertical	77	1.78	52.30	34.17	7.04	34.22

5.725-5.85GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.771G	106.93	Inf	-Inf	6.61	3	Horizontal	141	1.50	100.32	33.93	6.88	34.20
PK	5.643G	67.96	68.20	-0.24	5.61	3	Horizontal	141	1.50	62.35	33.00	6.80	34.19
PK	5.763G	116.86	Inf	-Inf	6.56	3	Horizontal	141	1.50	110.30	33.88	6.88	34.20
PK	5.936G	59.18	68.20	-9.02	7.04	3	Horizontal	141	1.50	52.14	34.23	7.02	34.21


5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TX



5.25-5.35GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	48.97	54.00	-5.03	5.37	3	Vertical	42	1.49	43.60	33.10	6.41	34.14
AV	5.274G	97.46	Inf	-Inf	5.35	3	Vertical	42	1.49	92.11	33.00	6.50	34.15
AV	5.3844G	50.64	54.00	-3.36	5.31	3	Vertical	42	1.49	45.33	32.90	6.58	34.17
AV	5.46G	48.50	54.00	-5.50	5.36	3	Vertical	42	1.49	43.14	32.90	6.64	34.18
PK	5.148G	71.05	74.00	-2.95	5.37	3	Vertical	42	1.49	65.68	33.10	6.41	34.14
PK	5.2332G	113.43	Inf	-Inf	5.35	3	Vertical	42	1.49	108.08	33.03	6.47	34.15
PK	5.3796G	73.69	74.00	-0.31	5.31	3	Vertical	42	1.49	68.38	32.90	6.58	34.17
PK	5.46G	65.70	74.00	-8.30	5.36	3	Vertical	42	1.49	60.34	32.90	6.64	34.18

5.25-5.35GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.26	54.00	-4.74	5.37	3	Horizontal	86	1.24	43.89	33.10	6.41	34.14
AV	5.19G	101.19	Inf	-Inf	5.40	3	Horizontal	86	1.24	95.79	33.10	6.44	34.14
AV	5.4072G	48.43	54.00	-5.57	5.33	3	Horizontal	86	1.24	43.10	32.90	6.60	34.17
AV	5.46G	46.69	54.00	-7.31	5.36	3	Horizontal	86	1.24	41.33	32.90	6.64	34.18
PK	5.148G	69.22	74.00	-4.78	5.37	3	Horizontal	86	1.24	63.85	33.10	6.41	34.14
PK	5.1888G	114.05	Inf	-Inf	5.40	3	Horizontal	86	1.24	108.65	33.10	6.44	34.14
PK	5.3676G	71.19	74.00	-2.81	5.31	3	Horizontal	86	1.24	65.88	32.90	6.57	34.16
PK	5.4732G	62.27	68.20	-5.93	5.38	3	Horizontal	86	1.24	56.89	32.90	6.66	34.18


5.25-5.35GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX



5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3996G	49.52	54.00	-4.48	5.32	3	Vertical	61	2.13	44.20	32.90	6.59	34.17
AV	5.5544G	97.07	Inf	-Inf	5.46	3	Vertical	61	2.13	91.61	32.91	6.73	34.18
PK	5.348G	59.91	68.20	-8.29	5.29	3	Vertical	61	2.13	54.62	32.90	6.55	34.16
PK	5.4464G	67.60	74.00	-6.40	5.36	3	Vertical	61	2.13	62.24	32.90	6.63	34.17
PK	5.4644G	67.59	68.20	-0.61	5.37	3	Vertical	61	2.13	62.22	32.90	6.65	34.18
PK	5.5568G	114.60	Inf	-Inf	5.46	3	Vertical	61	2.13	109.14	32.91	6.73	34.18
PK	5.7428G	64.78	68.20	-3.42	6.43	3	Vertical	61	2.13	58.35	33.77	6.86	34.20

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	47.26	54.00	-6.74	5.36	3	Horizontal	129	1.50	41.90	32.90	6.64	34.18
AV	5.5436G	98.14	Inf	-Inf	5.44	3	Horizontal	129	1.50	92.70	32.90	6.72	34.18
PK	5.342G	59.32	68.20	-8.88	5.31	3	Horizontal	129	1.50	54.01	32.92	6.55	34.16
PK	5.4596G	64.01	74.00	-9.99	5.36	3	Horizontal	129	1.50	58.65	32.90	6.64	34.18
PK	5.4632G	64.52	68.20	-3.68	5.37	3	Horizontal	129	1.50	59.15	32.90	6.65	34.18
PK	5.5412G	111.55	Inf	-Inf	5.44	3	Horizontal	129	1.50	106.11	32.90	6.72	34.18
PK	5.7428G	61.05	68.20	-7.15	6.43	3	Horizontal	129	1.50	54.62	33.77	6.86	34.20


5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TX



5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TX





Radiated Emissions above 1GHz

Appendix F


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.87398G	44.31	54.00	-9.69	Horizontal

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	4.87396G	35.83	54.00	-18.17	3	Vertical	130	1.63	-
Mode 1	Pass	AV	10.40436G	40.54	68.20	-27.66	3	Vertical	353	1.50	-
Mode 1	Pass	AV	13.00072G	41.94	68.20	-26.26	3	Vertical	212	1.50	-
Mode 1	Pass	PK	4.87444G	48.39	74.00	-25.61	3	Vertical	130	1.63	-
Mode 1	Pass	PK	10.4078G	53.51	68.20	-14.69	3	Vertical	316	1.50	-
Mode 1	Pass	PK	13.01772G	56.16	68.20	-12.04	3	Vertical	252	1.70	-
Mode 1	Pass	AV	4.87398G	44.31	54.00	-9.69	3	Horizontal	215	1.50	-
Mode 1	Pass	AV	10.40996G	40.51	68.20	-27.69	3	Horizontal	326	1.50	-
Mode 1	Pass	AV	13.00012G	42.15	68.20	-26.05	3	Horizontal	253	1.34	-
Mode 1	Pass	PK	4.874G	49.55	74.00	-24.45	3	Horizontal	215	1.50	-
Mode 1	Pass	PK	10.4012G	53.15	68.20	-15.05	3	Horizontal	326	1.50	-
Mode 1	Pass	PK	13.00938G	55.26	68.20	-12.94	3	Horizontal	253	1.34	-

Radiated Emissions above 1GHz_Mode 1



Radiated Emissions above 1GHz_Mode 1

