



Report No.:9907790
Mode: Charging


Tested By:Hong, Report No.:9907790

Scan Settings (1 Range)

Frequencies				Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Transducer No.	Start	Stop	Name
3	9k	30M	EI078

Final Measurement: x QP
Meas Time: 1 s
Subranges: 16
Acc Margin: 20dB



PAGE 1



Report No.:9907790
Mode: Charging

Tested By:Hong, Report No.:9907790

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement Results:




Tested By:Hong, Report No.:9907790

Scan Settings (1 Range)

Frequencies				Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Transducer No.	Start	Stop	Name
3	9k	30M	EI078

Final Measurement: x QP
Meas Time: 1 s
Subranges: 16
Acc Margin: 20dB





Report No.:9907790
Mode: Standby

Tested By:Hong, Report No.:9907790

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement Results:



Report No.:9907790

Mode: Transmission

Tested By:Hong, Report No.:9907790

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB


Transducer No.	Start	Stop	Name
3	9k	30M	EI078

Final Measurement: x QP

Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB



PAGE 1



Report No.:9907790

Mode: Transmission

Tested By:Hong, Report No.:9907790

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement Results: