

| Mode                           | Result | F-Start<br>(Hz) | F-Stop<br>(Hz) | Type | Freq<br>(Hz) | DG<br>(dB) | P1<br>(dBm) | P2<br>(dBm) | P3<br>(dBm) | P4<br>(dBm) | Psum<br>(dBm) | EIRP<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|--------------------------------|--------|-----------------|----------------|------|--------------|------------|-------------|-------------|-------------|-------------|---------------|---------------|----------------|----------------|
| 5825MHz                        | Pass   | 8G              | 12G            | AV   | 11.642G      | 3.00       | -71.99      |             |             |             | -71.99        | -68.99        | -41.20         | -27.79         |
| 5825MHz                        | Pass   | 12G             | 40G            | AV   | 39.8215G     | 3.00       | -60.99      |             |             |             | -60.99        | -57.99        | -41.20         | -16.79         |
| 5825MHz                        | Pass   | 8G              | 12G            | PK   | 10.528G      | 3.00       | -60.91      |             |             |             | -60.91        | -57.91        | -27.00         | -30.91         |
| 5825MHz                        | Pass   | 8G              | 12G            | PK   | 11.645G      | 3.00       | -61.98      |             |             |             | -61.98        | -58.98        | -21.20         | -37.78         |
| 5825MHz                        | Pass   | 12G             | 40G            | PK   | 38.3865G     | 3.00       | -53.75      |             |             |             | -53.75        | -50.75        | -27.00         | -23.75         |
| 802.11ax HEW40_Nss1,(MCS0)_1TX | -      | -               | -              | -    | -            | -          | -           | -           | -           | -           | -             | -             | -              | -              |
| 5190MHz                        | Pass   | 8G              | 12G            | AV   | 10.6G        | 3.00       | -72.52      |             |             |             | -72.52        | -69.52        | -41.20         | -28.32         |
| 5190MHz                        | Pass   | 8G              | 12G            | AV   | 11.7925G     | 3.00       | -70.93      |             |             |             | -70.93        | -67.93        | -41.20         | -26.73         |
| 5190MHz                        | Pass   | 12G             | 40G            | AV   | 15.5805G     | 3.00       | -60.78      |             |             |             | -60.78        | -57.78        | -41.20         | -16.58         |
| 5190MHz                        | Pass   | 8G              | 12G            | PK   | 10.0785G     | 3.00       | -60.80      |             |             |             | -60.80        | -57.80        | -27.00         | -30.80         |
| 5190MHz                        | Pass   | 8G              | 12G            | PK   | 10.4075G     | 3.00       | -62.74      |             |             |             | -62.74        | -59.74        | -27.00         | -32.74         |
| 5190MHz                        | Pass   | 12G             | 40G            | PK   | 38.3795G     | 3.00       | -53.80      |             |             |             | -53.80        | -50.80        | -27.00         | -23.80         |
| 5230MHz                        | Pass   | 8G              | 12G            | AV   | 10.6G        | 3.00       | -73.19      |             |             |             | -73.19        | -70.19        | -41.20         | -28.99         |
| 5230MHz                        | Pass   | 8G              | 12G            | AV   | 11.2125G     | 3.00       | -71.09      |             |             |             | -71.09        | -68.09        | -41.20         | -26.89         |
| 5230MHz                        | Pass   | 12G             | 40G            | AV   | 39.797G      | 3.00       | -61.17      |             |             |             | -61.17        | -58.17        | -41.20         | -16.97         |
| 5230MHz                        | Pass   | 8G              | 12G            | PK   | 10.0415G     | 3.00       | -60.78      |             |             |             | -60.78        | -57.78        | -27.00         | -30.78         |
| 5230MHz                        | Pass   | 8G              | 12G            | PK   | 10.472G      | 3.00       | -62.58      |             |             |             | -62.58        | -59.58        | -27.00         | -32.58         |
| 5230MHz                        | Pass   | 12G             | 40G            | PK   | 38.397G      | 3.00       | -53.64      |             |             |             | -53.64        | -50.64        | -27.00         | -23.64         |
| 5755MHz                        | Pass   | 8G              | 12G            | AV   | 10.9845G     | 3.00       | -71.02      |             |             |             | -71.02        | -68.02        | -41.20         | -26.82         |
| 5755MHz                        | Pass   | 8G              | 12G            | AV   | 11.4895G     | 3.00       | -72.24      |             |             |             | -72.24        | -69.24        | -41.20         | -28.04         |
| 5755MHz                        | Pass   | 12G             | 40G            | AV   | 39.818G      | 3.00       | -60.73      |             |             |             | -60.73        | -57.73        | -41.20         | -16.53         |
| 5755MHz                        | Pass   | 8G              | 12G            | PK   | 10.559G      | 3.00       | -60.77      |             |             |             | -60.77        | -57.77        | -27.00         | -30.77         |
| 5755MHz                        | Pass   | 8G              | 12G            | PK   | 11.5375G     | 3.00       | -61.72      |             |             |             | -61.72        | -58.72        | -21.20         | -37.52         |
| 5755MHz                        | Pass   | 12G             | 40G            | PK   | 38.4355G     | 3.00       | -53.05      |             |             |             | -53.05        | -50.05        | -27.00         | -23.05         |
| 5795MHz                        | Pass   | 8G              | 12G            | AV   | 10.9225G     | 3.00       | -70.39      |             |             |             | -70.39        | -67.39        | -41.20         | -26.19         |
| 5795MHz                        | Pass   | 8G              | 12G            | AV   | 11.5765G     | 3.00       | -71.90      |             |             |             | -71.90        | -68.90        | -41.20         | -27.70         |
| 5795MHz                        | Pass   | 12G             | 40G            | AV   | 39.8075G     | 3.00       | -60.94      |             |             |             | -60.94        | -57.94        | -41.20         | -16.74         |
| 5795MHz                        | Pass   | 8G              | 12G            | PK   | 10.0235G     | 3.00       | -61.27      |             |             |             | -61.27        | -58.27        | -27.00         | -31.27         |
| 5795MHz                        | Pass   | 8G              | 12G            | PK   | 11.5965G     | 3.00       | -61.48      |             |             |             | -61.48        | -58.48        | -21.20         | -37.28         |
| 5795MHz                        | Pass   | 12G             | 40G            | PK   | 37.7285G     | 3.00       | -53.61      |             |             |             | -53.61        | -50.61        | -27.00         | -23.61         |
| 802.11ax HEW80_Nss1,(MCS0)_1TX | -      | -               | -              | -    | -            | -          | -           | -           | -           | -           | -             | -             | -              | -              |
| 5210MHz                        | Pass   | 8G              | 12G            | AV   | 10.6G        | 3.00       | -72.25      |             |             |             | -72.25        | -69.25        | -41.20         | -28.05         |
| 5210MHz                        | Pass   | 8G              | 12G            | AV   | 10.949G      | 3.00       | -70.79      |             |             |             | -70.79        | -67.79        | -41.20         | -26.59         |
| 5210MHz                        | Pass   | 12G             | 40G            | AV   | 39.86G       | 3.00       | -61.22      |             |             |             | -61.22        | -58.22        | -41.20         | -17.02         |
| 5210MHz                        | Pass   | 8G              | 12G            | PK   | 8.02G        | 3.00       | -61.12      |             |             |             | -61.12        | -58.12        | -27.00         | -31.12         |
| 5210MHz                        | Pass   | 8G              | 12G            | PK   | 10.374G      | 3.00       | -61.94      |             |             |             | -61.94        | -58.94        | -27.00         | -31.94         |
| 5210MHz                        | Pass   | 12G             | 40G            | PK   | 38.082G      | 3.00       | -53.83      |             |             |             | -53.83        | -50.83        | -27.00         | -23.83         |
| 5775MHz                        | Pass   | 8G              | 12G            | AV   | 11.3325G     | 3.00       | -71.09      |             |             |             | -71.09        | -68.09        | -41.20         | -26.89         |
| 5775MHz                        | Pass   | 8G              | 12G            | AV   | 11.5905G     | 3.00       | -72.00      |             |             |             | -72.00        | -69.00        | -41.20         | -27.80         |
| 5775MHz                        | Pass   | 12G             | 40G            | AV   | 39.79G       | 3.00       | -61.01      |             |             |             | -61.01        | -58.01        | -41.20         | -16.81         |
| 5775MHz                        | Pass   | 8G              | 12G            | PK   | 9.208G       | 3.00       | -61.56      |             |             |             | -61.56        | -58.56        | -27.00         | -31.56         |
| 5775MHz                        | Pass   | 8G              | 12G            | PK   | 11.5535G     | 3.00       | -61.76      |             |             |             | -61.76        | -58.76        | -21.20         | -37.56         |
| 5775MHz                        | Pass   | 12G             | 40G            | PK   | 37.69G       | 3.00       | -53.33      |             |             |             | -53.33        | -50.33        | -27.00         | -23.33         |
| 802.11a_Nss1,(6Mbps)_2TX       | -      | -               | -              | -    | -            | -          | -           | -           | -           | -           | -             | -             | -              | -              |
| 5180MHz                        | Pass   | 8G              | 12G            | AV   | 10.6G        | 3.00       | -72.64      | -72.59      |             |             | -69.60        | -66.60        | -41.20         | -25.40         |
| 5180MHz                        | Pass   | 8G              | 12G            | AV   | 11.978G      | 3.00       | -71.74      | -70.93      |             |             | -68.31        | -65.31        | -41.20         | -24.11         |
| 5180MHz                        | Pass   | 12G             | 40G            | AV   | 15.5385G     | 3.00       | -59.42      | -53.56      |             |             | -52.56        | -49.56        | -41.20         | -8.36          |
| 5180MHz                        | Pass   | 8G              | 12G            | PK   | 10.3655G     | 3.00       | -63.12      | -64.26      |             |             | -60.64        | -57.64        | -27.00         | -30.64         |
| 5180MHz                        | Pass   | 8G              | 12G            | PK   | 10.539G      | 3.00       | -63.22      | -60.97      |             |             | -58.94        | -55.94        | -27.00         | -28.94         |
| 5180MHz                        | Pass   | 12G             | 40G            | PK   | 15.535G      | 3.00       | -51.64      | -46.21      |             |             | -45.12        | -42.12        | -21.20         | -20.92         |
| 5200MHz                        | Pass   | 8G              | 12G            | AV   | 10.6G        | 3.00       | -73.14      | -72.88      |             |             | -70.00        | -67.00        | -41.20         | -25.80         |
| 5200MHz                        | Pass   | 8G              | 12G            | AV   | 11.9995G     | 3.00       | -71.23      | -71.55      |             |             | -68.38        | -65.38        | -41.20         | -24.18         |
| 5200MHz                        | Pass   | 12G             | 40G            | AV   | 15.598G      | 3.00       | -58.29      | -52.65      |             |             | -51.60        | -48.60        | -41.20         | -7.40          |
| 5200MHz                        | Pass   | 8G              | 12G            | PK   | 10.014G      | 3.00       | -60.50      | -63.93      |             |             | -58.87        | -55.87        | -27.00         | -28.87         |
| 5200MHz                        | Pass   | 8G              | 12G            | PK   | 10.398G      | 3.00       | -62.31      | -63.61      |             |             | -59.90        | -56.90        | -27.00         | -29.90         |
| 5200MHz                        | Pass   | 12G             | 40G            | PK   | 15.6015G     | 3.00       | -50.07      | -43.97      |             |             | -43.02        | -40.02        | -21.20         | -18.82         |
| 5240MHz                        | Pass   | 8G              | 12G            | AV   | 10.6G        | 3.00       | -73.14      | -72.76      |             |             | -69.94        | -66.94        | -41.20         | -25.74         |
| 5240MHz                        | Pass   | 8G              | 12G            | AV   | 11.995G      | 3.00       | -71.70      | -71.30      |             |             | -68.49        | -65.49        | -41.20         | -24.29         |
| 5240MHz                        | Pass   | 12G             | 40G            | AV   | 15.71G       | 3.00       | -59.99      | -53.34      |             |             | -52.49        | -49.49        | -41.20         | -8.29          |
| 5240MHz                        | Pass   | 8G              | 12G            | PK   | 9.5155G      | 3.00       | -60.67      | -63.04      |             |             | -58.68        | -55.68        | -27.00         | -28.68         |
| 5240MHz                        | Pass   | 8G              | 12G            | PK   | 10.4975G     | 3.00       | -64.79      | -61.94      |             |             | -60.12        | -57.12        | -27.00         | -30.12         |
| 5240MHz                        | Pass   | 12G             | 40G            | PK   | 15.724G      | 3.00       | -48.54      | -46.74      |             |             | -44.54        | -41.54        | -21.20         | -20.34         |
| 5745MHz                        | Pass   | 8G              | 12G            | AV   | 11.014G      | 3.00       | -70.53      | -72.06      |             |             | -68.22        | -65.22        | -41.20         | -24.02         |
| 5745MHz                        | Pass   | 8G              | 12G            | AV   | 11.4905G     | 3.00       | -73.06      | -71.62      |             |             | -69.27        | -66.27        | -41.20         | -25.07         |
| 5745MHz                        | Pass   | 12G             | 40G            | AV   | 39.7865G     | 3.00       | -61.25      | -61.67      |             |             | -58.44        | -55.44        | -41.20         | -14.24         |
| 5745MHz                        | Pass   | 8G              | 12G            | PK   | 8.0095G      | 3.00       | -61.31      | -62.04      |             |             | -58.65        | -55.65        | -27.00         | -28.65         |
| 5745MHz                        | Pass   | 8G              | 12G            | PK   | 11.4915G     | 3.00       | -64.28      | -59.94      |             |             | -58.58        | -55.58        | -21.20         | -34.38         |
| 5745MHz                        | Pass   | 12G             | 40G            | PK   | 17.243G      | 3.00       | -57.89      | -50.07      |             |             | -49.41        | -46.41        | -27.00         | -19.41         |
| 5785MHz                        | Pass   | 8G              | 12G            | AV   | 10.964G      | 3.00       | -71.50      | -70.98      |             |             | -68.22        | -65.22        | -41.20         | -24.02         |
| 5785MHz                        | Pass   | 8G              | 12G            | AV   | 11.572G      | 3.00       | -73.22      | -70.95      |             |             | -68.93        | -65.93        | -41.20         | -24.73         |

| Mode                           | Result | F-Start<br>(Hz) | F-Stop<br>(Hz) | Type | Freq<br>(Hz) | DG<br>(dB) | P1<br>(dBm) | P2<br>(dBm) | P3<br>(dBm) | P4<br>(dBm) | Psum<br>(dBm) | EIRP<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|--------------------------------|--------|-----------------|----------------|------|--------------|------------|-------------|-------------|-------------|-------------|---------------|---------------|----------------|----------------|
| 5785MHz                        | Pass   | 12G             | 40G            | AV   | 39.783G      | 3.00       | -61.59      | -60.95      |             |             | -58.25        | -55.25        | -41.20         | -14.05         |
| 5785MHz                        | Pass   | 8G              | 12G            | PK   | 10.0265G     | 3.00       | -60.71      | -63.76      |             |             | -58.96        | -55.96        | -27.00         | -28.96         |
| 5785MHz                        | Pass   | 8G              | 12G            | PK   | 11.5695G     | 3.00       | -62.30      | -63.30      |             |             | -59.76        | -56.76        | -21.20         | -35.56         |
| 5785MHz                        | Pass   | 12G             | 40G            | PK   | 38.4565G     | 3.00       | -53.17      | -57.01      |             |             | -51.67        | -48.67        | -27.00         | -21.67         |
| 5825MHz                        | Pass   | 8G              | 12G            | AV   | 10.963G      | 3.00       | -71.66      | -70.79      |             |             | -68.19        | -65.19        | -41.20         | -23.99         |
| 5825MHz                        | Pass   | 8G              | 12G            | AV   | 11.654G      | 3.00       | -72.51      | -71.16      |             |             | -68.77        | -65.77        | -41.20         | -24.57         |
| 5825MHz                        | Pass   | 12G             | 40G            | AV   | 39.7585G     | 3.00       | -61.34      | -61.32      |             |             | -58.32        | -55.32        | -41.20         | -14.12         |
| 5825MHz                        | Pass   | 8G              | 12G            | PK   | 10.0025G     | 3.00       | -61.02      | -62.11      |             |             | -58.52        | -55.52        | -27.00         | -28.52         |
| 5825MHz                        | Pass   | 8G              | 12G            | PK   | 11.652G      | 3.00       | -62.48      | -60.42      |             |             | -58.32        | -55.32        | -21.20         | -34.12         |
| 5825MHz                        | Pass   | 12G             | 40G            | PK   | 37.7425G     | 3.00       | -52.60      | -56.69      |             |             | -51.17        | -48.17        | -27.00         | -21.17         |
| 802.11ax HEW20_Nss1,(MCS0)_2TX |        |                 |                |      |              |            |             |             |             |             |               |               |                |                |
| 5180MHz                        | Pass   | 8G              | 12G            | AV   | 10.6G        | 3.00       | -72.31      | -72.23      |             |             | -69.26        | -66.26        | -41.20         | -25.06         |
| 5180MHz                        | Pass   | 8G              | 12G            | AV   | 10.9045G     | 3.00       | -71.40      | -70.95      |             |             | -68.16        | -65.16        | -41.20         | -23.96         |
| 5180MHz                        | Pass   | 12G             | 40G            | AV   | 15.535G      | 3.00       | -59.00      | -54.02      |             |             | -52.82        | -49.82        | -41.20         | -8.62          |
| 5180MHz                        | Pass   | 8G              | 12G            | PK   | 9.272G       | 3.00       | -61.34      | -61.61      |             |             | -58.46        | -55.46        | -27.00         | -28.46         |
| 5180MHz                        | Pass   | 8G              | 12G            | PK   | 10.358G      | 3.00       | -63.80      | -63.84      |             |             | -60.81        | -57.81        | -27.00         | -30.81         |
| 5180MHz                        | Pass   | 12G             | 40G            | PK   | 15.535G      | 3.00       | -51.99      | -44.45      |             |             | -43.75        | -40.75        | -21.20         | -19.55         |
| 5200MHz                        | Pass   | 8G              | 12G            | AV   | 10.6G        | 3.00       | -72.17      | -72.38      |             |             | -69.26        | -66.26        | -41.20         | -25.06         |
| 5200MHz                        | Pass   | 8G              | 12G            | AV   | 10.8955G     | 3.00       | -71.33      | -71.93      |             |             | -68.61        | -65.61        | -41.20         | -24.41         |
| 5200MHz                        | Pass   | 12G             | 40G            | AV   | 15.5945G     | 3.00       | -58.90      | -53.20      |             |             | -52.16        | -49.16        | -41.20         | -7.96          |
| 5200MHz                        | Pass   | 8G              | 12G            | PK   | 9.2505G      | 3.00       | -61.10      | -64.08      |             |             | -59.33        | -56.33        | -27.00         | -29.33         |
| 5200MHz                        | Pass   | 8G              | 12G            | PK   | 10.417G      | 3.00       | -64.99      | -62.63      |             |             | -60.64        | -57.64        | -27.00         | -30.64         |
| 5200MHz                        | Pass   | 12G             | 40G            | PK   | 15.591G      | 3.00       | -52.20      | -44.65      |             |             | -43.95        | -40.95        | -21.20         | -19.75         |
| 5240MHz                        | Pass   | 8G              | 12G            | AV   | 10.6G        | 3.00       | -73.00      | -72.45      |             |             | -69.71        | -66.71        | -41.20         | -25.51         |
| 5240MHz                        | Pass   | 8G              | 12G            | AV   | 11.9715G     | 3.00       | -71.11      | -71.78      |             |             | -68.42        | -65.42        | -41.20         | -24.22         |
| 5240MHz                        | Pass   | 12G             | 40G            | AV   | 15.7135G     | 3.00       | -59.29      | -53.87      |             |             | -52.77        | -49.77        | -41.20         | -8.57          |
| 5240MHz                        | Pass   | 8G              | 12G            | PK   | 10.477G      | 3.00       | -63.00      | -62.90      |             |             | -59.94        | -56.94        | -27.00         | -29.94         |
| 5240MHz                        | Pass   | 8G              | 12G            | PK   | 10.599G      | 3.00       | -61.12      | -62.68      |             |             | -58.82        | -55.82        | -27.00         | -28.82         |
| 5240MHz                        | Pass   | 12G             | 40G            | PK   | 15.7135G     | 3.00       | -52.30      | -45.71      |             |             | -44.85        | -41.85        | -21.20         | -20.65         |
| 5745MHz                        | Pass   | 8G              | 12G            | AV   | 11.4895G     | 3.00       | -73.00      | -71.49      |             |             | -69.17        | -66.17        | -41.20         | -24.97         |
| 5745MHz                        | Pass   | 8G              | 12G            | AV   | 11.811G      | 3.00       | -71.72      | -70.94      |             |             | -68.30        | -65.30        | -41.20         | -24.10         |
| 5745MHz                        | Pass   | 12G             | 40G            | AV   | 39.811G      | 3.00       | -61.19      | -61.73      |             |             | -58.44        | -55.44        | -41.20         | -14.24         |
| 5745MHz                        | Pass   | 8G              | 12G            | PK   | 10.5505G     | 3.00       | -60.84      | -64.12      |             |             | -59.17        | -56.17        | -27.00         | -29.17         |
| 5745MHz                        | Pass   | 8G              | 12G            | PK   | 11.492G      | 3.00       | -64.32      | -60.05      |             |             | -58.67        | -55.67        | -21.20         | -34.47         |
| 5745MHz                        | Pass   | 12G             | 40G            | PK   | 17.215G      | 3.00       | -55.04      | -48.57      |             |             | -47.69        | -44.69        | -27.00         | -17.69         |
| 5785MHz                        | Pass   | 8G              | 12G            | AV   | 11.0015G     | 3.00       | -71.91      | -71.04      |             |             | -68.44        | -65.44        | -41.20         | -24.24         |
| 5785MHz                        | Pass   | 8G              | 12G            | AV   | 11.57G       | 3.00       | -72.87      | -70.76      |             |             | -68.68        | -65.68        | -41.20         | -24.48         |
| 5785MHz                        | Pass   | 12G             | 40G            | AV   | 39.8565G     | 3.00       | -61.34      | -61.07      |             |             | -58.19        | -55.19        | -41.20         | -13.99         |
| 5785MHz                        | Pass   | 8G              | 12G            | PK   | 9.5235G      | 3.00       | -61.55      | -62.05      |             |             | -58.78        | -55.78        | -27.00         | -28.78         |
| 5785MHz                        | Pass   | 8G              | 12G            | PK   | 11.5655G     | 3.00       | -63.25      | -62.49      |             |             | -59.84        | -56.84        | -21.20         | -35.64         |
| 5785MHz                        | Pass   | 12G             | 40G            | PK   | 38.11G       | 3.00       | -54.28      | -56.34      |             |             | -52.18        | -49.18        | -27.00         | -22.18         |
| 5825MHz                        | Pass   | 8G              | 12G            | AV   | 11.6485G     | 3.00       | -72.68      | -70.92      |             |             | -68.70        | -65.70        | -41.20         | -24.50         |
| 5825MHz                        | Pass   | 8G              | 12G            | AV   | 11.8605G     | 3.00       | -71.79      | -71.30      |             |             | -68.53        | -65.53        | -41.20         | -24.33         |
| 5825MHz                        | Pass   | 12G             | 40G            | AV   | 39.8495G     | 3.00       | -61.34      | -60.93      |             |             | -58.12        | -55.12        | -41.20         | -13.92         |
| 5825MHz                        | Pass   | 8G              | 12G            | PK   | 10.0095G     | 3.00       | -60.60      | -62.34      |             |             | -58.37        | -55.37        | -27.00         | -28.37         |
| 5825MHz                        | Pass   | 8G              | 12G            | PK   | 11.6455G     | 3.00       | -62.51      | -60.95      |             |             | -58.65        | -55.65        | -21.20         | -34.45         |
| 5825MHz                        | Pass   | 12G             | 40G            | PK   | 37.5885G     | 3.00       | -53.46      | -56.36      |             |             | -51.66        | -48.66        | -27.00         | -21.66         |
| 802.11ax HEW40_Nss1,(MCS0)_2TX |        |                 |                |      |              |            |             |             |             |             |               |               |                |                |
| 5190MHz                        | Pass   | 8G              | 12G            | AV   | 10.6G        | 3.00       | -72.92      | -72.63      |             |             | -69.76        | -66.76        | -41.20         | -25.56         |
| 5190MHz                        | Pass   | 8G              | 12G            | AV   | 10.983G      | 3.00       | -70.67      | -71.64      |             |             | -68.12        | -65.12        | -41.20         | -23.92         |
| 5190MHz                        | Pass   | 12G             | 40G            | AV   | 15.5805G     | 3.00       | -62.47      | -56.00      |             |             | -55.12        | -52.12        | -41.20         | -10.92         |
| 5190MHz                        | Pass   | 8G              | 12G            | PK   | 9.278G       | 3.00       | -60.86      | -63.61      |             |             | -59.01        | -56.01        | -27.00         | -29.01         |
| 5190MHz                        | Pass   | 8G              | 12G            | PK   | 10.394G      | 3.00       | -62.23      | -63.98      |             |             | -60.01        | -57.01        | -27.00         | -30.01         |
| 5190MHz                        | Pass   | 12G             | 40G            | PK   | 37.4695G     | 3.00       | -53.91      | -56.23      |             |             | -51.91        | -48.91        | -27.00         | -21.91         |
| 5230MHz                        | Pass   | 8G              | 12G            | AV   | 10.6G        | 3.00       | -73.04      | -73.20      |             |             | -70.11        | -67.11        | -41.20         | -25.91         |
| 5230MHz                        | Pass   | 8G              | 12G            | AV   | 11.9995G     | 3.00       | -70.85      | -71.85      |             |             | -68.31        | -65.31        | -41.20         | -24.11         |
| 5230MHz                        | Pass   | 12G             | 40G            | AV   | 15.6925G     | 3.00       | -61.56      | -56.00      |             |             | -54.93        | -51.93        | -41.20         | -10.73         |
| 5230MHz                        | Pass   | 8G              | 12G            | PK   | 8.0085G      | 3.00       | -60.98      | -63.84      |             |             | -59.17        | -56.17        | -27.00         | -29.17         |
| 5230MHz                        | Pass   | 8G              | 12G            | PK   | 10.4825G     | 3.00       | -64.67      | -62.53      |             |             | -60.46        | -57.46        | -27.00         | -30.46         |
| 5230MHz                        | Pass   | 12G             | 40G            | PK   | 38.558G      | 3.00       | -56.87      | -54.37      |             |             | -52.43        | -49.43        | -27.00         | -22.43         |
| 5755MHz                        | Pass   | 8G              | 12G            | AV   | 10.966G      | 3.00       | -71.01      | -71.73      |             |             | -68.34        | -65.34        | -41.20         | -24.14         |
| 5755MHz                        | Pass   | 8G              | 12G            | AV   | 11.5055G     | 3.00       | -72.74      | -71.63      |             |             | -69.14        | -66.14        | -41.20         | -24.94         |
| 5755MHz                        | Pass   | 12G             | 40G            | AV   | 39.846G      | 3.00       | -60.73      | -61.88      |             |             | -58.26        | -55.26        | -41.20         | -14.06         |
| 5755MHz                        | Pass   | 8G              | 12G            | PK   | 8.0095G      | 3.00       | -63.37      | -60.59      |             |             | -58.75        | -55.75        | -27.00         | -28.75         |
| 5755MHz                        | Pass   | 8G              | 12G            | PK   | 11.522G      | 3.00       | -62.51      | -62.36      |             |             | -59.42        | -56.42        | -21.20         | -35.22         |
| 5755MHz                        | Pass   | 12G             | 40G            | PK   | 38.383G      | 3.00       | -55.88      | -53.88      |             |             | -51.76        | -48.76        | -27.00         | -21.76         |
| 5795MHz                        | Pass   | 8G              | 12G            | AV   | 11.316G      | 3.00       | -70.94      | -71.85      |             |             | -68.36        | -65.36        | -41.20         | -24.16         |
| 5795MHz                        | Pass   | 8G              | 12G            | AV   | 11.5855G     | 3.00       | -72.62      | -71.68      |             |             | -69.11        | -66.11        | -41.20         | -24.91         |
| 5795MHz                        | Pass   | 12G             | 40G            | AV   | 39.79G       | 3.00       | -61.42      | -61.13      |             |             | -58.26        | -55.26        | -41.20         | -14.06         |
| 5795MHz                        | Pass   | 8G              | 12G            | PK   | 8.0175G      | 3.00       | -63.49      | -60.99      |             |             | -59.05        | -56.05        | -27.00         | -29.05         |



## CSE\_Pine R2\_Antenna set 3 (Harmonic 8GHz ~ 40GHz)\_P to M Appendix E.12

| Mode                           | Result | F-Start<br>(Hz) | F-Stop<br>(Hz) | Type | Freq<br>(Hz) | DG<br>(dB) | P1<br>(dBm) | P2<br>(dBm) | P3<br>(dBm) | P4<br>(dBm) | Psum<br>(dBm) | EIRP<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|--------------------------------|--------|-----------------|----------------|------|--------------|------------|-------------|-------------|-------------|-------------|---------------|---------------|----------------|----------------|
| 5795MHz                        | Pass   | 8G              | 12G            | PK   | 11.5745G     | 3.00       | -63.32      | -61.66      |             |             | -59.40        | -56.40        | -21.20         | -35.20         |
| 5795MHz                        | Pass   | 12G             | 40G            | PK   | 38.4285G     | 3.00       | -54.55      | -55.24      |             |             | -51.87        | -48.87        | -27.00         | -21.87         |
| 802.11ax HEW80_Nss1,(MCS0)_2TX | -      | -               | -              | -    | -            | -          | -           | -           | -           | -           | -             | -             | -              | -              |
| 5210MHz                        | Pass   | 8G              | 12G            | AV   | 10.6G        | 3.00       | -72.48      | -72.40      |             |             | -69.43        | -66.43        | -41.20         | -25.23         |
| 5210MHz                        | Pass   | 8G              | 12G            | AV   | 11.0085G     | 3.00       | -71.50      | -71.05      |             |             | -68.26        | -65.26        | -41.20         | -24.06         |
| 5210MHz                        | Pass   | 12G             | 40G            | AV   | 15.6085G     | 3.00       | -63.90      | -58.51      |             |             | -57.41        | -54.41        | -41.20         | -13.21         |
| 5210MHz                        | Pass   | 8G              | 12G            | PK   | 10.027G      | 3.00       | -60.83      | -63.96      |             |             | -59.11        | -56.11        | -27.00         | -29.11         |
| 5210MHz                        | Pass   | 8G              | 12G            | PK   | 10.486G      | 3.00       | -64.07      | -61.89      |             |             | -59.83        | -56.83        | -27.00         | -29.83         |
| 5210MHz                        | Pass   | 12G             | 40G            | PK   | 37.8055G     | 3.00       | -58.48      | -53.51      |             |             | -52.31        | -49.31        | -27.00         | -22.31         |
| 5775MHz                        | Pass   | 8G              | 12G            | AV   | 11.5195G     | 3.00       | -73.20      | -71.82      |             |             | -69.45        | -66.45        | -41.20         | -25.25         |
| 5775MHz                        | Pass   | 8G              | 12G            | AV   | 11.9685G     | 3.00       | -71.79      | -70.81      |             |             | -68.26        | -65.26        | -41.20         | -24.06         |
| 5775MHz                        | Pass   | 12G             | 40G            | AV   | 39.839G      | 3.00       | -61.44      | -60.91      |             |             | -58.16        | -55.16        | -41.20         | -13.96         |
| 5775MHz                        | Pass   | 8G              | 12G            | PK   | 10.504G      | 3.00       | -60.78      | -64.39      |             |             | -59.21        | -56.21        | -27.00         | -29.21         |
| 5775MHz                        | Pass   | 8G              | 12G            | PK   | 11.563G      | 3.00       | -63.51      | -60.13      |             |             | -58.49        | -55.49        | -21.20         | -34.29         |
| 5775MHz                        | Pass   | 12G             | 40G            | PK   | 38.516G      | 3.00       | -54.09      | -55.40      |             |             | -51.69        | -48.69        | -27.00         | -21.69         |
| 802.11a_Nss1,(6Mbps)_4TX       | -      | -               | -              | -    | -            | -          | -           | -           | -           | -           | -             | -             | -              | -              |
| 5180MHz                        | Pass   | 8G              | 12G            | AV   | 8.4845G      | 3.00       | -69.97      | -70.50      | -69.52      | -70.09      | -63.99        | -60.99        | -41.20         | -19.79         |
| 5180MHz                        | Pass   | 8G              | 12G            | AV   | 10.6G        | 3.00       | -70.82      | -71.57      | -71.87      | -71.84      | -65.48        | -62.48        | -41.20         | -21.28         |
| 5180MHz                        | Pass   | 12G             | 40G            | AV   | 22.087G      | 3.00       | -69.86      | -69.34      | -69.90      | -69.40      | -63.60        | -60.60        | -41.20         | -19.40         |
| 5180MHz                        | Pass   | 8G              | 12G            | PK   | 8.6745G      | 3.00       | -59.76      | -58.84      | -60.70      | -57.47      | -53.01        | -50.01        | -27.00         | -23.01         |
| 5180MHz                        | Pass   | 8G              | 12G            | PK   | 10.3695G     | 3.00       | -61.24      | -61.56      | -61.35      | -60.14      | -55.02        | -52.02        | -27.00         | -25.02         |
| 5180MHz                        | Pass   | 12G             | 40G            | PK   | 21.576G      | 3.00       | -67.55      | -59.88      | -61.14      | -61.23      | -55.64        | -52.64        | -27.00         | -25.64         |
| 5200MHz                        | Pass   | 8G              | 12G            | AV   | 8.49G        | 3.00       | -69.65      | -70.30      | -69.18      | -70.29      | -63.81        | -60.81        | -41.20         | -19.61         |
| 5200MHz                        | Pass   | 8G              | 12G            | AV   | 10.6G        | 3.00       | -72.33      | -71.83      | -71.09      | -72.23      | -65.82        | -62.82        | -41.20         | -21.62         |
| 5200MHz                        | Pass   | 12G             | 40G            | AV   | 22.073G      | 3.00       | -69.55      | -69.80      | -69.74      | -69.16      | -63.53        | -60.53        | -41.20         | -19.33         |
| 5200MHz                        | Pass   | 8G              | 12G            | PK   | 8.7195G      | 3.00       | -58.57      | -58.39      | -60.40      | -59.62      | -53.15        | -50.15        | -27.00         | -23.15         |
| 5200MHz                        | Pass   | 8G              | 12G            | PK   | 10.3955G     | 3.00       | -61.27      | -61.98      | -62.85      | -58.45      | -54.78        | -51.78        | -27.00         | -24.78         |
| 5200MHz                        | Pass   | 12G             | 40G            | PK   | 21.5865G     | 3.00       | -69.44      | -62.26      | -61.21      | -59.53      | -55.89        | -52.89        | -27.00         | -25.89         |
| 5240MHz                        | Pass   | 8G              | 12G            | AV   | 8.486G       | 3.00       | -69.81      | -70.33      | -68.88      | -69.68      | -63.62        | -60.62        | -41.20         | -19.42         |
| 5240MHz                        | Pass   | 8G              | 12G            | AV   | 10.6G        | 3.00       | -71.69      | -72.24      | -71.60      | -71.82      | -65.81        | -62.81        | -41.20         | -21.61         |
| 5240MHz                        | Pass   | 12G             | 40G            | AV   | 22.1675G     | 3.00       | -69.73      | -69.57      | -69.78      | -69.52      | -63.63        | -60.63        | -41.20         | -19.43         |
| 5240MHz                        | Pass   | 8G              | 12G            | PK   | 8.7145G      | 3.00       | -61.41      | -59.63      | -57.91      | -59.33      | -53.38        | -50.38        | -27.00         | -23.38         |
| 5240MHz                        | Pass   | 8G              | 12G            | PK   | 10.472G      | 3.00       | -61.65      | -61.31      | -62.90      | -60.96      | -55.63        | -52.63        | -27.00         | -25.63         |
| 5240MHz                        | Pass   | 12G             | 40G            | PK   | 21.5655G     | 3.00       | -59.93      | -61.06      | -61.15      | -62.77      | -55.09        | -52.09        | -27.00         | -25.09         |
| 5745MHz                        | Pass   | 8G              | 12G            | AV   | 10.9805G     | 3.00       | -71.72      | -71.62      | -71.52      | -71.51      | -65.57        | -62.57        | -41.20         | -21.37         |
| 5745MHz                        | Pass   | 8G              | 12G            | AV   | 11.4905G     | 3.00       | -72.03      | -72.14      | -72.57      | -71.15      | -65.92        | -62.92        | -41.20         | -21.72         |
| 5745MHz                        | Pass   | 12G             | 40G            | AV   | 39.8075G     | 3.00       | -61.09      | -61.58      | -61.00      | -60.90      | -55.11        | -52.11        | -41.20         | -10.91         |
| 5745MHz                        | Pass   | 8G              | 12G            | PK   | 9.547G       | 3.00       | -63.60      | -62.59      | -63.19      | -61.67      | -56.68        | -53.68        | -27.00         | -26.68         |
| 5745MHz                        | Pass   | 8G              | 12G            | PK   | 11.4805G     | 3.00       | -63.81      | -62.54      | -62.92      | -62.73      | -56.95        | -53.95        | -21.20         | -32.75         |
| 5745MHz                        | Pass   | 12G             | 40G            | PK   | 17.2325G     | 3.00       | -58.29      | -50.47      | -46.30      | -48.40      | -43.16        | -40.16        | -27.00         | -13.16         |
| 5785MHz                        | Pass   | 8G              | 12G            | AV   | 10.9795G     | 3.00       | -71.02      | -72.18      | -71.88      | -71.38      | -65.57        | -62.57        | -41.20         | -21.37         |
| 5785MHz                        | Pass   | 8G              | 12G            | AV   | 11.5715G     | 3.00       | -72.78      | -72.01      | -70.88      | -71.09      | -65.60        | -62.60        | -41.20         | -21.40         |
| 5785MHz                        | Pass   | 12G             | 40G            | AV   | 39.846G      | 3.00       | -60.92      | -61.50      | -61.39      | -61.71      | -55.35        | -52.35        | -41.20         | -11.15         |
| 5785MHz                        | Pass   | 8G              | 12G            | PK   | 9.2195G      | 3.00       | -62.47      | -64.13      | -61.42      | -63.26      | -56.68        | -53.68        | -27.00         | -26.68         |
| 5785MHz                        | Pass   | 8G              | 12G            | PK   | 11.5725G     | 3.00       | -64.56      | -61.06      | -60.90      | -63.81      | -56.27        | -53.27        | -21.20         | -32.07         |
| 5785MHz                        | Pass   | 12G             | 40G            | PK   | 17.3515G     | 3.00       | -61.26      | -56.37      | -52.71      | -54.97      | -49.36        | -46.36        | -27.00         | -19.36         |
| 5825MHz                        | Pass   | 8G              | 12G            | AV   | 11.65G       | 3.00       | -72.44      | -70.85      | -70.28      | -71.31      | -65.13        | -62.13        | -41.20         | -20.93         |
| 5825MHz                        | Pass   | 12G             | 40G            | AV   | 39.8075G     | 3.00       | -61.60      | -61.29      | -60.91      | -61.28      | -55.24        | -52.24        | -41.20         | -11.04         |
| 5825MHz                        | Pass   | 8G              | 12G            | PK   | 10.002G      | 3.00       | -63.36      | -62.44      | -62.48      | -61.36      | -56.33        | -53.33        | -27.00         | -26.33         |
| 5825MHz                        | Pass   | 8G              | 12G            | PK   | 11.6505G     | 3.00       | -64.77      | -60.84      | -60.00      | -63.40      | -55.83        | -52.83        | -21.20         | -31.63         |
| 5825MHz                        | Pass   | 12G             | 40G            | PK   | 17.4775G     | 3.00       | -61.28      | -56.99      | -51.89      | -57.06      | -49.51        | -46.51        | -27.00         | -19.51         |
| 802.11ax HEW20_Nss1,(MCS0)_4TX | -      | -               | -              | -    | -            | -          | -           | -           | -           | -           | -             | -             | -              | -              |
| 5180MHz                        | Pass   | 8G              | 12G            | AV   | 8.498G       | 3.00       | -70.65      | -69.64      | -69.45      | -70.60      | -64.03        | -61.03        | -41.20         | -19.83         |
| 5180MHz                        | Pass   | 8G              | 12G            | AV   | 10.6G        | 3.00       | -71.37      | -70.70      | -71.41      | -71.41      | -65.19        | -62.19        | -41.20         | -20.99         |
| 5180MHz                        | Pass   | 12G             | 40G            | AV   | 22.024G      | 3.00       | -70.20      | -70.08      | -69.35      | -68.87      | -63.57        | -60.57        | -41.20         | -19.37         |
| 5180MHz                        | Pass   | 8G              | 12G            | PK   | 8.606G       | 3.00       | -60.49      | -58.83      | -60.33      | -58.61      | -53.46        | -50.46        | -27.00         | -23.46         |
| 5180MHz                        | Pass   | 8G              | 12G            | PK   | 10.3635G     | 3.00       | -60.70      | -62.43      | -60.91      | -60.39      | -55.02        | -52.02        | -27.00         | -25.02         |
| 5180MHz                        | Pass   | 12G             | 40G            | PK   | 21.639G      | 3.00       | -59.41      | -61.91      | -60.05      | -60.67      | -54.39        | -51.39        | -27.00         | -24.39         |
| 5200MHz                        | Pass   | 8G              | 12G            | AV   | 8.499G       | 3.00       | -69.07      | -70.79      | -70.04      | -70.15      | -63.95        | -60.95        | -41.20         | -19.75         |
| 5200MHz                        | Pass   | 8G              | 12G            | AV   | 10.6G        | 3.00       | -72.37      | -71.55      | -71.79      | -71.61      | -65.80        | -62.80        | -41.20         | -21.60         |
| 5200MHz                        | Pass   | 12G             | 40G            | AV   | 22.1605G     | 3.00       | -69.91      | -69.96      | -69.57      | -69.27      | -63.65        | -60.65        | -41.20         | -19.45         |
| 5200MHz                        | Pass   | 8G              | 12G            | PK   | 8.7765G      | 3.00       | -55.93      | -59.37      | -60.67      | -61.11      | -52.72        | -49.72        | -27.00         | -22.72         |
| 5200MHz                        | Pass   | 8G              | 12G            | PK   | 10.4045G     | 3.00       | -61.62      | -60.04      | -63.36      | -60.46      | -55.17        | -52.17        | -27.00         | -25.17         |
| 5200MHz                        | Pass   | 12G             | 40G            | PK   | 21.555G      | 3.00       | -62.04      | -58.68      | -62.92      | -62.21      | -55.10        | -52.10        | -27.00         | -25.10         |
| 5240MHz                        | Pass   | 8G              | 12G            | AV   | 8.5G         | 3.00       | -70.19      | -69.86      | -70.23      | -68.82      | -63.72        | -60.72        | -41.20         | -19.52         |
| 5240MHz                        | Pass   | 8G              | 12G            | AV   | 10.6G        | 3.00       | -71.85      | -71.52      | -72.17      | -71.69      | -65.78        | -62.78        | -41.20         | -21.58         |
| 5240MHz                        | Pass   | 12G             | 40G            | AV   | 22.1185G     | 3.00       | -69.77      | -69.99      | -69.14      | -69.70      | -63.62        | -60.62        | -41.20         | -19.42         |
| 5240MHz                        | Pass   | 8G              | 12G            | PK   | 8.644G       | 3.00       | -57.69      | -59.39      | -59.19      | -60.86      | -53.12        | -50.12        | -27.00         | -23.12         |
| 5240MHz                        | Pass   | 8G              | 12G            | PK   | 10.4815G     | 3.00       | -59.57      | -61.78      | -62.71      | -61.04      | -55.10        | -52.10        | -27.00         | -25.10         |
| 5240MHz                        | Pass   | 12G             | 40G            | PK   | 21.6495G     | 3.00       | -60.65      | -61.46      | -61.04      | -61.50      | -55.13        | -52.13        | -27.00         | -25.13         |



## CSE\_Pine R2\_Antenna set 3 (Harmonic 8GHz ~ 40GHz)\_P to M Appendix E.12

| Mode                           | Result | F-Start<br>(Hz) | F-Stop<br>(Hz) | Type | Freq<br>(Hz) | DG<br>(dBi) | P1<br>(dBm) | P2<br>(dBm) | P3<br>(dBm) | P4<br>(dBm) | Psum<br>(dBm) | EIRP<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|--------------------------------|--------|-----------------|----------------|------|--------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|----------------|----------------|
| 5745MHz                        | Pass   | 8G              | 12G            | AV   | 11.491G      | 3.00        | -72.93      | -72.72      | -71.05      | -72.10      | -66.12        | -63.12        | -41.20         | -21.92         |
| 5745MHz                        | Pass   | 8G              | 12G            | AV   | 11.998G      | 3.00        | -71.14      | -72.28      | -71.55      | -71.05      | -65.46        | -62.46        | -41.20         | -21.26         |
| 5745MHz                        | Pass   | 12G             | 40G            | AV   | 39.853G      | 3.00        | -61.62      | -61.19      | -61.19      | -61.62      | -55.38        | -52.38        | -41.20         | -11.18         |
| 5745MHz                        | Pass   | 8G              | 12G            | PK   | 9.503G       | 3.00        | -62.60      | -62.41      | -63.00      | -63.50      | -56.84        | -53.84        | -27.00         | -26.84         |
| 5745MHz                        | Pass   | 8G              | 12G            | PK   | 11.4885G     | 3.00        | -64.08      | -63.36      | -62.85      | -61.94      | -56.97        | -53.97        | -21.20         | -32.77         |
| 5745MHz                        | Pass   | 12G             | 40G            | PK   | 17.2325G     | 3.00        | -57.34      | -51.17      | -48.63      | -48.50      | -44.28        | -41.28        | -27.00         | -14.28         |
| 5785MHz                        | Pass   | 8G              | 12G            | AV   | 10.9765G     | 3.00        | -71.72      | -71.63      | -71.83      | -71.15      | -65.55        | -62.55        | -41.20         | -21.35         |
| 5785MHz                        | Pass   | 8G              | 12G            | AV   | 11.5755G     | 3.00        | -72.15      | -72.18      | -71.71      | -70.80      | -65.65        | -62.65        | -41.20         | -21.45         |
| 5785MHz                        | Pass   | 12G             | 40G            | AV   | 39.818G      | 3.00        | -62.02      | -60.66      | -61.22      | -61.32      | -55.26        | -52.26        | -41.20         | -11.06         |
| 5785MHz                        | Pass   | 8G              | 12G            | PK   | 10.007G      | 3.00        | -63.75      | -62.63      | -63.45      | -61.19      | -56.62        | -53.62        | -27.00         | -26.62         |
| 5785MHz                        | Pass   | 8G              | 12G            | PK   | 11.563G      | 3.00        | -63.57      | -61.27      | -64.02      | -60.90      | -56.21        | -53.21        | -21.20         | -32.01         |
| 5785MHz                        | Pass   | 12G             | 40G            | PK   | 38.425G      | 3.00        | -58.24      | -57.68      | -53.31      | -55.61      | -49.74        | -46.74        | -27.00         | -19.74         |
| 5825MHz                        | Pass   | 8G              | 12G            | AV   | 11.6485G     | 3.00        | -73.49      | -70.21      | -70.93      | -71.36      | -65.32        | -62.32        | -41.20         | -21.12         |
| 5825MHz                        | Pass   | 12G             | 40G            | AV   | 39.8145G     | 3.00        | -61.52      | -61.30      | -61.67      | -61.11      | -55.37        | -52.37        | -41.20         | -11.17         |
| 5825MHz                        | Pass   | 8G              | 12G            | PK   | 9.6215G      | 3.00        | -62.59      | -64.37      | -62.68      | -61.90      | -56.77        | -53.77        | -27.00         | -26.77         |
| 5825MHz                        | Pass   | 8G              | 12G            | PK   | 11.641G      | 3.00        | -63.59      | -62.43      | -63.68      | -61.50      | -56.68        | -53.68        | -21.20         | -32.48         |
| 5825MHz                        | Pass   | 12G             | 40G            | PK   | 38.3655G     | 3.00        | -56.79      | -57.39      | -56.84      | -53.17      | -49.66        | -46.66        | -27.00         | -19.66         |
| 802.11ax HEW40_Nss1,(MCS0)_4TX | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5190MHz                        | Pass   | 8G              | 12G            | AV   | 10.6G        | 3.00        | -72.88      | -72.49      | -72.48      | -73.38      | -66.77        | -63.77        | -41.20         | -22.57         |
| 5190MHz                        | Pass   | 8G              | 12G            | AV   | 10.957G      | 3.00        | -71.93      | -70.96      | -71.77      | -71.66      | -65.54        | -62.54        | -41.20         | -21.34         |
| 5190MHz                        | Pass   | 12G             | 40G            | AV   | 15.5735G     | 3.00        | -61.64      | -55.52      | -55.09      | -55.73      | -50.33        | -47.33        | -41.20         | -6.13          |
| 5190MHz                        | Pass   | 8G              | 12G            | PK   | 10.001G      | 3.00        | -64.30      | -63.99      | -61.84      | -61.77      | -56.80        | -53.80        | -27.00         | -26.80         |
| 5190MHz                        | Pass   | 8G              | 12G            | PK   | 10.4025G     | 3.00        | -63.35      | -65.43      | -62.21      | -64.56      | -57.70        | -54.70        | -27.00         | -27.70         |
| 5190MHz                        | Pass   | 12G             | 40G            | PK   | 15.57G       | 3.00        | -55.04      | -47.63      | -45.97      | -48.33      | -42.19        | -39.19        | -21.20         | -17.99         |
| 5230MHz                        | Pass   | 8G              | 12G            | AV   | 10.6G        | 3.00        | -72.52      | -72.27      | -73.17      | -72.65      | -66.62        | -63.62        | -41.20         | -22.42         |
| 5230MHz                        | Pass   | 8G              | 12G            | AV   | 11.2835G     | 3.00        | -71.78      | -71.49      | -71.61      | -71.15      | -65.48        | -62.48        | -41.20         | -21.28         |
| 5230MHz                        | Pass   | 12G             | 40G            | AV   | 15.6995G     | 3.00        | -61.56      | -56.87      | -55.69      | -54.36      | -50.40        | -47.40        | -41.20         | -6.20          |
| 5230MHz                        | Pass   | 8G              | 12G            | PK   | 9.5305G      | 3.00        | -60.04      | -65.23      | -62.04      | -63.90      | -56.34        | -53.34        | -27.00         | -26.34         |
| 5230MHz                        | Pass   | 8G              | 12G            | PK   | 10.496G      | 3.00        | -63.33      | -64.62      | -63.93      | -63.55      | -57.81        | -54.81        | -27.00         | -27.81         |
| 5230MHz                        | Pass   | 12G             | 40G            | PK   | 15.6925G     | 3.00        | -53.71      | -50.32      | -49.18      | -46.73      | -43.29        | -40.29        | -21.20         | -19.09         |
| 5755MHz                        | Pass   | 8G              | 12G            | AV   | 10.9725G     | 3.00        | -71.38      | -72.36      | -71.02      | -71.11      | -65.42        | -62.42        | -41.20         | -21.22         |
| 5755MHz                        | Pass   | 8G              | 12G            | AV   | 11.5025G     | 3.00        | -72.67      | -71.92      | -71.61      | -72.32      | -66.09        | -63.09        | -41.20         | -21.89         |
| 5755MHz                        | Pass   | 12G             | 40G            | AV   | 39.797G      | 3.00        | -61.05      | -61.28      | -61.65      | -61.28      | -55.29        | -52.29        | -41.20         | -11.09         |
| 5755MHz                        | Pass   | 8G              | 12G            | PK   | 9.569G       | 3.00        | -62.55      | -62.09      | -63.68      | -62.62      | -56.68        | -53.68        | -27.00         | -26.68         |
| 5755MHz                        | Pass   | 8G              | 12G            | PK   | 11.5065G     | 3.00        | -64.21      | -60.96      | -61.13      | -63.66      | -56.23        | -53.23        | -21.20         | -32.03         |
| 5755MHz                        | Pass   | 12G             | 40G            | PK   | 17.264G      | 3.00        | -59.40      | -52.40      | -53.97      | -54.52      | -48.40        | -45.40        | -27.00         | -18.40         |
| 5795MHz                        | Pass   | 8G              | 12G            | AV   | 11.588G      | 3.00        | -73.63      | -70.87      | -71.75      | -71.30      | -65.75        | -62.75        | -41.20         | -21.55         |
| 5795MHz                        | Pass   | 8G              | 12G            | AV   | 12G          | 3.00        | -71.93      | -71.02      | -71.33      | -71.39      | -65.38        | -62.38        | -41.20         | -21.18         |
| 5795MHz                        | Pass   | 12G             | 40G            | AV   | 39.839G      | 3.00        | -61.47      | -60.96      | -61.75      | -61.51      | -55.39        | -52.39        | -41.20         | -11.19         |
| 5795MHz                        | Pass   | 8G              | 12G            | PK   | 8.002G       | 3.00        | -62.99      | -62.34      | -64.03      | -60.87      | -56.38        | -53.38        | -27.00         | -26.38         |
| 5795MHz                        | Pass   | 8G              | 12G            | PK   | 11.5965G     | 3.00        | -64.41      | -62.93      | -61.09      | -61.48      | -56.27        | -53.27        | -21.20         | -32.07         |
| 5795MHz                        | Pass   | 12G             | 40G            | PK   | 38.3935G     | 3.00        | -56.69      | -55.71      | -54.29      | -55.11      | -49.34        | -46.34        | -27.00         | -19.34         |
| 802.11ax HEW80_Nss1,(MCS0)_4TX | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5210MHz                        | Pass   | 8G              | 12G            | AV   | 10.6G        | 3.00        | -72.75      | -72.67      | -72.96      | -73.18      | -66.86        | -63.86        | -41.20         | -22.66         |
| 5210MHz                        | Pass   | 8G              | 12G            | AV   | 10.973G      | 3.00        | -71.99      | -71.50      | -71.54      | -71.67      | -65.65        | -62.65        | -41.20         | -21.45         |
| 5210MHz                        | Pass   | 12G             | 40G            | AV   | 15.605G      | 3.00        | -63.68      | -58.85      | -59.09      | -58.59      | -53.62        | -50.62        | -41.20         | -9.42          |
| 5210MHz                        | Pass   | 8G              | 12G            | PK   | 10.006G      | 3.00        | -62.44      | -62.92      | -62.79      | -62.47      | -56.63        | -53.63        | -27.00         | -26.63         |
| 5210MHz                        | Pass   | 8G              | 12G            | PK   | 10.4705G     | 3.00        | -61.96      | -63.19      | -64.92      | -65.12      | -57.58        | -54.58        | -27.00         | -27.58         |
| 5210MHz                        | Pass   | 12G             | 40G            | PK   | 38.4565G     | 3.00        | -56.25      | -54.82      | -56.25      | -57.00      | -49.99        | -46.99        | -27.00         | -19.99         |
| 5775MHz                        | Pass   | 8G              | 12G            | AV   | 10.965G      | 3.00        | -70.39      | -72.35      | -71.73      | -71.31      | -65.37        | -62.37        | -41.20         | -21.17         |
| 5775MHz                        | Pass   | 8G              | 12G            | AV   | 11.506G      | 3.00        | -73.24      | -72.32      | -72.47      | -72.55      | -66.61        | -63.61        | -41.20         | -22.41         |
| 5775MHz                        | Pass   | 12G             | 40G            | AV   | 39.8355G     | 3.00        | -61.69      | -61.37      | -60.60      | -61.44      | -55.23        | -52.23        | -41.20         | -11.03         |
| 5775MHz                        | Pass   | 8G              | 12G            | PK   | 10.011G      | 3.00        | -63.52      | -63.14      | -61.76      | -62.06      | -56.54        | -53.54        | -27.00         | -26.54         |
| 5775MHz                        | Pass   | 8G              | 12G            | PK   | 11.544G      | 3.00        | -64.43      | -63.57      | -60.93      | -64.39      | -57.05        | -54.05        | -21.20         | -32.85         |
| 5775MHz                        | Pass   | 12G             | 40G            | PK   | 38.39G       | 3.00        | -55.45      | -56.83      | -55.53      | -54.35      | -49.43        | -46.43        | -27.00         | -19.43         |


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

802.11a\_Nss1,(6Mbps)\_1TX

5180MHz

CSE [PK]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 12G        | 1M      | PK   | 9.5985G  | -58.17    | -27.00     | -31.17     | 3.00   | 0.00    | -61.17    | -61.17  |
| 8G          | 12G        | 1M      | PK   | 10.369G  | -59.56    | -27.00     | -32.56     | 3.00   | 0.00    | -62.56    | -62.56  |
| 12G         | 40G        | 1M      | PK   | 38.53G   | -50.76    | -27.00     | -23.76     | 3.00   | 0.00    | -53.76    | -53.76  |

802.11a\_Nss1,(6Mbps)\_1TX

5180MHz

CSE [AV]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 12G        | 1M      | AV   | 10.6G    | -68.79    | -41.20     | -27.59     | 3.00   | 0.00    | -71.79    | -71.79  |
| 8G          | 12G        | 1M      | AV   | 10.369G  | -67.91    | -41.20     | -26.71     | 3.00   | 0.00    | -70.91    | -70.91  |
| 12G         | 40G        | 1M      | AV   | 15.5385G | -56.12    | -41.20     | -14.92     | 3.00   | 0.00    | -59.12    | -59.12  |

802.11a\_Nss1,(6Mbps)\_1TX

5200MHz

CSE [PK]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 12G        | 1M      | PK   | 10.0405G | -57.59    | -27.00     | -30.59     | 3.00   | 0.00    | -60.59    | -60.59  |
| 8G          | 12G        | 1M      | PK   | 10.4105G | -60.43    | -27.00     | -33.43     | 3.00   | 0.00    | -63.43    | -63.43  |
| 12G         | 40G        | 1M      | PK   | 15.605G  | -44.91    | -21.20     | -23.71     | 3.00   | 0.00    | -47.91    | -47.91  |

802.11a\_Nss1,(6Mbps)\_1TX

5200MHz

CSE [AV]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 12G        | 1M      | AV   | 10.6G    | -70.15    | -41.20     | -28.95     | 3.00   | 0.00    | -73.15    | -73.15  |
| 8G          | 12G        | 1M      | AV   | 10.9895G | -67.80    | -41.20     | -26.60     | 3.00   | 0.00    | -70.80    | -70.80  |
| 12G         | 40G        | 1M      | AV   | 15.598G  | -54.58    | -41.20     | -13.38     | 3.00   | 0.00    | -57.58    | -57.58  |

802.11a\_Nss1,(6Mbps)\_1TX

5240MHz

CSE [PK]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 12G        | 1M      | PK   | 9.5625G  | -58.28    | -27.00     | -31.28     | 3.00   | 0.00    | -61.28    | -61.28  |
| 8G          | 12G        | 1M      | PK   | 10.4925G | -60.54    | -27.00     | -33.54     | 3.00   | 0.00    | -63.54    | -63.54  |
| 12G         | 40G        | 1M      | PK   | 38.502G  | -50.79    | -27.00     | -23.79     | 3.00   | 0.00    | -53.79    | -53.79  |

802.11a\_Nss1,(6Mbps)\_1TX

5240MHz

CSE [AV]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 12G        | 1M      | AV   | 10.56G   | -69.36    | -41.20     | -28.16     | 3.00   | 0.00    | -72.36    | -72.36  |
| 8G          | 12G        | 1M      | AV   | 10.995G  | -67.61    | -41.20     | -26.41     | 3.00   | 0.00    | -70.61    | -70.61  |
| 12G         | 40G        | 1M      | AV   | 15.7135G | -55.12    | -41.20     | -13.92     | 3.00   | 0.00    | -58.12    | -58.12  |

802.11a\_Nss1,(6Mbps)\_1TX

5745MHz

CSE [PK]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 12G        | 1M      | PK   | 9.6025G  | -56.58    | -27.00     | -29.58     | 3.00   | 0.00    | -59.58    | -59.58  |
| 8G          | 12G        | 1M      | PK   | 11.4825G | -59.66    | -21.20     | -38.46     | 3.00   | 0.00    | -62.66    | -62.66  |
| 12G         | 40G        | 1M      | PK   | 38.4985G | -50.74    | -27.00     | -23.74     | 3.00   | 0.00    | -53.74    | -53.74  |

802.11a\_Nss1,(6Mbps)\_1TX

5745MHz

CSE [AV]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 12G        | 1M      | AV   | 11.342G  | -67.92    | -41.20     | -26.72     | 3.00   | 0.00    | -70.92    | -70.92  |
| 8G          | 12G        | 1M      | AV   | 11.477G  | -69.35    | -41.20     | -27.95     | 3.00   | 0.00    | -72.35    | -72.35  |
| 12G         | 40G        | 1M      | AV   | 39.93G   | -58.32    | -41.20     | -17.12     | 3.00   | 0.00    | -61.32    | -61.32  |

802.11a\_Nss1,(6Mbps)\_1TX

5785MHz

CSE [PK]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | ERP(dBm) | Limit(dBm) | Margint(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|----------|------------|-------------|--------|---------|-----------|---------|
| 8G          | 12G        | 1M      | PK   | 10.065G  | -57.86   | -27.00     | -30.86      | 3.00   | 0.00    | -50.86    | -60.86  |
| 3G          | 12G        | 1M      | PK   | 11.559G  | -59.29   | -21.20     | -38.09      | 3.00   | 0.00    | -62.29    | -62.29  |
| 12G         | 40G        | 1M      | PK   | 38.1275G | -51.46   | -27.00     | -24.46      | 3.00   | 0.00    | -54.46    | -54.46  |

802.11a\_Nss1,(6Mbps)\_1TX

5785MHz

CSE [AV]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | ERP(dBm) | Limit(dBm) | Margint(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|----------|------------|-------------|--------|---------|-----------|---------|
| 8G          | 12G        | 1M      | AV   | 10.95G   | -57.95   | -41.20     | -16.75      | 3.00   | 0.00    | -70.95    | -70.95  |
| 3G          | 12G        | 1M      | AV   | 11.5575G | -68.91   | -41.20     | -27.71      | 3.00   | 0.00    | -71.91    | -71.91  |
| 12G         | 40G        | 1M      | AV   | 38.7935G | -57.97   | -41.20     | -16.77      | 3.00   | 0.00    | -60.97    | -60.97  |

802.11a\_Nss1,(6Mbps)\_1TX

5825MHz

CSE [PK]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 12G        | 1M      | PK   | 10.0115G | -58.07    | -27.00     | -31.07     | 3.00   | 0.00    | -51.07    | -61.07  |
| 3G          | 12G        | 1M      | PK   | 11.658G  | -59.23    | -21.20     | -38.03     | 3.00   | 0.00    | -62.23    | -62.23  |
| 12G         | 40G        | 1M      | PK   | 38.389G  | -50.51    | -27.00     | -23.51     | 3.00   | 0.00    | -53.51    | -53.51  |

802.11a\_Nss1,(6Mbps)\_1TX

5825MHz

CSE [AV]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 12G        | 1M      | AV   | 11.0165G | -67.74    | -41.20     | -26.54     | 3.00   | 0.00    | -70.74    | -70.74  |
| 3G          | 12G        | 1M      | AV   | 11.652G  | -68.98    | -41.20     | -27.78     | 3.00   | 0.00    | -71.98    | -71.98  |
| 12G         | 40G        | 1M      | AV   | 38.811G  | -57.95    | -41.20     | -16.75     | 3.00   | 0.00    | -60.95    | -60.95  |

802.11ax HEW20\_Nss1,(MCS0)\_1TX

5180MHz

CSE [PK]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 12G        | 1M      | PK   | 10.332G  | -58.85    | -27.00     | -32.85     | 3.00   | 0.00    | -62.85    | -62.85  |
| 3G          | 12G        | 1M      | PK   | 10.5995G | -58.64    | -27.00     | -31.64     | 3.00   | 0.00    | -61.64    | -61.64  |
| 12G         | 40G        | 1M      | PK   | 38.4405G | -51.28    | -27.00     | -24.28     | 3.00   | 0.00    | -54.28    | -54.28  |

802.11ax HEW20\_Nss1,(MCS0)\_1TX

5180MHz

CSE [AV]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 12G        | 1M      | AV   | 10.6G    | -59.99    | -41.20     | -28.79     | 3.00   | 0.00    | -72.99    | -72.99  |
| 3G          | 12G        | 1M      | AV   | 11.3865G | -68.07    | -41.20     | -26.87     | 3.00   | 0.00    | -71.07    | -71.07  |
| 12G         | 40G        | 1M      | AV   | 15.5385G | -56.55    | -41.20     | -15.35     | 3.00   | 0.00    | -59.55    | -59.55  |

802.11ax HEW20\_Nss1,(MCS0)\_1TX

5200MHz

CSE [PK]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 12G        | 1M      | PK   | 10.039G  | -58.22    | -27.00     | -31.22     | 3.00   | 0.00    | -61.22    | -61.22  |
| 8G          | 12G        | 1M      | PK   | 10.411G  | -60.61    | -27.00     | -33.61     | 3.00   | 0.00    | -63.61    | -63.61  |
| 12G         | 40G        | 1M      | PK   | 38.376G  | -51.27    | -27.00     | -24.27     | 3.00   | 0.00    | -54.27    | -54.27  |

802.11ax HEW20\_Nss1,(MCS0)\_1TX

5200MHz

CSE [AV]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 12G        | 1M      | AV   | 10.6G    | -69.40    | -41.20     | -28.20     | 3.00   | 0.00    | -72.40    | -72.40  |
| 8G          | 12G        | 1M      | AV   | 10.955G  | -67.67    | -41.20     | -26.47     | 3.00   | 0.00    | -70.67    | -70.67  |
| 12G         | 40G        | 1M      | AV   | 15.598G  | -55.21    | -41.20     | -14.01     | 3.00   | 0.00    | -58.21    | -58.21  |

802.11ax HEW20\_Nss1,(MCS0)\_1TX

5240MHz

CSE [PK]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | ERP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 12G        | 1M      | PK   | 9.512G   | -58.24   | -27.00     | -31.24     | 3.00   | 0.00    | -51.24    | -61.24  |
| 8G          | 12G        | 1M      | PK   | 10.481G  | -59.61   | -27.00     | -32.61     | 3.00   | 0.00    | -62.61    | -62.61  |
| 12G         | 40G        | 1M      | PK   | 38.5405G | -50.31   | -27.00     | -23.31     | 3.00   | 0.00    | -53.31    | -53.31  |

802.11ax HEW20\_Nss1,(MCS0)\_1TX

5240MHz

CSE [AV]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | ERP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 12G        | 1M      | AV   | 10.6G    | -70.71   | -41.20     | -29.51     | 3.00   | 0.00    | -73.71    | -73.71  |
| 8G          | 12G        | 1M      | AV   | 10.984G  | -67.72   | -41.20     | -26.52     | 3.00   | 0.00    | -70.72    | -70.72  |
| 12G         | 40G        | 1M      | AV   | 15.717G  | -55.59   | -41.20     | -14.39     | 3.00   | 0.00    | -58.59    | -58.59  |

802.11ax HEW20\_Nss1,(MCS0)\_1TX

5745MHz

CSE [PK]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 12G        | 1M      | PK   | 9.5645G  | -57.96    | -27.00     | -30.96     | 3.00   | 0.00    | -50.96    | -62.96  |
| 8G          | 12G        | 1M      | PK   | 11.49G   | -59.40    | -21.20     | -38.20     | 3.00   | 0.00    | -62.40    | -62.40  |
| 12G         | 40G        | 1M      | PK   | 38.208G  | -51.66    | -27.00     | -24.66     | 3.00   | 0.00    | -54.66    | -54.66  |

802.11ax HEW20\_Nss1,(MCS0)\_1TX

5745MHz

CSE [AV]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 12G        | 1M      | AV   | 10.959G  | -57.72    | -41.20     | -16.52     | 3.00   | 0.00    | -70.72    | -70.72  |
| 8G          | 12G        | 1M      | AV   | 11.49G   | -68.88    | -41.20     | -27.68     | 3.00   | 0.00    | -71.88    | -71.88  |
| 12G         | 40G        | 1M      | AV   | 38.818G  | -58.17    | -41.20     | -16.97     | 3.00   | 0.00    | -61.17    | -61.17  |

802.11ax HEW20\_Nss1,(MCS0)\_1TX

5785MHz

CSE [PK]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 12G        | 1M      | PK   | 10.002G  | -58.13    | -27.00     | -31.13     | 3.00   | 0.00    | -61.13    | -61.13  |
| 3G          | 12G        | 1M      | PK   | 11.576G  | -59.19    | -21.20     | -37.99     | 3.00   | 0.00    | -62.19    | -62.19  |
| 12G         | 40G        | 1M      | PK   | 37.662G  | -50.44    | -27.00     | -23.44     | 3.00   | 0.00    | -53.44    | -53.44  |

802.11ax HEW20\_Nss1,(MCS0)\_1TX

5785MHz

CSE [AV]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 12G        | 1M      | AV   | 10.866G  | -67.68    | -41.20     | -26.48     | 3.00   | 0.00    | -70.68    | -70.68  |
| 3G          | 12G        | 1M      | AV   | 11.596G  | -69.25    | -41.20     | -28.05     | 3.00   | 0.00    | -72.25    | -72.25  |
| 12G         | 40G        | 1M      | AV   | 39.8425G | -58.13    | -41.20     | -16.93     | 3.00   | 0.00    | -61.13    | -61.13  |

802.11ax HEW20\_Nss1,(MCS0)\_1TX

5825MHz

CSE [PK]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 12G        | 1M      | PK   | 10.528G  | -57.91    | -27.00     | -30.91     | 3.00   | 0.00    | -50.91    | -60.91  |
| 3G          | 12G        | 1M      | PK   | 11.645G  | -58.98    | -21.20     | -37.78     | 3.00   | 0.00    | -61.98    | -61.98  |
| 12G         | 40G        | 1M      | PK   | 38.865G  | -50.75    | -27.00     | -23.75     | 3.00   | 0.00    | -53.75    | -53.75  |

802.11ax HEW20\_Nss1,(MCS0)\_1TX

5825MHz

CSE [AV]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 12G        | 1M      | AV   | 10.9255G | -57.86    | -41.20     | -16.66     | 3.00   | 0.00    | -70.86    | -70.86  |
| 3G          | 12G        | 1M      | AV   | 11.642G  | -68.99    | -41.20     | -27.79     | 3.00   | 0.00    | -71.99    | -71.99  |
| 12G         | 40G        | 1M      | AV   | 38.8215G | -57.99    | -41.20     | -16.79     | 3.00   | 0.00    | -60.99    | -60.99  |

802.11ax HEW40\_Nss1,(MCS0)\_1TX

5190MHz

CSE [PK]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 12G        | 1M      | PK   | 10.075G  | -57.80    | -27.00     | -30.80     | 3.00   | 0.00    | -50.80    | -60.80  |
| 8G          | 12G        | 1M      | PK   | 10.4075G | -59.74    | -27.00     | -32.74     | 3.00   | 0.00    | -62.74    | -62.74  |
| 12G         | 40G        | 1M      | PK   | 38.5795G | -50.80    | -27.00     | -23.80     | 3.00   | 0.00    | -53.80    | -53.80  |

802.11ax HEW40\_Nss1,(MCS0)\_1TX

5190MHz

CSE [AV]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 12G        | 1M      | AV   | 10.6G    | -69.52    | -41.20     | -28.32     | 3.00   | 0.00    | -72.52    | -72.52  |
| 8G          | 12G        | 1M      | AV   | 11.7925G | -67.93    | -41.20     | -26.73     | 3.00   | 0.00    | -70.93    | -70.93  |
| 12G         | 40G        | 1M      | AV   | 15.5805G | -57.78    | -41.20     | -16.58     | 3.00   | 0.00    | -60.78    | -60.78  |

802.11ax HEW40\_Nss1,(MCS0)\_1TX

5230MHz

CSE [PK]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 12G        | 1M      | PK   | 10.0415G | -57.78    | -27.00     | -30.78     | 3.00   | 0.00    | -50.78    | -60.78  |
| 8G          | 12G        | 1M      | PK   | 10.4725G | -59.58    | -27.00     | -32.58     | 3.00   | 0.00    | -62.58    | -62.58  |
| 12G         | 40G        | 1M      | PK   | 38.397G  | -50.64    | -27.00     | -23.64     | 3.00   | 0.00    | -53.64    | -53.64  |

802.11ax HEW40\_Nss1,(MCS0)\_1TX

5230MHz

CSE [AV]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 12G        | 1M      | AV   | 10.66G   | -70.19    | -41.20     | -28.99     | 3.00   | 0.00    | -73.19    | -73.19  |
| 8G          | 12G        | 1M      | AV   | 11.2125G | -68.09    | -41.20     | -26.89     | 3.00   | 0.00    | -71.09    | -71.09  |
| 12G         | 40G        | 1M      | AV   | 38.797G  | -58.17    | -41.20     | -16.97     | 3.00   | 0.00    | -61.17    | -61.17  |

802.11ax HEW40\_Nss1,(MCS0)\_1TX

5755MHz

CSE [PK]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 12G        | 1M      | PK   | 10.559G  | -57.77    | -27.00     | -30.77     | 3.00   | 0.00    | -60.77    | -60.77  |
| 3G          | 12G        | 1M      | PK   | 11.5875G | -58.72    | -21.20     | -37.52     | 3.00   | 0.00    | -61.72    | -61.72  |
| 12G         | 40G        | 1M      | PK   | 38.4355G | -50.05    | -27.00     | -23.05     | 3.00   | 0.00    | -53.05    | -53.05  |

802.11ax HEW40\_Nss1,(MCS0)\_1TX

5755MHz

CSE [AV]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 12G        | 1M      | AV   | 10.9845G | -68.02    | -41.20     | -26.82     | 3.00   | 0.00    | -71.02    | -71.02  |
| 3G          | 12G        | 1M      | AV   | 11.4895G | -69.34    | -41.20     | -28.04     | 3.00   | 0.00    | -72.34    | -72.34  |
| 12G         | 40G        | 1M      | AV   | 38.818G  | -57.73    | -41.20     | -16.53     | 3.00   | 0.00    | -60.73    | -60.73  |

802.11ax HEW40\_Nss1,(MCS0)\_1TX

5795MHz

CSE [PK]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 12G        | 1M      | PK   | 10.0225G | -58.27    | -27.00     | -31.27     | 3.00   | 0.00    | -61.27    | -61.27  |
| 3G          | 12G        | 1M      | PK   | 11.5765G | -58.48    | -27.00     | -31.28     | 3.00   | 0.00    | -61.48    | -61.48  |
| 12G         | 40G        | 1M      | PK   | 37.7285G | -50.61    | -27.00     | -23.61     | 3.00   | 0.00    | -53.61    | -53.61  |

802.11ax HEW40\_Nss1,(MCS0)\_1TX

5795MHz

CSE [AV]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 12G        | 1M      | AV   | 10.9225G | -67.39    | -41.20     | -26.19     | 3.00   | 0.00    | -70.39    | -70.39  |
| 3G          | 12G        | 1M      | AV   | 11.5765G | -68.90    | -41.20     | -27.70     | 3.00   | 0.00    | -71.90    | -71.90  |
| 12G         | 40G        | 1M      | AV   | 39.8075G | -57.04    | -41.20     | -16.74     | 3.00   | 0.00    | -60.04    | -60.04  |

802.11ax HEW80\_Nss1,(MCS0)\_1TX

5210MHz

CSE [PK]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 12G        | 1M      | PK   | 8.02G    | -58.12    | -27.00     | -31.12     | 3.00   | 0.00    | -61.12    | -61.12  |
| 8G          | 12G        | 1M      | PK   | 10.574G  | -58.94    | -27.00     | -31.94     | 3.00   | 0.00    | -61.94    | -61.94  |
| 12G         | 40G        | 1M      | PK   | 38.082G  | -50.83    | -27.00     | -23.83     | 3.00   | 0.00    | -53.83    | -53.83  |

802.11ax HEW80\_Nss1,(MCS0)\_1TX

5210MHz

CSE [AV]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 12G        | 1M      | AV   | 10.6G    | -68.25    | -41.20     | -28.05     | 3.00   | 0.00    | -72.25    | -72.25  |
| 8G          | 12G        | 1M      | AV   | 10.949G  | -67.79    | -41.20     | -26.59     | 3.00   | 0.00    | -70.79    | -70.79  |
| 12G         | 40G        | 1M      | AV   | 38.86G   | -58.22    | -41.20     | -17.02     | 3.00   | 0.00    | -61.22    | -61.22  |

802.11ax HEW80\_Nss1,(MCS0)\_1TX

5775MHz

CSE [PK]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 12G        | 1M      | PK   | 9.200G   | -58.56    | -27.00     | -31.56     | 3.00   | 0.00    | -61.56    | -61.56  |
| 8G          | 12G        | 1M      | PK   | 11.5555G | -58.76    | -27.20     | -31.56     | 3.00   | 0.00    | -61.76    | -61.76  |
| 12G         | 40G        | 1M      | PK   | 37.69G   | -50.33    | -27.00     | -23.33     | 3.00   | 0.00    | -53.33    | -53.33  |

802.11ax HEW80\_Nss1,(MCS0)\_1TX

5775MHz

CSE [AV]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|
| 8G          | 12G        | 1M      | AV   | 11.3325G | -68.09    | -41.20     | -26.89     | 3.00   | 0.00    | -71.09    | -71.09  |
| 8G          | 12G        | 1M      | AV   | 11.5905G | -69.00    | -41.20     | -27.80     | 3.00   | 0.00    | -72.00    | -72.00  |
| 12G         | 40G        | 1M      | AV   | 38.79G   | -58.01    | -41.20     | -16.81     | 3.00   | 0.00    | -61.01    | -61.01  |

802.11a\_Nss1,(6Mbps)\_2TX

5180MHz

CSE [PK]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 12G        | 1M      | PK   | 10.3655G | -57.64    | -27.00     | -30.64     | 3.00   | 0.00    | -50.64    | -63.12  | -64.26  |
| 8G          | 12G        | 1M      | PK   | 10.599G  | -55.94    | -27.00     | -28.94     | 3.00   | 0.00    | -58.94    | -63.72  | -60.97  |
| 12G         | 40G        | 1M      | PK   | 15.535G  | -42.12    | -21.20     | -20.92     | 3.00   | 0.00    | -45.12    | -51.64  | -46.21  |

802.11a\_Nss1,(6Mbps)\_2TX

5180MHz

CSE [AV]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 12G        | 1M      | AV   | 10.6G    | -56.60    | -41.20     | -15.40     | 3.00   | 0.00    | -59.60    | -72.64  | -72.59  |
| 8G          | 12G        | 1M      | AV   | 11.978G  | -65.43    | -41.20     | -24.11     | 3.00   | 0.00    | -68.43    | -71.74  | -70.93  |
| 12G         | 40G        | 1M      | AV   | 15.535G  | -40.56    | -41.20     | -0.64      | 3.00   | 0.00    | -52.56    | -59.42  | -53.56  |

802.11a\_Nss1,(6Mbps)\_2TX

5200MHz

CSE [PK]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 12G        | 1M      | PK   | 10.014G  | -55.87    | -27.00     | -28.87     | 3.00   | 0.00    | -56.87    | -60.50  | -63.93  |
| 8G          | 12G        | 1M      | PK   | 10.398G  | -56.90    | -27.00     | -29.90     | 3.00   | 0.00    | -59.90    | -62.51  | -65.61  |
| 12G         | 40G        | 1M      | PK   | 15.6015G | -40.02    | -21.20     | -18.82     | 3.00   | 0.00    | -43.02    | -50.07  | -43.97  |

802.11a\_Nss1,(6Mbps)\_2TX

5200MHz

CSE [AV]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 12G        | 1M      | AV   | 10.6G    | -57.00    | -41.20     | -15.80     | 3.00   | 0.00    | -70.00    | -73.14  | -72.88  |
| 8G          | 12G        | 1M      | AV   | 11.9995G | -65.38    | -41.20     | -24.18     | 3.00   | 0.00    | -68.38    | -71.23  | -71.55  |
| 12G         | 40G        | 1M      | AV   | 15.598G  | -48.60    | -41.20     | -7.40      | 3.00   | 0.00    | -51.60    | -58.20  | -52.65  |

802.11a\_Nss1,(6Mbps)\_2TX

5240MHz

CSE [PK]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 12G        | 1M      | PK   | 9.5155G  | -55.68    | -27.00     | -28.68     | 3.00   | 0.00    | -56.68    | -60.67  | -62.04  |
| 8G          | 12G        | 1M      | PK   | 10.4975G | -57.12    | -27.00     | -30.12     | 3.00   | 0.00    | -60.12    | -64.79  | -61.94  |
| 12G         | 40G        | 1M      | PK   | 15.724G  | -41.54    | -21.20     | -20.34     | 3.00   | 0.00    | -44.54    | -48.54  | -46.74  |

802.11a\_Nss1,(6Mbps)\_2TX

5240MHz

CSE [AV]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 12G        | 1M      | AV   | 10.6G    | -56.94    | -41.20     | -25.74     | 3.00   | 0.00    | -59.94    | -73.14  | -72.76  |
| 8G          | 12G        | 1M      | AV   | 11.995G  | -65.49    | -41.20     | -24.29     | 3.00   | 0.00    | -68.49    | -71.70  | -71.50  |
| 12G         | 40G        | 1M      | AV   | 15.71G   | -49.49    | -41.20     | -8.29      | 3.00   | 0.00    | -52.49    | -59.99  | -53.34  |

802.11a\_Nss1,(6Mbps)\_2TX

5745MHz

CSE [PK]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 12G        | 1M      | PK   | 8.0095G  | -55.65    | -27.00     | -28.65     | 3.00   | 0.00    | -58.65    | -61.11  | -62.04  |
| 3G          | 12G        | 1M      | PK   | 11.4915G | -55.58    | -21.20     | -34.38     | 3.00   | 0.00    | -58.58    | -64.28  | -59.94  |
| 12G         | 40G        | 1M      | PK   | 17.343G  | -46.41    | -27.00     | -19.41     | 3.00   | 0.00    | -49.41    | -57.89  | -50.07  |

802.11a\_Nss1,(6Mbps)\_2TX

5745MHz

CSE [AV]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 12G        | 1M      | AV   | 11.014G  | -65.22    | -41.20     | -24.02     | 3.00   | 0.00    | -68.22    | -70.53  | -72.06  |
| 3G          | 12G        | 1M      | AV   | 11.4905G | -66.37    | -41.20     | -25.07     | 3.00   | 0.00    | -69.37    | -73.06  | -71.62  |
| 12G         | 40G        | 1M      | AV   | 39.7865G | -55.44    | -41.20     | -14.24     | 3.00   | 0.00    | -58.44    | -61.25  | -61.87  |

802.11a\_Nss1,(6Mbps)\_2TX

5785MHz

CSE [PK]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 12G        | 1M      | PK   | 10.0205G | -55.96    | -27.00     | -28.96     | 3.00   | 0.00    | -58.96    | -60.71  | -62.76  |
| 8G          | 12G        | 1M      | PK   | 11.5695G | -56.76    | -21.20     | -35.56     | 3.00   | 0.00    | -59.76    | -62.30  | -64.50  |
| 12G         | 40G        | 1M      | PK   | 38.4565G | -48.67    | -27.00     | -21.67     | 3.00   | 0.00    | -51.67    | -53.17  | -57.01  |

802.11a\_Nss1,(6Mbps)\_2TX

5785MHz

CSE [AV]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 12G        | 1M      | AV   | 10.994G  | -65.22    | -41.20     | -24.02     | 3.00   | 0.00    | -68.22    | -71.50  | -70.98  |
| 8G          | 12G        | 1M      | AV   | 11.572G  | -65.93    | -41.20     | -24.73     | 3.00   | 0.00    | -68.93    | -73.22  | -70.95  |
| 12G         | 40G        | 1M      | AV   | 38.783G  | -55.25    | -41.20     | -14.05     | 3.00   | 0.00    | -58.25    | -61.59  | -60.95  |

802.11a\_Nss1,(6Mbps)\_2TX

5825MHz

CSE [PK]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 12G        | 1M      | PK   | 10.0025G | -55.52    | -27.00     | -28.52     | 3.00   | 0.00    | -58.52    | -61.02  | -62.11  |
| 8G          | 12G        | 1M      | PK   | 11.652G  | -55.32    | -21.20     | -34.12     | 3.00   | 0.00    | -58.32    | -62.48  | -60.42  |
| 12G         | 40G        | 1M      | PK   | 37.7425G | -48.17    | -27.00     | -21.17     | 3.00   | 0.00    | -51.17    | -52.60  | -56.69  |

802.11a\_Nss1,(6Mbps)\_2TX

5825MHz

CSE [AV]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 12G        | 1M      | AV   | 10.9925G | -65.19    | -41.20     | -23.99     | 3.00   | 0.00    | -68.19    | -71.66  | -70.79  |
| 8G          | 12G        | 1M      | AV   | 11.654G  | -65.77    | -41.20     | -24.57     | 3.00   | 0.00    | -68.77    | -72.51  | -71.16  |
| 12G         | 40G        | 1M      | AV   | 38.7585G | -55.32    | -41.20     | -14.12     | 3.00   | 0.00    | -58.32    | -61.34  | -61.32  |

802.11ax HEW20\_Nss1,(MCS0)\_2TX

5180MHz

CSE [PK]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 12G        | 1M      | PK   | 9.272G   | -55.46    | -27.00     | -28.46     | 3.00   | 0.00    | -58.46    | -61.34  | -61.61  |
| 8G          | 12G        | 1M      | PK   | 10.358G  | -57.51    | -27.00     | -30.51     | 3.00   | 0.00    | -60.51    | -63.80  | -63.84  |
| 12G         | 40G        | 1M      | PK   | 15.535G  | -40.75    | -21.20     | -19.55     | 3.00   | 0.00    | -43.75    | -51.99  | -44.45  |

802.11ax HEW20\_Nss1,(MCS0)\_2TX

5180MHz

CSE [AV]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 12G        | 1M      | AV   | 10.66G   | -56.26    | -41.20     | -15.06     | 3.00   | 0.00    | -59.26    | -72.31  | -72.23  |
| 8G          | 12G        | 1M      | AV   | 10.9045G | -65.16    | -41.20     | -23.96     | 3.00   | 0.00    | -68.16    | -71.40  | -70.95  |
| 12G         | 40G        | 1M      | AV   | 15.535G  | -49.82    | -41.20     | -8.62      | 3.00   | 0.00    | -52.82    | -59.00  | -54.02  |

802.11ax HEW20\_Nss1,(MCS0)\_2TX

5200MHz

CSE [PK]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 12G        | 1M      | PK   | 9.2505G  | -56.33    | -27.00     | -29.33     | 3.00   | 0.00    | -59.33    | -61.10  | -64.08  |
| 8G          | 12G        | 1M      | PK   | 10.417G  | -57.64    | -27.00     | -30.64     | 3.00   | 0.00    | -60.64    | -64.99  | -67.63  |
| 12G         | 40G        | 1M      | PK   | 15.591G  | -40.95    | -21.20     | -19.75     | 3.00   | 0.00    | -43.95    | -52.20  | -44.65  |

802.11ax HEW20\_Nss1,(MCS0)\_2TX

5200MHz

CSE [AV]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 12G        | 1M      | AV   | 10.6G    | -56.26    | -41.20     | -25.06     | 3.00   | 0.00    | -59.26    | -72.17  | -72.38  |
| 8G          | 12G        | 1M      | AV   | 10.8955G | -65.67    | -41.20     | -24.41     | 3.00   | 0.00    | -68.67    | -71.33  | -71.93  |
| 12G         | 40G        | 1M      | AV   | 15.5945G | -49.16    | -41.20     | -7.96      | 3.00   | 0.00    | -52.16    | -58.90  | -53.20  |

802.11ax HEW20\_Nss1,(MCS0)\_2TX

5240MHz

CSE [PK]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 12G        | 1M      | PK   | 10.477G  | -56.94    | -27.00     | -29.94     | 3.00   | 0.00    | -59.94    | -63.00  | -62.90  |
| 8G          | 12G        | 1M      | PK   | 10.599G  | -55.82    | -27.00     | -28.82     | 3.00   | 0.00    | -58.82    | -61.12  | -62.68  |
| 12G         | 40G        | 1M      | PK   | 15.7135G | -41.85    | -21.20     | -20.65     | 3.00   | 0.00    | -44.85    | -52.30  | -45.71  |

802.11ax HEW20\_Nss1,(MCS0)\_2TX

5240MHz

CSE [AV]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 12G        | 1M      | AV   | 10.6G    | -56.71    | -41.20     | -25.51     | 3.00   | 0.00    | -59.71    | -73.00  | -72.45  |
| 8G          | 12G        | 1M      | AV   | 11.9715G | -65.42    | -41.20     | -24.22     | 3.00   | 0.00    | -68.42    | -71.11  | -71.76  |
| 12G         | 40G        | 1M      | AV   | 15.7135G | -49.77    | -41.20     | -8.57      | 3.00   | 0.00    | -52.77    | -59.29  | -53.87  |

802.11ax HEW20\_Nss1,(MCS0)\_2TX

5745MHz

CSE [PK]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 12G        | 1M      | PK   | 10.5505G | -56.17    | -27.00     | -29.17     | 3.00   | 0.00    | -59.17    | -60.64  | -64.12  |
| 8G          | 12G        | 1M      | PK   | 11.4826G | -55.67    | -21.20     | -34.47     | 3.00   | 0.00    | -58.67    | -64.52  | -60.05  |
| 12G         | 40G        | 1M      | PK   | 17.215G  | -44.69    | -27.00     | -17.69     | 3.00   | 0.00    | -47.69    | -55.04  | -48.57  |

802.11ax HEW20\_Nss1,(MCS0)\_2TX

5745MHz

CSE [AV]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 12G        | 1M      | AV   | 11.4895G | -56.17    | -41.20     | -14.97     | 3.00   | 0.00    | -59.17    | -73.00  | -71.49  |
| 8G          | 12G        | 1M      | AV   | 11.8116G | -65.30    | -41.20     | -24.10     | 3.00   | 0.00    | -68.30    | -71.72  | -70.94  |
| 12G         | 40G        | 1M      | AV   | 30.811G  | -55.44    | -41.20     | -14.24     | 3.00   | 0.00    | -58.44    | -61.19  | -61.73  |

802.11ax HEW20\_Nss1,(MCS0)\_2TX

5785MHz

CSE [PK]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 12G        | 1M      | PK   | 9.5285G  | -55.78    | -27.00     | -28.78     | 3.00   | 0.00    | -56.78    | -61.55  | -62.05  |
| 8G          | 12G        | 1M      | PK   | 11.5655G | -56.84    | -21.20     | -35.64     | 3.00   | 0.00    | -59.84    | -63.25  | -62.49  |
| 12G         | 40G        | 1M      | PK   | 38.11G   | -48.18    | -27.00     | -22.18     | 3.00   | 0.00    | -52.18    | -64.28  | -66.24  |

802.11ax HEW20\_Nss1,(MCS0)\_2TX

5785MHz

CSE [AV]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 12G        | 1M      | AV   | 11.0015G | -55.44    | -41.20     | -14.24     | 3.00   | 0.00    | -68.44    | -71.91  | -71.04  |
| 8G          | 12G        | 1M      | AV   | 11.57G   | -65.68    | -41.20     | -24.48     | 3.00   | 0.00    | -68.68    | -72.87  | -70.76  |
| 12G         | 40G        | 1M      | AV   | 38.8565G | -55.19    | -41.20     | -13.99     | 3.00   | 0.00    | -58.19    | -61.34  | -61.07  |

802.11ax HEW20\_Nss1,(MCS0)\_2TX

5825MHz

CSE [PK]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 12G        | 1M      | PK   | 10.0095G | -55.37    | -27.00     | -28.37     | 3.00   | 0.00    | -58.37    | -60.60  | -62.34  |
| 8G          | 12G        | 1M      | PK   | 11.6455G | -55.65    | -21.20     | -34.45     | 3.00   | 0.00    | -58.65    | -62.51  | -60.95  |
| 12G         | 40G        | 1M      | PK   | 37.8885G | -48.66    | -27.00     | -21.66     | 3.00   | 0.00    | -51.66    | -53.46  | -56.36  |

802.11ax HEW20\_Nss1,(MCS0)\_2TX

5825MHz

CSE [AV]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 12G        | 1M      | AV   | 11.6485G | -65.70    | -41.20     | -24.50     | 3.00   | 0.00    | -68.70    | -72.68  | -70.92  |
| 8G          | 12G        | 1M      | AV   | 11.8605G | -65.53    | -41.20     | -24.33     | 3.00   | 0.00    | -68.53    | -71.79  | -71.30  |
| 12G         | 40G        | 1M      | AV   | 39.8405G | -55.12    | -41.20     | -13.92     | 3.00   | 0.00    | -58.12    | -61.34  | -60.03  |

802.11ax HEW40\_Nss1,(MCS0)\_2TX

5190MHz

CSE [PK]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 12G        | 1M      | PK   | 9.278G   | -56.01    | -27.00     | -29.01     | 3.00   | 0.00    | -59.01    | -60.89  | -62.61  |
| 8G          | 12G        | 1M      | PK   | 10.394G  | -57.01    | -27.00     | -30.01     | 3.00   | 0.00    | -60.01    | -62.23  | -63.98  |
| 12G         | 40G        | 1M      | PK   | 37.4605G | -48.91    | -27.00     | -21.91     | 3.00   | 0.00    | -51.91    | -53.01  | -56.23  |

802.11ax HEW40\_Nss1,(MCS0)\_2TX

5190MHz

CSE [AV]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 12G        | 1M      | AV   | 10.6G    | -56.76    | -41.20     | -15.56     | 3.00   | 0.00    | -59.76    | -72.92  | -72.63  |
| 8G          | 12G        | 1M      | AV   | 10.988G  | -65.12    | -41.20     | -23.92     | 3.00   | 0.00    | -68.12    | -70.67  | -71.64  |
| 12G         | 40G        | 1M      | AV   | 15.5805G | -52.12    | -41.20     | -10.92     | 3.00   | 0.00    | -55.12    | -62.47  | -56.00  |

802.11ax HEW40\_Nss1,(MCS0)\_2TX

5230MHz

CSE [PK]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 12G        | 1M      | PK   | 8.0085G  | -56.17    | -27.00     | -29.17     | 3.00   | 0.00    | -58.17    | -60.98  | -63.84  |
| 8G          | 12G        | 1M      | PK   | 10.4825G | -57.46    | -27.00     | -30.46     | 3.00   | 0.00    | -60.46    | -64.67  | -67.53  |
| 12G         | 40G        | 1M      | PK   | 38.558G  | -49.43    | -27.00     | -22.43     | 3.00   | 0.00    | -52.43    | -56.87  | -61.37  |

802.11ax HEW40\_Nss1,(MCS0)\_2TX

5230MHz

CSE [AV]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 12G        | 1M      | AV   | 10.6G    | -57.31    | -41.20     | -16.11     | 3.00   | 0.00    | -70.11    | -73.04  | -76.20  |
| 8G          | 12G        | 1M      | AV   | 11.9995G | -65.31    | -41.20     | -24.11     | 3.00   | 0.00    | -68.31    | -70.85  | -73.55  |
| 12G         | 40G        | 1M      | AV   | 15.6025G | -51.93    | -41.20     | -10.73     | 3.00   | 0.00    | -54.93    | -61.56  | -68.00  |

802.11ax HEW40\_Nss1,(MCS0)\_2TX

5755MHz

CSE [PK]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 12G        | 1M      | PK   | 8.0095G  | -55.75    | -27.00     | -28.75     | 3.00   | 0.00    | -58.79    | -63.17  | -60.59  |
| 8G          | 12G        | 1M      | PK   | 11.521G  | -56.42    | -21.20     | -35.22     | 3.00   | 0.00    | -59.42    | -62.51  | -62.56  |
| 12G         | 40G        | 1M      | PK   | 38.381G  | -48.76    | -27.00     | -21.76     | 3.00   | 0.00    | -51.76    | -55.88  | -53.88  |

802.11ax HEW40\_Nss1,(MCS0)\_2TX

5755MHz

CSE [AV]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 12G        | 1M      | AV   | 10.966G  | -55.34    | -41.20     | -14.14     | 3.00   | 0.00    | -68.34    | -71.01  | -71.73  |
| 8G          | 12G        | 1M      | AV   | 11.5015G | -66.34    | -41.20     | -24.94     | 3.00   | 0.00    | -69.34    | -72.74  | -71.63  |
| 12G         | 40G        | 1M      | AV   | 38.846G  | -55.28    | -41.20     | -14.08     | 3.00   | 0.00    | -68.28    | -70.73  | -61.88  |

802.11ax HEW40\_Nss1,(MCS0)\_2TX

5795MHz

CSE [PK]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 12G        | 1M      | PK   | 8.0175G  | -56.05    | -27.00     | -29.05     | 3.00   | 0.00    | -58.05    | -63.49  | -60.99  |
| 8G          | 12G        | 1M      | PK   | 11.5745G | -56.40    | -21.20     | -35.20     | 3.00   | 0.00    | -59.40    | -63.32  | -61.66  |
| 12G         | 40G        | 1M      | PK   | 38.4285G | -48.87    | -27.00     | -21.87     | 3.00   | 0.00    | -51.87    | -54.55  | -55.24  |

802.11ax HEW40\_Nss1,(MCS0)\_2TX

5795MHz

CSE [AV]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 12G        | 1M      | AV   | 11.316G  | -65.36    | -41.20     | -24.16     | 3.00   | 0.00    | -68.36    | -70.94  | -71.85  |
| 8G          | 12G        | 1M      | AV   | 11.5855G | -66.11    | -41.20     | -24.91     | 3.00   | 0.00    | -69.11    | -72.62  | -71.68  |
| 12G         | 40G        | 1M      | AV   | 38.79G   | -55.28    | -41.20     | -14.08     | 3.00   | 0.00    | -58.28    | -61.42  | -61.13  |

802.11ax HEW80\_Nss1,(MCS0)\_2TX

5210MHz

CSE [PK]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 12G        | 1M      | PK   | 10.027G  | -56.11    | -27.00     | -29.11     | 3.00   | 0.00    | -58.11    | -60.83  | -63.96  |
| 8G          | 12G        | 1M      | PK   | 10.486G  | -56.83    | -27.00     | -29.83     | 3.00   | 0.00    | -58.83    | -61.07  | -61.89  |
| 12G         | 40G        | 1M      | PK   | 37.8055G | -49.31    | -27.00     | -22.31     | 3.00   | 0.00    | -52.31    | -58.48  | -58.51  |

802.11ax HEW80\_Nss1,(MCS0)\_2TX

5210MHz

CSE [AV]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 12G        | 1M      | AV   | 10.66G   | -56.43    | -41.20     | -15.23     | 3.00   | 0.00    | -59.43    | -72.48  | -72.40  |
| 8G          | 12G        | 1M      | AV   | 11.0085G | -65.26    | -41.20     | -24.06     | 3.00   | 0.00    | -68.26    | -71.50  | -71.05  |
| 12G         | 40G        | 1M      | AV   | 15.6085G | -54.41    | -41.20     | -13.21     | 3.00   | 0.00    | -57.41    | -63.90  | -58.51  |

802.11ax HEW80\_Nss1,(MCS0)\_2TX

5775MHz

CSE [PK]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 12G        | 1M      | PK   | 10.504G  | -56.21    | -27.00     | -29.21     | 3.00   | 0.00    | -59.21    | -60.78  | -64.39  |
| 8G          | 12G        | 1M      | PK   | 11.564G  | -55.49    | -21.20     | -34.29     | 3.00   | 0.00    | -58.49    | -63.51  | -60.13  |
| 12G         | 40G        | 1M      | PK   | 38.516G  | -48.69    | -27.00     | -21.69     | 3.00   | 0.00    | -51.69    | -54.09  | -55.40  |

802.11ax HEW80\_Nss1,(MCS0)\_2TX

5775MHz

CSE [AV]

19/08/2022



| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|
| 8G          | 12G        | 1M      | AV   | 11.5195G | -56.45    | -41.20     | -15.25     | 3.00   | 0.00    | -59.45    | -73.20  | -71.82  |
| 8G          | 12G        | 1M      | AV   | 11.5685G | -65.26    | -41.20     | -24.06     | 3.00   | 0.00    | -68.26    | -71.79  | -70.51  |
| 12G         | 40G        | 1M      | AV   | 38.839G  | -55.16    | -41.20     | -13.96     | 3.00   | 0.00    | -58.16    | -61.44  | -60.91  |

802.11a\_Nss1,(6Mbps)\_4TX

5180MHz

CSE [PK]

23/08/2022




802.11a\_Nss1,(6Mbps)\_4TX

5180MHz

CSE [AV]

23/08/2022




802.11a\_Nss1,(6Mbps)\_4TX

5200MHz

CSE [PK]

23/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 8G          | 12G        | 1M      | PK   | 8.7195G  | -50.15    | -27.00     | -23.15     | 3.00   | 0.00    | -53.15    | -58.57  | -58.39  | -60.40  | -59.62  |
| 8G          | 12G        | 1M      | PK   | 16.3915G | -51.78    | -27.00     | -24.78     | 3.00   | 0.00    | -54.78    | -61.27  | -61.98  | -62.85  | -58.45  |
| 12G         | 40G        | 1M      | PK   | 21.5865G | -52.89    | -27.00     | -25.89     | 3.00   | 0.00    | -55.89    | -69.44  | -62.26  | -61.21  | -59.53  |

802.11a\_Nss1,(6Mbps)\_4TX

5200MHz

CSE [AV]

23/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 8G          | 12G        | 1M      | AV   | 8.49G    | -60.91    | -41.20     | -19.61     | 3.00   | 0.00    | -63.91    | -69.65  | -70.33  | -69.18  | -70.29  |
| 8G          | 12G        | 1M      | AV   | 10.66G   | -62.57    | -41.20     | -21.62     | 3.00   | 0.00    | -65.82    | -72.33  | -71.33  | -71.09  | -72.23  |
| 12G         | 40G        | 1M      | AV   | 22.079G  | -60.53    | -41.20     | -19.33     | 3.00   | 0.00    | -63.53    | -69.55  | -69.80  | -69.74  | -69.16  |

802.11a\_Nss1,(6Mbps)\_4TX

5240MHz

CSE [PK]

23/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 8G          | 12G        | 1M      | PK   | 8.7145G  | -50.38    | -27.00     | -23.38     | 3.00   | 0.00    | -58.38    | -61.41  | -59.63  | -57.91  | -59.33  |
| 8G          | 12G        | 1M      | PK   | 10.472G  | -52.63    | -27.00     | -25.63     | 3.00   | 0.00    | -55.63    | -61.65  | -61.31  | -62.90  | -60.96  |
| 12G         | 40G        | 1M      | PK   | 21.5655G | -52.09    | -27.00     | -25.09     | 3.00   | 0.00    | -55.09    | -60.93  | -61.06  | -61.15  | -62.77  |

802.11a\_Nss1,(6Mbps)\_4TX

5240MHz

CSE [AV]

23/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 8G          | 12G        | 1M      | AV   | 8.486G   | -60.62    | -41.20     | -19.42     | 3.00   | 0.00    | -68.62    | -69.81  | -70.33  | -68.88  | -69.68  |
| 8G          | 12G        | 1M      | AV   | 10.66G   | -62.85    | -41.20     | -21.65     | 3.00   | 0.00    | -65.85    | -71.69  | -72.24  | -71.60  | -71.82  |
| 12G         | 40G        | 1M      | AV   | 22.1675G | -60.63    | -41.20     | -19.43     | 3.00   | 0.00    | -68.63    | -69.73  | -69.57  | -69.78  | -69.52  |

802.11a\_Nss1,(6Mbps)\_4TX

5745MHz

CSE [PK]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 8G          | 12G        | 1M      | PK   | 9.547G   | -33.68    | -27.00     | -26.68     | 3.00   | 0.00    | -36.68    | -63.60  | -62.59  | -63.19  | -61.67  |
| 8G          | 12G        | 1M      | PK   | 11.4805G | -34.95    | -21.20     | -32.75     | 3.00   | 0.00    | -36.95    | -63.81  | -62.54  | -62.92  | -62.73  |
| 12G         | 40G        | 1M      | PK   | 17.2325G | -40.16    | -27.00     | -13.16     | 3.00   | 0.00    | -43.16    | -68.20  | -60.47  | -46.30  | -48.40  |

802.11a\_Nss1,(6Mbps)\_4TX

5745MHz

CSE [AV]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 8G          | 12G        | 1M      | AV   | 10.9805G | -62.57    | -41.20     | -21.37     | 3.00   | 0.00    | -65.57    | -71.72  | -71.62  | -71.52  | -71.51  |
| 8G          | 12G        | 1M      | AV   | 11.4805G | -62.92    | -41.20     | -21.72     | 3.00   | 0.00    | -65.92    | -72.03  | -72.14  | -72.57  | -71.15  |
| 12G         | 40G        | 1M      | AV   | 39.8075G | -62.11    | -41.20     | -10.91     | 3.00   | 0.00    | -65.11    | -61.09  | -61.58  | -61.00  | -60.90  |

802.11a\_Nss1,(6Mbps)\_4TX

5785MHz

CSE [PK]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 8G          | 12G        | 1M      | PK   | 9.2195G  | -53.68    | -27.00     | -26.68     | 3.00   | 0.00    | -56.68    | -62.47  | -64.13  | -61.42  | -63.26  |
| 8G          | 12G        | 1M      | PK   | 11.5725G | -54.27    | -21.20     | -33.07     | 3.00   | 0.00    | -56.27    | -64.56  | -61.06  | -60.90  | -63.81  |
| 12G         | 40G        | 1M      | PK   | 17.3315G | -46.36    | 27.00      | 19.36      | 3.00   | 0.00    | -49.36    | -61.36  | -56.37  | -52.71  | -54.97  |

802.11a\_Nss1,(6Mbps)\_4TX

5785MHz

CSE [AV]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 8G          | 12G        | 1M      | AV   | 10.9795G | -62.57    | -41.20     | -21.37     | 3.00   | 0.00    | -65.57    | -71.02  | -72.18  | -71.88  | -71.38  |
| 8G          | 12G        | 1M      | AV   | 11.5715G | -60.60    | -41.20     | -19.40     | 3.00   | 0.00    | -65.60    | -72.78  | -72.01  | -70.88  | -71.09  |
| 12G         | 40G        | 1M      | AV   | 39.846G  | -52.35    | -41.20     | -11.15     | 3.00   | 0.00    | -55.35    | -60.92  | -61.50  | -61.39  | -61.71  |

802.11a\_Nss1,(6Mbps)\_4TX

5825MHz

CSE [PK]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 8G          | 12G        | 1M      | PK   | 10.002G  | -53.33    | -27.00     | +26.33     | 3.00   | 0.00    | -56.33    | -63.46  | -62.44  | -62.48  | -61.36  |
| 8G          | 12G        | 1M      | PK   | 11.6005G | -52.53    | -21.20     | +31.33     | 3.00   | 0.00    | -55.53    | -64.77  | -60.84  | -60.00  | -63.40  |
| 12G         | 40G        | 1M      | PK   | 17.4775G | -46.51    | -27.00     | +19.51     | 3.00   | 0.00    | -49.51    | -61.38  | -56.09  | -51.89  | -57.06  |

802.11a\_Nss1,(6Mbps)\_4TX

5825MHz

CSE [AV]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 8G          | 12G        | 1M      | AV   | 11.605G  | -62.13    | -41.20     | +20.93     | 3.00   | 0.00    | -65.13    | -72.44  | -70.85  | -70.28  | -71.31  |
| 12G         | 40G        | 1M      | AV   | 39.8075G | -52.24    | -41.20     | +11.04     | 3.00   | 0.00    | -55.24    | -61.60  | -61.29  | -60.91  | -61.28  |

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5180MHz

CSE [PK]

23/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 8G          | 12G        | 1M      | PK   | 8.499G   | -50.46    | -27.00     | -23.46     | 3.00   | 0.00    | -50.46    | -40.49  | -58.83  | -60.33  | -58.61  |
| 8G          | 12G        | 1M      | PK   | 10.3615G | -52.02    | -27.00     | -25.02     | 3.00   | 0.00    | -55.02    | -60.70  | -62.43  | -60.91  | -60.39  |
| 12G         | 40G        | 1M      | PK   | 21.639G  | -51.39    | -27.00     | -24.39     | 3.00   | 0.00    | -54.39    | -59.41  | -61.91  | -60.05  | -60.67  |

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5180MHz

CSE [AV]

23/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 8G          | 12G        | 1M      | AV   | 8.499G   | -61.03    | -41.20     | -19.83     | 3.00   | 0.00    | -64.03    | -70.65  | -68.64  | -68.43  | -70.60  |
| 8G          | 12G        | 1M      | AV   | 10.361   | -62.19    | -41.20     | -20.99     | 3.00   | 0.00    | -65.19    | -71.37  | -70.70  | -71.41  | -71.41  |
| 12G         | 40G        | 1M      | AV   | 22.024G  | -60.57    | -41.20     | -19.37     | 3.00   | 0.00    | -63.57    | -70.20  | -70.08  | -69.35  | -68.87  |

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5200MHz

CSE [PK]

23/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 8G          | 12G        | 1M      | PK   | 8.765G   | -49.72    | -27.00     | -22.72     | 3.00   | 0.00    | -52.72    | -55.93  | -59.37  | -60.67  | -61.11  |
| 8G          | 12G        | 1M      | PK   | 10.4045G | -52.17    | -27.00     | -25.17     | 3.00   | 0.00    | -55.17    | -61.62  | -60.04  | -63.36  | -60.46  |
| 12G         | 40G        | 1M      | PK   | 21.555G  | -52.10    | -27.00     | -25.10     | 3.00   | 0.00    | -55.10    | -62.04  | -58.68  | -62.92  | -62.21  |

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5200MHz

CSE [AV]

23/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 8G          | 12G        | 1M      | AV   | 8.499G   | -60.95    | -41.20     | -19.75     | 3.00   | 0.00    | -68.95    | -69.07  | -70.79  | -70.04  | -70.15  |
| 8G          | 12G        | 1M      | AV   | 10.66G   | -62.30    | -41.20     | -21.10     | 3.00   | 0.00    | -65.80    | -72.37  | -71.55  | -71.79  | -71.61  |
| 12G         | 40G        | 1M      | AV   | 22.1605G | -60.65    | -41.20     | -19.45     | 3.00   | 0.00    | -63.65    | -69.01  | -69.96  | -69.57  | -69.27  |

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5240MHz

CSE [PK]

23/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 8G          | 12G        | 1M      | PK   | 8.641G   | -50.12    | -27.00     | -23.12     | 3.00   | 0.00    | -53.12    | -57.69  | -59.39  | -59.19  | -60.86  |
| 3G          | 12G        | 1M      | PK   | 10.4815G | -52.10    | -27.00     | -25.10     | 3.00   | 0.00    | -55.10    | -59.57  | -61.78  | -62.71  | -63.64  |
| 12G         | 40G        | 1M      | PK   | 21.6405G | -52.13    | -27.00     | -25.13     | 3.00   | 0.00    | -55.13    | -60.65  | -61.46  | -61.04  | -61.50  |

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5240MHz

CSE [AV]

23/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 8G          | 12G        | 1M      | AV   | 8.5G     | -60.72    | -41.20     | -19.52     | 3.00   | 0.00    | -63.72    | -70.19  | -69.86  | -70.23  | -68.82  |
| 3G          | 12G        | 1M      | AV   | 10.66G   | -62.78    | -41.20     | -21.58     | 3.00   | 0.00    | -65.78    | -71.85  | -71.52  | -72.17  | -71.69  |
| 12G         | 40G        | 1M      | AV   | 22.1185G | -60.63    | -41.20     | -19.42     | 3.00   | 0.00    | -63.63    | -69.77  | -69.99  | -68.14  | -69.70  |

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5745MHz

CSE [PK]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 8G          | 12G        | 1M      | PK   | 9.509G   | -52.84    | -27.00     | -25.84     | 3.00   | 0.00    | -56.84    | -62.60  | -62.41  | -63.00  | -63.50  |
| 8G          | 12G        | 1M      | PK   | 11.4885G | -52.97    | -21.20     | -32.77     | 3.00   | 0.00    | -56.97    | -64.08  | -63.56  | -62.85  | -63.84  |
| 12G         | 40G        | 1M      | PK   | 17.2325G | -41.28    | 27.00      | -14.28     | 3.00   | 0.00    | -44.28    | -57.34  | -51.17  | -48.63  | -48.50  |

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5745MHz

CSE [AV]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 8G          | 12G        | 1M      | AV   | 11.491G  | -63.12    | -41.20     | -21.92     | 3.00   | 0.00    | -66.12    | -72.93  | -72.72  | -71.05  | -72.10  |
| 8G          | 12G        | 1M      | AV   | 11.998G  | -62.46    | -41.20     | -21.26     | 3.00   | 0.00    | -65.46    | -71.14  | -72.28  | -71.55  | -71.05  |
| 12G         | 40G        | 1M      | AV   | 39.853G  | -52.38    | -41.20     | -11.18     | 3.00   | 0.00    | -55.38    | -61.62  | -61.19  | -61.19  | -61.62  |

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5785MHz

CSE [PK]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 8G          | 12G        | 1M      | PK   | 10.0076  | -53.62    | -27.00     | -26.62     | 3.00   | 0.00    | -56.62    | -63.75  | -62.63  | -63.45  | -61.19  |
| 8G          | 12G        | 1M      | PK   | 11.5686  | -53.21    | -21.20     | -32.01     | 3.00   | 0.00    | -56.21    | -63.57  | -61.27  | -64.02  | -60.90  |
| 12G         | 40G        | 1M      | PK   | 38.4256  | -46.74    | -27.00     | -19.74     | 3.00   | 0.00    | -49.74    | -58.34  | -57.68  | -53.31  | -55.61  |

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5785MHz

CSE [AV]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 8G          | 12G        | 1M      | AV   | 10.9765G | -62.55    | -41.20     | -21.35     | 3.00   | 0.00    | -65.55    | -71.72  | -71.63  | -71.82  | -71.15  |
| 8G          | 12G        | 1M      | AV   | 11.5755G | -62.65    | -41.20     | -21.45     | 3.00   | 0.00    | -65.65    | -72.15  | -72.18  | -71.71  | -70.80  |
| 12G         | 40G        | 1M      | AV   | 38.8186  | -52.26    | -41.20     | -11.06     | 3.00   | 0.00    | -55.26    | -62.02  | -60.66  | -61.22  | -61.32  |

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5825MHz

CSE [PK]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 8G          | 12G        | 1M      | PK   | 9.6215G  | -53.77    | -27.00     | -26.77     | 3.00   | 0.00    | -56.77    | -62.59  | -64.37  | -62.58  | -61.90  |
| 8G          | 12G        | 1M      | PK   | 11.641G  | -53.68    | -21.20     | -32.48     | 3.00   | 0.00    | -56.68    | -63.59  | -62.43  | -63.68  | -61.50  |
| 12G         | 40G        | 1M      | PK   | 38.3655G | -46.66    | -27.00     | -19.66     | 3.00   | 0.00    | -49.66    | -56.79  | -57.39  | -56.84  | -53.17  |

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5825MHz

CSE [AV]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 8G          | 12G        | 1M      | AV   | 11.6485G | -62.32    | -41.20     | -21.12     | 3.00   | 0.00    | -65.32    | -73.49  | -70.21  | -70.98  | -71.36  |
| 12G         | 40G        | 1M      | AV   | 39.8145G | -52.37    | -41.20     | -11.17     | 3.00   | 0.00    | -55.37    | -61.52  | -61.30  | -61.87  | -61.11  |

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5190MHz

CSE [PK]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 8G          | 12G        | 1M      | PK   | 10.001G  | -53.80    | -27.00     | -26.80     | 3.00   | 0.00    | -56.80    | -64.40  | -62.99  | -61.94  | -61.77  |
| 8G          | 12G        | 1M      | PK   | 10.4025G | -54.70    | -27.00     | -27.70     | 3.00   | 0.00    | -57.70    | -63.45  | -62.43  | -62.21  | -64.56  |
| 12G         | 40G        | 1M      | PK   | 15.57G   | -39.19    | -21.20     | -17.99     | 3.00   | 0.00    | -42.19    | -55.04  | -47.63  | -45.97  | -48.33  |

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5190MHz

CSE [AV]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 8G          | 12G        | 1M      | AV   | 10.6G    | -63.77    | -41.20     | -22.57     | 3.00   | 0.00    | -66.77    | -72.88  | -72.49  | -72.48  | -73.38  |
| 8G          | 12G        | 1M      | AV   | 10.957G  | -62.54    | -41.20     | -21.34     | 3.00   | 0.00    | -65.54    | -71.93  | -70.96  | -71.77  | -71.66  |
| 12G         | 40G        | 1M      | AV   | 15.573G  | -47.33    | -41.20     | -6.13      | 3.00   | 0.00    | -50.33    | -61.64  | -55.52  | -55.09  | -55.73  |

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5230MHz

CSE [PK]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 8G          | 12G        | 1M      | PK   | 9.5305G  | -53.34    | -27.00     | -26.34     | 3.00   | 0.00    | -56.34    | -60.04  | -65.23  | -62.04  | -69.90  |
| 8G          | 12G        | 1M      | PK   | 10.496G  | -54.85    | -27.00     | -27.81     | 3.00   | 0.00    | -57.81    | -61.53  | -64.62  | -63.93  | -63.55  |
| 12G         | 40G        | 1M      | PK   | 15.6925G | -40.29    | -21.20     | -19.09     | 3.00   | 0.00    | -43.29    | -53.71  | -50.33  | -48.18  | -46.73  |

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5230MHz

CSE [AV]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 8G          | 12G        | 1M      | AV   | 10.6G    | -63.62    | -41.20     | -22.42     | 3.00   | 0.00    | -66.62    | -72.52  | -72.27  | -73.17  | -72.65  |
| 8G          | 12G        | 1M      | AV   | 11.2855G | -62.48    | -41.20     | -21.28     | 3.00   | 0.00    | -65.48    | -71.78  | -71.49  | -71.61  | -71.15  |
| 12G         | 40G        | 1M      | AV   | 15.6995G | -47.40    | -41.20     | -6.20      | 3.00   | 0.00    | -50.40    | -61.56  | -56.87  | -55.69  | -54.36  |

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5755MHz

CSE [PK]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 8G          | 12G        | 1M      | PK   | 9.500G   | -53.68    | -27.00     | -26.68     | 3.00   | 0.00    | -56.68    | -62.55  | -62.09  | -63.68  | -62.62  |
| 8G          | 12G        | 1M      | PK   | 11.500G  | -54.23    | -21.20     | -33.03     | 3.00   | 0.00    | -56.23    | -64.21  | -60.96  | -61.13  | -63.66  |
| 12G         | 40G        | 1M      | PK   | 17.264G  | -45.40    | -27.00     | -18.40     | 3.00   | 0.00    | -48.40    | -59.40  | -52.40  | -53.97  | -54.52  |

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5755MHz

CSE [AV]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 8G          | 12G        | 1M      | AV   | 10.9725G | -62.42    | -41.20     | -21.22     | 3.00   | 0.00    | -65.42    | -71.38  | -72.35  | -71.02  | -71.11  |
| 8G          | 12G        | 1M      | AV   | 11.5025G | -63.09    | -41.20     | -21.89     | 3.00   | 0.00    | -66.09    | -72.67  | -71.92  | -71.61  | -72.32  |
| 12G         | 40G        | 1M      | AV   | 38.797G  | -52.20    | -41.20     | -11.09     | 3.00   | 0.00    | -55.20    | -61.05  | -61.28  | -61.65  | -61.28  |

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5795MHz

CSE [PK]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 8G          | 12G        | 1M      | PK   | 8.002G   | -52.38    | -27.00     | -26.38     | 3.00   | 0.00    | -56.38    | -62.99  | -62.34  | -64.03  | -60.87  |
| 8G          | 12G        | 1M      | PK   | 11.596G  | -52.27    | -21.20     | -32.07     | 3.00   | 0.00    | -56.27    | -64.41  | -62.93  | -61.09  | -63.48  |
| 12G         | 40G        | 1M      | PK   | 38.3935G | -46.34    | -27.00     | -19.34     | 3.00   | 0.00    | -49.34    | -56.89  | -55.71  | -54.29  | -55.11  |

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5795MHz

CSE [AV]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 8G          | 12G        | 1M      | AV   | 11.588G  | -62.75    | -41.20     | -21.55     | 3.00   | 0.00    | -65.75    | -73.63  | -70.57  | -71.75  | -71.30  |
| 8G          | 12G        | 1M      | AV   | 12G      | -62.58    | -41.20     | -21.38     | 3.00   | 0.00    | -65.58    | -71.93  | -71.02  | -71.33  | -71.39  |
| 12G         | 40G        | 1M      | AV   | 38.839G  | -52.39    | -41.20     | -11.19     | 3.00   | 0.00    | -55.39    | -61.47  | -60.96  | -61.75  | -61.51  |

802.11ax HEW80\_Nss1,(MCS0)\_4TX

5210MHz

CSE [PK]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 8G          | 12G        | 1M      | PK   | 10.095G  | -53.63    | -27.00     | -26.63     | 3.00   | 0.00    | -56.63    | -62.44  | -62.92  | -62.79  | -62.47  |
| 8G          | 12G        | 1M      | PK   | 10.4705G | -54.58    | -27.00     | -27.58     | 3.00   | 0.00    | -57.58    | -61.96  | -63.19  | -64.02  | -65.12  |
| 12G         | 40G        | 1M      | PK   | 38.4565G | -46.99    | -27.00     | -19.99     | 3.00   | 0.00    | -49.99    | -54.23  | -54.82  | -56.25  | -57.00  |

802.11ax HEW80\_Nss1,(MCS0)\_4TX

5210MHz

CSE [AV]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 8G          | 12G        | 1M      | AV   | 10.6G    | -63.86    | -41.20     | -22.66     | 3.00   | 0.00    | -66.86    | -72.75  | -72.67  | -72.96  | -73.18  |
| 8G          | 12G        | 1M      | AV   | 10.979G  | -62.65    | -41.20     | -21.45     | 3.00   | 0.00    | -65.65    | -71.99  | -71.50  | -71.54  | -71.67  |
| 12G         | 40G        | 1M      | AV   | 15.605G  | -50.62    | -41.20     | -9.42      | 3.00   | 0.00    | -53.62    | -63.68  | -58.85  | -59.09  | -58.59  |

802.11ax HEW80\_Nss1,(MCS0)\_4TX

5775MHz

CSE [PK]

19/08/2022




| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 8G          | 12G        | 1M      | PK   | 10.011G  | -52.54    | -27.00     | -26.54     | 3.00   | 0.00    | -56.54    | -63.52  | -62.14  | -61.76  | -62.06  |
| 8G          | 12G        | 1M      | PK   | 11.544G  | -54.05    | -21.20     | -32.85     | 3.00   | 0.00    | -57.05    | -64.43  | -64.57  | -60.95  | -64.39  |
| 12G         | 40G        | 1M      | PK   | 38.335G  | -46.43    | -27.00     | -19.43     | 3.00   | 0.00    | -49.43    | -55.45  | -56.83  | -55.33  | -54.35  |

802.11ax HEW80\_Nss1,(MCS0)\_4TX

5775MHz

CSE [AV]

19/08/2022



| F-Start(Hz) | F-Stop(Hz) | RBW(Hz) | Type | Freq(Hz) | EIRP(dBm) | Limit(dBm) | Margin(dB) | DG(dB) | Ref(dB) | Psum(dBm) | P1(dBm) | P2(dBm) | P3(dBm) | P4(dBm) |
|-------------|------------|---------|------|----------|-----------|------------|------------|--------|---------|-----------|---------|---------|---------|---------|
| 8G          | 12G        | 1M      | AV   | 10.965G  | -62.37    | -41.20     | -21.17     | 3.00   | 0.00    | -65.37    | -70.39  | -72.35  | -71.72  | -71.21  |
| 8G          | 12G        | 1M      | AV   | 11.506G  | -65.61    | -41.20     | -22.41     | 3.00   | 0.00    | -66.61    | -73.24  | -72.52  | -72.47  | -72.55  |
| 12G         | 40G        | 1M      | AV   | 38.835G  | -52.23    | -41.20     | -11.03     | 3.00   | 0.00    | -55.23    | -61.69  | -61.37  | -60.60  | -61.44  |

**Summary**

| Mode                           | Result | F-Start<br>(Hz) | F-Stop<br>(Hz) | Type | Freq<br>(Hz) | DG<br>(dBi) | P1<br>(dBm) | P2<br>(dBm) | P3<br>(dBm) | P4<br>(dBm) | Psum<br>(dBm) | EIRP<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|--------------------------------|--------|-----------------|----------------|------|--------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|----------------|----------------|
| 5.15-5.25GHz                   | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 802.11a_Nss1(6Mbps)_1TX        | Pass   | 4.9G            | 5.31G          | AV   | 5.14974G     | 3.00        | -47.31      |             |             |             | -47.31        | -44.31        | -41.20         | -3.11          |
| 802.11ax HEW20_Nss1,(MCS0)_1TX | Pass   | 4.9G            | 5.31G          | AV   | 5.14785G     | 3.00        | -46.02      |             |             |             | -46.02        | -43.02        | -41.20         | -1.82          |
| 802.11ax HEW40_Nss1,(MCS0)_1TX | Pass   | 4.9G            | 5.31G          | AV   | 5.14954G     | 3.00        | -44.69      |             |             |             | -44.69        | -41.69        | -41.20         | -0.49          |
| 802.11ax HEW80_Nss1,(MCS0)_1TX | Pass   | 4.9G            | 5.31G          | AV   | 5.14887G     | 3.00        | -45.95      |             |             |             | -45.95        | -42.95        | -41.20         | -1.75          |
| 802.11a_Nss1(6Mbps)_2TX        | Pass   | 4.9G            | 5.31G          | AV   | 5.14887G     | 3.00        | -54.79      | -49.41      |             |             | -48.30        | -45.30        | -41.20         | -4.10          |
| 802.11ax HEW20_Nss1,(MCS0)_2TX | Pass   | 4.9G            | 5.31G          | AV   | 5.14974G     | 3.00        | -54.34      | -49.28      |             |             | -48.10        | -45.10        | -41.20         | -3.90          |
| 802.11ax HEW40_Nss1,(MCS0)_2TX | Pass   | 4.9G            | 5.31G          | AV   | 5.14979G     | 3.00        | -52.78      | -49.64      |             |             | -47.92        | -44.92        | -41.20         | -3.72          |
| 802.11ax HEW80_Nss1,(MCS0)_2TX | Pass   | 4.9G            | 5.31G          | AV   | 5.14887G     | 3.00        | -54.49      | -48.74      |             |             | -47.72        | -44.72        | -41.20         | -3.52          |
| 802.11a_Nss1(6Mbps)_4TX        | Pass   | 4.9G            | 5.31G          | AV   | 5.14892G     | 3.00        | -58.97      | -58.42      | -57.13      | -55.70      | -51.35        | -48.35        | -41.20         | -7.15          |
| 802.11ax HEW20_Nss1,(MCS0)_4TX | Pass   | 4.9G            | 5.31G          | AV   | 5.14949G     | 3.00        | -59.60      | -57.63      | -56.87      | -54.86      | -50.89        | -47.89        | -41.20         | -6.69          |
| 802.11ax HEW40_Nss1,(MCS0)_4TX | Pass   | 4.9G            | 5.31G          | AV   | 5.14887G     | 3.00        | -60.02      | -57.12      | -55.18      | -55.13      | -50.44        | -47.44        | -41.20         | -6.24          |
| 802.11ax HEW80_Nss1,(MCS0)_4TX | Pass   | 4.9G            | 5.31G          | AV   | 5.14995G     | 3.00        | -58.70      | -56.42      | -55.34      | -55.32      | -50.23        | -47.23        | -41.20         | -6.03          |
| 5.725-5.85GHz                  | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 802.11a_Nss1(6Mbps)_1TX        | Pass   | 5.31G           | 5.47G          | AV   | 5.43832G     | 3.00        | -59.45      |             |             |             | -59.45        | -56.45        | -41.20         | -15.25         |
| 802.11ax HEW20_Nss1,(MCS0)_1TX | Pass   | 5.31G           | 5.47G          | AV   | 5.41944G     | 3.00        | -59.38      |             |             |             | -59.38        | -56.38        | -41.20         | -15.18         |
| 802.11ax HEW40_Nss1,(MCS0)_1TX | Pass   | 5.31G           | 5.47G          | AV   | 5.43896G     | 3.00        | -59.24      |             |             |             | -59.24        | -56.24        | -41.20         | -15.04         |
| 802.11ax HEW80_Nss1,(MCS0)_1TX | Pass   | 5.47G           | 5.85G          | PK   | 5.64594G     | 3.00        | -41.92      |             |             |             | -41.92        | -38.92        | -27.00         | -11.92         |
| 802.11a_Nss1(6Mbps)_2TX        | Pass   | 5.31G           | 5.47G          | AV   | 5.45848G     | 3.00        | -60.51      | -58.85      |             |             | -56.59        | -53.59        | -41.20         | -12.39         |
| 802.11ax HEW20_Nss1,(MCS0)_2TX | Pass   | 5.31G           | 5.47G          | AV   | 5.45976G     | 3.00        | -59.72      | -59.60      |             |             | -56.65        | -53.65        | -41.20         | -12.45         |
| 802.11ax HEW40_Nss1,(MCS0)_2TX | Pass   | 5.31G           | 5.47G          | AV   | 5.44728G     | 3.00        | -59.49      | -60.08      |             |             | -56.76        | -53.76        | -41.20         | -12.56         |
| 802.11ax HEW80_Nss1,(MCS0)_2TX | Pass   | 5.47G           | 5.85G          | PK   | 5.64746G     | 3.00        | -42.92      | -35.58      |             |             | -34.84        | -31.84        | -27.00         | -4.84          |
| 802.11a_Nss1(6Mbps)_4TX        | Pass   | 5.31G           | 5.47G          | AV   | 5.42968G     | 3.00        | -60.75      | -60.46      | -59.50      | -58.49      | -53.69        | -50.69        | -41.20         | -9.49          |
| 802.11ax HEW20_Nss1,(MCS0)_4TX | Pass   | 5.31G           | 5.47G          | AV   | 5.44632G     | 3.00        | -60.48      | -60.41      | -59.56      | -59.47      | -53.93        | -50.93        | -41.20         | -9.73          |
| 802.11ax HEW40_Nss1,(MCS0)_4TX | Pass   | 5.31G           | 5.47G          | AV   | 5.44344G     | 3.00        | -59.83      | -60.01      | -60.42      | -59.79      | -53.98        | -50.98        | -41.20         | -9.78          |
| 802.11ax HEW80_Nss1,(MCS0)_4TX | Pass   | 5.47G           | 5.85G          | PK   | 5.64898G     | 3.00        | -45.59      | -41.51      | -42.48      | -40.79      | -36.23        | -33.23        | -27.00         | -6.23          |

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

## Result

| Mode                          | Result | F-Start<br>(Hz) | F-Stop<br>(Hz) | Type | Freq<br>(Hz) | DG<br>(dBi) | P1<br>(dBm) | P2<br>(dBm) | P3<br>(dBm) | P4<br>(dBm) | Psum<br>(dBm) | EIRP<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|-------------------------------|--------|-----------------|----------------|------|--------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|----------------|----------------|
| 802.11a_Nss1(6Mbps)_1TX       | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5180MHz                       | Pass   | 4.9G            | 5.31G          | AV   | 5.14974G     | 3.00        | -47.31      |             |             |             | -47.31        | -44.31        | -41.20         | -3.11          |
| 5180MHz                       | Pass   | 5.31G           | 5.47G          | AV   | 5.38552G     | 3.00        | -59.61      |             |             |             | -59.61        | -56.61        | -41.20         | -15.41         |
| 5180MHz                       | Pass   | 4.9G            | 5.31G          | PK   | 5.15G        | 3.00        | -32.96      |             |             |             | -32.96        | -29.96        | -21.20         | -8.76          |
| 5180MHz                       | Pass   | 5.31G           | 5.47G          | PK   | 5.46552G     | 3.00        | -49.74      |             |             |             | -49.74        | -46.74        | -27.00         | -19.74         |
| 5180MHz                       | Pass   | 5.47G           | 5.85G          | PK   | 5.79338G     | 3.00        | -47.54      |             |             |             | -47.54        | -44.54        | -27.00         | -17.54         |
| 5180MHz                       | Pass   | 5.85G           | 6.01G          | PK   | 5.90088G     | 3.00        | -47.88      |             |             |             | -47.88        | -44.88        | -27.00         | -17.88         |
| 5180MHz                       | Pass   | 6.01G           | 6.5G           | PK   | 6.48597G     | 3.00        | -48.10      |             |             |             | -48.10        | -45.10        | -27.00         | -18.10         |
| 5200MHz                       | Pass   | 4.9G            | 5.31G          | AV   | 5.14943G     | 3.00        | -59.55      |             |             |             | -59.55        | -56.55        | -41.20         | -15.35         |
| 5200MHz                       | Pass   | 5.31G           | 5.47G          | AV   | 5.38136G     | 3.00        | -59.66      |             |             |             | -59.66        | -56.66        | -41.20         | -15.46         |
| 5200MHz                       | Pass   | 4.9G            | 5.31G          | PK   | 5.14913G     | 3.00        | -48.63      |             |             |             | -48.63        | -45.63        | -21.20         | -24.43         |
| 5200MHz                       | Pass   | 5.31G           | 5.47G          | PK   | 5.46424G     | 3.00        | -49.68      |             |             |             | -49.68        | -46.68        | -27.00         | -19.68         |
| 5200MHz                       | Pass   | 5.47G           | 5.85G          | PK   | 5.76906G     | 3.00        | -47.96      |             |             |             | -47.96        | -44.96        | -27.00         | -17.96         |
| 5200MHz                       | Pass   | 5.85G           | 6.01G          | PK   | 5.85576G     | 3.00        | -47.61      |             |             |             | -47.61        | -44.61        | -27.00         | -17.61         |
| 5200MHz                       | Pass   | 6.01G           | 6.5G           | PK   | 6.46098G     | 3.00        | -47.61      |             |             |             | -47.61        | -44.61        | -27.00         | -17.61         |
| 5240MHz                       | Pass   | 4.9G            | 5.31G          | AV   | 5.10249G     | 3.00        | -59.99      |             |             |             | -59.99        | -56.99        | -41.20         | -15.79         |
| 5240MHz                       | Pass   | 5.31G           | 5.47G          | AV   | 5.40344G     | 3.00        | -59.37      |             |             |             | -59.37        | -56.37        | -41.20         | -15.17         |
| 5240MHz                       | Pass   | 4.9G            | 5.31G          | PK   | 5.14349G     | 3.00        | -49.11      |             |             |             | -49.11        | -46.11        | -21.20         | -24.91         |
| 5240MHz                       | Pass   | 5.31G           | 5.47G          | PK   | 5.46776G     | 3.00        | -49.46      |             |             |             | -49.46        | -46.46        | -27.00         | -19.46         |
| 5240MHz                       | Pass   | 5.47G           | 5.85G          | PK   | 5.83214G     | 3.00        | -47.64      |             |             |             | -47.64        | -44.64        | -27.00         | -17.64         |
| 5240MHz                       | Pass   | 5.85G           | 6.01G          | PK   | 5.85896G     | 3.00        | -47.69      |             |             |             | -47.69        | -44.69        | -27.00         | -17.69         |
| 5240MHz                       | Pass   | 6.01G           | 6.5G           | PK   | 6.0187G      | 3.00        | -48.32      |             |             |             | -48.32        | -45.32        | -27.00         | -18.32         |
| 5745MHz                       | Pass   | 4.9G            | 5.31G          | AV   | 5.06974G     | 3.00        | -60.53      |             |             |             | -60.53        | -57.53        | -41.20         | -16.33         |
| 5745MHz                       | Pass   | 5.31G           | 5.47G          | AV   | 5.43832G     | 3.00        | -59.45      |             |             |             | -59.45        | -56.45        | -41.20         | -15.25         |
| 5745MHz                       | Pass   | 4.9G            | 5.31G          | PK   | 5.21319G     | 3.00        | -50.54      |             |             |             | -50.54        | -47.54        | -27.00         | -20.54         |
| 5745MHz                       | Pass   | 5.31G           | 5.47G          | PK   | 5.4652G      | 3.00        | -49.07      |             |             |             | -49.07        | -46.07        | -27.00         | -19.07         |
| 5745MHz                       | Pass   | 5.47G           | 5.85G          | PK   | 5.61934G     | 3.00        | -48.89      |             |             |             | -48.89        | -45.89        | -27.00         | -18.89         |
| 5745MHz                       | Pass   | 5.85G           | 6.01G          | PK   | 5.99048G     | 3.00        | -48.52      |             |             |             | -48.52        | -45.52        | -27.00         | -18.52         |
| 5745MHz                       | Pass   | 6.01G           | 6.5G           | PK   | 6.01662G     | 3.00        | -47.56      |             |             |             | -47.56        | -44.56        | -27.00         | -17.56         |
| 5785MHz                       | Pass   | 4.9G            | 5.31G          | AV   | 5.13057G     | 3.00        | -59.96      |             |             |             | -59.96        | -56.96        | -41.20         | -15.76         |
| 5785MHz                       | Pass   | 5.31G           | 5.47G          | AV   | 5.45304G     | 3.00        | -59.77      |             |             |             | -59.77        | -56.77        | -41.20         | -15.57         |
| 5785MHz                       | Pass   | 4.9G            | 5.31G          | PK   | 5.15133G     | 3.00        | -50.19      |             |             |             | -50.19        | -47.19        | -27.00         | -20.19         |
| 5785MHz                       | Pass   | 5.31G           | 5.47G          | PK   | 5.46424G     | 3.00        | -48.83      |             |             |             | -48.83        | -45.83        | -27.00         | -18.83         |
| 5785MHz                       | Pass   | 5.47G           | 5.85G          | PK   | 5.4776G      | 3.00        | -48.82      |             |             |             | -48.82        | -45.82        | -27.00         | -18.82         |
| 5785MHz                       | Pass   | 5.85G           | 6.01G          | PK   | 5.94088G     | 3.00        | -47.71      |             |             |             | -47.71        | -44.71        | -27.00         | -17.71         |
| 5785MHz                       | Pass   | 6.01G           | 6.5G           | PK   | 6.21611G     | 3.00        | -48.44      |             |             |             | -48.44        | -45.44        | -27.00         | -18.44         |
| 5825MHz                       | Pass   | 4.9G            | 5.31G          | AV   | 5.07897G     | 3.00        | -60.37      |             |             |             | -60.37        | -57.37        | -41.20         | -16.17         |
| 5825MHz                       | Pass   | 5.31G           | 5.47G          | AV   | 5.4556G      | 3.00        | -59.60      |             |             |             | -59.60        | -56.60        | -41.20         | -15.40         |
| 5825MHz                       | Pass   | 4.9G            | 5.31G          | PK   | 5.1912G      | 3.00        | -50.12      |             |             |             | -50.12        | -47.12        | -27.00         | -20.12         |
| 5825MHz                       | Pass   | 5.31G           | 5.47G          | PK   | 5.46168G     | 3.00        | -48.95      |             |             |             | -48.95        | -45.95        | -27.00         | -18.95         |
| 5825MHz                       | Pass   | 5.47G           | 5.85G          | PK   | 5.48064G     | 3.00        | -48.36      |             |             |             | -48.36        | -45.36        | -27.00         | -18.36         |
| 5825MHz                       | Pass   | 5.85G           | 6.01G          | PK   | 5.95048G     | 3.00        | -47.64      |             |             |             | -47.64        | -44.64        | -27.00         | -17.64         |
| 5825MHz                       | Pass   | 6.01G           | 6.5G           | PK   | 6.10641G     | 3.00        | -48.30      |             |             |             | -48.30        | -45.30        | -27.00         | -18.30         |
| 802.11ax_HEW20_Nss1(MCS0)_1TX | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5180MHz                       | Pass   | 4.9G            | 5.31G          | AV   | 5.14785G     | 3.00        | -46.02      |             |             |             | -46.02        | -43.02        | -41.20         | -1.82          |
| 5180MHz                       | Pass   | 5.31G           | 5.47G          | AV   | 5.39576G     | 3.00        | -60.03      |             |             |             | -60.03        | -57.03        | -41.20         | -15.83         |
| 5180MHz                       | Pass   | 4.9G            | 5.31G          | PK   | 5.14887G     | 3.00        | -34.52      |             |             |             | -34.52        | -31.52        | -21.20         | -10.32         |
| 5180MHz                       | Pass   | 5.31G           | 5.47G          | PK   | 5.46648G     | 3.00        | -49.07      |             |             |             | -49.07        | -46.07        | -27.00         | -19.07         |
| 5180MHz                       | Pass   | 5.47G           | 5.85G          | PK   | 5.79338G     | 3.00        | -48.03      |             |             |             | -48.03        | -45.03        | -27.00         | -18.03         |
| 5180MHz                       | Pass   | 5.85G           | 6.01G          | PK   | 5.86856G     | 3.00        | -47.85      |             |             |             | -47.85        | -44.85        | -27.00         | -17.85         |
| 5180MHz                       | Pass   | 6.01G           | 6.5G           | PK   | 6.07787G     | 3.00        | -47.89      |             |             |             | -47.89        | -44.89        | -27.00         | -17.89         |
| 5200MHz                       | Pass   | 4.9G            | 5.31G          | AV   | 5.15G        | 3.00        | -57.67      |             |             |             | -57.67        | -54.67        | -41.20         | -13.47         |
| 5200MHz                       | Pass   | 5.31G           | 5.47G          | AV   | 5.44376G     | 3.00        | -59.63      |             |             |             | -59.63        | -56.63        | -41.20         | -15.43         |
| 5200MHz                       | Pass   | 4.9G            | 5.31G          | PK   | 5.14887G     | 3.00        | -45.50      |             |             |             | -45.50        | -42.50        | -21.20         | -21.30         |
| 5200MHz                       | Pass   | 5.31G           | 5.47G          | PK   | 5.46488G     | 3.00        | -48.97      |             |             |             | -48.97        | -45.97        | -27.00         | -18.97         |
| 5200MHz                       | Pass   | 5.47G           | 5.85G          | PK   | 5.84012G     | 3.00        | -47.66      |             |             |             | -47.66        | -44.66        | -27.00         | -17.66         |
| 5200MHz                       | Pass   | 5.85G           | 6.01G          | PK   | 5.8676G      | 3.00        | -47.79      |             |             |             | -47.79        | -44.79        | -27.00         | -17.79         |
| 5200MHz                       | Pass   | 6.01G           | 6.5G           | PK   | 6.46619G     | 3.00        | -48.38      |             |             |             | -48.38        | -45.38        | -27.00         | -18.38         |
| 5240MHz                       | Pass   | 4.9G            | 5.31G          | AV   | 5.09788G     | 3.00        | -60.38      |             |             |             | -60.38        | -57.38        | -41.20         | -16.18         |
| 5240MHz                       | Pass   | 5.31G           | 5.47G          | AV   | 5.43192G     | 3.00        | -59.75      |             |             |             | -59.75        | -56.75        | -41.20         | -15.55         |
| 5240MHz                       | Pass   | 4.9G            | 5.31G          | PK   | 4.96365G     | 3.00        | -49.21      |             |             |             | -49.21        | -46.21        | -21.20         | -25.01         |
| 5240MHz                       | Pass   | 5.31G           | 5.47G          | PK   | 5.4652G      | 3.00        | -50.11      |             |             |             | -50.11        | -47.11        | -27.00         | -20.11         |
| 5240MHz                       | Pass   | 5.47G           | 5.85G          | PK   | 5.8063G      | 3.00        | -48.10      |             |             |             | -48.10        | -45.10        | -27.00         | -18.10         |
| 5240MHz                       | Pass   | 5.85G           | 6.01G          | PK   | 5.8788G      | 3.00        | -47.96      |             |             |             | -47.96        | -44.96        | -27.00         | -17.96         |
| 5240MHz                       | Pass   | 6.01G           | 6.5G           | PK   | 6.10047G     | 3.00        | -48.29      |             |             |             | -48.29        | -45.29        | -27.00         | -18.29         |
| 5745MHz                       | Pass   | 4.9G            | 5.31G          | AV   | 5.07702G     | 3.00        | -60.58      |             |             |             | -60.58        | -57.58        | -41.20         | -16.38         |
| 5745MHz                       | Pass   | 5.31G           | 5.47G          | AV   | 5.44728G     | 3.00        | -59.50      |             |             |             | -59.50        | -56.50        | -41.20         | -15.30         |
| 5745MHz                       | Pass   | 4.9G            | 5.31G          | PK   | 5.16056G     | 3.00        | -49.42      |             |             |             | -49.42        | -46.42        | -27.00         | -19.42         |
| 5745MHz                       | Pass   | 5.31G           | 5.47G          | PK   | 5.462G       | 3.00        | -48.93      |             |             |             | -48.93        | -45.93        | -27.00         | -18.93         |

| Mode                          | Result | F-Start<br>(Hz) | F-Stop<br>(Hz) | Type | Freq<br>(Hz) | DG<br>(dB) | P1<br>(dBm) | P2<br>(dBm) | P3<br>(dBm) | P4<br>(dBm) | Psum<br>(dBm) | EIRP<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|-------------------------------|--------|-----------------|----------------|------|--------------|------------|-------------|-------------|-------------|-------------|---------------|---------------|----------------|----------------|
| 5745MHz                       | Pass   | 5.47G           | 5.85G          | PK   | 5.61516G     | 3.00       | -48.89      |             |             |             | -48.89        | -45.89        | -27.00         | -18.89         |
| 5745MHz                       | Pass   | 5.85G           | 6.01G          | PK   | 5.94984G     | 3.00       | -47.92      |             |             |             | -47.92        | -44.92        | -27.00         | -17.92         |
| 5745MHz                       | Pass   | 6.01G           | 6.5G           | PK   | 6.49829G     | 3.00       | -48.31      |             |             |             | -48.31        | -45.31        | -27.00         | -18.31         |
| 5785MHz                       | Pass   | 4.9G            | 5.31G          | AV   | 5.11643G     | 3.00       | -60.33      |             |             |             | -60.33        | -57.33        | -41.20         | -16.13         |
| 5785MHz                       | Pass   | 5.31G           | 5.47G          | AV   | 5.41944G     | 3.00       | -59.38      |             |             |             | -59.38        | -56.38        | -41.20         | -15.18         |
| 5785MHz                       | Pass   | 4.9G            | 5.31G          | PK   | 5.16696G     | 3.00       | -49.73      |             |             |             | -49.73        | -46.73        | -27.00         | -19.73         |
| 5785MHz                       | Pass   | 5.31G           | 5.47G          | PK   | 5.31352G     | 3.00       | -49.49      |             |             |             | -49.49        | -46.49        | -27.00         | -19.49         |
| 5785MHz                       | Pass   | 5.47G           | 5.85G          | PK   | 5.47152G     | 3.00       | -48.61      |             |             |             | -48.61        | -45.61        | -27.00         | -18.61         |
| 5785MHz                       | Pass   | 5.85G           | 6.01G          | PK   | 5.92584G     | 3.00       | -47.69      |             |             |             | -47.69        | -44.69        | -27.00         | -17.69         |
| 5785MHz                       | Pass   | 6.01G           | 6.5G           | PK   | 6.31594G     | 3.00       | -47.95      |             |             |             | -47.95        | -44.95        | -27.00         | -17.95         |
| 5825MHz                       | Pass   | 4.9G            | 5.31G          | AV   | 5.14795G     | 3.00       | -60.10      |             |             |             | -60.10        | -57.10        | -41.20         | -15.90         |
| 5825MHz                       | Pass   | 5.31G           | 5.47G          | AV   | 5.4524G      | 3.00       | -59.73      |             |             |             | -59.73        | -56.73        | -41.20         | -15.53         |
| 5825MHz                       | Pass   | 4.9G            | 5.31G          | PK   | 5.22954G     | 3.00       | -49.53      |             |             |             | -49.53        | -46.53        | -27.00         | -19.53         |
| 5825MHz                       | Pass   | 5.31G           | 5.47G          | PK   | 5.46328G     | 3.00       | -48.82      |             |             |             | -48.82        | -45.82        | -27.00         | -18.82         |
| 5825MHz                       | Pass   | 5.47G           | 5.85G          | PK   | 5.47684G     | 3.00       | -48.29      |             |             |             | -48.29        | -45.29        | -27.00         | -18.29         |
| 5825MHz                       | Pass   | 5.85G           | 6.01G          | PK   | 5.94664G     | 3.00       | -48.16      |             |             |             | -48.16        | -45.16        | -27.00         | -18.16         |
| 5825MHz                       | Pass   | 6.01G           | 6.5G           | PK   | 6.3835G      | 3.00       | -48.23      |             |             |             | -48.23        | -45.23        | -27.00         | -18.23         |
| 802.11ax HEW40_Nss1(MCS0)_1TX | -      | -               | -              | -    | -            | -          | -           | -           | -           | -           | -             | -             | -              | -              |
| 5190MHz                       | Pass   | 4.9G            | 5.31G          | AV   | 5.14954G     | 3.00       | -44.69      |             |             |             | -44.69        | -41.69        | -41.20         | -0.49          |
| 5190MHz                       | Pass   | 5.31G           | 5.47G          | AV   | 5.4412G      | 3.00       | -59.50      |             |             |             | -59.50        | -56.50        | -41.20         | -15.30         |
| 5190MHz                       | Pass   | 4.9G            | 5.31G          | PK   | 5.14723G     | 3.00       | -31.45      |             |             |             | -31.45        | -28.45        | -21.20         | -7.25          |
| 5190MHz                       | Pass   | 5.31G           | 5.47G          | PK   | 5.46776G     | 3.00       | -49.34      |             |             |             | -49.34        | -46.34        | -27.00         | -19.34         |
| 5190MHz                       | Pass   | 5.47G           | 5.85G          | PK   | 5.74854G     | 3.00       | -47.51      |             |             |             | -47.51        | -44.51        | -27.00         | -17.51         |
| 5190MHz                       | Pass   | 5.85G           | 6.01G          | PK   | 5.93512G     | 3.00       | -47.32      |             |             |             | -47.32        | -44.32        | -27.00         | -17.32         |
| 5190MHz                       | Pass   | 6.01G           | 6.5G           | PK   | 6.49008G     | 3.00       | -48.44      |             |             |             | -48.44        | -45.44        | -27.00         | -18.44         |
| 5230MHz                       | Pass   | 4.9G            | 5.31G          | AV   | 5.15G        | 3.00       | -54.51      |             |             |             | -54.51        | -51.51        | -41.20         | -10.31         |
| 5230MHz                       | Pass   | 5.31G           | 5.47G          | AV   | 5.41112G     | 3.00       | -58.92      |             |             |             | -58.92        | -55.92        | -41.20         | -14.72         |
| 5230MHz                       | Pass   | 4.9G            | 5.31G          | PK   | 5.14123G     | 3.00       | -42.82      |             |             |             | -42.82        | -39.82        | -21.20         | -18.62         |
| 5230MHz                       | Pass   | 5.31G           | 5.47G          | PK   | 5.46872G     | 3.00       | -49.80      |             |             |             | -49.80        | -46.80        | -27.00         | -19.80         |
| 5230MHz                       | Pass   | 5.47G           | 5.85G          | PK   | 5.7721G      | 3.00       | -47.58      |             |             |             | -47.58        | -44.58        | -27.00         | -17.58         |
| 5230MHz                       | Pass   | 5.85G           | 6.01G          | PK   | 5.85672G     | 3.00       | -48.03      |             |             |             | -48.03        | -45.03        | -27.00         | -18.03         |
| 5230MHz                       | Pass   | 6.01G           | 6.5G           | PK   | 6.09306G     | 3.00       | -48.07      |             |             |             | -48.07        | -45.07        | -27.00         | -18.07         |
| 5755MHz                       | Pass   | 4.9G            | 5.31G          | AV   | 4.92809G     | 3.00       | -60.74      |             |             |             | -60.74        | -57.74        | -41.20         | -16.54         |
| 5755MHz                       | Pass   | 5.31G           | 5.47G          | AV   | 5.43896G     | 3.00       | -59.24      |             |             |             | -59.24        | -56.24        | -41.20         | -15.04         |
| 5755MHz                       | Pass   | 4.9G            | 5.31G          | PK   | 5.29632G     | 3.00       | -50.15      |             |             |             | -50.15        | -47.15        | -27.00         | -20.15         |
| 5755MHz                       | Pass   | 5.31G           | 5.47G          | PK   | 5.46008G     | 3.00       | -49.87      |             |             |             | -49.87        | -46.87        | -27.00         | -19.87         |
| 5755MHz                       | Pass   | 5.47G           | 5.85G          | PK   | 5.64784G     | 3.00       | -48.63      |             |             |             | -48.63        | -45.63        | -27.00         | -18.63         |
| 5755MHz                       | Pass   | 5.85G           | 6.01G          | PK   | 5.9332G      | 3.00       | -48.12      |             |             |             | -48.12        | -45.12        | -27.00         | -18.12         |
| 5755MHz                       | Pass   | 6.01G           | 6.5G           | PK   | 6.39563G     | 3.00       | -48.03      |             |             |             | -48.03        | -45.03        | -27.00         | -18.03         |
| 5795MHz                       | Pass   | 4.9G            | 5.31G          | AV   | 5.09403G     | 3.00       | -60.70      |             |             |             | -60.70        | -57.70        | -41.20         | -16.50         |
| 5795MHz                       | Pass   | 5.31G           | 5.47G          | AV   | 5.454G       | 3.00       | -59.77      |             |             |             | -59.77        | -56.77        | -41.20         | -15.57         |
| 5795MHz                       | Pass   | 4.9G            | 5.31G          | PK   | 5.23133G     | 3.00       | -50.04      |             |             |             | -50.04        | -47.04        | -27.00         | -20.04         |
| 5795MHz                       | Pass   | 5.31G           | 5.47G          | PK   | 5.46776G     | 3.00       | -49.61      |             |             |             | -49.61        | -46.61        | -27.00         | -19.61         |
| 5795MHz                       | Pass   | 5.47G           | 5.85G          | PK   | 5.49204G     | 3.00       | -48.45      |             |             |             | -48.45        | -45.45        | -27.00         | -18.45         |
| 5795MHz                       | Pass   | 5.85G           | 6.01G          | PK   | 5.9812G      | 3.00       | -47.23      |             |             |             | -47.23        | -44.23        | -27.00         | -17.23         |
| 5795MHz                       | Pass   | 6.01G           | 6.5G           | PK   | 6.37144G     | 3.00       | -48.60      |             |             |             | -48.60        | -45.60        | -27.00         | -18.60         |
| 802.11ax HEW80_Nss1(MCS0)_1TX | -      | -               | -              | -    | -            | -          | -           | -           | -           | -           | -             | -             | -              | -              |
| 5210MHz                       | Pass   | 4.9G            | 5.31G          | AV   | 5.14887G     | 3.00       | -45.95      |             |             |             | -45.95        | -42.95        | -41.20         | -1.75          |
| 5210MHz                       | Pass   | 5.31G           | 5.47G          | AV   | 5.35224G     | 3.00       | -57.87      |             |             |             | -57.87        | -54.87        | -41.20         | -13.67         |
| 5210MHz                       | Pass   | 4.9G            | 5.31G          | PK   | 5.14738G     | 3.00       | -33.24      |             |             |             | -33.24        | -30.24        | -21.20         | -9.04          |
| 5210MHz                       | Pass   | 5.31G           | 5.47G          | PK   | 5.46776G     | 3.00       | -49.26      |             |             |             | -49.26        | -46.26        | -27.00         | -19.26         |
| 5210MHz                       | Pass   | 5.47G           | 5.85G          | PK   | 5.8101G      | 3.00       | -47.73      |             |             |             | -47.73        | -44.73        | -27.00         | -17.73         |
| 5210MHz                       | Pass   | 5.85G           | 6.01G          | PK   | 5.97064G     | 3.00       | -47.42      |             |             |             | -47.42        | -44.42        | -27.00         | -17.42         |
| 5210MHz                       | Pass   | 6.01G           | 6.5G           | PK   | 6.11364G     | 3.00       | -48.27      |             |             |             | -48.27        | -45.27        | -27.00         | -18.27         |
| 5775MHz                       | Pass   | 4.9G            | 5.31G          | AV   | 5.11551G     | 3.00       | -60.70      |             |             |             | -60.70        | -57.70        | -41.20         | -16.50         |
| 5775MHz                       | Pass   | 5.31G           | 5.47G          | AV   | 5.4492G      | 3.00       | -59.29      |             |             |             | -59.29        | -56.29        | -41.20         | -15.09         |
| 5775MHz                       | Pass   | 4.9G            | 5.31G          | PK   | 5.20832G     | 3.00       | -50.46      |             |             |             | -50.46        | -47.46        | -27.00         | -20.46         |
| 5775MHz                       | Pass   | 5.31G           | 5.47G          | PK   | 5.46968G     | 3.00       | -49.10      |             |             |             | -49.10        | -46.10        | -27.00         | -19.10         |
| 5775MHz                       | Pass   | 5.47G           | 5.85G          | PK   | 5.64594G     | 3.00       | -41.92      |             |             |             | -41.92        | -38.92        | -27.00         | -11.92         |
| 5775MHz                       | Pass   | 5.85G           | 6.01G          | PK   | 5.92808G     | 3.00       | -44.89      |             |             |             | -44.89        | -41.89        | -27.00         | -14.89         |
| 5775MHz                       | Pass   | 6.01G           | 6.5G           | PK   | 6.43691G     | 3.00       | -48.56      |             |             |             | -48.56        | -45.56        | -27.00         | -18.56         |
| 802.11a_Nss1(6Mbps)_2TX       | -      | -               | -              | -    | -            | -          | -           | -           | -           | -           | -             | -             | -              | -              |
| 5180MHz                       | Pass   | 4.9G            | 5.31G          | AV   | 5.14887G     | 3.00       | -54.79      | -49.41      |             |             | -48.30        | -45.30        | -41.20         | -4.10          |
| 5180MHz                       | Pass   | 5.31G           | 5.47G          | AV   | 5.35512G     | 3.00       | -59.89      | -60.07      |             |             | -56.97        | -53.97        | -41.20         | -12.77         |
| 5180MHz                       | Pass   | 4.9G            | 5.31G          | PK   | 5.14979G     | 3.00       | -41.81      | -34.36      |             |             | -33.64        | -30.64        | -21.20         | -9.44          |
| 5180MHz                       | Pass   | 5.31G           | 5.47G          | PK   | 5.46168G     | 3.00       | -49.42      | -49.61      |             |             | -46.50        | -43.50        | -27.00         | -16.50         |
| 5180MHz                       | Pass   | 5.47G           | 5.85G          | PK   | 5.7588G      | 3.00       | -47.90      | -47.95      |             |             | -44.91        | -41.91        | -27.00         | -14.91         |
| 5180MHz                       | Pass   | 5.85G           | 6.01G          | PK   | 5.91208G     | 3.00       | -49.50      | -47.26      |             |             | -45.23        | -42.23        | -27.00         | -15.23         |
| 5180MHz                       | Pass   | 6.01G           | 6.5G           | PK   | 6.40243G     | 3.00       | -50.77      | -47.91      |             |             | -46.10        | -43.10        | -27.00         | -16.10         |
| 5200MHz                       | Pass   | 4.9G            | 5.31G          | AV   | 5.14984G     | 3.00       | -59.44      | -58.47      |             |             | -55.92        | -52.92        | -41.20         | -11.72         |

| Mode                          | Result | F-Start<br>(Hz) | F-Stop<br>(Hz) | Type | Freq<br>(Hz) | DG<br>(dBi) | P1<br>(dBm) | P2<br>(dBm) | P3<br>(dBm) | P4<br>(dBm) | Psum<br>(dBm) | EIRP<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|-------------------------------|--------|-----------------|----------------|------|--------------|-------------|-------------|-------------|-------------|-------------|---------------|---------------|----------------|----------------|
| 5200MHz                       | Pass   | 5.31G           | 5.47G          | AV   | 5.45752G     | 3.00        | -59.75      | -60.23      |             |             | -56.97        | -53.97        | -41.20         | -12.77         |
| 5200MHz                       | Pass   | 4.9G            | 5.31G          | PK   | 5.14984G     | 3.00        | -48.16      | -44.65      |             |             | -43.05        | -40.05        | -21.20         | -18.85         |
| 5200MHz                       | Pass   | 5.31G           | 5.47G          | PK   | 5.46936G     | 3.00        | -50.42      | -48.72      |             |             | -46.48        | -43.48        | -27.00         | -16.48         |
| 5200MHz                       | Pass   | 5.47G           | 5.85G          | PK   | 5.84468G     | 3.00        | -46.75      | -49.73      |             |             | -44.98        | -41.98        | -27.00         | -14.98         |
| 5200MHz                       | Pass   | 5.85G           | 6.01G          | PK   | 5.91016G     | 3.00        | -48.19      | -48.91      |             |             | -45.52        | -42.52        | -27.00         | -15.52         |
| 5200MHz                       | Pass   | 6.01G           | 6.5G           | PK   | 6.1548G      | 3.00        | -47.89      | -50.56      |             |             | -46.01        | -43.01        | -27.00         | -16.01         |
| 5240MHz                       | Pass   | 4.9G            | 5.31G          | AV   | 5.10264G     | 3.00        | -61.77      | -59.89      |             |             | -57.72        | -54.72        | -41.20         | -13.52         |
| 5240MHz                       | Pass   | 5.31G           | 5.47G          | AV   | 5.45016G     | 3.00        | -59.73      | -59.65      |             |             | -56.68        | -53.68        | -41.20         | -12.48         |
| 5240MHz                       | Pass   | 4.9G            | 5.31G          | PK   | 5.11028G     | 3.00        | -52.09      | -50.13      |             |             | -47.99        | -44.99        | -21.20         | -23.79         |
| 5240MHz                       | Pass   | 5.31G           | 5.47G          | PK   | 5.4684G      | 3.00        | -49.04      | -51.56      |             |             | -47.11        | -44.11        | -27.00         | -17.11         |
| 5240MHz                       | Pass   | 5.47G           | 5.85G          | PK   | 5.79034G     | 3.00        | -48.58      | -47.85      |             |             | -45.19        | -42.19        | -27.00         | -15.19         |
| 5240MHz                       | Pass   | 5.85G           | 6.01G          | PK   | 5.86024G     | 3.00        | -48.18      | -49.04      |             |             | -45.58        | -42.58        | -27.00         | -15.58         |
| 5240MHz                       | Pass   | 6.01G           | 6.5G           | PK   | 6.08552G     | 3.00        | -50.10      | -48.84      |             |             | -46.41        | -43.41        | -27.00         | -16.41         |
| 5745MHz                       | Pass   | 4.9G            | 5.31G          | AV   | 5.11904G     | 3.00        | -61.33      | -61.07      |             |             | -58.19        | -55.19        | -41.20         | -13.99         |
| 5745MHz                       | Pass   | 5.31G           | 5.47G          | AV   | 5.44952G     | 3.00        | -60.26      | -59.15      |             |             | -56.66        | -53.66        | -41.20         | -12.46         |
| 5745MHz                       | Pass   | 4.9G            | 5.31G          | PK   | 5.18475G     | 3.00        | -51.97      | -50.57      |             |             | -48.20        | -45.20        | -27.00         | -18.20         |
| 5745MHz                       | Pass   | 5.31G           | 5.47G          | PK   | 5.33272G     | 3.00        | -49.71      | -50.34      |             |             | -47.00        | -44.00        | -27.00         | -17.00         |
| 5745MHz                       | Pass   | 5.47G           | 5.85G          | PK   | 5.49128G     | 3.00        | -48.16      | -51.30      |             |             | -46.44        | -43.44        | -27.00         | -16.44         |
| 5745MHz                       | Pass   | 5.85G           | 6.01G          | PK   | 5.97224G     | 3.00        | -50.68      | -46.98      |             |             | -45.44        | -42.44        | -27.00         | -15.44         |
| 5745MHz                       | Pass   | 6.01G           | 6.5G           | PK   | 6.12907G     | 3.00        | -48.22      | -51.21      |             |             | -46.45        | -43.45        | -27.00         | -16.45         |
| 5785MHz                       | Pass   | 4.9G            | 5.31G          | AV   | 5.11264G     | 3.00        | -61.93      | -60.62      |             |             | -58.22        | -55.22        | -41.20         | -14.02         |
| 5785MHz                       | Pass   | 5.31G           | 5.47G          | AV   | 5.45528G     | 3.00        | -59.56      | -59.83      |             |             | -56.68        | -53.68        | -41.20         | -12.48         |
| 5785MHz                       | Pass   | 4.9G            | 5.31G          | PK   | 5.21975G     | 3.00        | -50.35      | -52.05      |             |             | -48.11        | -45.11        | -27.00         | -18.11         |
| 5785MHz                       | Pass   | 5.31G           | 5.47G          | PK   | 5.46488G     | 3.00        | -50.17      | -48.99      |             |             | -46.53        | -43.53        | -27.00         | -16.53         |
| 5785MHz                       | Pass   | 5.47G           | 5.85G          | PK   | 5.64594G     | 3.00        | -49.84      | -48.78      |             |             | -46.27        | -43.27        | -27.00         | -16.27         |
| 5785MHz                       | Pass   | 5.85G           | 6.01G          | PK   | 5.92488G     | 3.00        | -48.43      | -48.17      |             |             | -45.29        | -42.29        | -26.91         | -15.38         |
| 5785MHz                       | Pass   | 6.01G           | 6.5G           | PK   | 6.42178G     | 3.00        | -49.10      | -49.15      |             |             | -46.11        | -43.11        | -27.00         | -16.11         |
| 5825MHz                       | Pass   | 4.9G            | 5.31G          | AV   | 5.14113G     | 3.00        | -61.13      | -60.90      |             |             | -58.00        | -55.00        | -41.20         | -13.80         |
| 5825MHz                       | Pass   | 5.31G           | 5.47G          | AV   | 5.45848G     | 3.00        | -60.51      | -58.85      |             |             | -56.59        | -53.59        | -41.20         | -12.39         |
| 5825MHz                       | Pass   | 4.9G            | 5.31G          | PK   | 5.21693G     | 3.00        | -50.00      | -52.02      |             |             | -47.88        | -44.88        | -27.00         | -17.88         |
| 5825MHz                       | Pass   | 5.31G           | 5.47G          | PK   | 5.4684G      | 3.00        | -48.09      | -50.83      |             |             | -46.24        | -43.24        | -27.00         | -16.24         |
| 5825MHz                       | Pass   | 5.47G           | 5.85G          | PK   | 5.50572G     | 3.00        | -50.39      | -48.36      |             |             | -46.25        | -43.25        | -27.00         | -16.25         |
| 5825MHz                       | Pass   | 5.85G           | 6.01G          | PK   | 5.97736G     | 3.00        | -47.79      | -48.18      |             |             | -44.97        | -41.97        | -27.00         | -14.97         |
| 5825MHz                       | Pass   | 6.01G           | 6.5G           | PK   | 6.13912G     | 3.00        | -47.25      | -52.19      |             |             | -46.04        | -43.04        | -27.00         | -16.04         |
| 802.11ax HEW20_Nss1(MCS0)_2TX | -      | -               | -              | -    | -            | -           | -           | -           | -           | -           | -             | -             | -              | -              |
| 5180MHz                       | Pass   | 4.9G            | 5.31G          | AV   | 5.14974G     | 3.00        | -54.34      | -49.28      |             |             | -48.10        | -45.10        | -41.20         | -3.90          |
| 5180MHz                       | Pass   | 5.31G           | 5.47G          | AV   | 5.4508G      | 3.00        | -59.83      | -60.13      |             |             | -56.97        | -53.97        | -41.20         | -12.77         |
| 5180MHz                       | Pass   | 4.9G            | 5.31G          | PK   | 5.15G        | 3.00        | -41.20      | -34.33      |             |             | -33.52        | -30.52        | -21.20         | -9.32          |
| 5180MHz                       | Pass   | 5.31G           | 5.47G          | PK   | 5.46904G     | 3.00        | -50.13      | -50.24      |             |             | -47.17        | -44.17        | -27.00         | -17.17         |
| 5180MHz                       | Pass   | 5.47G           | 5.85G          | PK   | 5.85G        | 3.00        | -47.24      | -48.94      |             |             | -45.00        | -42.00        | -27.00         | -15.00         |
| 5180MHz                       | Pass   | 5.85G           | 6.01G          | PK   | 5.8708G      | 3.00        | -48.51      | -47.55      |             |             | -44.99        | -41.99        | -27.00         | -14.99         |
| 5180MHz                       | Pass   | 6.01G           | 6.5G           | PK   | 6.4039G      | 3.00        | -49.29      | -48.37      |             |             | -45.80        | -42.80        | -27.00         | -15.80         |
| 5200MHz                       | Pass   | 4.9G            | 5.31G          | AV   | 5.14923G     | 3.00        | -56.74      | -56.07      |             |             | -53.38        | -50.38        | -41.20         | -9.18          |
| 5200MHz                       | Pass   | 5.31G           | 5.47G          | AV   | 5.45816G     | 3.00        | -60.15      | -59.54      |             |             | -56.82        | -53.82        | -41.20         | -12.62         |
| 5200MHz                       | Pass   | 4.9G            | 5.31G          | PK   | 5.14969G     | 3.00        | -45.48      | -43.62      |             |             | -41.44        | -38.44        | -21.20         | -17.24         |
| 5200MHz                       | Pass   | 5.31G           | 5.47G          | PK   | 5.46136G     | 3.00        | -50.93      | -48.78      |             |             | -46.71        | -43.71        | -27.00         | -16.71         |
| 5200MHz                       | Pass   | 5.47G           | 5.85G          | PK   | 5.77362G     | 3.00        | -48.87      | -48.09      |             |             | -45.45        | -42.45        | -27.00         | -15.45         |
| 5200MHz                       | Pass   | 5.85G           | 6.01G          | PK   | 5.87752G     | 3.00        | -48.06      | -48.92      |             |             | -45.46        | -42.46        | -27.00         | -15.46         |
| 5200MHz                       | Pass   | 6.01G           | 6.5G           | PK   | 6.41027G     | 3.00        | -48.77      | -49.76      |             |             | -46.23        | -43.23        | -27.00         | -16.23         |
| 5240MHz                       | Pass   | 4.9G            | 5.31G          | AV   | 5.10495G     | 3.00        | -60.86      | -60.74      |             |             | -57.79        | -54.79        | -41.20         | -13.59         |
| 5240MHz                       | Pass   | 5.31G           | 5.47G          | AV   | 5.4428G      | 3.00        | -59.48      | -60.07      |             |             | -56.75        | -53.75        | -41.20         | -12.55         |
| 5240MHz                       | Pass   | 4.9G            | 5.31G          | PK   | 5.07538G     | 3.00        | -51.15      | -50.45      |             |             | -47.78        | -44.78        | -21.20         | -23.58         |
| 5240MHz                       | Pass   | 5.31G           | 5.47G          | PK   | 5.4684G      | 3.00        | -50.84      | -48.51      |             |             | -46.51        | -43.51        | -27.00         | -16.51         |
| 5240MHz                       | Pass   | 5.47G           | 5.85G          | PK   | 5.7569G      | 3.00        | -47.16      | -49.77      |             |             | -45.26        | -42.26        | -27.00         | -15.26         |
| 5240MHz                       | Pass   | 5.85G           | 6.01G          | PK   | 5.882G       | 3.00        | -47.65      | -48.45      |             |             | -45.02        | -42.02        | -27.00         | -15.02         |
| 5240MHz                       | Pass   | 6.01G           | 6.5G           | PK   | 6.44145G     | 3.00        | -47.21      | -51.80      |             |             | -45.91        | -42.91        | -27.00         | -15.91         |
| 5745MHz                       | Pass   | 4.9G            | 5.31G          | AV   | 5.14375G     | 3.00        | -60.87      | -60.88      |             |             | -57.86        | -54.86        | -41.20         | -13.66         |
| 5745MHz                       | Pass   | 5.31G           | 5.47G          | AV   | 5.40184G     | 3.00        | -59.73      | -59.91      |             |             | -56.81        | -53.81        | -41.20         | -12.61         |
| 5745MHz                       | Pass   | 4.9G            | 5.31G          | PK   | 5.17665G     | 3.00        | -51.84      | -50.27      |             |             | -47.97        | -44.97        | -27.00         | -17.97         |
| 5745MHz                       | Pass   | 5.31G           | 5.47G          | PK   | 5.33688G     | 3.00        | -50.82      | -49.12      |             |             | -46.88        | -43.88        | -27.00         | -16.88         |
| 5745MHz                       | Pass   | 5.47G           | 5.85G          | PK   | 5.6391G      | 3.00        | -51.04      | -47.87      |             |             | -46.16        | -43.16        | -27.00         | -16.16         |
| 5745MHz                       | Pass   | 5.85G           | 6.01G          | PK   | 5.99848G     | 3.00        | -49.07      | -47.71      |             |             | -45.33        | -42.33        | -27.00         | -15.33         |
| 5745MHz                       | Pass   | 6.01G           | 6.5G           | PK   | 6.38975G     | 3.00        | -51.45      | -47.91      |             |             | -46.32        | -43.32        | -27.00         | -16.32         |
| 5785MHz                       | Pass   | 4.9G            | 5.31G          | AV   | 5.06743G     | 3.00        | -60.78      | -61.20      |             |             | -57.97        | -54.97        | -41.20         | -13.77         |
| 5785MHz                       | Pass   | 5.31G           | 5.47G          | AV   | 5.4588G      | 3.00        | -60.14      | -59.77      |             |             | -56.94        | -53.94        | -41.20         | -12.74         |
| 5785MHz                       | Pass   | 4.9G            | 5.31G          | PK   | 5.1931G      | 3.00        | -51.54      | -50.78      |             |             | -48.13        | -45.13        | -27.00         | -18.13         |
| 5785MHz                       | Pass   | 5.31G           | 5.47G          | PK   | 5.46616G     | 3.00        | -50.72      | -49.04      |             |             | -46.79        | -43.79        | -27.00         | -16.79         |
| 5785MHz                       | Pass   | 5.47G           | 5.85G          | PK   | 5.63948G     | 3.00        | -48.84      | -49.81      |             |             | -46.29        | -43.29        | -27.00         | -16.29         |
| 5785MHz                       | Pass   | 5.85G           | 6.01G          | PK   | 5.94344G     | 3.00        | -47.39      | -47.35      |             |             | -44.36        | -41.36        | -27.00         | -14.36         |
| 5785MHz                       | Pass   | 6.01G           | 6.5G           | PK   | 6.12662G     | 3.00        | -50.21      | -48.43      |             |             | -46.22        | -43.22        | -27.00         | -16.22         |