


6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

CSE [PK]

6705MHz

20/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	13.365G	-55.84	-21.20	-34.64	12.88	0.00	-68.72	-71.39	-72.11
8G	40G	1M	PK	39.768G	-45.93	-21.20	-24.73	12.88	0.00	-58.81	-64.28	-60.26

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

CSE [AV]

6705MHz

20/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	13.4G	-62.07	-41.20	-20.87	12.88	0.00	-74.95	-78.58	-77.42
8G	40G	1M	AV	39.79G	-52.00	-41.20	-10.80	12.88	0.00	-64.88	-67.89	-67.89

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

CSE [PK]

6785MHz

20/04/2024




6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

CSE [AV]

6785MHz

20/04/2024





5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

CSE [PK]

6025MHz

20/04/2024





F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	11.923G	-51.09	-21.20	-29.89	12.88	0.00	-63.97	-70.90	-64.95
8G	40G	1M	PK	39.9G	-45.30	-21.20	-24.10	12.88	0.00	-58.18	-60.70	-61.74

5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

CSE [AV]

6025MHz

20/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	11.916G	-59.56	-41.20	-18.36	12.88	0.00	-72.44	-77.22	-74.19
8G	40G	1M	AV	39.823G	-52.01	-41.20	-10.81	12.88	0.00	-64.89	-67.83	-67.98

5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

CSE [PK]

6185MHz

20/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	12.449G	-55.87	-21.20	-34.67	12.88	0.00	-68.75	-70.43	-73.70
8G	40G	1M	PK	39.813G	-45.18	-21.20	-23.98	12.88	0.00	-58.06	-60.50	-61.73

5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

CSE [AV]

6185MHz

20/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	12.405G	-62.15	-41.20	-20.95	12.88	0.00	-75.03	-78.45	-77.66
8G	40G	1M	AV	39.827G	-52.08	-41.20	-10.88	12.88	0.00	-64.96	-67.69	-68.28

5.925-6.425GHz_802.11ax_HEW160_Nss1,(MC50)_2TX

CSE [PK]

6345MHz

20/04/2024



Limit.PK
EIRP.PK
Sum.PK
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	12.567G	-56.19	-21.20	-34.99	12.88	0.00	-69.07	-72.26	-71.91
8G	40G	1M	PK	39.823G	-45.37	-21.20	-24.17	12.88	0.00	-58.25	-61.26	-61.26

5.925-6.425GHz_802.11ax_HEW160_Nss1,(MC50)_2TX

CSE [AV]

6345MHz

20/04/2024



Limit.AV
EIRP.AV
Sum.AV
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	12.585G	-62.58	-41.20	-21.38	12.88	0.00	-75.46	-78.17	-78.79
8G	40G	1M	AV	39.831G	-52.25	-41.20	-11.05	12.88	0.00	-65.13	-68.14	-68.14

6.525-6.875GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

CSE [PK]

6665MHz

20/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	PK	13.345G	-55.87	-21.20	-34.67	12.88	0.00	-68.75	-75.89	-69.68
8G	40G	1M	PK	39.861G	-45.96	-21.20	-24.76	12.88	0.00	-58.84	-61.49	-62.24

6.525-6.875GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

CSE [AV]

6665MHz

20/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
8G	40G	1M	AV	13.397G	-62.17	-41.20	-20.97	12.88	0.00	-75.05	-78.80	-77.43
8G	40G	1M	AV	39.81G	-51.79	-41.20	-10.59	12.88	0.00	-64.67	-66.85	-68.72

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

CSE [PK]

5955MHz

20/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	11.918G	-50.16	-21.20	-28.96	12.88	0.00	-63.04	-67.39	-69.25	-70.99	-69.38
8G	40G	1M	PK	39.791G	-43.18	-21.20	-21.98	12.88	0.00	-56.06	-64.48	-60.79	-61.85	-61.98

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

CSE [AV]

5955MHz

20/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	11.915G	-55.85	-41.20	-14.65	12.88	0.00	-68.73	-76.36	-74.32	-75.43	-73.46
8G	40G	1M	AV	39.799G	-49.30	-41.20	-8.10	12.88	0.00	-62.18	-68.25	-67.95	-69.05	-67.66

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

CSE [PK]

6195MHz

20/04/2024




5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

CSE [AV]

6195MHz

20/04/2024




5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

CSE [PK]

6415MHz

20/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	12.841G	-55.16	-7.00	-48.16	12.88	0.00	-68.04	-76.69	-74.36	-70.94	-77.38
8G	40G	1M	PK	39.791G	-43.10	-21.20	-21.90	12.88	0.00	-55.98	-63.07	-60.73	-60.96	-64.15

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

CSE [AV]

6415MHz

20/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	12.828G	-60.73	-27.00	-33.73	12.88	0.00	-73.61	-79.13	-80.44	-79.13	-79.98
8G	40G	1M	AV	39.848G	-49.33	-41.20	-8.13	12.88	0.00	-62.21	-68.62	-68.01	-68.01	-68.31

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

CSE [PK]

6535MHz

20/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	13.057G	-53.60	-7.00	-46.60	12.88	0.00	-66.48	-74.36	-74.68	-69.88	-72.91
8G	40G	1M	PK	39.824G	-42.67	-21.20	-21.47	12.88	0.00	-55.55	-62.67	-63.47	-59.94	-61.08

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

CSE [AV]

6535MHz

20/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	13.085G	-59.90	-27.00	-32.90	12.88	0.00	-72.78	-79.43	-79.01	-78.06	-78.81
8G	40G	1M	AV	39.834G	-49.35	-41.20	-8.15	12.88	0.00	-62.23	-67.85	-68.29	-68.14	-68.76

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

CSE [PK]

6695MHz

20/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	13.39G	-53.19	-21.20	-31.99	12.88	0.00	-66.07	-72.85	-73.82	-71.02	-71.25
8G	40G	1M	PK	39.842G	-43.78	-21.20	-22.58	12.88	0.00	-56.66	-62.15	-62.69	-62.76	-63.19

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

CSE [AV]

6695MHz

20/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	13.39G	-59.23	-41.20	-18.03	12.88	0.00	-72.11	-77.99	-77.99	-78.59	-77.99
8G	40G	1M	AV	39.811G	-49.19	-41.20	-7.99	12.88	0.00	-62.07	-68.73	-68.41	-67.53	-67.81

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

CSE [PK]

6855MHz

20/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	13.699G	-54.36	-7.00	-47.36	12.88	0.00	-67.24	-74.31	-72.54	-75.53	-71.66
8G	40G	1M	PK	39.796G	-42.77	-21.20	-21.57	12.88	0.00	-55.65	-62.95	-58.41	-63.86	-64.43

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

CSE [AV]

6855MHz

20/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	13.693G	-59.64	-27.00	-32.64	12.88	0.00	-72.52	-78.70	-78.31	-78.12	-79.10
8G	40G	1M	AV	39.81G	-49.47	-41.20	-8.27	12.88	0.00	-62.35	-68.89	-68.41	-68.26	-67.96

5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

CSE [PK]

5965MHz

20/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	11.918G	-50.83	-21.20	-29.63	12.88	0.00	-63.71	-72.22	-68.13	-71.38	-68.58
8G	40G	1M	PK	39.857G	-43.14	-21.20	-21.94	12.88	0.00	-56.02	-61.15	-61.56	-62.12	-63.75

5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

CSE [AV]

5965MHz

20/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	11.915G	-56.28	-41.20	-15.08	12.88	0.00	-69.16	-77.22	-73.94	-76.04	-74.32
8G	40G	1M	AV	39.803G	-49.41	-41.20	-8.21	12.88	0.00	-62.29	-67.66	-68.40	-68.24	-69.04

5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

CSE [PK]

6205MHz

20/04/2024




5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

CSE [AV]

6205MHz

20/04/2024




5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

CSE [PK]

6405MHz

20/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	12.818G	-54.58	-7.00	-47.58	12.88	0.00	-67.46	-74.78	-71.85	-72.89	-75.33
8G	40G	1M	PK	39.856G	-43.61	-21.20	-22.41	12.88	0.00	-56.49	-62.11	-62.05	-64.21	-62.05

5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

CSE [AV]

6405MHz

20/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	12.828G	-60.69	-27.00	-33.69	12.88	0.00	-73.57	-79.33	-80.20	-79.13	-79.76
8G	40G	1M	AV	39.78G	-49.41	-41.20	-8.21	12.88	0.00	-62.29	-68.28	-68.74	-68.43	-67.84

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

CSE [PK]

6565MHz

20/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	13.162G	-54.31	-7.00	-47.31	12.88	0.00	-67.19	-72.81	-72.81	-73.40	-73.94
8G	40G	1M	PK	39.872G	-43.66	-21.20	-22.46	12.88	0.00	-56.54	-64.33	-61.33	-61.28	-64.33

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

CSE [AV]

6565MHz

20/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	13.147G	-59.36	-27.00	-32.36	12.88	0.00	-72.24	-78.59	-78.23	-78.59	-77.71
8G	40G	1M	AV	39.786G	-49.42	-41.20	-8.22	12.88	0.00	-62.30	-68.07	-67.93	-69.17	-68.22

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

CSE [PK]

6685MHz

20/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	13.39G	-53.26	-21.20	-32.06	12.88	0.00	-66.14	-72.40	-71.43	-72.94	-71.97
8G	40G	1M	PK	39.778G	-43.61	-21.20	-22.41	12.88	0.00	-56.49	-62.17	-62.98	-63.26	-61.79

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

CSE [AV]

6685MHz

20/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	13.398G	-59.43	-41.20	-18.23	12.88	0.00	-72.31	-78.18	-78.18	-78.59	-78.38
8G	40G	1M	AV	39.812G	-49.42	-41.20	-8.22	12.88	0.00	-62.30	-68.89	-68.57	-67.81	-68.11

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

CSE [PK]

6845MHz

20/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	13.667G	-53.79	-7.00	-46.79	12.88	0.00	-66.67	-73.14	-72.52	-74.42	-71.26
8G	40G	1M	PK	39.826G	-43.52	-21.20	-22.32	12.88	0.00	-56.40	-60.63	-63.86	-62.81	-63.10

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

CSE [AV]

6845MHz

20/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	13.696G	-59.53	-27.00	-32.53	12.88	0.00	-72.41	-77.77	-77.77	-79.11	-79.32
8G	40G	1M	AV	39.828G	-49.25	-41.20	-8.05	12.88	0.00	-62.13	-68.75	-67.84	-68.59	-67.55

5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

CSE [PK]

5985MHz

20/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	11.919G	-51.92	-21.20	-30.72	12.88	0.00	-64.80	-72.77	-70.61	-68.18	-74.09
8G	40G	1M	PK	39.758G	-43.84	-21.20	-22.64	12.88	0.00	-56.72	-62.95	-61.56	-64.05	-62.75

5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

CSE [AV]

5985MHz

20/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	11.917G	-56.19	-41.20	-14.99	12.88	0.00	-69.07	-78.37	-72.78	-76.03	-74.99
8G	40G	1M	AV	39.845G	-49.45	-41.20	-8.25	12.88	0.00	-62.33	-68.46	-68.31	-68.31	-68.31

5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

CSE [PK]

6225MHz

20/04/2024




5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

CSE [AV]

6225MHz

20/04/2024




5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

CSE [PK]

6385MHz

20/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	12.7G	-55.42	-21.20	-34.22	12.88	0.00	-68.30	-73.47	-74.08	-75.58	-74.41
8G	40G	1M	PK	39.876G	-43.38	-21.20	-22.18	12.88	0.00	-56.26	-63.83	-61.27	-61.98	-62.42

5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

CSE [AV]

6385MHz

20/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	12.7G	-60.13	-41.20	-18.93	12.88	0.00	-73.01	-78.68	-78.28	-79.55	-79.79
8G	40G	1M	AV	39.796G	-49.44	-41.20	-8.24	12.88	0.00	-62.32	-68.43	-69.07	-67.83	-68.13

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

CSE [PK]

6625MHz

20/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	13.251G	-53.39	-21.20	-32.19	12.88	0.00	-66.27	-74.00	-72.36	-71.65	-71.57
8G	40G	1M	PK	39.856G	-43.31	-21.20	-22.11	12.88	0.00	-56.19	-64.63	-63.50	-61.31	-60.58

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

CSE [AV]

6625MHz

20/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	13.256G	-59.45	-41.20	-18.25	12.88	0.00	-72.33	-77.56	-78.47	-79.28	-78.28
8G	40G	1M	AV	39.804G	-49.30	-41.20	-8.10	12.88	0.00	-62.18	-68.40	-67.80	-68.72	-67.95

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

CSE [PK]

6705MHz

20/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	13.36G	-53.94	-21.20	-32.74	12.88	0.00	-66.82	-74.10	-71.35	-73.11	-73.30
8G	40G	1M	PK	39.82G	-43.20	-21.20	-22.00	12.88	0.00	-56.08	-60.57	-62.80	-62.12	-63.46

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

CSE [AV]

6705MHz

20/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	13.39G	-59.23	-41.20	-18.03	12.88	0.00	-72.11	-77.99	-77.80	-78.80	-77.99
8G	40G	1M	AV	39.813G	-49.31	-41.20	-8.11	12.88	0.00	-62.19	-67.53	-68.41	-68.73	-68.26

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

CSE [PK]

6785MHz

20/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	13.614G	-53.66	-7.00	-46.66	12.88	0.00	-66.54	-72.24	-74.26	-71.46	-72.75
8G	40G	1M	PK	39.828G	-43.21	-21.20	-22.01	12.88	0.00	-56.09	-61.88	-62.74	-60.80	-63.47

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

CSE [AV]

6785MHz

20/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	13.614G	-59.61	-27.00	-32.61	12.88	0.00	-72.49	-78.62	-78.62	-78.82	-78.04
8G	40G	1M	AV	39.848G	-49.45	-41.20	-8.25	12.88	0.00	-62.33	-68.62	-68.16	-68.31	-68.31

5.925-6.425GHz_802.11ax_HEW160_Nss1,(MC50)_4TX

CSE [PK]

6025MHz

20/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	11.921G	-50.05	-21.20	-28.85	12.88	0.00	-62.93	-72.22	-68.13	-69.83	-67.13
8G	40G	1M	PK	39.812G	-42.64	-21.20	-21.44	12.88	0.00	-55.52	-59.06	-66.86	-62.04	-61.36

5.925-6.425GHz_802.11ax_HEW160_Nss1,(MC50)_4TX

CSE [AV]

6025MHz

20/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	11.915G	-56.04	-41.20	-14.84	12.88	0.00	-68.92	-75.88	-75.14	-75.73	-73.46
8G	40G	1M	AV	39.813G	-49.35	-41.20	-8.15	12.88	0.00	-62.23	-67.81	-68.73	-68.73	-67.81

5.925-6.425GHz_802.11ax_HEW160_Nss1,(MC50)_4TX

CSE [PK]

6185MHz

20/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	12.317G	-53.27	-21.20	-32.07	12.88	0.00	-66.15	-71.77	-73.11	-70.90	-73.40
8G	40G	1M	PK	39.834G	-43.28	-21.20	-22.08	12.88	0.00	-56.16	-61.95	-62.41	-61.10	-63.64

5.925-6.425GHz_802.11ax_HEW160_Nss1,(MC50)_4TX

CSE [AV]

6185MHz

20/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	12.419G	-59.67	-41.20	-18.47	12.88	0.00	-72.55	-79.08	-79.31	-77.65	-78.44
8G	40G	1M	AV	39.8G	-49.25	-41.20	-8.05	12.88	0.00	-62.13	-68.87	-67.94	-67.51	-68.39

5.925-6.425GHz_802.11ax_HEW160_Nss1,(MC50)_4TX

CSE [PK]

6345MHz

20/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	12.626G	-53.92	-21.20	-32.72	12.88	0.00	-66.80	-71.81	-73.28	-75.42	-71.73
8G	40G	1M	PK	39.886G	-43.51	-21.20	-22.31	12.88	0.00	-56.39	-59.93	-64.26	-63.29	-63.58

5.925-6.425GHz_802.11ax_HEW160_Nss1,(MC50)_4TX

CSE [AV]

6345MHz

20/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	12.639G	-59.68	-41.20	-18.48	12.88	0.00	-72.56	-78.63	-78.85	-78.63	-78.22
8G	40G	1M	AV	39.808G	-49.41	-41.20	-8.21	12.88	0.00	-62.29	-69.22	-68.10	-68.25	-67.81

6.525-6.875GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

CSE [PK]

6665MHz

20/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	13.361G	-53.20	-21.20	-32.00	12.88	0.00	-66.08	-69.68	-72.57	-73.79	-73.79
8G	40G	1M	PK	39.95G	-43.61	-21.20	-22.41	12.88	0.00	-56.49	-62.16	-62.45	-63.01	-62.45

6.525-6.875GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

CSE [AV]

6665MHz

20/04/2024



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	13.385G	-59.32	-41.20	-18.12	12.88	0.00	-72.20	-78.26	-78.06	-77.32	-79.53
8G	40G	1M	AV	39.812G	-49.47	-41.20	-8.27	12.88	0.00	-62.35	-68.89	-68.41	-67.96	-68.26

**Summary**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1(MCS0)_1TX	Pass	5.885G	7.165G	AV	5.92468G	7.00	-46.05				-46.05	-39.05	-27.00	-12.05
802.11ax HEW20_Nss1(MCS0)_2TX	Pass	5.885G	7.165G	AV	5.92468G	10.01	-45.74	-39.84			-38.85	-28.84	-27.00	-1.84
802.11ax HEW20_Nss1(MCS0)_4TX	Pass	5.885G	7.165G	AV	5.92468G	13.02	-53.02	-44.64	-46.38	-45.93	-40.56	-27.54	-27.00	-0.54
802.11ax HEW40_Nss1(MCS0)_1TX	Pass	5.845G	7.205G	AV	5.92456G	7.00	-42.66				-42.66	-35.66	-27.00	-8.66
802.11ax HEW40_Nss1(MCS0)_2TX	Pass	5.845G	7.205G	AV	5.92456G	10.01	-48.81	-37.62			-37.30	-27.29	-27.00	-0.29
802.11ax HEW40_Nss1(MCS0)_4TX	Pass	5.845G	7.205G	AV	5.92456G	13.02	-55.28	-46.38	-48.90	-47.44	-42.45	-29.43	-27.00	-2.43
802.11ax HEW80_Nss1(MCS0)_1TX	Pass	5.765G	7.285G	AV	5.92384G	7.00	-42.53				-42.53	-35.53	-27.00	-8.53
802.11ax HEW80_Nss1(MCS0)_2TX	Pass	5.765G	7.285G	AV	5.9246G	10.01	-48.55	-37.48			-37.15	-27.14	-27.00	-0.14
802.11ax HEW80_Nss1(MCS0)_4TX	Pass	5.765G	7.285G	AV	7.28348G	13.02	-61.63	-61.84	-61.63	-61.84	-55.71	-42.69	-41.20	-1.49
802.11ax HEW160_Nss1(MCS0)_1TX	Pass	5.605G	7.445G	AV	7.29596G	7.00	-61.61				-61.61	-54.61	-41.20	-13.41
802.11ax HEW160_Nss1(MCS0)_2TX	Pass	5.605G	7.445G	AV	5.92424G	10.01	-52.60	-38.87			-38.69	-28.68	-27.00	-1.68
802.11ax HEW160_Nss1(MCS0)_4TX	Pass	5.605G	7.445G	AV	7.3024G	13.02	-61.61	-61.61	-61.61	-61.61	-55.59	-42.57	-41.20	-1.37

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11ax HEW20_Nss1(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	5.885G	7.165G	AV	5.92468G	7.00	-46.05				-46.05	-39.05	-27.00	-12.05
5955MHz	Pass	5.885G	7.165G	AV	7.1394G	7.00	-61.95				-61.95	-54.95	-27.00	-27.95
5955MHz	Pass	5.885G	7.165G	PK	5.92148G	7.00	-35.76				-35.76	-28.76	-7.00	-21.76
5955MHz	Pass	5.885G	7.165G	PK	7.15092G	7.00	-50.41				-50.41	-43.41	-7.00	-36.41
802.11ax HEW40_Nss1(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	5.845G	7.205G	AV	5.92456G	7.00	-42.66				-42.66	-35.66	-27.00	-8.66
5965MHz	Pass	5.845G	7.205G	AV	7.14448G	7.00	-61.93				-61.93	-54.93	-27.00	-27.93
5965MHz	Pass	5.845G	7.205G	PK	5.92456G	7.00	-30.27				-30.27	-23.27	-7.00	-16.27
5965MHz	Pass	5.845G	7.205G	PK	7.1438G	7.00	-50.53				-50.53	-43.53	-7.00	-36.53
802.11ax HEW80_Nss1(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	5.765G	7.285G	AV	5.92384G	7.00	-42.53				-42.53	-35.53	-27.00	-8.53
5985MHz	Pass	5.765G	7.285G	AV	7.28272G	7.00	-61.63				-61.63	-54.63	-41.20	-13.43
5985MHz	Pass	5.765G	7.285G	PK	5.92232G	7.00	-29.99				-29.99	-22.99	-7.00	-15.99
5985MHz	Pass	5.765G	7.285G	PK	7.2698G	7.00	-51.17				-51.17	-44.17	-21.20	-22.97
802.11ax HEW160_Nss1(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	AV	5.92148G	7.00	-49.82				-49.82	-42.82	-27.00	-15.82
6025MHz	Pass	5.605G	7.445G	AV	7.29596G	7.00	-61.61				-61.61	-54.61	-41.20	-13.41
6025MHz	Pass	5.605G	7.445G	AV	7.29688G	7.00	-61.61				-61.61	-54.61	-41.20	-13.41
6025MHz	Pass	5.605G	7.445G	PK	5.91596G	7.00	-38.63				-38.63	-31.63	-7.00	-24.63
6025MHz	Pass	5.605G	7.445G	PK	7.30792G	7.00	-50.66				-50.66	-43.66	-21.20	-22.46
802.11ax HEW20_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	5.885G	7.165G	AV	5.92468G	10.01	-45.74	-39.84			-38.85	-28.84	-27.00	-1.84
5955MHz	Pass	5.885G	7.165G	AV	7.15348G	10.01	-62.15	-61.73			-58.92	-48.91	-27.00	-21.91
5955MHz	Pass	5.885G	7.165G	PK	5.92212G	10.01	-35.84	-28.71			-27.94	-17.93	-7.00	-10.93
5955MHz	Pass	5.885G	7.165G	PK	7.12532G	10.01	-50.76	-53.14			-48.78	-38.77	-7.00	-31.77
802.11ax HEW40_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	5.845G	7.205G	AV	5.92456G	10.01	-48.81	-37.62			-37.30	-27.29	-27.00	-0.29
5965MHz	Pass	5.845G	7.205G	AV	7.14652G	10.01	-62.14	-61.72			-58.91	-48.90	-27.00	-21.90
5965MHz	Pass	5.845G	7.205G	PK	5.92456G	10.01	-36.40	-26.24			-25.84	-15.83	-7.00	-8.83
5965MHz	Pass	5.845G	7.205G	PK	7.18324G	10.01	-51.10	-51.53			-48.30	-38.29	-7.00	-31.29
802.11ax HEW80_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	5.765G	7.285G	AV	5.9246G	10.01	-48.55	-37.48			-37.15	-27.14	-27.00	-0.14
5985MHz	Pass	5.765G	7.285G	AV	7.27512G	10.01	-61.65	-61.44			-58.53	-48.52	-41.20	-7.32
5985MHz	Pass	5.765G	7.285G	PK	5.92156G	10.01	-33.25	-24.30			-23.78	-13.77	-7.00	-6.77
5985MHz	Pass	5.765G	7.285G	PK	7.28272G	10.01	-50.79	-51.79			-48.25	-38.24	-21.20	-17.04
802.11ax HEW160_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	AV	5.92424G	10.01	-52.60	-38.87			-38.69	-28.68	-27.00	-1.68
6025MHz	Pass	5.605G	7.445G	AV	7.27756G	10.01	-61.64	-61.44			-58.53	-48.52	-41.20	-7.32
6025MHz	Pass	5.605G	7.445G	PK	5.92424G	10.01	-40.07	-27.04			-26.83	-16.82	-7.00	-9.82
6025MHz	Pass	5.605G	7.445G	PK	7.30332G	10.01	-50.53	-51.13			-47.81	-37.80	-21.20	-16.60
802.11ax HEW20_Nss1(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	5.885G	7.165G	AV	5.92468G	13.02	-53.02	-44.64	-46.38	-45.93	-40.56	-27.54	-27.00	-0.54
5955MHz	Pass	5.885G	7.165G	AV	7.14772G	13.02	-62.14	-62.14	-61.93	-61.93	-56.01	-42.99	-27.00	-15.99
5955MHz	Pass	5.885G	7.165G	PK	5.92468G	13.02	-39.08	-34.44	-31.96	-35.34	-28.50	-15.48	-7.00	-8.48
5955MHz	Pass	5.885G	7.165G	PK	7.15988G	13.02	-52.12	-51.98	-51.92	-50.86	-45.67	-32.65	-7.00	-25.65
802.11ax HEW40_Nss1(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	5.845G	7.205G	AV	5.92456G	13.02	-55.28	-46.38	-48.90	-47.44	-42.45	-29.43	-27.00	-2.43
5965MHz	Pass	5.845G	7.205G	AV	7.14448G	13.02	-62.15	-61.73	-61.93	-61.93	-55.91	-42.89	-27.00	-15.89
5965MHz	Pass	5.845G	7.205G	PK	5.9232G	13.02	-44.73	-31.30	-37.70	-36.67	-29.36	-16.34	-7.00	-9.34
5965MHz	Pass	5.845G	7.205G	PK	7.20364G	13.02	-52.38	-50.16	-52.11	-52.18	-45.59	-32.57	-7.00	-25.57
802.11ax HEW80_Nss1(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	5.765G	7.285G	AV	5.9246G	13.02	-54.40	-45.62	-47.29	-47.90	-41.81	-28.79	-27.00	-1.79
5985MHz	Pass	5.765G	7.285G	AV	7.28348G	13.02	-61.63	-61.84	-61.63	-61.84	-55.71	-42.69	-41.20	-1.49
5985MHz	Pass	5.765G	7.285G	PK	5.9208G	13.02	-44.77	-34.30	-33.35	-33.26	-28.73	-15.71	-7.00	-8.71
5985MHz	Pass	5.765G	7.285G	PK	7.28044G	13.02	-52.13	-51.22	-52.70	-50.79	-45.63	-32.61	-21.20	-11.41
802.11ax HEW160_Nss1(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	AV	5.92424G	13.02	-54.40	-45.26	-48.22	-46.72	-41.56	-28.54	-27.00	-1.54
6025MHz	Pass	5.605G	7.445G	AV	7.3024G	13.02	-61.61	-61.61	-61.61	-61.61	-55.59	-42.57	-41.20	-1.37
6025MHz	Pass	5.605G	7.445G	PK	5.92332G	13.02	-45.29	-32.66	-37.39	-36.83	-30.17	-17.15	-7.00	-10.15
6025MHz	Pass	5.605G	7.445G	PK	7.30792G	13.02	-50.09	-51.32	-52.18	-51.52	-45.19	-32.17	-21.20	-10.97


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5955MHz

26/09/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.885G	7.165G	1M	PK	5.92148G	-28.76	-7.00	-21.76	7.00	0.00	-35.76	-35.76
5.885G	7.165G	1M	PK	7.15092G	-43.41	-7.00	-36.41	7.00	0.00	-50.41	-50.41

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5955MHz

26/09/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.885G	7.165G	1M	AV	5.92468G	-39.05	-27.00	-12.05	7.00	0.00	-46.05	-46.05
5.885G	7.165G	1M	AV	7.1394G	-54.95	-27.00	-27.95	7.00	0.00	-61.95	-61.95

5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5965MHz

26/09/2023



Limit:PK
EIRP:PK
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.845G	7.205G	1M	PK	5.92456G	-23.27	-7.00	-16.27	7.00	0.00	-30.27	-30.27
5.845G	7.205G	1M	PK	7.1448G	-43.53	-7.00	-36.53	7.00	0.00	-50.53	-50.53

5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5965MHz

26/09/2023



Limit:AV
EIRP:AV
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.845G	7.205G	1M	AV	5.92456G	-35.66	-27.00	-8.66	7.00	0.00	-42.66	-42.66
5.845G	7.205G	1M	AV	7.14448G	-54.93	-27.00	-27.93	7.00	0.00	-61.93	-61.93

5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5985MHz

26/09/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.765G	7.285G	1M	PK	5.92332G	-22.99	-7.00	-15.99	7.00	0.00	-29.99	-29.99
5.765G	7.285G	1M	PK	7.2698G	-44.17	-21.20	-22.97	7.00	0.00	-51.17	-51.17

5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5985MHz

26/09/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.765G	7.285G	1M	AV	5.92384G	-35.53	-27.00	-8.53	7.00	0.00	-42.53	-42.53
5.765G	7.285G	1M	AV	7.28272G	-54.63	-41.20	-13.43	7.00	0.00	-61.63	-61.63

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

6025MHz

26/09/2023




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

6025MHz

26/09/2023




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5955MHz

26/09/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.885G	7.165G	1M	PK	5.92212G	-17.93	-7.00	-10.93	10.01	0.00	-27.94	-35.84	-28.71
5.885G	7.165G	1M	PK	7.12532G	-38.77	-7.00	-31.77	10.01	0.00	-48.78	-50.76	-53.14

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5955MHz

26/09/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.885G	7.165G	1M	AV	5.92468G	-28.84	-27.00	-1.84	10.01	0.00	-38.85	-45.74	-39.84
5.885G	7.165G	1M	AV	7.15348G	-48.91	-27.00	-21.91	10.01	0.00	-58.92	-62.15	-61.73

5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5965MHz

26/09/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.845G	7.205G	1M	PK	5.92456G	-15.83	-7.00	-8.83	10.01	0.00	-25.84	-36.40	-26.24
5.845G	7.205G	1M	PK	7.18324G	-38.29	-7.00	-31.29	10.01	0.00	-48.30	-51.10	-51.53

5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5965MHz

26/09/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.845G	7.205G	1M	AV	5.92456G	-27.29	-27.00	-0.29	10.01	0.00	-37.30	-48.81	-37.62
5.845G	7.205G	1M	AV	7.14652G	-48.90	-27.00	-21.90	10.01	0.00	-58.91	-62.14	-61.72

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5985MHz

26/09/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.765G	7.285G	1M	PK	5.92156G	-13.77	-7.00	-6.77	10.01	0.00	-23.78	-33.25	-24.30
5.765G	7.285G	1M	PK	7.28272G	-38.24	-21.20	-17.04	10.01	0.00	-48.25	-50.79	-51.79

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5985MHz

26/09/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.765G	7.285G	1M	AV	5.9246G	-27.14	-27.00	-0.14	10.01	0.00	-37.15	-48.55	-37.48
5.765G	7.285G	1M	AV	7.27512G	-48.52	-41.20	-7.32	10.01	0.00	-58.53	-61.65	-61.44

5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

6025MHz

26/09/2023




5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

6025MHz

26/09/2023




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

5955MHz

26/09/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.885G	7.165G	1M	PK	5.92468G	-15.48	-7.00	-8.48	13.02	0.00	-28.50	-39.08	-34.44	-31.96	-35.34
5.885G	7.165G	1M	PK	7.15988G	-32.65	-7.00	-25.65	13.02	0.00	-45.67	-52.12	-51.98	-51.92	-50.86

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

5955MHz

26/09/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.885G	7.165G	1M	AV	5.92468G	-27.54	-27.00	-0.54	13.02	0.00	-40.56	-53.02	-44.64	-46.38	-45.93
5.885G	7.165G	1M	AV	7.14772G	-42.99	-27.00	-15.99	13.02	0.00	-56.01	-62.14	-62.14	-61.93	-61.93

5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

5965MHz

26/09/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.845G	7.205G	1M	PK	5.9232G	-16.34	-7.00	-9.34	13.02	0.00	-29.36	-44.73	-31.30	-37.70	-36.67
5.845G	7.205G	1M	PK	7.20364G	-32.57	-7.00	-25.57	13.02	0.00	-45.59	-52.38	-50.16	-52.11	-52.18

5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

5965MHz

26/09/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.845G	7.205G	1M	AV	5.92456G	-29.43	-27.00	-2.43	13.02	0.00	-42.45	-55.28	-46.38	-48.90	-47.44
5.845G	7.205G	1M	AV	7.14448G	-42.89	-27.00	-15.89	13.02	0.00	-55.91	-62.15	-61.73	-61.93	-61.93

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

5985MHz

26/09/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.765G	7.285G	1M	PK	5.9208G	-15.71	-7.00	-8.71	13.02	0.00	-28.73	-44.77	-34.30	-33.35	-33.26
5.765G	7.285G	1M	PK	7.28044G	-32.61	-21.20	-11.41	13.02	0.00	-45.63	-52.13	-51.22	-52.70	-50.79

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

5985MHz

26/09/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.765G	7.285G	1M	AV	5.9246G	-28.79	-27.00	-1.79	13.02	0.00	-41.81	-54.40	-45.62	-47.29	-47.90
5.765G	7.285G	1M	AV	7.28348G	-42.69	-41.20	-1.49	13.02	0.00	-55.71	-61.63	-61.84	-61.63	-61.84

5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

6025MHz

26/09/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.605G	7.445G	1M	PK	5.92332G	-17.15	-7.00	-10.15	13.02	0.00	-30.17	-45.29	-32.66	-37.39	-36.83
5.605G	7.445G	1M	PK	7.30792G	-32.17	-21.20	-10.97	13.02	0.00	-45.19	-50.09	-51.32	-52.18	-51.52

5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

6025MHz

26/09/2023



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.605G	7.445G	1M	AV	5.92424G	-28.54	-27.00	-1.54	13.02	0.00	-41.56	-54.40	-45.26	-48.22	-46.72
5.605G	7.445G	1M	AV	7.3024G	-42.57	-41.20	-1.37	13.02	0.00	-55.59	-61.61	-61.61	-61.61	-61.61

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	5.885G	7.165G	AV	5.92468G	12.88	-49.46				-49.46	-36.58	-27.00	-9.58
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	5.885G	7.165G	AV	5.92468G	15.89	-52.49	-44.38			-43.76	-27.87	-27.00	-0.87
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	5.885G	7.165G	AV	5.92468G	18.90	-64.23	-53.50	-53.68	-54.75	-49.04	-30.14	-27.00	-3.14
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	5.845G	7.205G	AV	5.92456G	12.88	-47.25				-47.25	-34.37	-27.00	-7.37
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	5.845G	7.205G	AV	5.92456G	15.89	-55.13	-43.81			-43.50	-27.61	-27.00	-0.61
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	5.845G	7.205G	AV	5.92456G	18.90	-59.69	-51.81	-52.34	-52.82	-47.28	-28.38	-27.00	-1.38
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	5.765G	7.285G	AV	5.9246G	12.88	-46.27				-46.27	-33.39	-27.00	-6.39
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	5.765G	7.285G	AV	5.9246G	15.89	-55.28	-43.31			-43.04	-27.15	-27.00	-0.15
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	5.765G	7.285G	AV	5.9246G	18.90	-58.48	-51.89	-52.14	-53.28	-47.28	-28.38	-27.00	-1.38
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	5.605G	7.445G	AV	7.44316G	12.88	-61.69				-61.69	-48.81	-41.20	-7.61
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	5.605G	7.445G	AV	5.92332G	15.89	-57.10	-44.53			-44.30	-28.41	-27.00	-1.41
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	5.605G	7.445G	AV	5.92332G	18.90	-58.66	-52.36	-52.87	-51.89	-47.26	-28.36	-27.00	-1.36

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11ax HEW20_Nss1.(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	5.885G	7.165G	AV	5.92468G	12.88	-49.46				-49.46	-36.58	-27.00	-9.58
5955MHz	Pass	5.885G	7.165G	AV	7.15604G	12.88	-63.21				-63.21	-50.33	-27.00	-23.33
5955MHz	Pass	5.885G	7.165G	PK	5.92404G	12.88	-35.35				-35.35	-22.47	-7.00	-15.47
5955MHz	Pass	5.885G	7.165G	PK	7.1554G	12.88	-50.76				-50.76	-37.88	-7.00	-30.88
802.11ax HEW40_Nss1.(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	5.845G	7.205G	AV	5.92456G	12.88	-47.25				-47.25	-34.37	-27.00	-7.37
5965MHz	Pass	5.845G	7.205G	AV	7.19344G	12.88	-62.97				-62.97	-50.09	-27.00	-23.09
5965MHz	Pass	5.845G	7.205G	PK	5.9232G	12.88	-33.46				-33.46	-20.58	-7.00	-13.58
5965MHz	Pass	5.845G	7.205G	PK	7.20092G	12.88	-49.48				-49.48	-36.60	-7.00	-29.60
802.11ax HEW80_Nss1.(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	5.765G	7.285G	AV	5.9246G	12.88	-46.27				-46.27	-33.39	-27.00	-6.39
5985MHz	Pass	5.765G	7.285G	AV	7.28424G	12.88	-62.77				-62.77	-49.89	-41.20	-8.69
5985MHz	Pass	5.765G	7.285G	PK	5.92308G	12.88	-32.22				-32.22	-19.34	-7.00	-12.34
5985MHz	Pass	5.765G	7.285G	PK	7.25156G	12.88	-49.99				-49.99	-37.11	-21.20	-15.91
802.11ax HEW160_Nss1.(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	AV	5.92424G	12.88	-52.64				-52.64	-39.76	-27.00	-12.76
6025MHz	Pass	5.605G	7.445G	AV	7.44316G	12.88	-61.69				-61.69	-48.81	-41.20	-7.61
6025MHz	Pass	5.605G	7.445G	PK	5.92056G	12.88	-39.13				-39.13	-26.25	-7.00	-19.25
6025MHz	Pass	5.605G	7.445G	PK	7.43396G	12.88	-49.21				-49.21	-36.33	-21.20	-15.13
802.11ax HEW20_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	5.885G	7.165G	AV	5.92468G	15.89	-52.49	-44.38			-43.76	-27.87	-27.00	-0.87
5955MHz	Pass	5.885G	7.165G	AV	7.15604G	15.89	-62.99	-62.41			-59.68	-43.79	-27.00	-16.79
5955MHz	Pass	5.885G	7.165G	PK	5.92212G	15.89	-40.75	-31.96			-31.42	-15.53	-7.00	-8.53
5955MHz	Pass	5.885G	7.165G	PK	7.13876G	15.89	-53.23	-49.60			-48.04	-32.15	-7.00	-25.15
802.11ax HEW40_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	5.845G	7.205G	AV	5.92456G	15.89	-55.13	-43.81			-43.50	-27.61	-27.00	-0.61
5965MHz	Pass	5.845G	7.205G	AV	7.20364G	15.89	-62.47	-62.21			-59.33	-43.44	-27.00	-16.44
5965MHz	Pass	5.845G	7.205G	PK	5.92456G	15.89	-42.35	-29.07			-28.87	-12.98	-7.00	-5.98
5965MHz	Pass	5.845G	7.205G	PK	7.16148G	15.89	-49.85	-51.55			-47.61	-31.72	-7.00	-24.72
802.11ax HEW80_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	5.765G	7.285G	AV	5.9246G	15.89	-55.28	-43.31			-43.04	-27.15	-27.00	-0.15
5985MHz	Pass	5.765G	7.285G	AV	7.26448G	15.89	-70.77	-69.95			-67.33	-51.44	-41.20	-10.24
5985MHz	Pass	5.765G	7.285G	PK	5.92232G	15.89	-41.42	-28.89			-28.65	-12.76	-7.00	-5.76
5985MHz	Pass	5.765G	7.285G	PK	7.27664G	15.89	-59.45	-57.15			-55.14	-39.25	-21.20	-18.05
802.11ax HEW160_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	AV	5.92332G	15.89	-57.10	-44.53			-44.30	-28.41	-27.00	-1.41
6025MHz	Pass	5.605G	7.445G	AV	7.445G	15.89	-70.32	-70.01			-67.15	-51.26	-41.20	-10.06
6025MHz	Pass	5.605G	7.445G	PK	5.9178G	15.89	-44.48	-31.24			-31.04	-15.15	-7.00	-8.15
6025MHz	Pass	5.605G	7.445G	PK	7.43396G	15.89	-57.24	-59.01			-55.03	-39.14	-21.20	-17.94
802.11ax HEW20_Nss1.(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	5.885G	7.165G	AV	5.92468G	18.90	-64.23	-53.50	-53.68	-54.75	-49.04	-30.14	-27.00	-3.14
5955MHz	Pass	5.885G	7.165G	AV	7.1618G	18.90	-70.77	-69.51	-68.94	-69.20	-63.53	-44.63	-27.00	-17.63
5955MHz	Pass	5.885G	7.165G	PK	5.92468G	18.90	-51.92	-38.83	-39.01	-40.60	-34.56	-15.66	-7.00	-8.66
5955MHz	Pass	5.885G	7.165G	PK	7.15604G	18.90	-60.10	-58.03	-57.12	-56.89	-51.85	-32.95	-7.00	-25.95
802.11ax HEW40_Nss1.(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	5.845G	7.205G	AV	5.92456G	18.90	-59.69	-51.81	-52.34	-52.82	-47.28	-28.38	-27.00	-1.38
5965MHz	Pass	5.845G	7.205G	AV	7.19752G	18.90	-68.79	-68.30	-67.53	-67.65	-62.02	-43.12	-27.00	-16.12
5965MHz	Pass	5.845G	7.205G	PK	5.92456G	18.90	-47.18	-37.10	-37.44	-33.93	-30.97	-12.07	-7.00	-5.07
5965MHz	Pass	5.845G	7.205G	PK	7.1948G	18.90	-56.52	-56.52	-56.75	-55.80	-50.36	-31.46	-7.00	-24.46
802.11ax HEW80_Nss1.(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	5.765G	7.285G	AV	5.9246G	18.90	-58.48	-51.89	-52.14	-53.28	-47.28	-28.38	-27.00	-1.38
5985MHz	Pass	5.765G	7.285G	AV	7.2736G	18.90	-68.61	-68.47	-67.71	-68.36	-62.25	-43.35	-41.20	-2.15
5985MHz	Pass	5.765G	7.285G	PK	5.92384G	18.90	-46.27	-37.70	-35.22	-35.67	-31.16	-12.26	-7.00	-5.26
5985MHz	Pass	5.765G	7.285G	PK	7.25536G	18.90	-55.98	-56.71	-56.54	-58.38	-50.80	-31.90	-21.20	-10.70
802.11ax HEW160_Nss1.(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.605G	7.445G	AV	5.92332G	18.90	-58.66	-52.36	-52.87	-51.89	-47.26	-28.36	-27.00	-1.36
6025MHz	Pass	5.605G	7.445G	AV	7.2518G	18.90	-74.11	-72.65	-72.16	-72.77	-66.84	-47.94	-41.20	-6.74
6025MHz	Pass	5.605G	7.445G	PK	5.92424G	18.90	-48.41	-37.51	-41.17	-40.17	-34.38	-15.48	-7.00	-8.48
6025MHz	Pass	5.605G	7.445G	PK	7.261G	18.90	-62.12	-61.82	-60.47	-60.50	-55.14	-36.24	-21.20	-15.04


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5955MHz

19/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.885G	7.165G	1M	PK	5.92404G	-22.47	-7.00	-15.47	12.88	0.00	-35.35	-35.35
5.885G	7.165G	1M	PK	7.1554G	-37.88	-7.00	-30.88	12.88	0.00	-50.76	-50.76

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5955MHz

19/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.885G	7.165G	1M	AV	5.92468G	-36.58	-27.00	-9.58	12.88	0.00	-49.46	-49.46
5.885G	7.165G	1M	AV	7.15604G	-50.33	-27.00	-23.33	12.88	0.00	-63.21	-63.21

5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5965MHz

19/04/2024



Limit:PK
ERP:PK
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.845G	7.205G	1M	PK	5.9232G	-20.58	-7.00	-13.58	12.88	0.00	-33.46	-33.46
5.845G	7.205G	1M	PK	7.20092G	-36.60	-7.00	-29.60	12.88	0.00	-49.48	-49.48

5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5965MHz

19/04/2024



Limit:AV
ERP:AV
Port 1


F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.845G	7.205G	1M	AV	5.92456G	-34.37	-27.00	-7.37	12.88	0.00	-47.25	-47.25
5.845G	7.205G	1M	AV	7.19344G	-50.09	-27.00	-23.09	12.88	0.00	-62.97	-62.97

5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

5985MHz

19/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.765G	7.285G	1M	PK	5.92308G	-19.34	-7.00	-12.34	12.88	0.00	-32.22	-32.22
5.765G	7.285G	1M	PK	7.25156G	-37.11	-21.20	-15.91	12.88	0.00	-49.99	-49.99

5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

5985MHz

19/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)
5.765G	7.285G	1M	AV	5.9246G	-33.39	-27.00	-6.39	12.88	0.00	-46.27	-46.27
5.765G	7.285G	1M	AV	7.28424G	-49.89	-41.20	-8.69	12.88	0.00	-62.77	-62.77

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

CSE Bandedge [PK]

6025MHz

19/04/2024




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

CSE Bandedge [AV]

6025MHz

19/04/2024




5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5955MHz

19/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.885G	7.165G	1M	PK	5.92212G	-15.53	-7.00	-8.53	15.89	0.00	-31.42	-40.75	-31.96
5.885G	7.165G	1M	PK	7.13876G	-32.15	-7.00	-25.15	15.89	0.00	-48.04	-53.23	-49.60

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5955MHz

19/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.885G	7.165G	1M	AV	5.92468G	-27.87	-27.00	-0.87	15.89	0.00	-43.76	-52.49	-44.38
5.885G	7.165G	1M	AV	7.15604G	-43.79	-27.00	-16.79	15.89	0.00	-59.68	-62.99	-62.41

5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5965MHz

19/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.845G	7.205G	1M	PK	5.92456G	-12.98	-7.00	-5.98	15.89	0.00	-28.87	-42.35	-29.07
5.845G	7.205G	1M	PK	7.16148G	-31.72	-7.00	-24.72	15.89	0.00	-47.61	-49.85	-51.55

5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5965MHz

19/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.845G	7.205G	1M	AV	5.92456G	-27.61	-27.00	-0.61	15.89	0.00	-43.50	-55.13	-43.81
5.845G	7.205G	1M	AV	7.20364G	-43.44	-27.00	-16.44	15.89	0.00	-59.33	-62.47	-62.21

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

5985MHz

19/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.765G	7.285G	1M	PK	5.92332G	-12.76	-7.00	-5.76	15.89	0.00	-28.65	-41.42	-28.89
5.765G	7.285G	1M	PK	7.27664G	-39.25	-21.20	-18.05	15.89	0.00	-55.14	-59.45	-57.15

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

5985MHz

19/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.765G	7.285G	1M	AV	5.9246G	-27.15	-27.00	-0.15	15.89	0.00	-43.04	-55.28	-43.31
5.765G	7.285G	1M	AV	7.26448G	-51.44	-41.20	-10.24	15.89	0.00	-67.33	-70.77	-69.95

5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

CSE Bandedge [PK]

6025MHz

19/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.605G	7.445G	1M	PK	5.9178G	-15.15	-7.00	-8.15	15.89	0.00	-31.04	-44.48	-31.24
5.605G	7.445G	1M	PK	7.43396G	-39.14	-21.20	-17.94	15.89	0.00	-55.03	-57.24	-59.01

5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

CSE Bandedge [AV]

6025MHz

19/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.605G	7.445G	1M	AV	5.92332G	-28.41	-27.00	-1.41	15.89	0.00	-44.30	-57.10	-44.53
5.605G	7.445G	1M	AV	7.445G	-51.26	-41.20	-10.06	15.89	0.00	-67.15	-70.32	-70.01

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

5955MHz

19/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.885G	7.165G	1M	PK	5.92468G	-15.66	-7.00	-8.66	18.90	0.00	-34.56	-51.92	-38.83	-39.01	-40.60
5.885G	7.165G	1M	PK	7.15604G	-32.95	-7.00	-25.95	18.90	0.00	-51.85	-60.10	-58.03	-57.12	-56.89

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

5955MHz

19/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.885G	7.165G	1M	AV	5.92468G	-30.14	-27.00	-3.14	18.90	0.00	-49.04	-64.23	-53.50	-53.68	-54.75
5.885G	7.165G	1M	AV	7.1618G	-44.63	-27.00	-17.63	18.90	0.00	-63.53	-70.77	-69.51	-68.94	-69.20

5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

5965MHz

20/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.845G	7.205G	1M	PK	5.92456G	-12.07	-7.00	-5.07	18.90	0.00	-30.97	-47.18	-37.10	-37.44	-33.93
5.845G	7.205G	1M	PK	7.1948G	-31.46	-7.00	-24.46	18.90	0.00	-50.36	-56.52	-56.52	-56.75	-55.80

5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

5965MHz

20/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	RefI(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.845G	7.205G	1M	AV	5.92456G	-28.38	-27.00	-1.38	18.90	0.00	-47.28	-59.69	-51.81	-52.34	-52.82
5.845G	7.205G	1M	AV	7.19752G	-43.12	-27.00	-16.12	18.90	0.00	-62.02	-68.79	-68.30	-67.53	-67.65

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

5985MHz

20/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.765G	7.285G	1M	PK	5.92384G	-12.26	-7.00	-5.26	18.90	0.00	-31.16	-46.27	-37.70	-35.22	-35.67
5.765G	7.285G	1M	PK	7.25536G	-31.90	-21.20	-10.70	18.90	0.00	-50.80	-55.98	-56.71	-56.54	-58.38

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

5985MHz

20/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.765G	7.285G	1M	AV	5.9246G	-28.38	-27.00	-1.38	18.90	0.00	-47.28	-58.48	-51.89	-52.14	-53.28
5.765G	7.285G	1M	AV	7.2736G	-43.35	-41.20	-2.15	18.90	0.00	-62.25	-68.61	-68.47	-67.71	-68.36

5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

CSE Bandedge [PK]

6025MHz

20/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.605G	7.445G	1M	PK	5.92424G	-15.48	-7.00	-8.48	18.90	0.00	-34.38	-48.41	-37.51	-41.17	-40.17
5.605G	7.445G	1M	PK	7.261G	-36.24	-21.20	-15.04	18.90	0.00	-55.14	-62.12	-61.82	-60.47	-60.50

5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

CSE Bandedge [AV]

6025MHz

20/04/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.605G	7.445G	1M	AV	5.92332G	-28.36	-27.00	-1.36	18.90	0.00	-47.26	-58.66	-52.36	-52.87	-51.89
5.605G	7.445G	1M	AV	7.2518G	-47.94	-41.20	-6.74	18.90	0.00	-66.84	-74.11	-72.65	-72.16	-72.77

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	17.85771G	50.82	54.00	-3.18	3	Vertical	302	1.80
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	AV	12.68994G	45.36	54.00	-8.64	3	Vertical	188	1.47
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	13.32988G	45.44	54.00	-8.56	3	Vertical	183	1.61

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Z_1TX
Setting 17
04-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90982G	56.88	74.00	-17.12	43.17	3	Vertical	167	1.84	-	38.60	9.68	34.57			
AV	11.90985G	44.97	54.00	-9.03	31.26	3	Vertical	167	1.84	-	38.60	9.68	34.57			
PK	17.86509G	65.17	74.00	-8.83	46.02	3	Vertical	302	1.80	-	41.43	12.95	35.23			
AV	17.85771G	50.82	54.00	-3.18	31.68	3	Vertical	302	1.80	-	41.42	12.95	35.23			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Z_1TX
Setting 17
04-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.89884G	56.38	74.00	-17.62	42.67	3	Horizontal	109	2.03	-	38.60	9.68	34.57			
AV	11.91258G	42.46	54.00	-11.54	28.74	3	Horizontal	109	2.03	-	38.60	9.69	34.57			
PK	17.85126G	64.85	74.00	-9.15	45.74	3	Horizontal	324	2.27	-	41.40	12.94	35.23			
AV	17.85759G	50.81	54.00	-3.19	31.67	3	Horizontal	324	2.27	-	41.42	12.95	35.23			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Z_1TX
Setting 17
04-F-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8197G	54.62	83.54	-28.92	45.09	1	Vertical	161	1.80	-	38.98	20.82	50.27			
AV	23.8197G	42.49	63.54	-21.05	32.96	1	Vertical	161	1.80	-	38.98	20.82	50.27			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Z_1TX
Setting 17
04-F-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8195G	54.06	83.54	-29.48	44.53	1	Horizontal	50	2.10	-	38.98	20.82	50.27			
AV	23.8195G	43.17	63.54	-20.37	33.64	1	Horizontal	50	2.10	-	38.98	20.82	50.27			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
Setting 17
04-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.33696G	58.39	74.00	-15.61	42.89	3	Vertical	183	1.61	-	39.97	10.24	34.71			
AV	13.32988G	45.44	54.00	-8.56	29.94	3	Vertical	183	1.61	-	39.96	10.24	34.70			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
Setting 17
04-F-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.318G	58.13	74.00	-15.87	42.64	3	Horizontal	232	1.64	-	39.94	10.24	34.69			
AV	13.32976G	44.85	54.00	-9.15	29.35	3	Horizontal	232	1.64	-	39.96	10.24	34.70			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
Setting 17
04-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0112G	58.52	83.54	-25.02	52.76	1	Vertical	175	1.80	-	37.78	19.88	51.90			
AV	20.0168G	42.14	63.54	-21.40	36.39	1	Vertical	175	1.80	-	37.77	19.88	51.90			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
Setting 17
04-F-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.9993G	53.33	83.54	-30.21	47.55	1	Horizontal	167	1.49	-	37.80	19.88	51.90			
AV	19.9458G	39.22	63.54	-24.32	33.42	1	Horizontal	167	1.49	-	37.81	19.84	51.85			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
Setting 17
04-F-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.69015G	58.55	74.00	-15.45	44.29	3	Vertical	188	1.47	-	38.78	10.00	34.52			
AV	12.68994G	45.36	54.00	-8.64	31.10	3	Vertical	188	1.47	-	38.78	10.00	34.52			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
Setting 17
04-F-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.69021G	58.28	74.00	-15.72	44.02	3	Horizontal	220	1.80	-	38.78	10.00	34.52			
AV	12.68508G	43.93	54.00	-10.07	29.69	3	Horizontal	220	1.80	-	38.77	9.99	34.52			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
Setting 17
04-F-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.0281G	54.84	83.54	-28.70	48.57	1	Vertical	182	1.78	-	37.90	19.20	50.83			
AV	19.02768G	39.55	63.54	-23.99	33.28	1	Vertical	182	1.78	-	37.90	19.20	50.83			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX



EUT_Z_4TX
Setting 17
04-F-J-8


Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.0395G	53.37	83.54	-30.17	47.11	1	Horizontal	182	1.66	-	37.90	19.21	50.85			
AV	19.0394G	38.63	63.54	-24.91	32.37	1	Horizontal	182	1.66	-	37.90	19.21	50.85			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

5955MHz_TX

26/09/2023




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6195MHz_TX

26/09/2023




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6415MHz_TX

26/09/2023




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6535MHz_TX

26/09/2023




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6695MHz_TX

26/09/2023




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6855MHz_TX

26/09/2023




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

5965MHz_TX

26/09/2023




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6205MHz_TX

26/09/2023




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6405MHz_TX

26/09/2023




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6565MHz_TX

26/09/2023




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6685MHz_TX

26/09/2023




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6845MHz_TX

26/09/2023




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

5985MHz_TX

26/09/2023




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6225MHz_TX

26/09/2023




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6385MHz_TX

26/09/2023




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6625MHz_TX

26/09/2023




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6705MHz_TX

26/09/2023




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6785MHz_TX

26/09/2023




5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_1TX

MASK

6025MHz_TX

26/09/2023




5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_1TX

MASK

6185MHz_TX

26/09/2023




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6345MHz_TX

26/09/2023




6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6665MHz_TX

26/09/2023




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

26/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.964173G	-3.86	5.987775G	-50.44	-43.86	-6.58	1
5.963848G	0.23	5.97445G	-30.07	-21.97	-8.10	2

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

26/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.203698G	-4.82	6.227025G	-58.78	-44.82	-13.96	1
6.203073G	-0.74	6.226825G	-50.53	-40.27	-10.26	2

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

26/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.423523G	-4.25	6.4471G	-58.28	-44.25	-14.03	1
6.424298G	-0.54	6.448725G	-49.57	-40.54	-9.03	2

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

26/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.541323G	-4.08	6.567125G	-56.11	-44.08	-12.03	1
6.543823G	-0.09	6.501425G	-47.77	-40.09	-7.68	2

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

26/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.688777G	-5.22	6.66275G	-53.62	-44.40	-9.22	1
6.686552G	-0.40	6.662325G	-48.40	-40.40	-8.00	2

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6855MHz_TX

26/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.863898G	-4.83	6.822125G	-57.00	-44.83	-12.17	1
6.863923G	-0.79	6.822475G	-50.73	-40.79	-9.94	2

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

26/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.972198G	-4.58	6.02515G	-53.83	-44.44	-9.39	1
5.969149G	-0.36	6.0255G	-46.17	-40.36	-5.81	2

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

26/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.201201G	-5.35	6.268G	-58.53	-45.35	-13.18	1
6.210699G	-1.26	6.26535G	-52.85	-41.24	-11.61	2

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

26/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4038G	-3.72	6.34535G	-55.04	-43.47	-11.57	1
6.4066G	0.35	6.4649G	-47.32	-39.46	-7.86	2

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

26/09/2023



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.567349G	-4.06	6.5048G	-54.83	-43.85	-10.98	1
6.562851G	0.21	6.50465G	-46.31	-39.77	-6.54	2

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

26/09/2023

CF (Hz)
6.685G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.680801G	-4.35	6.62445G	-51.38	-44.35	-7.03	1
6.687G	0.34	6.62605G	-44.63	-38.99	-5.64	2

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6845MHz_TX

26/09/2023

CF (Hz)
6.845G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.84335G	-4.44	6.78525G	-53.75	-44.16	-9.59	1
6.842901G	-0.31	6.7846G	-48.72	-40.31	-8.41	2

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

26/09/2023




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

26/09/2023




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

26/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3971G	-3.91	6.508G	-52.14	-43.88	-8.26	1
6.383G	-0.01	6.5081G	-46.61	-40.01	-6.60	2

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

26/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6211G	-4.35	6.5005G	-50.70	-44.35	-6.35	1
6.6152G	-0.34	6.5007G	-45.51	-40.34	-5.17	2

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

26/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6913G	-4.61	6.5802G	-49.92	-44.61	-5.31	1
6.7025G	-0.17	6.5821G	-44.88	-40.17	-4.71	2

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

26/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8013G	-4.91	6.6607G	-51.49	-44.91	-6.58	1
6.7874G	-0.20	6.6625G	-46.93	-39.84	-7.09	2

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

26/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05079G	-4.51	6.27G	-52.05	-44.51	-7.54	1
6.0414G	0.26	6.2716G	-44.59	-39.70	-4.89	2

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

26/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.21159G	-4.32	6.4324G	-52.07	-44.32	-7.75	1
6.21599G	0.32	6.4298G	-44.99	-39.57	-5.42	2

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

26/09/2023




6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

26/09/2023



5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

26/09/2023

CF (Hz)
5.955G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.963748G	-5.35	5.987725G	-57.89	-45.35	-12.54	1
5.963923G	-1.18	5.98845G	-49.31	-41.13	-8.18	2
5.963673G	-1.69	5.9886G	-49.74	-39.85	-9.89	3
5.963823G	-0.99	5.98705G	-49.74	-40.95	-8.79	4

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

26/09/2023

CF (Hz)
6.195G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.203698G	-4.26	6.2284G	-59.34	-44.26	-15.08	1
6.203848G	-0.70	6.227275G	-50.84	-40.70	-10.14	2
6.204073G	-0.66	6.226325G	-49.36	-39.71	-9.65	3
6.186377G	-0.65	6.228025G	-50.15	-40.65	-9.50	4

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

26/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.423398G	-3.89	6.382975G	-57.39	-43.72	-13.67	1
6.422498G	-0.54	6.4471G	-48.40	-39.48	-8.92	2
6.406277G	-0.68	6.383175G	-50.33	-40.56	-9.77	3
6.423223G	-0.22	6.446375G	-48.00	-39.59	-8.41	4

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

26/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.526677G	-4.30	6.502725G	-55.82	-44.14	-11.68	1
6.526052G	-0.29	6.56885G	-47.17	-40.29	-6.88	2
6.540924G	-1.23	6.5683G	-51.99	-41.23	-10.76	3
6.543048G	-0.12	6.500725G	-47.57	-39.64	-7.93	4

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

26/09/2023




6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

26/09/2023




5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

26/09/2023




5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

26/09/2023




5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

26/09/2023




6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

26/09/2023




6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

26/09/2023




6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

26/09/2023




5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

26/09/2023

CF (Hz)
5.985G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9905G	-6.45	5.8005G	-56.19	-46.45	-9.74	1
5.9918G	-1.93	6.1082G	-50.60	-41.93	-8.67	2
6.00619G	-2.33	6.1073G	-51.75	-42.29	-9.46	3
5.9951G	-2.09	6.1082G	-51.73	-42.03	-9.70	4


5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

26/09/2023

CF (Hz)
6.225G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2203G	-4.28	6.3469G	-53.28	-44.12	-9.16	1
6.2221G	-0.16	6.3482G	-46.50	-39.90	-6.60	2
6.2217G	0.03	6.3471G	-47.12	-39.78	-7.34	3
6.2318G	-0.21	6.3479G	-46.15	-40.06	-6.09	4

5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

26/09/2023




6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

26/09/2023




6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

26/09/2023




6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

26/09/2023




5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

26/09/2023




5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

26/09/2023




5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

26/09/2023




6.525-6.875GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

26/09/2023




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

5955MHz_TX

26/09/2023




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6195MHz_TX

26/09/2023




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6415MHz_TX

26/09/2023




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6535MHz_TX

26/09/2023




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6695MHz_TX

26/09/2023




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6855MHz_TX

26/09/2023




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

5965MHz_TX

26/09/2023




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6205MHz_TX

26/09/2023




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6405MHz_TX

26/09/2023




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6565MHz_TX

26/09/2023




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6685MHz_TX

26/09/2023




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6845MHz_TX

26/09/2023




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

5985MHz_TX

26/09/2023




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6225MHz_TX

26/09/2023




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6385MHz_TX

26/09/2023




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6625MHz_TX

26/09/2023




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6705MHz_TX

26/09/2023




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6785MHz_TX

26/09/2023




5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_1TX

MASK

6025MHz_TX

26/09/2023




5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_1TX

MASK

6185MHz_TX

26/09/2023




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6345MHz_TX

26/09/2023




6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6665MHz_TX

26/09/2023




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

19/04/2024

CF (Hz)
5.955G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.947702G	-4.36	5.98635G	-52.52	-44.36	-8.16	1
5.963498G	-0.31	5.98725G	-44.46	-40.31	-4.15	2


5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

26/09/2023

CF (Hz)
6.195G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
20m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.203698G	-4.82	6.227025G	-58.78	-44.82	-13.96	1
6.203073G	-0.74	6.226825G	-50.53	-40.27	-10.26	2

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

26/09/2023




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

26/09/2023



6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

26/09/2023

CF (Hz)
6.695G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.688777G	-5.22	6.66275G	-53.62	-44.40	-9.22	1
6.686552G	-0.40	6.662325G	-48.40	-40.40	-8.00	2

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6855MHz_TX

26/09/2023

CF (Hz)
6.855G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.863898G	-4.83	6.822125G	-57.00	-44.83	-12.17	1
6.863923G	-0.79	6.822475G	-50.73	-40.79	-9.94	2

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

19/04/2024




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

26/09/2023




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

26/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4038G	-3.72	6.34535G	-55.04	-43.47	-11.57	1
6.4066G	0.35	6.4649G	-47.32	-39.46	-7.86	2

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

26/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.567349G	-4.06	6.5048G	-54.83	-43.85	-10.98	1
6.562851G	0.21	6.50465G	-46.31	-39.77	-6.54	2

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

26/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.680801G	-4.35	6.62445G	-51.38	-44.35	-7.03	1
6.687G	0.34	6.62605G	-44.63	-38.99	-5.64	2

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6845MHz_TX

26/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.84335G	-4.44	6.78525G	-53.75	-44.16	-9.59	1
6.842901G	-0.31	6.7846G	-48.72	-40.31	-8.41	2

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

19/04/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9991G	-4.71	6.1062G	-51.97	-44.54	-7.43	1
5.9918G	-1.00	6.1053G	-46.30	-40.76	-5.54	2

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

26/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2203G	-4.32	6.3486G	-53.54	-44.32	-9.22	1
6.2284G	0.01	6.3492G	-47.39	-39.93	-7.46	2

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

26/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3971G	-3.91	6.508G	-52.14	-43.88	-8.26	1
6.383G	-0.01	6.5081G	-46.61	-40.01	-6.60	2

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

26/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6211G	-4.35	6.5005G	-50.70	-44.35	-6.35	1
6.6152G	-0.34	6.5007G	-45.51	-40.34	-5.17	2

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

26/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6913G	-4.61	6.5802G	-49.92	-44.61	-5.31	1
6.7025G	-0.17	6.5821G	-44.88	-40.17	-4.71	2

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

26/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8013G	-4.91	6.6607G	-51.49	-44.91	-6.58	1
6.7874G	-0.20	6.6625G	-46.93	-39.84	-7.09	2

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

19/04/2024




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

26/09/2023




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

26/09/2023




6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

26/09/2023




5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

19/04/2024




5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

19/04/2024




5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

19/04/2024




6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

26/09/2023




6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

19/04/2024




6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

19/04/2024




5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

26/09/2023

CF (Hz)
5.965G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.970849G	-6.35	6.0262G	-58.21	-46.35	-11.86	1
5.969449G	-1.96	6.0271G	-51.77	-41.96	-9.81	2
5.968049G	-1.96	6.02595G	-53.21	-41.96	-11.25	3
5.967849G	-1.79	6.0256G	-53.22	-41.79	-11.43	4


5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

26/09/2023

CF (Hz)
6.205G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.213098G	-4.26	6.2653G	-55.87	-44.26	-11.61	1
6.20315G	0.07	6.2649G	-47.25	-39.54	-7.71	2
6.209349G	0.15	6.2644G	-47.94	-39.07	-8.87	3
6.212598G	-0.04	6.2659G	-46.64	-40.04	-6.60	4

5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

26/09/2023




6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

26/09/2023




6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

26/09/2023




6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

26/09/2023




5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

26/09/2023

CF (Hz)
5.985G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9905G	-6.45	5.8005G	-56.19	-46.45	-9.74	1
5.9918G	-1.93	6.1082G	-50.60	-41.93	-8.67	2
6.00619G	-2.33	6.1073G	-51.75	-42.29	-9.46	3
5.9951G	-2.09	6.1082G	-51.73	-42.03	-9.70	4


5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

26/09/2023

CF (Hz)
6.225G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2203G	-4.28	6.3469G	-53.28	-44.12	-9.16	1
6.2221G	-0.16	6.3482G	-46.50	-39.90	-6.60	2
6.2217G	0.03	6.3471G	-47.12	-39.78	-7.34	3
6.2318G	-0.21	6.3479G	-46.15	-40.06	-6.09	4

5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

26/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3911G	-4.16	6.5086G	-52.16	-44.12	-8.04	1
6.3949G	0.00	6.5088G	-46.12	-40.00	-6.12	2
6.3824G	-0.19	6.5102G	-47.91	-40.19	-7.72	3
6.3985G	0.25	6.5064G	-44.78	-39.45	-5.33	4

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

26/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6201G	-4.29	6.5017G	-51.09	-44.29	-6.80	1
6.6172G	-0.15	6.5017G	-44.79	-40.15	-4.64	2
6.6292G	-0.42	6.558G	-29.00	-23.14	-5.86	3
6.6226G	-0.17	6.5628G	-28.63	-20.69	-7.94	4

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

26/09/2023




6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

26/09/2023




5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

26/09/2023




5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

26/09/2023




5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

26/09/2023




6.525-6.875GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

26/09/2023





Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	EIRP (dBm)	Psum (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	P1 (dBm)	Limit (dBm)	Margin (dB)	DG (dBi)
Mode 1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Pass	30M	1G	AV	-58.58	-70.28	-93.58	-70.36	-92.40	-91.74	-55.20	-3.38	7.00

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX


Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mode 1	Pass	30M	1G	AV	35.82M	7.00	-91.74	-93.58	-70.36	-92.40	-70.28	-58.58	-55.20	-3.38
Mode 1	Pass	1G	8G	AV	5.144G	7.00	-66.33	-79.53	-79.29	-79.53	-65.74	-58.74	-41.20	-17.54
Mode 1	Pass	1G	8G	AV	5.35313G	7.00	-67.88	-79.48	-78.99	-78.76	-66.99	-59.99	-41.20	-18.79
Mode 1	Pass	1G	8G	AV	7.25625G	7.00	-73.67	-71.71	-71.39	-71.58	-65.98	-58.98	-41.20	-17.78
Mode 1	Pass	1G	8G	PK	5.14138G	7.00	-57.55	-72.50	-71.97	-72.61	-57.14	-50.14	-21.20	-28.94
Mode 1	Pass	1G	8G	PK	5.25163G	7.00	-52.13	-74.15	-72.40	-72.08	-52.02	-45.02	-27.00	-18.02
Mode 1	Pass	1G	8G	PK	5.35313G	7.00	-59.32	-73.13	-72.01	-72.89	-58.75	-51.75	-21.20	-30.55
Mode 1	Pass	1G	8G	PK	5.64625G	7.00	-52.33	-72.74	-72.74	-72.38	-52.21	-45.21	-27.00	-18.21
Mode 1	Pass	1G	8G	PK	7.23088G	7.00	-67.27	-61.86	-63.08	-65.98	-58.00	-51.00	-27.00	-24.00

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Mode 1

CSE Other [PK]




27/09/2023

Limit.PK
EIRP.PK
Sum.PK
Port 1
Port 2
Port 3
Port 4

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
30M	1G	100k	AV	35.82M	-58.58	-55.20	-3.38	7.00	4.70	-70.28	-91.74	-93.58	-70.36	-92.40
1G	8G	1M	PK	5.14138G	-50.14	-21.20	-28.94	7.00	0.00	-57.14	-57.55	-72.50	-71.97	-72.61
1G	8G	1M	PK	5.25163G	-45.02	-27.00	-18.02	7.00	0.00	-52.02	-52.13	-74.15	-72.40	-72.08
1G	8G	1M	PK	5.35313G	-51.75	-21.20	-30.55	7.00	0.00	-58.75	-59.32	-73.13	-72.01	-72.89
1G	8G	1M	PK	5.64625G	-45.21	-27.00	-18.21	7.00	0.00	-52.21	-52.33	-72.74	-72.74	-72.38
1G	8G	1M	PK	7.23088G	-51.00	-27.00	-24.00	7.00	0.00	-58.00	-67.27	-61.86	-63.08	-65.98

Mode 1

CSE Other [AV]



27/09/2023

Limit.AV
EIRP.AV
Sum.AV
Port 1
Port 2
Port 3
Port 4

F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
1G	8G	1M	AV	5.144G	-58.74	-41.20	-17.54	7.00	0.00	-65.74	-66.33	-79.53	-79.29	-79.53
1G	8G	1M	AV	5.35313G	-59.99	-41.20	-18.79	7.00	0.00	-66.99	-67.88	-79.48	-78.99	-78.76
1G	8G	1M	AV	7.25625G	-58.98	-41.20	-17.78	7.00	0.00	-65.98	-73.67	-71.71	-71.39	-71.58



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	EIRP (dBm)	Psum (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	P1 (dBm)	Limit (dBm)	Margin (dB)	DG (dBi)
Mode 1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Pass	8G	40G	AV	-56.36	-63.36	-69.34	-69.34	-69.34	-69.49	-41.20	-15.16	7.00

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



Result


Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	P3 (dBm)	P4 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mode 1	Pass	8G	40G	AV	10.6G	7.00	-79.90	-79.90	-79.90	-80.32	-73.98	-66.98	-41.20	-25.78
Mode 1	Pass	8G	40G	AV	39.809G	7.00	-69.49	-69.34	-69.34	-69.34	-63.36	-56.36	-41.20	-15.16
Mode 1	Pass	8G	40G	PK	10.347G	7.00	-73.57	-74.58	-76.07	-73.48	-68.29	-61.29	-27.00	-34.29
Mode 1	Pass	8G	40G	PK	38.561G	7.00	-66.54	-65.82	-64.15	-63.19	-58.70	-51.70	-27.00	-24.70

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Mode 1

CSE [PK]

27/09/2023




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	PK	10.347G	-61.29	-27.00	-34.29	7.00	0.00	-68.29	-73.57	-74.58	-76.07	-73.48
8G	40G	1M	PK	38.561G	-51.70	-27.00	-24.70	7.00	0.00	-58.70	-66.54	-65.82	-64.15	-63.19

Mode 1

CSE [AV]

27/09/2023



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8G	40G	1M	AV	10.6G	-66.98	-41.20	-25.78	7.00	0.00	-73.98	-79.90	-79.90	-79.90	-80.32
8G	40G	1M	AV	39.809G	-56.36	-41.20	-15.16	7.00	0.00	-63.36	-69.49	-69.34	-69.34	-69.34