




|           |                           |
|-----------|---------------------------|
| Test Mode | IEEE 802.11ax(HE80)_Ant_1 |
|-----------|---------------------------|


| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit (MHz) | Result |
|----------------------|-----------------------|-------------------------------|-------------|--------|
| 5985                 | 85.06                 | 77.94                         | 320         | Pass   |
| 6145                 | 84.74                 | 77.85                         | 320         | Pass   |
| 6385                 | 84.97                 | 77.78                         | 320         | Pass   |




| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit (MHz) | Result |
|----------------------|-----------------------|-------------------------------|-------------|--------|
| 6465                 | 84.71                 | 77.97                         | 320         | Pass   |

|                                                                                                                                                                                                                                                                                                                                                 |   |   |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|---|
| <p style="text-align: center;"><b>6465</b></p> <p style="text-align: center;"><b>26 dB Bandwidth</b></p>  <p style="text-align: center;"><b>99 % Occupied Bandwidth</b></p>  | - | - |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|---|

| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit (MHz) | Result |
|----------------------|-----------------------|-------------------------------|-------------|--------|
| 6545                 | 84.85                 | 78.04                         | 320         | Pass   |
| 6705                 | 85.08                 | 77.91                         | 320         | Pass   |
| 6865                 | 84.97                 | 77.88                         | 320         | Pass   |



| Test Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | Limit (MHz) | Result |
|----------------------|-----------------------|-------------------------------|-------------|--------|
| 6945                 | 84.82                 | 77.85                         | 320         | Pass   |
| 7025                 | 84.99                 | 77.99                         | 320         | Pass   |



## **APPENDIX F - MAXIMUM E.I.R.P.**

|           |                           |
|-----------|---------------------------|
| Test Mode | IEEE 802.11ax(HE20)_Ant.1 |
|-----------|---------------------------|

| Test Frequency (MHz) | Conducted Power (dBm) | e.i.r.p. (dBm) | e.i.r.p. (W) | e.i.r.p. Limit (dBm) | e.i.r.p. Limit (W) | Result |
|----------------------|-----------------------|----------------|--------------|----------------------|--------------------|--------|
| 5955                 | 4.30                  | 7.50           | 0.0056       | 24.00                | 0.2512             | Pass   |
| 6175                 | 3.65                  | 6.85           | 0.0048       | 24.00                | 0.2512             | Pass   |
| 6415                 | 4.36                  | 7.56           | 0.0057       | 24.00                | 0.2512             | Pass   |
| 6435                 | 3.00                  | 6.20           | 0.0042       | 24.00                | 0.2512             | Pass   |
| 6475                 | 2.98                  | 6.18           | 0.0041       | 24.00                | 0.2512             | Pass   |
| 6515                 | 2.95                  | 6.15           | 0.0041       | 24.00                | 0.2512             | Pass   |
| 6535                 | 2.94                  | 6.14           | 0.0041       | 24.00                | 0.2512             | Pass   |
| 6695                 | 4.41                  | 7.61           | 0.0058       | 24.00                | 0.2512             | Pass   |
| 6855                 | 2.94                  | 6.14           | 0.0041       | 24.00                | 0.2512             | Pass   |
| 6875                 | 2.94                  | 6.14           | 0.0041       | 24.00                | 0.2512             | Pass   |
| 6995                 | 4.40                  | 7.60           | 0.0058       | 24.00                | 0.2512             | Pass   |
| 7115                 | -5.35                 | -2.15          | 0.0006       | 24.00                | 0.2512             | Pass   |

|           |                           |
|-----------|---------------------------|
| Test Mode | IEEE 802.11ax(HE40)_Ant.1 |
|-----------|---------------------------|

| Test Frequency (MHz) | Conducted Power (dBm) | e.i.r.p. (dBm) | e.i.r.p. (W) | e.i.r.p. Limit (dBm) | e.i.r.p. Limit (W) | Result |
|----------------------|-----------------------|----------------|--------------|----------------------|--------------------|--------|
| 5965                 | 5.67                  | 8.87           | 0.0077       | 24.00                | 0.2512             | Pass   |
| 6165                 | 5.59                  | 8.79           | 0.0076       | 24.00                | 0.2512             | Pass   |
| 6405                 | 5.61                  | 8.81           | 0.0076       | 24.00                | 0.2512             | Pass   |
| 6445                 | 5.60                  | 8.80           | 0.0076       | 24.00                | 0.2512             | Pass   |
| 6485                 | 6.14                  | 9.34           | 0.0086       | 24.00                | 0.2512             | Pass   |
| 6525                 | 5.95                  | 9.15           | 0.0082       | 24.00                | 0.2512             | Pass   |
| 6565                 | 5.20                  | 8.40           | 0.0069       | 24.00                | 0.2512             | Pass   |
| 6725                 | 5.25                  | 8.45           | 0.0070       | 24.00                | 0.2512             | Pass   |
| 6845                 | 4.28                  | 7.48           | 0.0056       | 24.00                | 0.2512             | Pass   |
| 6885                 | 4.37                  | 7.57           | 0.0057       | 24.00                | 0.2512             | Pass   |
| 7005                 | 5.00                  | 8.20           | 0.0066       | 24.00                | 0.2512             | Pass   |
| 7085                 | 5.91                  | 9.11           | 0.0081       | 24.00                | 0.2512             | Pass   |

|           |                           |
|-----------|---------------------------|
| Test Mode | IEEE 802.11ax(HE80)_Ant.1 |
|-----------|---------------------------|


| Test Frequency (MHz) | Conducted Power (dBm) | e.i.r.p. (dBm) | e.i.r.p. (W) | e.i.r.p. Limit (dBm) | e.i.r.p. Limit (W) | Result |
|----------------------|-----------------------|----------------|--------------|----------------------|--------------------|--------|
| 5985                 | 8.20                  | 11.40          | 0.0138       | 24.00                | 0.2512             | Pass   |
| 6145                 | 8.32                  | 11.52          | 0.0142       | 24.00                | 0.2512             | Pass   |
| 6385                 | 8.42                  | 11.62          | 0.0145       | 24.00                | 0.2512             | Pass   |
| 6465                 | 8.79                  | 11.99          | 0.0158       | 24.00                | 0.2512             | Pass   |
| 6545                 | 8.04                  | 11.24          | 0.0133       | 24.00                | 0.2512             | Pass   |
| 6705                 | 9.33                  | 12.53          | 0.0179       | 24.00                | 0.2512             | Pass   |
| 6865                 | 7.77                  | 10.97          | 0.0125       | 24.00                | 0.2512             | Pass   |
| 6945                 | 8.89                  | 12.09          | 0.0162       | 24.00                | 0.2512             | Pass   |
| 7025                 | 8.74                  | 11.94          | 0.0156       | 24.00                | 0.2512             | Pass   |

Note: Conducted power = Measure result + Cable loss + Duty factor


## **APPENDIX G - MAXIMUM POWER SPECTRAL DENSITY (E.I.R.P.)**

Test Mode IEEE 802.11ax(HE20)\_Ant.1


| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 5955                 | -4.41                                      | 0.13             | -1.08                               | -1.00                   | Pass   |
| 6175                 | -4.43                                      | 0.13             | -1.10                               | -1.00                   | Pass   |
| 6415                 | -4.85                                      | 0.13             | -1.52                               | -1.00                   | Pass   |




| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6435                 | -4.84                                      | 0.13             | -1.51                               | -1.00                   | Pass   |
| 6475                 | -4.62                                      | 0.13             | -1.29                               | -1.00                   | Pass   |
| 6515                 | -5.19                                      | 0.13             | -1.86                               | -1.00                   | Pass   |



| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6535                 | -5.09                                      | 0.13             | -1.76                               | -1.00                   | Pass   |
| 6695                 | -4.74                                      | 0.13             | -1.41                               | -1.00                   | Pass   |
| 6855                 | -4.58                                      | 0.13             | -1.25                               | -1.00                   | Pass   |




| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6875                 | -4.67                                      | 0.13             | -1.34                               | -1.00                   | Pass   |
| 6995                 | -4.64                                      | 0.13             | -1.31                               | -1.00                   | Pass   |
| 7115                 | -4.63                                      | 0.13             | -1.30                               | -1.00                   | Pass   |




|           |                           |
|-----------|---------------------------|
| Test Mode | IEEE 802.11ax(HE40)_Ant.1 |
|-----------|---------------------------|


| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 5965                 | -5.41                                      | 0.26             | -1.95                               | -1.00                   | Pass   |
| 6165                 | -5.03                                      | 0.26             | -1.57                               | -1.00                   | Pass   |
| 6405                 | -5.71                                      | 0.26             | -2.25                               | -1.00                   | Pass   |



| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6445                 | -6.07                                      | 0.26             | -2.61                               | -1.00                   | Pass   |
| 6485                 | -5.31                                      | 0.26             | -1.85                               | -1.00                   | Pass   |
| 6525                 | -5.04                                      | 0.26             | -1.58                               | -1.00                   | Pass   |



| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6565                 | -4.88                                      | 0.26             | -1.42                               | -1.00                   | Pass   |
| 6725                 | -5.68                                      | 0.26             | -2.22                               | -1.00                   | Pass   |
| 6845                 | -5.31                                      | 0.26             | -1.85                               | -1.00                   | Pass   |



| Test Frequency (MHz) | Conducted Power Spectral Density (dBm/MHz) | Duty Factor (dB) | e.i.r.p. Spectral Density (dBm/MHz) | Maximum Limit (dBm/MHz) | Result |
|----------------------|--------------------------------------------|------------------|-------------------------------------|-------------------------|--------|
| 6885                 | -4.47                                      | 0.26             | -1.01                               | -1.00                   | Pass   |
| 7005                 | -5.30                                      | 0.26             | -1.84                               | -1.00                   | Pass   |
| 7085                 | -4.57                                      | 0.26             | -1.11                               | -1.00                   | Pass   |

