

1.1. Test Band = _LTE-CA_5B TM1**1.1.1. Test Channel = Low**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1414.6667	-46.82	24.93	-61.66	-13.00	48.66	Horizontal
2	2263.5556	-45.88	27.04	-58.64	-13.00	45.64	Horizontal
3	3417.3333	-44.41	28.87	-55.55	-13.00	42.55	Horizontal
4	5014.2222	-41.57	31.01	-50.89	-13.00	37.89	Horizontal
5	6568.4444	-38.76	34.80	-46.24	-13.00	33.24	Horizontal
6	7611.5556	-36.88	36.88	-42.13	-13.00	29.13	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1434.6667	-46.87	25.25	-61.33	-13.00	48.33	Vertical
2	2075.5556	-46.17	26.50	-58.91	-13.00	45.91	Vertical
3	2818.2222	-44.92	28.54	-56.34	-13.00	43.34	Vertical
4	4718.2222	-42.31	30.64	-51.85	-13.00	38.85	Vertical
5	6946.6667	-37.92	35.61	-44.60	-13.00	31.60	Vertical
6	8568.4444	-35.12	36.86	-42.44	-13.00	29.44	Vertical

1.2. Test Band = _LTE-CA_5B TM1**1.2.1. Test Channel = Mid**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1359.1111	-46.93	25.11	-61.19	-13.00	48.19	Horizontal
2	2463.1111	-45.60	27.55	-49.77	-13.00	36.77	Horizontal
3	3603.5556	-44.47	29.22	-53.83	-13.00	40.83	Horizontal
4	5311.5556	-41.22	32.35	-49.96	-13.00	36.96	Horizontal
5	7332	-37.19	36.76	-43.72	-13.00	30.72	Horizontal
6	8609.7778	-35.01	36.78	-42.55	-13.00	29.55	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1457.3333	-46.92	25.46	-61.31	-13.00	48.31	Vertical
2	2462.2222	-45.60	27.55	-52.44	-13.00	39.44	Vertical
3	3720.8889	-43.83	29.61	-52.77	-13.00	39.77	Vertical
4	5897.7778	-40.15	33.07	-48.43	-13.00	35.43	Vertical
5	7507.5556	-36.82	36.87	-41.91	-13.00	28.91	Vertical
6	8774.2222	-34.61	36.35	-42.57	-13.00	29.57	Vertical

1.3. Test Band = _LTE-CA_5B TM1**1.3.1. Test Channel = High**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1343.5556	-46.98	25.16	-60.94	-13.00	47.94	Horizontal
2	2462.6667	-45.60	27.55	-56.52	-13.00	43.52	Horizontal
3	3168	-44.48	28.62	-54.53	-13.00	41.53	Horizontal
4	4779.1111	-42.16	30.72	-51.15	-13.00	38.15	Horizontal
5	6848	-37.97	35.89	-45.84	-13.00	32.84	Horizontal
6	8876.8889	-34.38	36.45	-42.56	-13.00	29.56	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1491.5556	-46.99	25.25	-60.71	-13.00	47.71	Vertical
2	2461.7778	-45.60	27.55	-52.22	-13.00	39.22	Vertical
3	3769.3333	-43.90	29.78	-53.26	-13.00	40.26	Vertical
4	5340	-41.15	32.46	-49.56	-13.00	36.56	Vertical
5	7208	-37.28	36.35	-43.66	-13.00	30.66	Vertical
6	8684	-34.68	36.84	-42.18	-13.00	29.18	Vertical

1.4. Test Band = _LTE-CA_2A-12A TM1**1.4.1. Test Channel = Low**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3745.875	-43.61	29.86	-58.85	-13.00	45.85	Horizontal
2	5181.375	-41.39	32.16	-55.69	-13.00	42.69	Horizontal
3	7028.25	-40.66	35.64	-52.67	-13.00	39.67	Horizontal
4	9576.375	-40.73	37.96	-52.26	-13.00	39.26	Horizontal
5	12017.625	-40.24	39.88	-49.77	-13.00	36.77	Horizontal
6	16962	-39.15	40.81	-47.46	-13.00	34.46	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3700.875	-43.67	29.41	-58.92	-13.00	45.92	Vertical
2	5340	-41.19	32.46	-55.14	-13.00	42.14	Vertical
3	7651.125	-40.38	36.79	-52.67	-13.00	39.67	Vertical
4	9525	-40.91	37.65	-52.02	-13.00	39.02	Vertical
5	11366.625	-40.58	40.53	-49.14	-13.00	36.14	Vertical
6	15037.125	-39.85	40.85	-48.45	-13.00	35.45	Vertical

1.5. Test Band = _LTE-CA_2A-12A TM1**1.5.1. Test Channel = Mid**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3795	-43.55	29.63	-58.67	-13.00	45.67	Horizontal
2	5199.75	-41.33	32.20	-55.49	-13.00	42.49	Horizontal
3	7557	-40.67	36.73	-52.88	-13.00	39.88	Horizontal
4	10934.25	-40.54	40.07	-50.01	-13.00	37.01	Horizontal
5	14392.5	-40.54	41.90	-48.77	-13.00	35.77	Horizontal
6	16923.375	-38.94	40.62	-48.49	-13.00	35.49	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3700.5	-43.67	29.41	-59.14	-13.00	46.14	Vertical
2	5188.5	-41.37	32.18	-55.18	-13.00	42.18	Vertical
3	7102.875	-40.66	36.19	-53.04	-13.00	40.04	Vertical
4	9626.25	-40.57	38.26	-52.02	-13.00	39.02	Vertical
5	12114.75	-40.20	39.81	-49.61	-13.00	36.61	Vertical
6	15045	-39.84	40.82	-48.66	-13.00	35.66	Vertical

1.6. Test Band = _LTE-CA_2A-12A TM1**1.6.1. Test Channel = High**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3835.875	-43.51	29.46	-59.16	-13.00	46.16	Horizontal
2	5314.875	-41.22	32.36	-55.33	-13.00	42.33	Horizontal
3	7610.625	-40.53	36.88	-52.88	-13.00	39.88	Horizontal
4	9628.875	-40.57	38.27	-51.78	-13.00	38.78	Horizontal
5	12160.5	-40.62	39.86	-49.80	-13.00	36.80	Horizontal
6	15536.625	-37.16	39.05	-48.77	-13.00	35.77	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3696.75	-43.69	29.41	-59.38	-13.00	46.38	Vertical
2	5176.5	-41.40	32.15	-55.52	-13.00	42.52	Vertical
3	7022.25	-40.66	35.57	-53.07	-13.00	40.07	Vertical
4	9518.625	-40.93	37.61	-51.73	-13.00	38.73	Vertical
5	13060.875	-40.57	39.68	-49.93	-13.00	36.93	Vertical
6	16986.75	-39.29	40.93	-48.55	-13.00	35.55	Vertical

1.7. Test Band = _LTE-CA_4A-12A TM1**1.7.1. Test Channel = Low**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3708.75	-43.66	29.49	-60.46	-13.00	47.46	Horizontal
2	5325.75	-41.21	32.40	-56.58	-13.00	43.58	Horizontal
3	7662	-40.34	36.73	-54.14	-13.00	41.14	Horizontal
4	10974	-40.43	40.27	-51.22	-13.00	38.22	Horizontal
5	14378.25	-40.59	41.90	-50.31	-13.00	37.31	Horizontal
6	17563.5	-43.40	44.75	-51.10	-13.00	38.10	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3723	-43.64	29.63	-60.37	-13.00	47.37	Vertical
2	4809.75	-42.03	31.06	-58.70	-13.00	45.70	Vertical
3	6432	-40.36	34.06	-55.63	-13.00	42.63	Vertical
4	8610.75	-40.13	36.78	-54.54	-13.00	41.54	Vertical
5	11352	-40.74	40.50	-50.79	-13.00	37.79	Vertical
6	14304.75	-40.81	41.90	-49.94	-13.00	36.94	Vertical

1.8. Test Band = _LTE-CA_4A-12A TM1**1.8.1. Test Channel = Mid**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3743.25	-43.61	29.83	-60.09	-13.00	47.09	Horizontal
2	5293.5	-41.24	32.25	-56.87	-13.00	43.87	Horizontal
3	7133.25	-40.52	36.13	-54.64	-13.00	41.64	Horizontal
4	9594	-40.67	38.06	-53.56	-13.00	40.56	Horizontal
5	12112.5	-40.18	39.81	-51.11	-13.00	38.11	Horizontal
6	15012.75	-39.87	40.95	-50.60	-13.00	37.60	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3823.5	-43.52	29.51	-59.99	-13.00	46.99	Vertical
2	5183.25	-41.38	32.17	-57.16	-13.00	44.16	Vertical
3	7119	-40.58	36.16	-54.67	-13.00	41.67	Vertical
4	9570.75	-40.75	37.92	-53.57	-13.00	40.57	Vertical
5	12083.25	-40.11	39.82	-50.99	-13.00	37.99	Vertical
6	14614.5	-40.50	41.77	-50.77	-13.00	37.77	Vertical

1.9. Test Band = _LTE-CA_4A-12A TM1**1.9.1. Test Channel = High**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3734.25	-43.63	29.74	-60.18	-13.00	47.18	Horizontal
2	5709	-40.31	32.69	-55.96	-13.00	42.96	Horizontal
3	7615.5	-40.51	36.87	-53.96	-13.00	40.96	Horizontal
4	10963.5	-40.46	40.22	-51.53	-13.00	38.53	Horizontal
5	14267.25	-40.75	41.80	-50.02	-13.00	37.02	Horizontal
6	16969.5	-39.19	40.85	-50.39	-13.00	37.39	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3879.75	-43.48	29.46	-60.51	-13.00	47.51	Vertical
2	5674.5	-40.38	32.80	-55.65	-13.00	42.65	Vertical
3	8568.75	-40.16	36.86	-54.71	-13.00	41.71	Vertical
4	11369.25	-40.55	40.54	-50.19	-13.00	37.19	Vertical
5	14461.5	-40.75	41.72	-50.37	-13.00	37.37	Vertical
6	17667	-43.67	44.90	-51.36	-13.00	38.36	Vertical

1.10. Test Band = _LTE-CA_12A-66A TM1**1.10.1. Test Channel = Low**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3732.75	-43.63	29.73	-60.53	-13.00	47.53	Horizontal
2	5910.75	-40.14	33.12	-55.64	-13.00	42.64	Horizontal
3	7983	-40.24	36.70	-54.49	-13.00	41.49	Horizontal
4	11345.25	-40.81	40.49	-50.86	-13.00	37.86	Horizontal
5	14616	-40.50	41.77	-50.86	-13.00	37.86	Horizontal
6	17892	-45.26	46.05	-51.36	-13.00	38.36	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3818.25	-43.53	29.53	-60.50	-13.00	47.50	Vertical
2	5496	-40.75	32.68	-56.70	-13.00	43.70	Vertical
3	7585.5	-40.60	36.84	-54.08	-13.00	41.08	Vertical
4	10335	-40.46	39.44	-52.99	-13.00	39.99	Vertical
5	13682.25	-40.38	40.48	-50.67	-13.00	37.67	Vertical
6	16975.5	-39.23	40.88	-50.79	-13.00	37.79	Vertical

1.11. Test Band = _LTE-CA_12A-66A TM1**1.11.1. Test Channel = Mid**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3517.5	-44.22	29.23	-58.58	-13.00	45.58	Horizontal
2	5181.75	-41.39	32.16	-57.01	-13.00	44.01	Horizontal
3	7191	-40.25	36.26	-54.53	-13.00	41.53	Horizontal
4	9639.75	-40.53	38.34	-53.16	-13.00	40.16	Horizontal
5	12505.5	-40.18	39.26	-51.27	-13.00	38.27	Horizontal
6	15533.25	-37.17	39.07	-50.93	-13.00	37.93	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3729	-43.63	29.69	-60.46	-13.00	47.46	Vertical
2	5299.5	-41.23	32.30	-57.01	-13.00	44.01	Vertical
3	7086	-40.67	36.12	-54.12	-13.00	41.12	Vertical
4	9577.5	-40.73	37.97	-53.39	-13.00	40.39	Vertical
5	12015	-40.25	39.89	-51.29	-13.00	38.29	Vertical
6	15594.75	-37.00	38.82	-50.91	-13.00	37.91	Vertical

1.12. Test Band = _LTE-CA_12A-66A TM1**1.12.1. Test Channel = High**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3518.25	-44.22	29.23	-57.18	-13.00	44.18	Horizontal
2	5187.75	-41.37	32.18	-56.73	-13.00	43.73	Horizontal
3	7593.75	-40.59	36.88	-54.38	-13.00	41.38	Horizontal
4	10968	-40.45	40.24	-51.27	-13.00	38.27	Horizontal
5	14426.25	-40.62	41.82	-49.68	-13.00	36.68	Horizontal
6	16841.25	-38.67	40.15	-50.90	-13.00	37.90	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4206	-42.98	29.82	-58.52	-13.00	45.52	Vertical
2	6378	-40.37	33.82	-55.73	-13.00	42.73	Vertical
3	9135.75	-40.56	37.37	-54.61	-13.00	41.61	Vertical
4	12087	-40.10	39.81	-51.12	-13.00	38.12	Vertical
5	14385.75	-40.56	41.90	-50.24	-13.00	37.24	Vertical
6	16989.75	-39.30	40.95	-50.65	-13.00	37.65	Vertical

1.13. Test Band = _LTE-CA_2A-5A TM1**1.13.1. Test Channel = Low**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3722.625	-43.64	29.63	-59.17	-13.00	46.17	Horizontal
2	5189.625	-41.36	32.18	-55.68	-13.00	42.68	Horizontal
3	7247.625	-40.41	36.59	-53.06	-13.00	40.06	Horizontal
4	10819.5	-40.37	39.42	-50.12	-13.00	37.12	Horizontal
5	14417.25	-40.58	41.85	-48.68	-13.00	35.68	Horizontal
6	17002.5	-39.38	41.02	-48.41	-13.00	35.41	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3598.125	-44.29	29.20	-51.19	-13.00	38.19	Vertical
2	5183.625	-41.38	32.17	-55.75	-13.00	42.75	Vertical
3	7610.25	-40.53	36.88	-52.59	-13.00	39.59	Vertical
4	11332.875	-40.94	40.47	-49.42	-13.00	36.42	Vertical
5	14395.875	-40.53	41.90	-48.51	-13.00	35.51	Vertical
6	16938	-39.02	40.69	-48.37	-13.00	35.37	Vertical

1.14. Test Band = _LTE-CA_2A-5A TM1**1.14.1. Test Channel = Mid**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3730.5	-43.63	29.71	-59.43	-13.00	46.43	Horizontal
2	5332.875	-41.20	32.43	-55.72	-13.00	42.72	Horizontal
3	7051.125	-40.67	35.91	-52.75	-13.00	39.75	Horizontal
4	9636.375	-40.54	38.32	-52.12	-13.00	39.12	Horizontal
5	12114.375	-40.20	39.81	-49.45	-13.00	36.45	Horizontal
6	15038.625	-39.85	40.85	-48.44	-13.00	35.44	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3519	-44.22	29.22	-59.20	-13.00	46.20	Vertical
2	5314.875	-41.22	32.36	-54.75	-13.00	41.75	Vertical
3	7191.375	-40.25	36.27	-52.67	-13.00	39.67	Vertical
4	9592.875	-40.67	38.06	-51.75	-13.00	38.75	Vertical
5	13475.625	-40.37	39.67	-50.16	-13.00	37.16	Vertical
6	16996.5	-39.34	40.98	-48.56	-13.00	35.56	Vertical

1.15. Test Band = _LTE-CA_2A-5A TM1**1.15.1. Test Channel = High**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3140.625	-44.14	28.82	-56.48	-13.00	43.48	Horizontal
2	5307.375	-41.22	32.33	-55.28	-13.00	42.28	Horizontal
3	6162	-40.45	33.65	-53.55	-13.00	40.55	Horizontal
4	7652.25	-40.38	36.79	-52.52	-13.00	39.52	Horizontal
5	10704.75	-40.28	39.20	-49.21	-13.00	36.21	Horizontal
6	16939.125	-39.03	40.70	-47.72	-13.00	34.72	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3721.875	-43.64	29.62	-58.13	-13.00	45.13	Vertical
2	5177.625	-41.40	32.16	-55.07	-13.00	42.07	Vertical
3	7122	-40.57	36.16	-52.37	-13.00	39.37	Vertical
4	9647.25	-40.51	38.38	-52.02	-13.00	39.02	Vertical
5	12003.375	-40.27	39.90	-49.57	-13.00	36.57	Vertical
6	15788.25	-36.39	38.45	-48.93	-13.00	35.93	Vertical

1.16. Test Band = _LTE-CA_5A-66A TM1**1.16.1. Test Channel = Low**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3716.25	-43.65	29.56	-59.93	-13.00	46.93	Horizontal
2	5160	-41.45	32.12	-56.19	-13.00	43.19	Horizontal
3	7618.5	-40.50	36.86	-53.54	-13.00	40.54	Horizontal
4	10310.25	-40.31	39.41	-52.74	-13.00	39.74	Horizontal
5	13812	-40.05	40.16	-50.59	-13.00	37.59	Horizontal
6	16778.25	-38.47	39.86	-50.82	-13.00	37.82	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3517.5	-44.22	29.23	-59.01	-13.00	46.01	Vertical
2	5315.25	-41.22	32.36	-56.75	-13.00	43.75	Vertical
3	7128	-40.54	36.14	-53.98	-13.00	40.98	Vertical
4	9645	-40.52	38.37	-53.10	-13.00	40.10	Vertical
5	12117	-40.22	39.82	-51.11	-13.00	38.11	Vertical
6	14986.5	-39.99	41.04	-51.04	-13.00	38.04	Vertical

1.17. Test Band = _LTE-CA_5A-66A TM1**1.17.1. Test Channel = Mid**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3720	-43.64	29.60	-59.90	-13.00	46.90	Horizontal
2	5178	-41.40	32.16	-56.72	-13.00	43.72	Horizontal
3	7184.25	-40.28	36.24	-54.42	-13.00	41.42	Horizontal
4	9493.5	-40.97	37.54	-53.03	-13.00	40.03	Horizontal
5	12006	-40.27	39.89	-50.54	-13.00	37.54	Horizontal
6	15534.75	-37.17	39.06	-50.43	-13.00	37.43	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3727.5	-43.63	29.68	-60.18	-13.00	47.18	Vertical
2	5179.5	-41.39	32.16	-56.71	-13.00	43.71	Vertical
3	7080.75	-40.67	36.08	-53.90	-13.00	40.90	Vertical
4	9633	-40.55	38.30	-53.40	-13.00	40.40	Vertical
5	12098.25	-40.07	39.80	-51.01	-13.00	38.01	Vertical
6	15413.25	-37.61	39.46	-50.90	-13.00	37.90	Vertical

1.18. Test Band = _LTE-CA_5A-66A TM1**1.18.1. Test Channel = High**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4349.25	-42.67	30.09	-59.63	-13.00	46.63	Horizontal
2	5907.75	-40.13	33.12	-55.81	-13.00	42.81	Horizontal
3	8559.75	-40.18	36.88	-54.44	-13.00	41.44	Horizontal
4	11387.25	-40.36	40.57	-50.55	-13.00	37.55	Horizontal
5	14391	-40.55	41.90	-50.29	-13.00	37.29	Horizontal
6	16998.75	-39.35	40.99	-50.72	-13.00	37.72	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3733.5	-43.63	29.74	-59.92	-13.00	46.92	Vertical
2	5178	-41.40	32.16	-56.94	-13.00	43.94	Vertical
3	7131.75	-40.52	36.14	-53.91	-13.00	40.91	Vertical
4	9624.75	-40.58	38.25	-52.97	-13.00	39.97	Vertical
5	12108	-40.14	39.81	-50.95	-13.00	37.95	Vertical
6	16975.5	-39.23	40.88	-50.52	-13.00	37.52	Vertical

1.19. Test Band = _LTE-CA_2A-14A TM1**1.19.1. Test Channel = Low**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3501.75	-44.20	29.29	-58.79	-13.00	45.79	Horizontal
2	5305.875	-41.22	32.32	-55.34	-13.00	42.34	Horizontal
3	7598.625	-40.57	36.89	-52.78	-13.00	39.78	Horizontal
4	9595.125	-40.67	38.07	-50.92	-13.00	37.92	Horizontal
5	12474.75	-40.15	39.35	-50.21	-13.00	37.21	Horizontal
6	16971.375	-39.20	40.86	-48.84	-13.00	35.84	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3733.125	-43.63	29.73	-59.03	-13.00	46.03	Vertical
2	5304.375	-41.23	32.32	-55.57	-13.00	42.57	Vertical
3	7593.375	-40.59	36.87	-52.74	-13.00	39.74	Vertical
4	9634.5	-40.55	38.31	-51.95	-13.00	38.95	Vertical
5	12114.75	-40.20	39.81	-49.59	-13.00	36.59	Vertical
6	15705.75	-36.82	38.78	-48.77	-13.00	35.77	Vertical

1.20. Test Band = _LTE-CA_2A-14A TM1**1.20.1. Test Channel = Mid**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3724.5	-43.64	29.65	-58.78	-13.00	45.78	Horizontal
2	5181.375	-41.39	32.16	-55.23	-13.00	42.23	Horizontal
3	6872.25	-40.65	35.81	-52.77	-13.00	39.77	Horizontal
4	9590.625	-40.68	38.04	-51.41	-13.00	38.41	Horizontal
5	13212.75	-40.18	39.51	-49.67	-13.00	36.67	Horizontal
6	16953.375	-39.10	40.77	-48.31	-13.00	35.31	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3722.625	-43.64	29.63	-58.89	-13.00	45.89	Vertical
2	5304.375	-41.23	32.32	-54.88	-13.00	41.88	Vertical
3	7594.125	-40.58	36.88	-52.42	-13.00	39.42	Vertical
4	10734.75	-40.29	39.23	-49.97	-13.00	36.97	Vertical
5	14245.125	-40.70	41.74	-48.15	-13.00	35.15	Vertical
6	16990.875	-39.31	40.95	-48.63	-13.00	35.63	Vertical

1.21. Test Band = _LTE-CA_2A-14A TM1**1.21.1. Test Channel = High**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3712.5	-43.65	29.53	-58.34	-13.00	45.34	Horizontal
2	5308.125	-41.22	32.33	-54.76	-13.00	41.76	Horizontal
3	7065.375	-40.67	35.99	-52.95	-13.00	39.95	Horizontal
4	9149.625	-40.64	37.40	-52.67	-13.00	39.67	Horizontal
5	12121.125	-40.26	39.82	-49.75	-13.00	36.75	Horizontal
6	16926.375	-38.96	40.63	-47.82	-13.00	34.82	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3727.5	-43.63	29.68	-59.06	-13.00	46.06	Vertical
2	5301.375	-41.23	32.31	-55.13	-13.00	42.13	Vertical
3	7628.25	-40.47	36.84	-52.38	-13.00	39.38	Vertical
4	10953.375	-40.49	40.17	-50.03	-13.00	37.03	Vertical
5	14306.25	-40.80	41.90	-49.02	-13.00	36.02	Vertical
6	16845.375	-38.68	40.17	-48.59	-13.00	35.59	Vertical

1.22. Test Band = _LTE-CA_14A-66A TM1**1.22.1. Test Channel = 10M**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3720	-43.64	29.60	-59.93	-13.00	46.93	Horizontal
2	5601.75	-40.59	32.90	-56.19	-13.00	43.19	Horizontal
3	7607.25	-40.54	36.89	-53.81	-13.00	40.81	Horizontal
4	10719	-40.29	39.22	-51.43	-13.00	38.43	Horizontal
5	14302.5	-40.81	41.90	-49.88	-13.00	36.88	Horizontal
6	16991.25	-39.31	40.96	-50.73	-13.00	37.73	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3732	-43.63	29.72	-60.27	-13.00	47.27	Vertical
2	5184	-41.38	32.17	-56.86	-13.00	43.86	Vertical
3	7035.75	-40.66	35.73	-54.60	-13.00	41.60	Vertical
4	9634.5	-40.55	38.31	-53.24	-13.00	40.24	Vertical
5	11996.25	-40.29	39.89	-51.24	-13.00	38.24	Vertical
6	15021.75	-39.86	40.91	-50.95	-13.00	37.95	Vertical

1.23. Test Band = _LTE-CA_14A-66A TM1**1.23.1. Test Channel = Low**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3735	-43.62	29.75	-60.35	-13.00	47.35	Horizontal
2	5178.75	-41.40	32.16	-56.71	-13.00	43.71	Horizontal
3	7139.25	-40.49	36.12	-54.56	-13.00	41.56	Horizontal
4	9558.75	-40.79	37.85	-53.35	-13.00	40.35	Horizontal
5	12092.25	-40.09	39.81	-50.68	-13.00	37.68	Horizontal
6	15013.5	-39.87	40.95	-51.01	-13.00	38.01	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3737.25	-43.62	29.77	-60.07	-13.00	47.07	Vertical
2	5166	-41.44	32.13	-56.55	-13.00	43.55	Vertical
3	7083.75	-40.67	36.10	-54.05	-13.00	41.05	Vertical
4	9633	-40.55	38.30	-53.25	-13.00	40.25	Vertical
5	12100.5	-40.07	39.80	-50.83	-13.00	37.83	Vertical
6	14511	-40.84	41.62	-50.55	-13.00	37.55	Vertical

1.24. Test Band = _LTE-CA_14A-66A TM1**1.24.1. Test Channel = Mid**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3722.25	-43.64	29.62	-60.26	-13.00	47.26	Horizontal
2	4810.5	-42.02	31.06	-59.22	-13.00	46.22	Horizontal
3	6213	-40.38	33.72	-55.70	-13.00	42.70	Horizontal
4	7593.75	-40.59	36.88	-53.98	-13.00	40.98	Horizontal
5	9528.75	-40.89	37.67	-53.32	-13.00	40.32	Horizontal
6	11420.25	-40.36	40.58	-50.48	-13.00	37.48	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3737.25	-43.62	29.77	-59.73	-13.00	46.73	Vertical
2	4801.5	-42.03	31.09	-59.20	-13.00	46.20	Vertical
3	6121.5	-40.56	33.66	-56.09	-13.00	43.09	Vertical
4	7603.5	-40.56	36.89	-54.18	-13.00	41.18	Vertical
5	9598.5	-40.66	38.09	-53.35	-13.00	40.35	Vertical
6	12106.5	-40.13	39.81	-51.34	-13.00	38.34	Vertical

1.25. Test Band = _LTE-CA_14A-66A TM1**1.25.1. Test Channel = High**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3732	-43.63	29.72	-59.96	-13.00	46.96	Horizontal
2	5185.5	-41.37	32.17	-57.00	-13.00	44.00	Horizontal
3	6836.25	-40.34	35.85	-54.45	-13.00	41.45	Horizontal
4	8508.75	-40.27	36.82	-54.00	-13.00	41.00	Horizontal
5	10953	-40.49	40.17	-51.55	-13.00	38.55	Horizontal
6	13833	-40.11	40.27	-50.29	-13.00	37.29	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4368.75	-42.57	30.03	-59.91	-13.00	46.91	Vertical
2	6595.5	-40.22	34.80	-55.15	-13.00	42.15	Vertical
3	9133.5	-40.55	37.37	-53.83	-13.00	40.83	Vertical
4	11991	-40.31	39.87	-51.07	-13.00	38.07	Vertical
5	14386.5	-40.56	41.90	-50.03	-13.00	37.03	Vertical
6	17579.25	-43.30	44.82	-50.71	-13.00	37.71	Vertical

1.26. Test Band = _LTE-CA_7C TM1**1.26.1. Test Channel = Low**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3712	-43.65	29.52	-60.30	-25.00	35.30	Horizontal
2	5183.5	-41.38	32.17	-55.95	-25.00	30.95	Horizontal
3	7589	-40.60	36.86	-53.10	-25.00	28.10	Horizontal
4	10741	-40.29	39.24	-51.33	-25.00	26.33	Horizontal
5	14140.5	-40.55	41.54	-49.11	-25.00	24.11	Horizontal
6	17791	-44.09	45.45	-50.55	-25.00	25.55	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3896	-43.47	29.49	-60.42	-25.00	35.42	Vertical
2	5591.5	-40.60	32.83	-55.27	-25.00	30.27	Vertical
3	7618.5	-40.50	36.86	-53.69	-25.00	28.69	Vertical
4	9651.5	-40.50	38.40	-52.80	-25.00	27.80	Vertical
5	11432	-40.44	40.57	-50.49	-25.00	25.49	Vertical
6	14134.5	-40.54	41.53	-49.52	-25.00	24.52	Vertical

1.27. Test Band = _LTE-CA_7C TM1**1.27.1. Test Channel = Mid**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3739	-43.62	29.79	-59.48	-25.00	34.48	Horizontal
2	5170.5	-41.42	32.14	-55.65	-25.00	30.65	Horizontal
3	7617	-40.51	36.87	-53.42	-25.00	28.42	Horizontal
4	10610	-40.79	39.02	-52.41	-25.00	27.41	Horizontal
5	14244.5	-40.70	41.73	-49.59	-25.00	24.59	Horizontal
6	16957	-39.12	40.79	-50.29	-25.00	25.29	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3728.5	-43.63	29.69	-59.37	-25.00	34.37	Vertical
2	5170.5	-41.42	32.14	-56.41	-25.00	31.41	Vertical
3	7208.5	-40.24	36.35	-53.80	-25.00	28.80	Vertical
4	9632.5	-40.56	38.30	-52.81	-25.00	27.81	Vertical
5	12105	-40.12	39.81	-50.44	-25.00	25.44	Vertical
6	15075.5	-39.82	40.70	-50.33	-25.00	25.33	Vertical

1.28. Test Band = _LTE-CA_7C TM1**1.28.1. Test Channel = High**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3736.5	-43.62	29.77	-59.51	-25.00	34.51	Horizontal
2	5179	-41.40	32.16	-56.34	-25.00	31.34	Horizontal
3	6854.5	-40.49	35.88	-53.75	-25.00	28.75	Horizontal
4	9573	-40.74	37.94	-52.77	-25.00	27.77	Horizontal
5	12125.5	-40.30	39.83	-50.32	-25.00	25.32	Horizontal
6	16802	-38.57	39.91	-50.57	-25.00	25.57	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3735	-43.62	29.75	-59.44	-25.00	34.44	Vertical
2	5305	-41.23	32.32	-56.00	-25.00	31.00	Vertical
3	7622.5	-40.49	36.86	-53.45	-25.00	28.45	Vertical
4	9628.5	-40.57	38.27	-52.73	-25.00	27.73	Vertical
5	11987	-40.33	39.86	-50.42	-25.00	25.42	Vertical
6	15538.5	-37.16	39.05	-50.21	-25.00	25.21	Vertical

1.29. Test Band = _LTE-CA_66B TM1**1.29.1. Test Channel = Low**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3733.5	-43.63	29.74	-60.34	-13.00	47.34	Horizontal
2	5182.5	-41.38	32.17	-56.73	-13.00	43.73	Horizontal
3	7117.5	-40.59	36.17	-53.46	-13.00	40.46	Horizontal
4	9603.75	-40.64	38.12	-53.38	-13.00	40.38	Horizontal
5	12104.25	-40.11	39.80	-50.83	-13.00	37.83	Horizontal
6	15595.5	-37.00	38.82	-51.02	-13.00	38.02	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3735	-43.62	29.75	-59.63	-13.00	46.63	Vertical
2	5175	-41.41	32.15	-56.86	-13.00	43.86	Vertical
3	6587.25	-40.25	34.80	-54.67	-13.00	41.67	Vertical
4	8570.25	-40.16	36.86	-54.45	-13.00	41.45	Vertical
5	11448	-40.55	40.55	-50.90	-13.00	37.90	Vertical
6	14311.5	-40.79	41.90	-49.78	-13.00	36.78	Vertical

1.30. Test Band = _LTE-CA_66B TM1**1.30.1. Test Channel = Mid**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3724.5	-43.64	29.65	-60.76	-13.00	47.76	Horizontal
2	5175.75	-41.41	32.15	-56.71	-13.00	43.71	Horizontal
3	7608	-40.54	36.88	-53.97	-13.00	40.97	Horizontal
4	10299.75	-40.25	39.40	-52.90	-13.00	39.90	Horizontal
5	13839.75	-40.13	40.30	-50.52	-13.00	37.52	Horizontal
6	16970.25	-39.20	40.85	-50.56	-13.00	37.56	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3731.25	-43.63	29.71	-59.75	-13.00	46.75	Vertical
2	5172.75	-41.41	32.15	-56.64	-13.00	43.64	Vertical
3	7174.5	-40.33	36.20	-53.91	-13.00	40.91	Vertical
4	9561.75	-40.78	37.87	-53.38	-13.00	40.38	Vertical
5	12473.25	-40.15	39.35	-51.43	-13.00	38.43	Vertical
6	15354	-37.89	39.82	-51.01	-13.00	38.01	Vertical

1.31. Test Band = _LTE-CA_66B TM1**1.31.1. Test Channel = High**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3735	-43.62	29.75	-60.33	-13.00	47.33	Horizontal
2	5018.25	-41.50	31.05	-59.13	-13.00	46.13	Horizontal
3	6811.5	-40.12	35.75	-54.93	-13.00	41.93	Horizontal
4	9570	-40.75	37.92	-53.31	-13.00	40.31	Horizontal
5	13487.25	-40.28	39.64	-51.21	-13.00	38.21	Horizontal
6	16970.25	-39.20	40.85	-50.62	-13.00	37.62	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3723.75	-43.64	29.64	-59.78	-13.00	46.78	Vertical
2	5190.75	-41.36	32.18	-56.91	-13.00	43.91	Vertical
3	7059.75	-40.67	35.96	-54.46	-13.00	41.46	Vertical
4	9633	-40.55	38.30	-53.38	-13.00	40.38	Vertical
5	12072	-40.13	39.83	-50.87	-13.00	37.87	Vertical
6	15018.75	-39.87	40.93	-51.11	-13.00	38.11	Vertical

1.32. Test Band = _LTE-CA_66C TM1**1.32.1. Test Channel = Low**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3735	-43.62	29.75	-60.06	-13.00	47.06	Horizontal
2	4828.5	-42.02	30.99	-59.39	-13.00	46.39	Horizontal
3	6198.75	-40.34	33.80	-55.61	-13.00	42.61	Horizontal
4	7981.5	-40.25	36.70	-54.11	-13.00	41.11	Horizontal
5	10660.5	-40.51	39.12	-52.03	-13.00	39.03	Horizontal
6	14308.5	-40.79	41.90	-50.21	-13.00	37.21	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4203	-42.98	29.81	-57.39	-13.00	44.39	Vertical
2	5607	-40.57	32.89	-56.21	-13.00	43.21	Vertical
3	7599.75	-40.57	36.90	-54.00	-13.00	41.00	Vertical
4	10971.75	-40.44	40.26	-51.39	-13.00	38.39	Vertical
5	14148	-40.56	41.55	-50.00	-13.00	37.00	Vertical
6	16999.5	-39.36	41.00	-50.82	-13.00	37.82	Vertical

1.33. Test Band = _LTE-CA_66C TM1**1.33.1. Test Channel = Mid**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3736.5	-43.62	29.77	-60.41	-13.00	47.41	Horizontal
2	5164.5	-41.44	32.13	-56.80	-13.00	43.80	Horizontal
3	7231.5	-40.34	36.49	-54.58	-13.00	41.58	Horizontal
4	10296.75	-40.27	39.39	-52.73	-13.00	39.73	Horizontal
5	13687.5	-40.37	40.49	-50.76	-13.00	37.76	Horizontal
6	16969.5	-39.19	40.85	-50.38	-13.00	37.38	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3734.25	-43.63	29.74	-59.90	-13.00	46.90	Vertical
2	5157.75	-41.46	32.12	-57.27	-13.00	44.27	Vertical
3	7053.75	-40.67	35.92	-54.25	-13.00	41.25	Vertical
4	9559.5	-40.79	37.86	-53.00	-13.00	40.00	Vertical
5	12085.5	-40.10	39.81	-51.13	-13.00	38.13	Vertical
6	15037.5	-39.85	40.85	-50.87	-13.00	37.87	Vertical

1.34. Test Band = _LTE-CA_66C TM1**1.34.1. Test Channel = High**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3735.75	-43.62	29.76	-60.36	-13.00	47.36	Horizontal
2	4369.5	-42.56	30.02	-59.49	-13.00	46.49	Horizontal
3	6197.25	-40.35	33.79	-55.86	-13.00	42.86	Horizontal
4	8000.25	-40.22	36.70	-54.08	-13.00	41.08	Horizontal
5	10746.75	-40.29	39.25	-51.90	-13.00	38.90	Horizontal
6	14453.25	-40.72	41.74	-50.22	-13.00	37.22	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3517.5	-44.22	29.23	-55.96	-13.00	42.96	Vertical
2	5692.5	-40.33	32.80	-55.51	-13.00	42.51	Vertical
3	8495.25	-40.29	36.79	-54.29	-13.00	41.29	Vertical
4	11358.75	-40.67	40.52	-50.48	-13.00	37.48	Vertical
5	14389.5	-40.55	41.90	-50.42	-13.00	37.42	Vertical
6	17168.25	-40.58	42.07	-51.34	-13.00	38.34	Vertical

1.35. Test Band = _LTE-CA_4A-5A TM1**1.35.1. Test Channel = Low**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3732	-43.63	29.72	-60.10	-13.00	47.10	Horizontal
2	5454	-40.92	32.52	-56.52	-13.00	43.52	Horizontal
3	7598.25	-40.57	36.89	-54.06	-13.00	41.06	Horizontal
4	10744.5	-40.29	39.24	-51.86	-13.00	38.86	Horizontal
5	14364.75	-40.63	41.90	-50.51	-13.00	37.51	Horizontal
6	17994	-46.02	47.79	-51.23	-13.00	38.23	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3518.25	-44.22	29.23	-59.23	-13.00	46.23	Vertical
2	4808.25	-42.03	31.07	-59.46	-13.00	46.46	Vertical
3	6581.25	-40.27	34.80	-54.88	-13.00	41.88	Vertical
4	9183.75	-40.83	37.27	-54.24	-13.00	41.24	Vertical
5	12459	-40.15	39.38	-51.24	-13.00	38.24	Vertical
6	15036.75	-39.85	40.85	-51.23	-13.00	38.23	Vertical

1.36. Test Band = _LTE-CA_4A-5A TM1**1.36.1. Test Channel = Mid**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3734.25	-43.63	29.74	-59.92	-13.00	46.92	Horizontal
2	5179.5	-41.39	32.16	-56.76	-13.00	43.76	Horizontal
3	7617.75	-40.50	36.86	-53.70	-13.00	40.70	Horizontal
4	10722.75	-40.29	39.22	-51.62	-13.00	38.62	Horizontal
5	14130	-40.54	41.53	-50.28	-13.00	37.28	Horizontal
6	17672.25	-43.70	44.90	-51.27	-13.00	38.27	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3519	-44.22	29.22	-55.33	-13.00	42.33	Vertical
2	5069.25	-41.59	31.49	-58.61	-13.00	45.61	Vertical
3	6773.25	-40.21	35.59	-54.88	-13.00	41.88	Vertical
4	9630.75	-40.56	38.28	-53.24	-13.00	40.24	Vertical
5	12110.25	-40.16	39.81	-50.88	-13.00	37.88	Vertical
6	15188.25	-38.81	40.07	-50.84	-13.00	37.84	Vertical

1.37. Test Band = _LTE-CA_4A-5A TM1**1.37.1. Test Channel = High**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3736.5	-43.62	29.77	-59.48	-13.00	46.48	Horizontal
2	5632.5	-40.50	32.84	-55.90	-13.00	42.90	Horizontal
3	7635	-40.44	36.83	-53.89	-13.00	40.89	Horizontal
4	10978.5	-40.42	40.29	-51.40	-13.00	38.40	Horizontal
5	14367	-40.62	41.90	-50.26	-13.00	37.26	Horizontal
6	17400	-42.92	44.20	-50.97	-13.00	37.97	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3737.25	-43.62	29.77	-59.67	-13.00	46.67	Vertical
2	5165.25	-41.44	32.13	-56.68	-13.00	43.68	Vertical
3	7075.5	-40.67	36.05	-54.14	-13.00	41.14	Vertical
4	9630	-40.56	38.28	-53.23	-13.00	40.23	Vertical
5	12100.5	-40.07	39.80	-51.12	-13.00	38.12	Vertical
6	15036	-39.85	40.86	-50.76	-13.00	37.76	Vertical

1.38. Test Band = _LTE-CA_5A-7A TM1**1.38.1. Test Channel = Low**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3598	-44.29	29.20	-53.61	-25.00	28.61	Horizontal
2	5155.5	-41.47	32.11	-56.36	-25.00	31.36	Horizontal
3	7109	-40.63	36.18	-53.82	-25.00	28.82	Horizontal
4	9526	-40.90	37.66	-52.90	-25.00	27.90	Horizontal
5	13526	-40.25	39.81	-50.95	-25.00	25.95	Horizontal
6	17407.5	-42.99	44.22	-50.40	-25.00	25.40	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3733.5	-43.63	29.74	-59.43	-25.00	34.43	Vertical
2	5185	-41.38	32.17	-55.94	-25.00	30.94	Vertical
3	7183.5	-40.29	36.23	-53.66	-25.00	28.66	Vertical
4	9626	-40.57	38.26	-52.86	-25.00	27.86	Vertical
5	12504	-40.17	39.27	-50.79	-25.00	25.79	Vertical
6	16981.5	-39.26	40.91	-50.28	-25.00	25.28	Vertical

1.39. Test Band = _LTE-CA_5A-7A TM1**1.39.1. Test Channel = Mid**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3739.5	-43.62	29.80	-59.45	-25.00	34.45	Horizontal
2	5175.5	-41.41	32.15	-56.21	-25.00	31.21	Horizontal
3	7068	-40.67	36.01	-53.68	-25.00	28.68	Horizontal
4	9604.5	-40.64	38.13	-52.72	-25.00	27.72	Horizontal
5	12106	-40.12	39.81	-50.59	-25.00	25.59	Horizontal
6	14613.5	-40.50	41.77	-50.20	-25.00	25.20	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4225.5	-42.97	29.90	-59.38	-25.00	34.38	Vertical
2	6166	-40.44	33.66	-54.97	-25.00	29.97	Vertical
3	8007.5	-40.25	36.64	-53.68	-25.00	28.68	Vertical
4	11405	-40.25	40.60	-50.12	-25.00	25.12	Vertical
5	14458.5	-40.74	41.72	-49.85	-25.00	24.85	Vertical
6	17991	-46.00	47.74	-50.71	-25.00	25.71	Vertical

1.40. Test Band = _LTE-CA_5A-7A TM1**1.40.1. Test Channel = High**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3598	-44.29	29.20	-58.85	-25.00	33.85	Horizontal
2	5176	-41.40	32.15	-55.31	-25.00	30.31	Horizontal
3	7575.5	-40.63	36.80	-53.75	-25.00	28.75	Horizontal
4	10996	-40.37	40.38	-50.81	-25.00	25.81	Horizontal
5	14428.5	-40.63	41.81	-49.77	-25.00	24.77	Horizontal
6	16966.5	-39.18	40.83	-49.97	-25.00	24.97	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3737	-43.62	29.77	-59.51	-25.00	34.51	Vertical
2	4801	-42.03	31.10	-58.38	-25.00	33.38	Vertical
3	6620	-40.31	34.96	-54.69	-25.00	29.69	Vertical
4	9119	-40.47	37.34	-53.83	-25.00	28.83	Vertical
5	11383.5	-40.40	40.57	-50.09	-25.00	25.09	Vertical
6	14312	-40.78	41.90	-49.79	-25.00	24.79	Vertical