




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 122 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 123 of 220




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.456	-30.96	-25	Pass
2490.5	2495	1	CHP	2	2493.327	-28.37	-13	Pass
2495	2496	0.193	CHP	3	2495.993	-32.04	-13	Pass
2496	2526.02	0.193	CHP	/	/	/	/	/



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 124 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 125 of 220




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2455.000	-45.26	-25	Pass
2490.5	2695	1	/	/	/	/	/	/
2695	2710	1	/	2	2705.000	-45.16	-13	Pass
2710	26900	1	/	3	7962.500	-42.08	-25	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 126 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 127 of 220




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	456.800	-44.95	-25	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 128 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 129 of 220




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2659.99	2690	0.392	CHP	/	/	/	/	/
2690	2691	0.392	CHP	1	2690.143	-24.08	-10	Pass
2691	2695	1	CHP	2	2691.944	-21.18	-10	Pass
2695	2710	1	CHP	3	2695.004	-23.31	-13	Pass
2710	2750	1	CHP	4	2714.086	-36.00	-25	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 130 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 131 of 220




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	454.950	-44.41	-25	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 132 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 133 of 220




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.169	-31.68	-25	Pass
2490.5	2495	1	CHP	2	2494.476	-28.91	-13	Pass
2495	2496	0.199	CHP	3	2495.993	-32.22	-13	Pass
2496	2526.02	0.199	CHP	/	/	/	/	/



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 134 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 135 of 220




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2437.000	-45.26	-25	Pass
2490.5	2695	1	/	/	/	/	/	/
2695	2710	1	/	2	2707.000	-45.32	-13	Pass
2710	26900	1	/	3	7981.500	-41.81	-25	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 136 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 137 of 220




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	550.700	-44.82	-25	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 138 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 139 of 220



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2659.99	2690	0.397	CHP	/	/	/	/	/
2690	2691	0.397	CHP	1	2690.053	-21.74	-10	Pass
2691	2695	1	CHP	2	2692.034	-20.31	-10	Pass
2695	2710	1	CHP	3	2695.004	-23.04	-13	Pass
2710	2750	1	CHP	4	2710.036	-35.57	-25	Pass




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 140 of 220

5.2.2 30k_SISO_60MHz_NTNV






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 141 of 220




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	550.650	-44.47	-25	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 142 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 143 of 220




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.454	-35.08	-25	Pass
2490.5	2495	1	CHP	2	2494.494	-32.72	-13	Pass
2495	2496	0.629	CHP	3	2495.908	-32.39	-13	Pass
2496	2586	0.629	CHP	/	/	/	/	/



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 144 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 145 of 220




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2434.000	-45.18	-25	Pass
2490.5	2695	1	/	/	/	/	/	/
2695	2750	1	/	2	2738.500	-44.68	-13	Pass
2750	26900	1	/	3	7991.000	-42.07	-25	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 146 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 147 of 220




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	546.450	-44.84	-25	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 148 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 149 of 220




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2599.98	2690	1	CHP	/	/	/	/	/
2690	2691	1	CHP	1	2690.142	-24.93	-10	Pass
2691	2695	1	CHP	2	2691.792	-28.80	-10	Pass
2695	2750	1	CHP	3	2697.943	-29.80	-13	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 150 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 151 of 220




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	551.200	-44.64	-25	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 152 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 153 of 220




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2489.040	-30.88	-25	Pass
2490.5	2495	1	CHP	2	2494.292	-29.72	-13	Pass
2495	2496	0.63	CHP	3	2495.908	-30.44	-13	Pass
2496	2586	0.63	CHP	/	/	/	/	/



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 154 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 155 of 220




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2390.000	-45.09	-25	Pass
2490.5	2695	1	/	/	/	/	/	/
2695	2750	1	/	2	2724.500	-44.90	-13	Pass
2750	26900	1	/	3	7985.500	-41.80	-25	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 156 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 157 of 220




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	551.000	-44.69	-25	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 158 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 159 of 220




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2599.98	2690	1	CHP	/	/	/	/	/
2690	2691	1	CHP	1	2690.142	-29.48	-10	Pass
2691	2695	1	CHP	2	2691.642	-30.96	-10	Pass
2695	2750	1	CHP	3	2695.093	-32.63	-13	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 160 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 161 of 220




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	551.700	-44.57	-25	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 162 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 163 of 220




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2488.434	-33.30	-25	Pass
2490.5	2495	1	CHP	2	2493.181	-31.87	-13	Pass
2495	2496	0.628	CHP	3	2495.908	-33.07	-13	Pass
2496	2586	0.628	CHP	/	/	/	/	/



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 164 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 165 of 220




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2423.000	-45.20	-25	Pass
2490.5	2695	1	/	/	/	/	/	/
2695	2750	1	/	2	2733.500	-44.79	-13	Pass
2750	26900	1	/	3	7995.500	-42.07	-25	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 166 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 167 of 220




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	549.200	-44.71	-25	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 168 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 169 of 220



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2599.98	2690	1	CHP	/	/	/	/	/
2690	2691	1	CHP	1	2690.142	-29.52	-10	Pass
2691	2695	1	CHP	2	2691.642	-30.64	-10	Pass
2695	2750	1	CHP	3	2695.093	-32.07	-13	Pass




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 170 of 220

5.2.3 30k_SISO_100MHz_NTNV






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 171 of 220




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	439.950	-44.61	-25	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 172 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 173 of 220




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.402	-32.22	-25	Pass
2490.5	2495	1	CHP	2	2491.152	-30.91	-13	Pass
2495	2496	1	CHP	3	2495.954	-20.58	-13	Pass
2496	2646.01	1	CHP	/	/	/	/	/



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 174 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 175 of 220



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2486.000	-45.20	-25	Pass
2490.5	2695	1	/	/	/	/	/	/
2695	2790	1	/	2	2740.000	-43.99	-13	Pass
2790	26900	1	/	3	7994.500	-42.15	-25	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 176 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 177 of 220




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	549.900	-44.78	-25	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 178 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 179 of 220




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2540	2690	1	CHP	/	/	/	/	/
2690	2691	1	CHP	1	2690.450	-33.18	-10	Pass
2691	2695	1	CHP	2	2693.450	-32.42	-10	Pass
2695	2750	1	CHP	3	2718.800	-29.84	-13	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 180 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 181 of 220




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	547.300	-44.40	-25	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 182 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 183 of 220




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.402	-34.64	-25	Pass
2490.5	2495	1	CHP	2	2493.853	-32.81	-13	Pass
2495	2496	1	CHP	3	2495.954	-21.97	-13	Pass
2496	2646.01	1	CHP	/	/	/	/	/



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 184 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 185 of 220




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2414.500	-45.24	-25	Pass
2490.5	2695	1	/	/	/	/	/	/
2695	2790	1	/	2	2739.500	-43.80	-13	Pass
2790	26900	1	/	3	7997.500	-42.08	-25	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 186 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 187 of 220




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	551.050	-44.76	-25	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 188 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 189 of 220




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2540	2690	1	CHP	/	/	/	/	/
2690	2691	1	CHP	1	2690.450	-32.84	-10	Pass
2691	2695	1	CHP	2	2693.750	-31.97	-10	Pass
2695	2750	1	CHP	3	2711.000	-29.24	-13	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 190 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 191 of 220




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	549.400	-44.63	-25	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 192 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 193 of 220




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2489.502	-34.86	-25	Pass
2490.5	2495	1	CHP	2	2494.454	-34.53	-13	Pass
2495	2496	1	CHP	3	2495.954	-24.22	-13	Pass
2496	2646.01	1	CHP	/	/	/	/	/



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 194 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 195 of 220




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2441.000	-45.30	-25	Pass
2490.5	2695	1	/	/	/	/	/	/
2695	2790	1	/	2	2729.000	-44.72	-13	Pass
2790	26900	1	/	3	7998.500	-42.13	-25	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 196 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 197 of 220




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	448.200	-44.61	-25	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 198 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 199 of 220



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2540	2690	1	CHP	/	/	/	/	/
2690	2691	1	CHP	1	2690.150	-31.72	-10	Pass
2691	2695	1	CHP	2	2693.600	-32.80	-10	Pass
2695	2750	1	CHP	3	2711.600	-32.92	-13	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

200 of 220

6. Field Strength of Spurious Radiation

Test Band = SA Band41_ TM1

Test Channel = Low

Final Data List

NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3771	43.05	-45.80	29.03	-68.97	-25.00	43.97	Horizontal
2	4548	43.49	-45.69	30.68	-66.78	-25.00	41.78	Horizontal
3	5548.5	42.44	-45.16	32.31	-65.67	-25.00	40.67	Horizontal
4	6939	41.22	-43.89	34.89	-63.04	-25.00	38.04	Horizontal
5	8019.75	40.07	-42.15	37.09	-60.26	-25.00	35.26	Horizontal
6	12067.5	33.48	-37.43	39.12	-60.09	-25.00	35.09	Horizontal

Final Data List

NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4070.25	43.00	-45.84	29.57	-68.53	-25.00	43.53	Vertical
2	5057.25	43.22	-45.49	31.50	-66.02	-25.00	41.02	Vertical
3	5541.75	42.20	-45.17	32.31	-65.92	-25.00	40.92	Vertical
4	6979.5	41.07	-43.66	34.96	-62.89	-25.00	37.89	Vertical
5	8538.75	38.70	-41.51	36.78	-61.29	-25.00	36.29	Vertical
6	11087.25	34.02	-37.95	38.64	-60.55	-25.00	35.55	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 201 of 220

Test Band = SA Band41_ TM1

Test Channel = Mid

Final Data List

NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3965.25	43.26	-46.12	29.34	-68.78	-25.00	43.78	Horizontal
2	5504.25	42.61	-45.23	32.30	-65.58	-25.00	40.58	Horizontal
3	6150.75	42.73	-44.61	32.91	-64.22	-25.00	39.22	Horizontal
4	8007.75	39.91	-42.27	37.10	-60.53	-25.00	35.53	Horizontal
5	9519.75	38.08	-40.12	37.54	-59.76	-25.00	34.76	Horizontal
6	11983.5	33.59	-37.54	39.09	-60.12	-25.00	35.12	Horizontal

Final Data List

NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3821.25	43.39	-46.00	29.11	-68.75	-25.00	43.75	Vertical
2	5473.5	42.15	-45.26	32.25	-66.11	-25.00	41.11	Vertical
3	6294	42.18	-44.55	33.40	-64.23	-25.00	39.23	Vertical
4	7977.75	40.75	-42.45	37.07	-59.90	-25.00	34.90	Vertical
5	10110	36.27	-39.16	38.51	-59.64	-25.00	34.64	Vertical
6	11978.25	33.81	-37.51	39.09	-59.88	-25.00	34.88	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 202 of 220

Test Band = SA Band41_ TM1

Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4264.5	42.64	-45.62	30.03	-68.21	-25.00	43.21	Horizontal
2	5207.25	42.83	-45.27	31.77	-65.92	-25.00	40.92	Horizontal
3	6152.25	42.69	-44.61	32.92	-64.26	-25.00	39.26	Horizontal
4	7415.25	40.90	-43.37	36.16	-61.57	-25.00	36.57	Horizontal
5	8074.5	38.91	-41.61	37.06	-60.91	-25.00	35.91	Horizontal
6	10650.75	35.24	-38.17	38.57	-59.63	-25.00	34.63	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4164	43.14	-45.77	29.79	-68.09	-25.00	43.09	Vertical
2	5357.25	42.89	-45.21	32.04	-65.54	-25.00	40.54	Vertical
3	6655.5	40.85	-44.05	34.38	-64.08	-25.00	39.08	Vertical
4	7867.5	40.82	-42.65	36.91	-60.18	-25.00	35.18	Vertical
5	10710.75	34.42	-37.96	38.57	-60.23	-25.00	35.23	Vertical
6	12747	32.80	-36.75	39.32	-59.89	-25.00	34.89	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 203 of 220

Test Band = NSA 4A-N41A_ TM1

Test Channel = Low

Final Data List

NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4008.75	42.88	-46.02	29.42	-68.97	-25.00	43.97	Horizontal
2	5597.25	42.78	-45.07	32.32	-65.24	-25.00	40.24	Horizontal
3	6982.5	41.70	-43.65	34.97	-62.24	-25.00	37.24	Horizontal
4	7860.75	40.44	-42.62	36.91	-60.53	-25.00	35.53	Horizontal
5	9573	37.67	-39.82	37.65	-59.77	-25.00	34.77	Horizontal
6	12084.75	33.53	-37.38	39.13	-59.99	-25.00	34.99	Horizontal

Final Data List

NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3824.25	42.88	-46.01	29.12	-69.27	-25.00	44.27	Vertical
2	5228.25	42.50	-45.23	31.81	-66.18	-25.00	41.18	Vertical
3	5540.25	42.41	-45.17	32.31	-65.71	-25.00	40.71	Vertical
4	7420.5	40.60	-43.35	36.18	-61.84	-25.00	36.84	Vertical
5	9526.5	38.01	-40.08	37.55	-59.78	-25.00	34.78	Vertical
6	13374.75	32.78	-36.45	39.92	-59.01	-25.00	34.01	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 204 of 220

Test Band = NSA 4A-N41A_ TM1

Test Channel = Mid

Final Data List

NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3972	42.92	-46.11	29.36	-69.09	-25.00	44.09	Horizontal
2	5376.75	42.65	-45.25	32.08	-65.78	-25.00	40.78	Horizontal
3	6153	42.44	-44.61	32.92	-64.51	-25.00	39.51	Horizontal
4	7980	40.25	-42.44	37.07	-60.38	-25.00	35.38	Horizontal
5	9558	37.75	-39.91	37.62	-59.80	-25.00	34.80	Horizontal
6	13452	33.07	-36.68	40.03	-58.84	-25.00	33.84	Horizontal

Final Data List

NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3933	43.64	-46.20	29.29	-68.53	-25.00	43.53	Vertical
2	5429.25	42.39	-45.28	32.17	-65.98	-25.00	40.98	Vertical
3	6824.25	41.23	-44.15	34.68	-63.50	-25.00	38.50	Vertical
4	8016.75	39.90	-42.18	37.09	-60.45	-25.00	35.45	Vertical
5	9576	37.78	-39.80	37.65	-59.63	-25.00	34.63	Vertical
6	11859.75	33.45	-37.04	39.03	-59.82	-25.00	34.82	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 205 of 220

Test Band = NSA 4A-N41A_ TM1

Test Channel = High

Final Data List

NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3771.75	42.95	-45.80	29.03	-69.08	-25.00	44.08	Horizontal
2	5575.5	42.58	-45.11	32.32	-65.48	-25.00	40.48	Horizontal
3	6838.5	42.04	-44.14	34.71	-62.65	-25.00	37.65	Horizontal
4	8040.75	40.15	-41.95	37.08	-59.98	-25.00	34.98	Horizontal
5	10092	35.80	-39.13	38.51	-60.08	-25.00	35.08	Horizontal
6	13424.25	33.25	-36.48	39.99	-58.50	-25.00	33.50	Horizontal

Final Data List

NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4527	42.89	-45.70	30.64	-67.43	-25.00	42.43	Vertical
2	6053.25	42.08	-44.63	32.58	-65.23	-25.00	40.23	Vertical
3	6948	41.04	-43.84	34.91	-63.15	-25.00	38.15	Vertical
4	8070.75	38.69	-41.65	37.06	-61.16	-25.00	36.16	Vertical
5	10269.75	35.40	-39.21	38.53	-60.55	-25.00	35.55	Vertical
6	13590	33.33	-36.17	40.23	-57.88	-25.00	32.88	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

206 of 220

Test Band = NSA 2A_N41A_TM1

Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3774.5	42.59	-45.81	28.87	-69.61	-25.00	44.61	Horizontal
2	4701	41.94	-45.60	30.74	-68.18	-25.00	43.18	Horizontal
3	5679	41.60	-44.90	32.64	-65.92	-25.00	40.92	Horizontal
4	6680.5	41.06	-43.92	34.62	-63.49	-25.00	38.49	Horizontal
5	9177	36.56	-40.27	36.64	-62.34	-25.00	37.34	Horizontal
6	11244.5	32.37	-37.40	38.72	-61.57	-25.00	36.57	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3965	43.24	-46.12	29.07	-69.08	-25.00	44.08	Vertical
2	4928.5	42.47	-45.56	31.24	-67.11	-25.00	42.11	Vertical
3	5762	41.55	-44.79	32.65	-65.85	-25.00	40.85	Vertical
4	6563	41.70	-44.45	34.41	-63.59	-25.00	38.59	Vertical
5	7886.5	39.21	-42.75	36.75	-62.05	-25.00	37.05	Vertical
6	10062.5	33.87	-39.17	38.23	-62.32	-25.00	37.32	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 207 of 220

Test Band = NSA 2A_N41A_ TM1

Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4275	42.42	-45.60	29.76	-68.68	-25.00	43.68	Horizontal
2	5097.5	41.59	-45.38	31.63	-67.41	-25.00	42.41	Horizontal
3	6491.5	40.86	-44.59	34.27	-64.72	-25.00	39.72	Horizontal
4	7518	39.66	-43.10	36.61	-62.10	-25.00	37.10	Horizontal
5	9460	35.96	-40.07	37.17	-62.20	-25.00	37.20	Horizontal
6	10253.5	33.75	-39.28	38.33	-62.46	-25.00	37.46	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4901	42.76	-45.53	31.18	-66.85	-25.00	41.85	Vertical
2	6050	41.99	-44.64	32.86	-65.05	-25.00	40.05	Vertical
3	7781.5	39.28	-42.46	36.71	-61.73	-25.00	36.73	Vertical
4	8929.5	37.73	-41.17	36.34	-62.36	-25.00	37.36	Vertical
5	12725.5	29.65	-36.72	39.02	-63.31	-25.00	38.31	Vertical
6	12798.5	29.74	-36.83	39.04	-63.31	-25.00	38.31	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 208 of 220

Test Band = NSA 2A_N41A_ TM1

Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4556.5	42.27	-45.69	30.42	-68.25	-25.00	43.25	Horizontal
2	5884.5	41.96	-44.94	32.68	-65.56	-25.00	40.56	Horizontal
3	6755.5	40.73	-44.01	34.76	-63.78	-25.00	38.78	Horizontal
4	8390	38.47	-41.51	36.61	-61.69	-25.00	36.69	Horizontal
5	9613	35.40	-39.64	37.46	-62.04	-25.00	37.04	Horizontal
6	13366	29.44	-36.50	39.76	-62.57	-25.00	37.57	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4459	43.23	-45.76	30.20	-67.58	-25.00	42.58	Vertical
2	5803	41.26	-44.76	32.66	-66.10	-25.00	41.10	Vertical
3	6954	41.04	-43.80	35.12	-62.91	-25.00	37.91	Vertical
4	7855.5	39.10	-42.59	36.74	-62.01	-25.00	37.01	Vertical
5	9998	34.41	-39.24	38.20	-61.90	-25.00	36.90	Vertical
6	11271	31.54	-37.41	38.73	-62.40	-25.00	37.40	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 209 of 220

Test Band = NSA 4A_N41A_ TM1

Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4262.5	42.64	-45.63	29.73	-68.52	-25.00	43.52	Horizontal
2	6019.5	41.61	-44.76	32.76	-65.64	-25.00	40.64	Horizontal
3	7482	39.90	-43.19	36.55	-62.00	-25.00	37.00	Horizontal
4	9320	36.38	-40.14	36.91	-62.11	-25.00	37.11	Horizontal
5	10708	32.11	-37.94	38.55	-62.53	-25.00	37.53	Horizontal
6	12918.5	29.99	-37.15	39.08	-63.35	-25.00	38.35	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4352	42.43	-45.69	29.94	-68.57	-25.00	43.57	Vertical
2	5277.5	41.86	-45.13	32.07	-66.47	-25.00	41.47	Vertical
3	6941	40.03	-43.87	35.09	-64.01	-25.00	39.01	Vertical
4	8388.5	38.41	-41.51	36.61	-61.76	-25.00	36.76	Vertical
5	11442.5	30.91	-37.34	38.74	-62.95	-25.00	37.95	Vertical
6	12713.5	29.61	-36.70	39.01	-63.34	-25.00	38.34	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 210 of 220

Test Band = NSA 4A_N41A_ TM1
Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3503.5	43.19	-46.26	28.60	-69.72	-25.00	44.72	Horizontal
2	5279.5	42.10	-45.13	32.07	-66.22	-25.00	41.22	Horizontal
3	6348	40.77	-44.48	33.81	-65.15	-25.00	40.15	Horizontal
4	7424	39.96	-43.35	36.39	-62.26	-25.00	37.26	Horizontal
5	10348	33.25	-39.05	38.37	-62.69	-25.00	37.69	Horizontal
6	11498	30.76	-37.31	38.75	-63.06	-25.00	38.06	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4077	42.51	-45.82	29.28	-69.29	-25.00	44.29	Vertical
2	5434	41.92	-45.28	32.44	-66.18	-25.00	41.18	Vertical
3	7150.5	40.34	-43.81	35.62	-63.11	-25.00	38.11	Vertical
4	9059.5	36.82	-40.61	36.41	-62.64	-25.00	37.64	Vertical
5	11216	32.13	-37.39	38.72	-61.80	-25.00	36.80	Vertical
6	12221	30.41	-37.47	38.87	-63.46	-25.00	38.46	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 211 of 220

Test Band = NSA 4A_N41A_ TM1

Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4008.5	42.94	-46.02	29.12	-69.22	-25.00	44.22	Horizontal
2	5458	42.08	-45.27	32.50	-65.95	-25.00	40.95	Horizontal
3	6979	40.38	-43.67	35.16	-63.38	-25.00	38.38	Horizontal
4	8033.5	38.72	-42.02	36.78	-61.78	-25.00	36.78	Horizontal
5	10701.5	32.09	-37.89	38.55	-62.51	-25.00	37.51	Horizontal
6	12790.5	29.71	-36.82	39.04	-63.33	-25.00	38.33	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3761.5	42.90	-45.76	28.86	-69.26	-25.00	44.26	Vertical
2	6082	41.17	-44.52	32.96	-65.65	-25.00	40.65	Vertical
3	7157.5	40.80	-43.76	35.64	-62.57	-25.00	37.57	Vertical
4	9330.5	35.99	-40.10	36.93	-62.44	-25.00	37.44	Vertical
5	12252.5	30.31	-37.45	38.88	-63.52	-25.00	38.52	Vertical
6	13756	29.99	-36.29	40.46	-61.10	-25.00	36.10	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 212 of 220

Test Band = NSA 5A_N41A_ TM1
Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3843.5	43.40	-46.08	28.94	-68.99	-25.00	43.99	Horizontal
2	5216.5	41.34	-45.25	31.92	-67.25	-25.00	42.25	Horizontal
3	6481.5	41.36	-44.57	34.24	-64.23	-25.00	39.23	Horizontal
4	7645	40.19	-43.02	36.66	-61.43	-25.00	36.43	Horizontal
5	9090	36.72	-40.42	36.47	-62.48	-25.00	37.48	Horizontal
6	11164	33.02	-37.60	38.72	-61.12	-25.00	36.12	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3729	43.08	-45.62	28.83	-68.97	-25.00	43.97	Vertical
2	4783.5	42.12	-45.55	30.92	-67.77	-25.00	42.77	Vertical
3	5569.5	41.91	-45.12	32.61	-65.86	-25.00	40.86	Vertical
4	7396	39.85	-43.42	36.31	-62.52	-25.00	37.52	Vertical
5	8868	38.13	-41.24	36.37	-62.01	-25.00	37.01	Vertical
6	11592.5	30.41	-36.93	38.76	-63.02	-25.00	38.02	Vertical