



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 88 of 223

3. Peak-Average Ratio

3.1 B5_1.4MHz

3.1.1 Test Result

Band: 5 / Bandwidth: 1.4MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	824.7	6	0	5.42	<=13	Pass
	836.5	6	0	5.33	<=13	Pass
	848.3	6	0	5.33	<=13	Pass
16QAM	824.7	6	0	6.18	<=13	Pass
	836.5	6	0	6.18	<=13	Pass
	848.3	6	0	6.19	<=13	Pass
64QAM	824.7	6	0	6.79	<=13	Pass
	836.5	6	0	6.44	<=13	Pass
	848.3	6	0	6.43	<=13	Pass




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 89 of 223

3.1.2 Test Graph






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 90 of 223


Band5 1.4MHz QPSK MCH 836.5MHz RB 6 0 NTNV





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


SUWI-TRF-RF A001





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


SUWI-TRF-RF A001





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


SUWI-TRF-RF A001





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001


Band5 1.4MHz 64QAM LCH 824.7MHz RB 6 0 NTNV





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


SUWI-TRF-RF A001





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 98 of 223

3.2 B5_3MHz

3.2.1 Test Result

Band: 5 / Bandwidth: 3MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	825.5	15	0	5.30	<=13	Pass
	836.5	15	0	5.25	<=13	Pass
	847.5	15	0	5.22	<=13	Pass
16QAM	825.5	15	0	6.13	<=13	Pass
	836.5	15	0	6.10	<=13	Pass
	847.5	15	0	5.97	<=13	Pass
64QAM	825.5	15	0	6.76	<=13	Pass
	836.5	15	0	6.64	<=13	Pass
	847.5	15	0	6.67	<=13	Pass




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 99 of 223

3.2.2 Test Graph






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Band5 3MHz QPSK MCH 836.5MHz RB 15 0 NTNV






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 101 of 223






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001


Page: 102 of 223





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


SUWI-TRF-RF A001





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 105 of 223






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001


Page: 106 of 223





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 108 of 223

3.3 B5_5MHz

3.3.1 Test Result

Band: 5 / Bandwidth: 5MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	826.5	25	0	5.37	<=13	Pass
	836.5	25	0	5.32	<=13	Pass
	846.5	25	0	5.24	<=13	Pass
16QAM	826.5	25	0	6.11	<=13	Pass
	836.5	25	0	6.09	<=13	Pass
	846.5	25	0	5.99	<=13	Pass
64QAM	826.5	25	0	6.65	<=13	Pass
	836.5	25	0	6.62	<=13	Pass
	846.5	25	0	6.54	<=13	Pass




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 109 of 223

3.3.2 Test Graph






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 110 of 223






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Band5 5MHz QPSK HCH 846.5MHz RB 25 0 NTN






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001


Page: 112 of 223





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 114 of 223






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 115 of 223






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 116 of 223






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 117 of 223





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 118 of 223

3.4 B5_10MHz

3.4.1 Test Result

Band: 5 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	829	50	0	5.27	<=13	Pass
	836.5	50	0	5.27	<=13	Pass
	844	50	0	5.14	<=13	Pass
16QAM	829	50	0	6.06	<=13	Pass
	836.5	50	0	6.04	<=13	Pass
	844	50	0	5.96	<=13	Pass
64QAM	829	50	0	6.62	<=13	Pass
	836.5	50	0	6.63	<=13	Pass
	844	50	0	6.61	<=13	Pass




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 119 of 223

3.4.2 Test Graph






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Band5 10MHz QPSK MCH 836.5MHz RB 50 0 NTNV






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Band5 10MHz QPSK HCH 844MHz RB 50 0 NTNV






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001


Band5 10MHz 16QAM LCH 829MHz RB 50 0 NTN





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


SUWI-TRF-RF A001





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Band5 10MHz 64QAM LCH 829MHz RB 50 0 NTNV






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 126 of 223


Band5 10MHz 64QAM MCH 836.5MHz RB 50 0 NTNV





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

128 of 223

4. Spurious Emission & Band Edges

4.1 B5_1.4MHz

4.1.1 Test Result

Band: 5 / Bandwidth: 1.4MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	824.7	1	0	Refer To Test Graph	Pass
		6	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
	848.3	1	0	Refer To Test Graph	Pass
			5	Refer To Test Graph	Pass
		6	0	Refer To Test Graph	Pass
16QAM	824.7	1	0	Refer To Test Graph	Pass
		6	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
	848.3	1	0	Refer To Test Graph	Pass
			5	Refer To Test Graph	Pass
		6	0	Refer To Test Graph	Pass
64QAM	824.7	1	0	Refer To Test Graph	Pass
		6	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
	848.3	1	0	Refer To Test Graph	Pass
			5	Refer To Test Graph	Pass
		6	0	Refer To Test Graph	Pass




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 129 of 223

4.1.2 Test Graph






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 130 of 223






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 131 of 223

Band5 1.4MHz QPSK LCH 824.7MHz RB 6 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
822.5	823	0.1	CHP	1	822.782	-37.03	-13	Pass
823	824	0.013	/	2	824.000	-38.63	-13	Pass
824	825.5	0.013	/	/	/	/	/	/



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


SUWI-TRF-RF A001





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 134 of 223

Band5 1.4MHz QPSK HCH 848.3MHz RB 1 5 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
847.5	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.010	-41.10	-13	Pass
850	850.5	0.1	CHP	2	850.340	-49.70	-13	Pass




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 135 of 223

Band5 1.4MHz QPSK HCH 848.3MHz RB 6 0 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
847.5	849	0.013	/	/	/	/	/	/
849	850	0.013	/	1	849.006	-40.38	-13	Pass
850	850.5	0.1	CHP	2	850.038	-39.43	-13	Pass




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 136 of 223

Band5 1.4MHz 16QAM LCH 824.7MHz RB 1 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
822.5	823	0.1	CHP	1	822.551	-50.57	-13	Pass
823	824	0.003	/	2	823.997	-40.77	-13	Pass
824	825.5	0.003	/	/	/	/	/	/



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 138 of 223

Band5 1.4MHz 16QAM LCH 824.7MHz RB 6 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
822.5	823	0.1	CHP	1	822.770	-37.40	-13	Pass
823	824	0.013	/	2	823.832	-37.38	-13	Pass
824	825.5	0.013	/	/	/	/	/	/



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


SUWI-TRF-RF A001





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 141 of 223

Band5 1.4MHz 16QAM HCH 848.3MHz RB 1 5 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
847.5	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.005	-42.08	-13	Pass
850	850.5	0.1	CHP	2	850.008	-50.24	-13	Pass




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 142 of 223

Band5 1.4MHz 16QAM HCH 848.3MHz RB 6 0 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
847.5	849	0.013	/	/	/	/	/	/
849	850	0.013	/	1	849.096	-40.58	-13	Pass
850	850.5	0.1	CHP	2	850.002	-38.99	-13	Pass




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 143 of 223

Band5 1.4MHz 64QAM LCH 824.7MHz RB 1 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
822.5	823	0.1	CHP	1	822.551	-50.92	-13	Pass
823	824	0.003	/	2	823.997	-41.64	-13	Pass
824	825.5	0.003	/	/	/	/	/	/



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 144 of 223






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 145 of 223

Band5 1.4MHz 64QAM LCH 824.7MHz RB 6 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
822.5	823	0.1	CHP	1	822.923	-38.05	-13	Pass
823	824	0.013	/	2	823.922	-37.43	-13	Pass
824	825.5	0.013	/	/	/	/	/	/



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


SUWI-TRF-RF A001





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 148 of 223

Band5 1.4MHz 64QAM HCH 848.3MHz RB 1 5 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
847.5	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.008	-40.52	-13	Pass
850	850.5	0.1	CHP	2	850.023	-50.89	-13	Pass




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 149 of 223

Band5 1.4MHz 64QAM HCH 848.3MHz RB 6 0 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
847.5	849	0.013	/	/	/	/	/	/
849	850	0.013	/	1	849.018	-40.20	-13	Pass
850	850.5	0.1	CHP	2	850.074	-38.71	-13	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 150 of 223

4.2 B5_3MHz

4.2.1 Test Result

Band: 5 / Bandwidth: 3MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	825.5	1	0	Refer To Test Graph	Pass
		15	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
	847.5	1	0	Refer To Test Graph	Pass
			14	Refer To Test Graph	Pass
16QAM	825.5	1	0	Refer To Test Graph	Pass
		15	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
	847.5	1	0	Refer To Test Graph	Pass
			14	Refer To Test Graph	Pass
64QAM	825.5	1	0	Refer To Test Graph	Pass
		15	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
	847.5	1	0	Refer To Test Graph	Pass
			14	Refer To Test Graph	Pass
		15	0	Refer To Test Graph	Pass




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 151 of 223


4.2.2 Test Graph





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Band5 3MHz QPSK LCH 825.5MHz RB 15 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.944	-34.61	-13	Pass
823	824	0.033	/	2	824.000	-24.75	-13	Pass
824	827	0.033	/	/	/	/	/	/



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


SUWI-TRF-RF A001





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Band5 3MHz QPSK HCH 847.5MHz RB 1 14 NTN






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 157 of 223

Band5 3MHz QPSK HCH 847.5MHz RB 15 0 NTNv



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.033	/	/	/	/	/	/
849	850	0.033	/	1	849.006	-25.79	-13	Pass
850	852	0.1	CHP	2	850.056	-38.78	-13	Pass




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 158 of 223

Band5 3MHz 16QAM LCH 825.5MHz RB 1 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.948	-34.18	-13	Pass
823	824	0.003	/	2	823.997	-26.97	-13	Pass
824	827	0.003	/	/	/	/	/	/



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 160 of 223

Band5 3MHz 16QAM LCH 825.5MHz RB 15 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.716	-34.32	-13	Pass
823	824	0.033	/	2	824.000	-23.46	-13	Pass
824	827	0.033	/	/	/	/	/	/



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


SUWI-TRF-RF A001





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 163 of 223

Band5 3MHz 16QAM HCH 847.5MHz RB 1 14 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.000	-27.54	-13	Pass
850	852	0.1	CHP	2	850.000	-34.89	-13	Pass




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 164 of 223

Band5 3MHz 16QAM HCH 847.5MHz RB 15 0 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.033	/	/	/	/	/	/
849	850	0.033	/	1	849.000	-27.01	-13	Pass
850	852	0.1	CHP	2	850.086	-37.66	-13	Pass




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 165 of 223

Band5 3MHz 64QAM LCH 825.5MHz RB 1 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.948	-35.22	-13	Pass
823	824	0.003	/	2	823.997	-27.58	-13	Pass
824	827	0.003	/	/	/	/	/	/



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 167 of 223

Band5 3MHz 64QAM LCH 825.5MHz RB 15 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.764	-34.20	-13	Pass
823	824	0.033	/	2	824.000	-24.67	-13	Pass
824	827	0.033	/	/	/	/	/	/



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


SUWI-TRF-RF A001





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 170 of 223

Band5 3MHz 64QAM HCH 847.5MHz RB 1 14 NTNV






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 171 of 223

Band5 3MHz 64QAM HCH 847.5MHz RB 15 0 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.033	/	/	/	/	/	/
849	850	0.033	/	1	849.018	-28.35	-13	Pass
850	852	0.1	CHP	2	850.002	-38.02	-13	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 172 of 223

4.3 B5_5MHz

4.3.1 Test Result

Band: 5 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	826.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	846.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
16QAM	826.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	846.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
64QAM	826.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	846.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 173 of 223


4.3.2 Test Graph





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 175 of 223

Band5 5MHz QPSK LCH 826.5MHz RB 25 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.520	-37.08	-13	Pass
823	824	0.051	/	2	824.000	-26.92	-13	Pass
824	829	0.051	/	/	/	/	/	/



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001


Page: 176 of 223





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 178 of 223

Band5 5MHz QPSK HCH 846.5MHz RB 1 24 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.000	-32.68	-13	Pass
850	854	0.1	CHP	2	850.803	-32.79	-13	Pass




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 179 of 223

Band5 5MHz QPSK HCH 846.5MHz RB 25 0 NTN



Frequency (MHz)								
Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.051	/	/	/	/	/	/
849	850	0.051	/	1	849.000	-28.09	-13	Pass
850	854	0.1	CHP	2	850.190	-35.04	-13	Pass




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 180 of 223

Band5 5MHz 16QAM LCH 826.5MHz RB 1 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.182	-33.90	-13	Pass
823	824	0.003	/	2	824.000	-32.82	-13	Pass
824	829	0.003	/	/	/	/	/	/



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 182 of 223

Band5 5MHz 16QAM LCH 826.5MHz RB 25 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.940	-36.65	-13	Pass
823	824	0.051	/	2	823.980	-27.88	-13	Pass
824	829	0.051	/	/	/	/	/	/



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


SUWI-TRF-RF A001





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 185 of 223

Band5 5MHz 16QAM HCH 846.5MHz RB 1 24 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.003	/	1	849.001	-34.20	-13	Pass
849	850	0.003	/	2	850.805	-33.70	-13	Pass
850	854	0.1	CHP					




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 186 of 223

Band5 5MHz 16QAM HCH 846.5MHz RB 25 0 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.051	/	/	/	/	/	/
849	850	0.051	/	1	849.000	-26.90	-13	Pass
850	854	0.1	CHP	2	850.440	-35.16	-13	Pass




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 187 of 223


Band5 5MHz 64QAM LCH 826.5MHz RB 1 0 NTN





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 189 of 223

Band5 5MHz 64QAM LCH 826.5MHz RB 25 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.940	-36.61	-13	Pass
823	824	0.051	/	2	823.940	-32.85	-13	Pass
824	829	0.051	/	/	/	/	/	/



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 191 of 223






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 192 of 223

Band5 5MHz 64QAM HCH 846.5MHz RB 1 24 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.000	-33.94	-13	Pass
850	854	0.1	CHP	2	850.802	-35.04	-13	Pass




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 193 of 223

Band5 5MHz 64QAM HCH 846.5MHz RB 25 0 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.051	/	/	/	/	/	/
849	850	0.051	/	1	849.000	-28.26	-13	Pass
850	854	0.1	CHP	2	850.210	-35.34	-13	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

194 of 223

4.4 B5_10MHz

4.4.1 Test Result

Band: 5 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	829	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	844	1	0	Refer To Test Graph		Pass
		1	49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
16QAM	829	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	844	1	0	Refer To Test Graph		Pass
		1	49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
64QAM	829	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	844	1	0	Refer To Test Graph		Pass
		1	49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 195 of 223


4.4.2 Test Graph





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 197 of 223

Band5 10MHz QPSK LCH 829MHz RB 50 0 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
814	824	0.1	/	1	823.940	-31.06	-13	Pass
824	834	0.1	/	/	/	/	/	/