



Report No.: SUCR260600057602

Page: 1 of 3

Appendix B.1

1.1. Test Band = SA Band77(3700-3980)_ TM1

1.1.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1197.0833	35.65	-24.78	24.80	-59.59	-13.00	46.59	Horizontal
2	1869.4583	34.46	-23.66	25.97	-58.48	-13.00	45.48	Horizontal
3	2710.5	34.49	-22.99	27.58	-56.18	-13.00	43.18	Horizontal
4	7208.6875	44.93	-45.50	35.88	-59.95	-13.00	46.95	Horizontal
5	9865.1875	41.60	-41.89	38.61	-56.94	-13.00	43.94	Horizontal
6	14948.1875	37.93	-38.15	40.21	-55.28	-13.00	42.28	Horizontal

1.2. Test Band = SA Band77(3700-3980)_ TM1

1.2.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1265.375	35.48	-25.07	24.57	-60.28	-13.00	47.28	Vertical
2	1994.125	34.50	-23.18	26.29	-57.66	-13.00	44.66	Vertical
3	2693.5417	34.59	-23.01	27.55	-56.13	-13.00	43.13	Vertical
4	8029.9792	43.27	-44.32	36.33	-59.97	-13.00	46.97	Vertical
5	11262.4375	39.45	-40.26	39.47	-56.60	-13.00	43.60	Vertical
6	15076.125	35.99	-38.19	40.06	-57.39	-13.00	44.39	Vertical



Report No.: SUCR260600057602

Page: 2 of 3

1.3. Test Band = SA Band77(3700-3980)_ TM1

1.3.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1263.5417	35.43	-25.06	24.58	-60.31	-13.00	47.31	Horizontal
2	1962.0417	34.52	-23.41	26.21	-57.95	-13.00	44.95	Horizontal
3	2761.8333	34.21	-23.16	27.67	-56.54	-13.00	43.54	Horizontal
4	7167.4792	45.53	-45.66	35.80	-59.59	-13.00	46.59	Horizontal
5	10040.5625	41.66	-41.70	38.83	-56.47	-13.00	43.47	Horizontal
6	13710.5	37.68	-38.01	39.87	-55.72	-13.00	42.72	Horizontal

1.4. Test Band = SA Band77(3700-3980)_ TM1

1.4.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1204.875	35.61	-24.78	24.78	-59.65	-13.00	46.65	Vertical
2	1969.8333	34.78	-23.36	26.22	-57.61	-13.00	44.61	Vertical
3	2702.25	34.37	-22.97	27.56	-56.29	-13.00	43.29	Vertical
4	8051.0625	43.53	-44.35	36.36	-59.73	-13.00	46.73	Vertical
5	11387.0208	39.08	-39.81	39.46	-56.52	-13.00	43.52	Vertical
6	14994.6667	37.04	-37.92	40.20	-55.94	-13.00	42.94	Vertical



Report No.: SUCR260600057602

Page: 3 of 3

1.5. Test Band = SA Band77(3700-3980)_ TM1

1.5.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1182.875	35.67	-24.86	24.81	-59.65	-13.00	46.65	Horizontal
2	2050.0417	34.72	-23.08	26.39	-57.23	-13.00	44.23	Horizontal
3	3024.4583	34.27	-22.51	28.12	-55.38	-13.00	42.38	Horizontal
4	7328.9583	45.07	-45.88	36.09	-59.98	-13.00	46.98	Horizontal
5	10445.9375	40.58	-40.94	39.11	-56.51	-13.00	43.51	Horizontal
6	14935.7292	37.58	-38.22	40.21	-55.69	-13.00	42.69	Horizontal

1.6. Test Band = SA Band77(3700-3980)_ TM1

1.6.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1181.0417	35.53	-24.88	24.81	-59.80	-13.00	46.80	Vertical
2	1807.5833	34.35	-23.25	25.82	-58.34	-13.00	45.34	Vertical
3	3153.7083	33.91	-22.38	28.22	-55.51	-13.00	42.51	Vertical
4	7809.0833	44.20	-44.91	36.34	-59.63	-13.00	46.63	Vertical
5	11544.6667	38.77	-39.70	39.45	-56.75	-13.00	43.75	Vertical
6	14809.7083	36.37	-37.62	40.22	-56.29	-13.00	43.29	Vertical

---End of Attachment---