



## SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd

Report No.: SUCR240600020704

Rev.: 01

Page: 1 of 8

# TEST REPORT

**Application No.:** SUCR2406000207MO  
**Applicant:** Continental Automotive Systems, Inc.  
**Address of Applicant:** 21440 West Lake Cook, Deer Park, Illinois 60010, USA  
**Manufacturer:** Continental Automotive Systems, Inc.  
**Address of Manufacturer:** 21440 West Lake Cook, Deer Park, Illinois 60010, USA  
**EUT Description:** FE5RWR131  
**Model No.:** FE5RWR131  
**Trade Mark:** Continental  
**FCC ID:** LHJ-FE5RWR131  
**Standards:** 47 CFR Part 2.1091  
FCC KDB 447498 D01 v06  
**Date of Receipt:** June 19, 2024  
**Date of Issue:** July 22, 2024

|                     |              |
|---------------------|--------------|
| <b>Test Result:</b> | <b>PASS*</b> |
|---------------------|--------------|

\* In the configuration tested, the EUT complied with the standards specified above.

*Nature Shen*

**Prepared by: Nature Shen/ Project Manager**

*Well Wei*

**Approved by : Well Wei/ Wireless Laboratory Manager**

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.  
Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention:** To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.  
Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)

Member of the SGS Group (SGS SA)



# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd

Report No.: SUCR240600020704

Rev.: 01

Page: 2 of 8

## 1 Version

| Revision Record |         |               |          |          |
|-----------------|---------|---------------|----------|----------|
| Version         | Chapter | Date          | Modifier | Remark   |
| 01              |         | July 22, 2024 |          | Original |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.  
Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)

Member of the SGS Group (SGS SA)



# SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd

Report No.: SUCR240600020704

Rev.: 01

Page: 3 of 8

## Contents

|          |                                          |          |
|----------|------------------------------------------|----------|
| <b>1</b> | <b>Version.....</b>                      | <b>2</b> |
| <b>2</b> | <b>General Information .....</b>         | <b>4</b> |
| 2.1      | Client Information.....                  | 4        |
| 2.2      | Test Facility .....                      | 4        |
| 2.3      | General Description of EUT .....         | 5        |
| <b>3</b> | <b>RF Exposure Evaluation .....</b>      | <b>6</b> |
| 3.1      | RF Exposure Compliance Requirement ..... | 6        |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.  
Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)

Member of the SGS Group (SGS SA)



## SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd

Report No.: SUCR240600020704

Rev.: 01

Page: 4 of 8

## 2 General Information

### 2.1 Client Information

|                          |                                                      |
|--------------------------|------------------------------------------------------|
| Applicant:               | Continental Automotive Systems, Inc.                 |
| Address of Applicant:    | 21440 West Lake Cook, Deer Park, Illinois 60010, USA |
| Manufacturer:            | Continental Automotive Systems, Inc.                 |
| Address of Manufacturer: | 21440 West Lake Cook, Deer Park, Illinois 60010, USA |

### 2.2 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

- **A2LA (Certificate No. 6336.01)**

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

- **Innovation, Science and Economic Development Canada**

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

- **FCC –Designation Number: CN1312**

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an accredited testing laboratory.

Designation Number: CN1312.

Test Firm Registration Number: 717327

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.  
Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)

Member of the SGS Group (SGS SA)

## 2.3 General Description of EUT

|                                                                                                                                                                              |                                                                                                      |                 |              |                |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|-----------------|--------------|----------------|
| EUT Description:                                                                                                                                                             | FE5RWR131                                                                                            |                 |              |                |
| Model No.:                                                                                                                                                                   | FE5RWR131                                                                                            |                 |              |                |
| Trade Mark:                                                                                                                                                                  | Continental                                                                                          |                 |              |                |
| Hardware Version:                                                                                                                                                            | P2.0                                                                                                 |                 |              |                |
| Software Version:                                                                                                                                                            | MODEMSA515M_LE2.1_01.18.52.02                                                                        |                 |              |                |
| Power Supply:                                                                                                                                                                | DC 14V                                                                                               |                 |              |                |
| Antenna Type:                                                                                                                                                                | <input checked="" type="checkbox"/> External, <input type="checkbox"/> Integrated                    |                 |              |                |
| HPUE Power Class:                                                                                                                                                            | LTE Band 41; NR Band n77                                                                             |                 |              |                |
| Antenna Gain:                                                                                                                                                                | GSM850:                                                                                              | 2.56dBi (Ant1)  | GSM1900:     | 1.93dBi (Ant1) |
|                                                                                                                                                                              | WCDMA Band V:                                                                                        | 2.56dBi (Ant1)  |              |                |
|                                                                                                                                                                              | LTE Band 2:                                                                                          | 1.93dBi (Ant1)  | LTE Band 4:  | 1.93dBi (Ant1) |
|                                                                                                                                                                              | LTE Band 5:                                                                                          | 2.56dBi (Ant1)  | LTE Band 7:  | 1.24dBi (Ant1) |
|                                                                                                                                                                              | LTE Band 25:                                                                                         | 1.93dBi (Ant1)  | LTE Band 26: | 2.56dBi (Ant1) |
|                                                                                                                                                                              | LTE Band 38:                                                                                         | 1.24dBi (Ant1)  | LTE Band 41: | 1.24dBi (Ant1) |
|                                                                                                                                                                              | NR Band n77:                                                                                         | -0.84dBi (Ant2) |              |                |
|                                                                                                                                                                              | ENDC:<br>DC_2A_n77A; DC_5A_n77A; DC_7A_n77A; DC_41A_n77A                                             |                 |              |                |
|                                                                                                                                                                              | Note:<br>The antenna gain are derived from the gain information report provided by the manufacturer. |                 |              |                |
| Remark:<br>As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information. |                                                                                                      |                 |              |                |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

## 3 RF Exposure Evaluation

### 3.1 RF Exposure Compliance Requirement

#### 3.1.1 Limits

| Frequency range (MHz)                                          | Electric field strength (V/m) | Magnetic field strength (A/m) | Power density (mW/cm <sup>2</sup> ) | Averaging time (minutes) |
|----------------------------------------------------------------|-------------------------------|-------------------------------|-------------------------------------|--------------------------|
| <b>(A) Limits for Occupational/Controlled Exposures</b>        |                               |                               |                                     |                          |
| 0.3-3.0                                                        | 614                           | 1.63                          | *(100)                              | 6                        |
| 3.0-30                                                         | 1842/f                        | 4.89/f                        | *(900/f <sup>2</sup> )              | 6                        |
| 30-300                                                         | 61.4                          | 0.163                         | 1.0                                 | 6                        |
| 300-1500                                                       | /                             | /                             | f/300                               | 6                        |
| 1500-100,000                                                   | /                             | /                             | 5                                   | 6                        |
| <b>(B) Limits for General Population/Uncontrolled Exposure</b> |                               |                               |                                     |                          |
| 0.3-1.34                                                       | 614                           | 1.63                          | *(100)                              | 30                       |
| 1.34-30                                                        | 824/f                         | 2.19/f                        | *(180/f <sup>2</sup> )              | 30                       |
| 30-300                                                         | 27.5                          | 0.073                         | 0.2                                 | 30                       |
| 300-1500                                                       | /                             | /                             | f/1500                              | 30                       |
| 1500-100,000                                                   | /                             | /                             | 1.0                                 | 30                       |

F=frequency in MHz  
 \*=Plane-wave equivalent power density  
 RF exposure compliance will need to be determined with respect to 1.1307(c) and (d) of the FCC rules. The emissions should be within the limits at 300kHz in Table 1 of 1.1310(use the 300kHz limits for 150kHz:614V/m,1.63A/m).

Friis Formula

Friis transmission formula:  $P_d = (P_{out} * G) / (4 * \pi * R^2)$

Where

$P_d$  = power density in mW/cm<sup>2</sup>

$P_{out}$  = output power to antenna in mW

G = gain of antenna in linear scale

$\pi$  = 3.1416

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.  
 Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

R = distance between observation point and center of the radiator in cm

Pd is the limit of MPE, 1 mW/cm<sup>2</sup>. If we know the maximum gain of the antenna and the total power input to the antenna, through the calculation, we will know the distance r where the MPE limit is reached.

## 3.1.2 Test Procedure

Software provided by client enabled the EUT to transmit data at lowest, middle and highest channel individually

## 3.1.3 EUT RF Exposure Evaluation

Output Power Into Antenna & RF Exposure Evaluation Distance:

This confirmed that the device comply with MPE limit.

| Operating Band                | Frequency (MHz) | Antenna Gain (dBi) | Max Conducted Power (dBm) | EIRP(ERP) (dBm) | EIRP(ERP) Limit (dBm) | Power Density at R = 20 cm (mW/cm <sup>2</sup> ) | Limit (mW/cm <sup>2</sup> ) | Gain according to EIRP(ERP) (dBi) | Gain according to Pd (dBi) | Max Gain Allowed (dBi) | conclusion |
|-------------------------------|-----------------|--------------------|---------------------------|-----------------|-----------------------|--------------------------------------------------|-----------------------------|-----------------------------------|----------------------------|------------------------|------------|
| GSM850                        | 824.2           | 2.56               | 33.50                     | 33.91           | 38.45                 | 0.0968                                           | 0.5495                      | 7.10                              | 10.10                      | 7.10                   | Pass       |
| GSM1900                       | 1850.2          | 1.93               | 30.50                     | 32.43           | 33.00                 | 0.0419                                           | 1.0000                      | 2.50                              | 15.70                      | 2.50                   | Pass       |
| WCDMA Band V                  | 826.4           | 2.56               | 24.00                     | 24.41           | 38.45                 | 0.0901                                           | 0.5509                      | 16.60                             | 10.42                      | 10.42                  | Pass       |
| LTE Band 2                    | 1850.7          | 1.93               | 24.00                     | 25.93           | 33.00                 | 0.0779                                           | 1.0000                      | 9.00                              | 13.01                      | 9.00                   | Pass       |
| LTE Band 4                    | 1710.7          | 1.93               | 24.00                     | 25.93           | 30.00                 | 0.0779                                           | 1.0000                      | 6.00                              | 13.01                      | 6.00                   | Pass       |
| LTE Band 5                    | 824.7           | 2.56               | 24.00                     | 24.41           | 38.45                 | 0.0901                                           | 0.5498                      | 16.60                             | 10.41                      | 10.41                  | Pass       |
| LTE Band 7                    | 2502.5          | 1.24               | 24.00                     | 25.24           | 33.00                 | 0.0665                                           | 1.0000                      | 9.00                              | 13.01                      | 9.00                   | Pass       |
| LTE Band 25                   | 1850.7          | 1.93               | 24.00                     | 25.93           | 33.00                 | 0.0779                                           | 1.0000                      | 9.00                              | 13.01                      | 9.00                   | Pass       |
| LTE Band 26 (814-824)         | 814.7           | 2.56               | 24.00                     | 24.41           | NA                    | 0.0901                                           | 0.5431                      | NA                                | 10.36                      | 10.36                  | Pass       |
| LTE Band 26 (824-849)         | 824.7           | 2.56               | 24.00                     | 24.41           | 38.45                 | 0.0901                                           | 0.5498                      | 16.60                             | 10.41                      | 10.41                  | Pass       |
| LTE Band 38                   | 2572.5          | 1.24               | 24.00                     | 25.24           | 33.00                 | 0.0665                                           | 1.0000                      | 9.00                              | 13.01                      | 9.00                   | Pass       |
| LTE Band 41                   | 2498.5          | 1.24               | 24.00                     | 25.24           | 33.00                 | 0.0665                                           | 1.0000                      | 9.00                              | 13.01                      | 9.00                   | Pass       |
| LTE Band 41(HPUE)             | 2498.5          | 1.24               | 27.00                     | 28.24           | 33.00                 | 0.1327                                           | 1.0000                      | 6.00                              | 10.01                      | 6.00                   | Pass       |
| NR Band n77 (3700-3980)       | 3710.0          | -0.84              | 24.00                     | 23.16           | 30.00                 | 0.0412                                           | 1.0000                      | 6.00                              | 13.01                      | 6.00                   | Pass       |
| NR Band n77 (3700-3980)(HPUE) | 3710.0          | -0.84              | 27.00                     | 26.16           | 30.00                 | 0.0822                                           | 1.0000                      | 3.00                              | 10.01                      | 3.00                   | Pass       |

Remark: Frame-average power=Burst power+ Division Factors(-9.19)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)



## SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd

Report No.: SUCR240600020704

Rev.: 01

Page: 8 of 8

Due to the EUT support NR ENDC and CA

$$\sum_{i=1}^n \frac{S_{E_i}(\text{duty factor})}{MPE_{E_i}} < 1$$

Both LTE and NR/LTE band can transmit simultaneously, the formula of the calculated the MPE is:  
NOTE The corresponding MEs must be expressed in terms of power density in the above summation  
Therefore, the worst-case(DC\_5A\_n77A) situation is  $0.164+0.082=0.246$ , which is less than "1",  
this confirmed that the device comply with MPE limit.

---End of Report---

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.  
Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.  
Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)

Member of the SGS Group (SGS SA)