TEST RESULTS (Cont):	

LTE QPSK MODULATION. BW = 5 MHz

Lowest Channel

Spurious frequency (MHz)	Level (dBm)	Measurement uncertainty (dB)
730.94	-24.01	< ± 1.20

Middle Channel

Spurious frequency (MHz)	Level (dBm)	Measurement uncertainty (dB)
737.81	-23.93	< ± 1.20

Highest Channel

Spurious frequency (MHz)	Level (dBm)	Measurement uncertainty (dB)
744.69	-23.8	< ± 1.20

LTE QPSK MODULATION. BW = 10 MHz

Lowest Channel

Spurious frequency (MHz)	Level (dBm)	Measurement uncertainty (dB)
737.19	-26.18	< ± 1.20

Middle Channel

Spurious frequency (MHz)	Level (dBm)	Measurement uncertainty (dB)
737.19	-26.21	< ± 1.20

Highest Channel

Spurious frequency (MHz)	Level (dBm)	Measurement uncertainty (dB)
739.06	-26.4	< ± 1.20

TEST RESULTS (Cont):	

LTE QPSK MODULATION. BW = 1.4MHz

Lowest Channel



Middle Channel



TEST RESULTS (Cont):	

Highest Channel



LTE QPSK MODULATION. BW = 3 MHz

Lowest Channel



TEST RESULTS (Cont):	

Middle Channel



Highest Channel



TEST RESULTS (Cont):	

LTE QPSK MODULATION. BW = 5 MHz

Lowest Channel



Middle Channel



TEST RESULTS (Cont):	

Highest Channel



LTE QPSK MODULATION. BW = 10 MHz

Lowest Channel



TEST RESULTS (Cont):	

Middle Channel



Highest Channel



TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (Band 13)
TEST RESULTS:	PASS

Frequency range 9 kHz – 20 GHz

LTE QPSK MODULATION. BW = 5 MHz

Lowest Channel

Spurious frequency (MHz)	Level (dBm)	Measurement uncertainty (dB)
749.69	-26.19	< ± 1.20

Middle Channel

Spurious frequency (MHz)	Level (dBm)	Measurement uncertainty (dB)
749.69	-26.33	< ± 1.20

Highest Channel

Spurious frequency (MHz)	Level (dBm)	Measurement uncertainty (dB)
752.19	-26.28	< ± 1.20

LTE QPSK MODULATION. BW = 10 MHz

Middle Channel

Spurious frequency (MHz)	Level (dBm)	Measurement uncertainty (dB)
752.19	-26.25	< ± 1.20

TEST RESULTS (Cont):	

LTE QPSK MODULATION. BW = 5 MHz

Lowest Channel



Middle Channel



TEST RESULTS (Cont):	

Highest Channel



LTE QPSK MODULATION. BW = 10 MHz

Middle Channel



TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#05 (Band 66)
TEST RESULTS:	PASS

Frequency range 9 kHz – 26 GHz

LTE QPSK MODULATION. BW = 1.4 MHz

Lowest Channel

Spurious frequency (MHz)	Level (dBm)	Measurement uncertainty (dB)
2110.94	-24.36	< ± 1.20

Middle Channel

Spurious frequency (MHz)	Level (dBm)	Measurement uncertainty (dB)
2154.69	-24.88	< ± 1.20

Highest Channel

Spurious frequency (MHz)	Level (dBm)	Measurement uncertainty (dB)
2179.69	-24.94	< ± 1.20

LTE QPSK MODULATION. BW = 3 MHz

Lowest Channel

Spurious frequency (MHz)	Level (dBm)	Measurement uncertainty (dB)
2112.19	-23.22	< ± 1.20

Middle Channel

Spurious frequency (MHz)	Level (dBm)	Measurement uncertainty (dB)
2154.69	-22.81	< ± 1.20

Highest Channel

Spurious frequency (MHz)	Level (dBm)	Measurement uncertainty (dB)
2178.44	-22.83	< ± 1.20

LTE QPSK MODULATION. BW = 5 MHz

Lowest Channel

Spurious frequency (MHz)	Level (dBm)	Measurement uncertainty (dB)
2111.56	-22.91	< ± 1.20

Middle Channel

Spurious frequency (MHz)	Level (dBm)	Measurement uncertainty (dB)
2155.31	-22.92	< ± 1.20

Highest Channel

Spurious frequency (MHz)	Level (dBm)	Measurement uncertainty (dB)
2177.19	-22.7	< ± 1.20

TEST RESULTS (Cont):	

LTE QPSK MODULATION. BW = 10 MHz

Lowest Channel

Spurious frequency (MHz)	Level (dBm)	Measurement uncertainty (dB)
2117.19	-22.96	< ± 1.20

Middle Channel

Spurious frequency (MHz)	Level (dBm)	Measurement uncertainty (dB)
2156.56	-22.95	< ± 1.20

Highest Channel

Spurious frequency (MHz)	Level (dBm)	Measurement uncertainty (dB)
2175.94	-22.42	< ± 1.20

LTE QPSK MODULATION. BW = 15 MHz

Lowest Channel

Spurious frequency (MHz)	Level (dBm)	Measurement uncertainty (dB)
2117.81	-24.47	< ± 1.20

Middle Channel

Spurious frequency (MHz)	Level (dBm)	Measurement uncertainty (dB)
2150.31	-24.31	< ± 1.20

Highest Channel

Spurious frequency (MHz)	Level (dBm)	Measurement uncertainty (dB)
2173.44	-24.39	< ± 1.20

LTE QPSK MODULATION. BW = 20 MHz

Lowest Channel

Spurious frequency (MHz)	Level (dBm)	Measurement uncertainty (dB)
2117.81	-25.49	< ± 1.20

Middle Channel

Spurious frequency (MHz)	Level (dBm)	Measurement uncertainty (dB)
2157.81	-25.45	< ± 1.20

Highest Channel

Spurious frequency (MHz)	Level (dBm)	Measurement uncertainty (dB)
2172.81	-25.36	< ± 1.20

TEST RESULTS (Cont):	

LTE QPSK MODULATION. BW = 1.4MHz

Lowest Channel



Middle Channel



TEST RESULTS (Cont):	

Highest Channel



LTE QPSK MODULATION. BW = 3 MHz

Lowest Channel



TEST RESULTS (Cont):	

Middle Channel



Highest Channel



TEST RESULTS (Cont):	

LTE QPSK MODULATION. BW = 5 MHz

Lowest Channel



Middle Channel



TEST RESULTS (Cont):	

Highest Channel



LTE QPSK MODULATION. BW = 10 MHz

Lowest Channel



TEST RESULTS (Cont):	

Middle Channel



Highest Channel



TEST RESULTS (Cont):	

LTE QPSK MODULATION. BW = 15 MHz

Lowest Channel



Middle Channel



TEST RESULTS (Cont):	

Highest Channel



LTE QPSK MODULATION. BW = 20 MHz

Lowest Channel



TEST RESULTS (Cont):	

Middle Channel



Highest Channel



TEST A.6: SPURIOUS EMISSIONS AT ANTENNA TERMINALS AT BLOCK EDGES

LIMITS:	Product standard:	FCC Part 27 / IC RSS-199
	Test standard:	FCC § 27.53 / RSS- Clause 4.5

LIMITS

According to specification, the power of emissions shall be attenuated below the transmitter power (P) by a factor of at least 43 + 10 log (P) dB. P in watts.

At Po transmitting power of 2 watts (33 dBm), the specified minimum attenuation becomes 43+10log (Po). and the level in dBm relative to Po becomes:

Po (dBm) – [43 + 10 log (Po in watts)] = -13 dBm

TEST SETUP

The EUT RF output connector was connected to a spectrum analyzer and to the Universal Radio Communication Tester R&S CMW500 (selecting maximum transmission power of the EUT and different modes of modulation) using a 50-ohm attenuator and a power splitter.

The reading of the spectrum analyzer is corrected with the attenuation loss of connection between output terminal of EUT and input of the spectrum analyzer.

For LTE mode the configuration of modulation which is the worst case for conducted power was used.

As indicated in FCC part 27.53 (h) (3), in the 1 MHz bands immediately outside and adjacent to the licensee's frequency block or band, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed.



TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#01 (Band 4)
TEST RESULTS:	PASS

LTE QPSK MODULATION	RB=1. Offset=0. BW=1.4 MHz	RB=1. Offset =0. BW = 3 MHz	RB=1. Offset =0. BW = 5 MHz	RB=1. Offset =0. BW = 10 MHz	RB=1. Offset =0. BW = 15 MHz	RB=1. Offset =0. BW = 20 MHz
Maximum measured level at lowest Block Edge at antenna port (dBm)	-18.46	-20.43	-19.87	-20.67	-20.85	-18.62

LTE QPSK MODULATION:	RB= All. Offset=0. BW=1.4 MHz	RB= All. Offset =0. BW = 3 MHz	RB= All. Offset =0. BW = 5 MHz	RB= All. Offset =0. BW = 10 MHz	RB= All. Offset =0. BW = 15 MHz	RB= All. Offset =0. BW = 20 MHz
Maximum measured level at lowest Block Edge at antenna port (dBm)	-16.78	-17.56	-17.7	-19.09	-18.25	-20.38

LTE QPSK MODULATION:	RB= 1. Offset=Max. BW=1.4 MHz	RB= 1. Offset=Max. BW = 3 MHz	RB= 1. Offset=Max. BW = 5 MHz	RB= 1. Offset=Max. BW = 10 MHz	RB= 1. Offset=Max. BW = 15 MHz	RB= 1. Offset=Max. BW = 20 MHz
Maximum measured level at highest Block Edge at antenna port (dBm)	-19.41	-21.73	-21.59	-22.89	-18.71	-20.88

LTE QPSK MODULATION:	RB= All. Offset=0. BW=1.4 MHz	RB= All. Offset =0. BW = 3 MHz	RB= All. Offset =0. BW = 5 MHz	RB= All. Offset =0. BW = 10 MHz	RB= All. Offset =0. BW = 15 MHz	RB= All. Offset =0. BW = 20 MHz
Maximum measured level at highest Block Edge at antenna port (dBm)	-20.41	-24.62	-23.94	-22.78	-20.62	-24

TEST RESULTS (Cont):	

LTE QPSK MODULATION. RB = 1. Offset = 0. BW = 1.4 MHz

Lowest Channel



Highest Channel



TEST RESULTS (Cont):	

LTE QPSK MODULATION. RB = 6. Offset = 0. BW = 1.4 MHz

Lowest Channel



Highest Channel



TEST RESULTS (Cont):	

LTE QPSK MODULATION. RB = 1. Offset = 0. BW = 3 MHz

Lowest Channel



Highest Channel



TEST RESULTS (Cont):	

LTE QPSK MODULATION. RB = 15. Offset = 0. BW = 3 MHz

Lowest Channel



Highest Channel



TEST RESULTS (Cont):	

LTE QPSK MODULATION. RB = 1. Offset = 0. BW = 5 MHz

Lowest Channel



Highest Channel



TEST RESULTS (Cont):	

LTE QPSK MODULATION. RB = 25. Offset = 0. BW = 5 MHz

Lowest Channel



Highest Channel



TEST RESULTS (Cont):	

LTE QPSK MODULATION. RB = 1. Offset = 0. BW = 10 MHz

Lowest Channel



Highest Channel



TEST RESULTS (Cont):	

LTE QPSK MODULATION. RB = 50. Offset = 0. BW = 10 MHz

Lowest Channel



Highest Channel



TEST RESULTS (Cont):	

LTE QPSK MODULATION. RB = 1. Offset = 0. BW = 15 MHz

Lowest Channel



Highest Channel



TEST RESULTS (Cont):	

LTE QPSK MODULATION. RB = 75. Offset = 0. BW = 15 MHz

Lowest Channel



Highest Channel



TEST RESULTS (Cont):	

LTE QPSK MODULATION. RB = 1. Offset = 0. BW = 20 MHz

Lowest Channel



Highest Channel



TEST RESULTS (Cont):	

LTE QPSK MODULATION. RB = 100. Offset = 0. BW = 20 MHz

Lowest Channel



Highest Channel



TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#02 (Band 7)
TEST RESULTS:	PASS

RESULTS

LTE QPSK MODULATION	RB=1 Offset =0 BW = 5 MHz	RB=1 Offset =0 BW = 10 MHz	RB=. Offset =0 BW = 15 MHz	RB=1 Offset =0 BW = 20 MHz
Maximum measured level at lowest Block Edge at antenna port (dBm)	-19.95	-23.24	-18.7	-20.95

LTE QPSK MODULATION	RB=25 Offset =0 BW = 5 MHz	RB=50 Offset =0 BW = 10 MHz	RB=75 Offset =0 BW = 15 MHz	RB=100 Offset =0 BW = 20 MHz
Maximum measured level at lowest Block Edge at antenna port (dBm)	-24.97	-24.65	-23.7	-27.17

LTE QPSK MODULATION	RB=1 Offset =0 BW = 5 MHz	RB=1 Offset =0 BW = 10 MHz	RB=1 Offset =0 BW = 15 MHz	RB=1 Offset =0 BW = 20 MHz
Maximum measured level at Highest Block Edge at antenna port (dBm)	-21.48	-21.62	-19.79	-21.94

LTE QPSK MODULATION	RB=25 Offset =0 BW = 5 MHz	RB=50 Offset =0 BW = 10 MHz	RB=75 Offset =0 BW = 15 MHz	RB=100 Offset =0 BW = 20 MHz
Maximum measured level at Highest Block Edge at antenna port (dBm)	-27.46	-25.16	-22.67	-25.68

TEST RESULTS (Cont):	

LTE QPSK MODULATION. RB = 1. Offset = 0. BW = 5 MHz

Lowest Channel



LTE QPSK MODULATION. RB = 1. Offset = Max. BW = 5 MHz

Highest Channel



TEST RESULTS (Cont):	

LTE QPSK MODULATION. RB = 25. Offset = 0. BW = 5 MHz

Lowest Channel



Highest Channel



TEST RESULTS (Cont):	

LTE QPSK MODULATION. RB = 1. Offset = 0. BW = 10 MHz

Lowest Channel



LTE QPSK MODULATION. RB = 1. Offset = Max. BW = 10 MHz

Highest Channel



TEST RESULTS (Cont):	

LTE QPSK MODULATION. RB = 50. Offset = 0. BW = 10 MHz

Lowest Channel



Highest Channel



TEST RESULTS (Cont):	

LTE QPSK MODULATION. RB = 1. Offset = 0. BW = 15 MHz

Lowest Channel



LTE QPSK MODULATION. RB = 1. Offset = Max. BW = 15 MHz

Highest Channel



TEST RESULTS (Cont):	

LTE QPSK MODULATION. RB = 75. Offset = 0. BW = 15 MHz

Lowest Channel



Highest Channel



TEST RESULTS (Cont):	

LTE QPSK MODULATION. RB = 1. Offset = 0. BW = 20 MHz

Lowest Channel



LTE QPSK MODULATION. RB = 1. Offset = Max. BW = 20 MHz

Highest Channel



TEST RESULTS (Cont):	

LTE QPSK MODULATION. RB = 100. Offset = 0. BW = 20 MHz

Lowest Channel



Highest Channel



TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#03 (Band 12)
TEST RESULTS:	PASS

LTE QPSK MODULATION	RB=1. Offset=0. BW=1.4 MHz	RB=1. Offset =0. BW = 3 MHz	RB=1. Offset =0. BW = 5 MHz	RB=1. Offset =0. BW = 10 MHz
Maximum measured level at lowest Block Edge at antenna port (dBm)	-18.04	-17.99	-18.54	-22.05

LTE QPSK MODULATION:	RB= All. Offset=0. BW=1.4 MHz	RB= All. Offset =0. BW = 3 MHz	RB= All. Offset =0. BW = 5 MHz	RB= All. Offset =0. BW = 10 MHz
Maximum measured level at lowest Block Edge at antenna port (dBm)	-18.83	-19.36	-20.99	-18.71

LTE QPSK MODULATION:	RB= 1. Offset=Max. BW=1.4 MHz	RB= 1. Offset=Max. BW = 3 MHz	RB= 1. Offset=Max. BW = 5 MHz	RB= 1. Offset=Max. BW = 10 MHz
Maximum measured level at highest Block Edge at antenna port (dBm)	-17.85	-18.81	-17.82	-18.6

LTE QPSK MODULATION:	RB= All. Offset=0. BW=1.4 MHz	RB= All. Offset =0. BW = 3 MHz	RB= All. Offset =0. BW = 5 MHz	RB= All. Offset =0. BW = 10 MHz
Maximum measured level at highest Block Edge at antenna port (dBm)	-16.3	-17.87	-19.86	-18.86

TEST RESULTS (Cont):	

LTE QPSK MODULATION. RB = 1. Offset = 0. BW = 1.4 MHz

Lowest Channel



Highest Channel