IRM-60-12
USER DEFINED
USER DEFINED


scitex
USER DEFINED
scitex
USER DEFINED
LIONEL LLC

LIONEL LLC
REV. 1
SWITCH BUTTON

AC/L
AC/N
MEANWELL
IRM-60-12
INPUT: 100-240VAC 1.8A 50/60Hz
277VAC 0.9A 50/60Hz
(277VAC for North America only)
OUTPUT: 12V 5A
LPS
-Vo
+Vo
MEAN WELL ENTERPRISES CO.,LTD.
0313Z3-13


SWITCH BUTTON
LED
BLE
LIONEL LLC
691-B3PS-A00
REV. 4
C7
C6
U1
C9
C8
U2
D2
R2
R3
D1
R4
Q1
C1
C10
U3
C11
C12
D5
D3


EARTH
AC_H
AC_L
F1
C4
L1
T1
C5
PWR
● AC/L
● AC/N
MEAN WELL
(型號)(電源供應器)
IRM-60-12
INPUT (輸入):100-240VAC 1.8A 50/60Hz
277VAC 0.9A 50/60Hz
(277VAC for North America only)
OUTPUT (輸出): 12V 5A
E183223
LPS
MEAN WELL ENTERPRISES CO.,LTD.
No.28,Wuquan 3rd Rd.,Wugu Dist.,New Taipei City 24891, Taiwan
Manual: www.meanwell.com/manual.html
S2209 (中國製造) MADE IN CHINA MW02
-Vo
+Vo

LIONEL LLC
691-83PS-A00
REV. 4
E123995
0602JCB
R1
R2
R3
D1
Q1
C1
D3
D4
C10
C11
U3
U2
C9
U1
C7
C12
C8
C6
D5
D2



LIONEL LLC
6BI-BAS3-ACO
REV 3
IRM-60-12
PWR
CB
LPS


031323-15
LOG2
LOG1
BOOT
APS
BLE3
CAN
UPS
BLE4
UIFM
UIFIC2
UIFIC1
PDI1
PDI0
PDI2
RX2 TX2
RX1 TX1
RX0 TX0


LIONEL LLC
691-BAS3-A00
REV 3
USB
PDI2
PDI1
PDI0
SWITCH BUTTON
POILED
L_LED
PRO6
CPU
FCC
SND
PROD
LOG01
LOG02
MMOD
BLE
PWR
DIAG
Atmel
ARM


RFM75
RADIO
M3
C5
C11

BLE RADIO - PRECERTIFIED



TICC RADIO



WLAN RADIO - PRECERTIFIED

TICC RP-SMA CONNECTOR
PDI0
PDI1
PDI2