



802.11ax-HE80 26dB Bandwidth


Channel 7 (5985MHz)




Channel 55 (6225MHz)




Channel 87 (6385MHz)




Channel 103 (6465MHz)



Channel 119 (6545MHz)




Channel 135 (6625MHz)




802.11ax-HE80 26dB Bandwidth


Channel 151 (6705MHz)




Channel 167 (6785MHz)




Channel 183 (6865MHz)



Channel 199 (6945MHz)




Channel 215 (7025MHz)




802.11ax-HE160 26dB Bandwidth


Channel 15 (6025MHz)




Channel 47 (6185MHz)




Channel 79 (6345MHz)




Channel 111 (6505MHz)




Channel 143 (6665MHz)




Channel 175 (6825MHz)






802.11be-EHT20 26dB Bandwidth


Channel 1 (5955MHz)




Channel 49 (6195MHz)




Channel 93 (6415MHz)




Channel 97 (6435MHz)



Channel 105 (6475MHz)




Channel 113 (6515MHz)




802.11be-EHT20 26dB Bandwidth


Channel 117 (6535MHz)




Channel 149 (6695MHz)




Channel 181 (6855MHz)




Channel 185 (6875MHz)




Channel 189 (6895MHz)




Channel 209 (6995MHz)






802.11be-EHT40 26dB Bandwidth


Channel 3 (5965MHz)




Channel 51 (6205MHz)




Channel 91 (6405MHz)




Channel 99 (6445MHz)



Channel 107 (6485MHz)




Channel 115 (6525MHz)




802.11be-EHT40 26dB Bandwidth


Channel 123 (6565MHz)




Channel 147 (6685MHz)




Channel 179 (6845MHz)




Channel 187 (6885MHz)




Channel 195 (6925MHz)




Channel 221 (7005MHz)






802.11be-EHT80 26dB Bandwidth


Channel 7 (5985MHz)




Channel 55 (6225MHz)




Channel 87 (6385MHz)




Channel 103 (6465MHz)



Channel 119 (6545MHz)




Channel 135 (6625MHz)




802.11be-EHT80 26dB Bandwidth


Channel 151 (6705MHz)




Channel 167 (6785MHz)




Channel 183 (6865MHz)



Channel 199 (6945MHz)




Channel 215 (7025MHz)




802.11be-EHT160 26dB Bandwidth


Channel 15 (6025MHz)




Channel 47 (6185MHz)




Channel 79 (6345MHz)




Channel 111 (6505MHz)




Channel 143 (6665MHz)




Channel 175 (6825MHz)






802.11be-EHT320 26dB Bandwidth


Channel 31 (6105MHz)




Channel 63 (6265MHz)




Channel 95 (6425MHz)




Channel 127 (6585MHz)



Channel 159 (6745MHz)



Channel 191 (6905MHz)



A.3 Output Power Test Result

Test Site	WJ-SR2	Test Engineer	Simon Lu
Test Date	2025-02-24 ~ 2025-03-17	Test Mode	SISO

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	Ant 0 Average Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)
802.11a	6Mbps	1	5955	11.36	4.78	16.14	≤ 30.00
802.11a	6Mbps	49	6195	11.54	4.78	16.32	≤ 30.00
802.11a	6Mbps	93	6415	11.32	4.78	16.10	≤ 30.00
802.11a	6Mbps	97	6435	11.64	4.48	16.12	≤ 30.00
802.11a	6Mbps	105	6475	11.68	4.48	16.16	≤ 30.00
802.11a	6Mbps	113	6515	11.53	4.48	16.01	≤ 30.00
802.11a	6Mbps	117	6535	11.49	4.81	16.30	≤ 30.00
802.11a	6Mbps	149	6695	11.06	4.81	15.87	≤ 30.00
802.11a	6Mbps	181	6855	11.25	4.81	16.06	≤ 30.00
802.11a	6Mbps	185	6875	11.15	4.81	15.96	≤ 30.00
802.11a	6Mbps	189	6895	11.08	4.71	15.79	≤ 30.00
802.11a	6Mbps	209	6995	11.46	4.71	16.17	≤ 30.00
802.11a	6Mbps	229	7095	11.53	4.71	16.24	≤ 30.00

Note: EIRP (dBm) = Ant 0 Average Power (dBm) + Antenna Gain (dBi).

Test Site	WJ-SR2	Test Engineer	Simon Lu
Test Date	2025-02-24 ~ 2025-03-17		

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	Ant 0 Average Power (dBm)	Ant 1 Average Power (dBm)	Ant 2 Average Power (dBm)	Ant 3 Average Power (dBm)	Total Average Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)
802.11a	6Mbps	1	5955	3.08	2.77	3.17	3.39	9.13	0.29	9.42	≤ 30.00
802.11a	6Mbps	49	6195	3.25	3.10	3.07	3.71	9.31	0.29	9.60	≤ 30.00
802.11a	6Mbps	93	6415	3.11	3.25	3.03	3.84	9.34	0.29	9.63	≤ 30.00
802.11a	6Mbps	97	6435	3.81	3.66	3.77	4.21	9.89	-0.19	9.70	≤ 30.00
802.11a	6Mbps	105	6475	3.89	3.66	3.73	4.30	9.92	-0.19	9.73	≤ 30.00
802.11a	6Mbps	113	6515	3.45	3.56	3.76	4.49	9.86	-0.19	9.67	≤ 30.00
802.11a	6Mbps	117	6535	3.78	3.63	3.69	4.24	9.86	-0.30	9.56	≤ 30.00
802.11a	6Mbps	149	6695	3.79	3.65	3.82	3.93	9.82	-0.30	9.52	≤ 30.00
802.11a	6Mbps	181	6855	3.93	4.12	3.84	4.26	10.06	-0.30	9.76	≤ 30.00
802.11a	6Mbps	185	6875	3.77	4.07	3.74	4.21	9.97	-0.30	9.67	≤ 30.00
802.11a	6Mbps	189	6895	5.42	5.77	5.68	5.82	11.70	-0.40	11.30	≤ 30.00
802.11a	6Mbps	209	6995	5.69	5.95	5.51	5.99	11.81	-0.40	11.41	≤ 30.00
802.11a	6Mbps	229	7095	5.21	5.52	5.46	5.32	11.40	-0.40	11.00	≤ 30.00
802.11ax-HE20	MCS0	1	5955	9.98	10.15	10.49	10.55	16.32	0.29	6.31	≤ 30.00
802.11ax-HE20	MCS0	49	6195	10.54	10.85	10.89	10.98	16.84	0.29	6.31	≤ 30.00
802.11ax-HE20	MCS0	93	6415	10.10	10.31	10.37	10.99	16.48	0.29	16.77	≤ 30.00
802.11ax-HE20	MCS0	97	6435	10.96	10.79	10.89	11.35	17.02	-0.19	16.83	≤ 30.00
802.11ax-HE20	MCS0	105	6475	10.51	10.16	10.39	10.97	16.54	-0.19	16.35	≤ 30.00
802.11ax-HE20	MCS0	113	6515	10.62	10.58	10.42	11.03	16.69	-0.19	16.50	≤ 30.00
802.11ax-HE20	MCS0	117	6535	10.64	10.97	10.91	11.41	17.01	-0.30	16.71	≤ 30.00
802.11ax-HE20	MCS0	149	6695	10.71	10.66	10.61	11.20	16.82	-0.30	16.52	≤ 30.00
802.11ax-HE20	MCS0	181	6855	11.08	10.78	10.79	11.57	17.09	-0.30	16.79	≤ 30.00
802.11ax-HE20	MCS0	185	6875	10.97	10.66	11.17	11.34	17.06	-0.30	16.76	≤ 30.00
802.11ax-HE20	MCS0	189	6895	11.14	11.18	11.08	11.46	17.24	-0.40	16.84	≤ 30.00
802.11ax-HE20	MCS0	209	6995	11.54	11.31	11.25	11.62	17.45	-0.40	17.05	≤ 30.00
802.11ax-HE20	MCS0	229	7095	11.11	11.12	11.08	11.12	17.13	-0.40	16.73	≤ 30.00

Test Mode	Data Rate/MCS	Channel No.	Freq. (MHz)	Ant 0 Average Power (dBm)	Ant 1 Average Power (dBm)	Ant 2 Average Power (dBm)	Ant 3 Average Power (dBm)	Total Average Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)
802.11ax-HE40	MCS0	3	5965	12.64	12.74	12.62	13.51	18.91	0.29	19.20	≤ 30.00
802.11ax-HE40	MCS0	51	6205	14.13	13.76	14.23	14.49	20.18	0.29	20.47	≤ 30.00
802.11ax-HE40	MCS0	91	6405	13.64	13.67	13.63	14.21	19.82	0.29	20.11	≤ 30.00
802.11ax-HE40	MCS0	99	6445	13.97	13.53	13.94	14.42	20.00	-0.19	19.81	≤ 30.00
802.11ax-HE40	MCS0	107	6485	13.82	13.43	13.89	14.37	19.91	-0.19	19.72	≤ 30.00
802.11ax-HE40	MCS0	115	6525	13.78	13.65	13.94	14.35	19.96	-0.19	19.77	≤ 30.00
802.11ax-HE40	MCS0	123	6565	13.62	13.96	14.13	14.49	20.08	-0.30	19.78	≤ 30.00
802.11ax-HE40	MCS0	147	6685	14.08	14.03	14.19	14.74	20.29	-0.30	19.99	≤ 30.00
802.11ax-HE40	MCS0	179	6845	14.59	14.61	14.52	14.69	20.62	-0.30	20.32	≤ 30.00
802.11ax-HE40	MCS0	187	6885	14.59	14.58	14.41	14.48	20.54	-0.30	20.24	≤ 30.00
802.11ax-HE40	MCS0	195	6925	14.52	14.72	14.52	14.68	20.63	-0.40	20.23	≤ 30.00
802.11ax-HE40	MCS0	211	7005	14.86	14.98	14.67	14.87	20.87	-0.40	20.47	≤ 30.00
802.11ax-HE40	MCS0	227	7085	13.91	14.48	14.33	14.17	20.25	-0.40	19.85	≤ 30.00
802.11ax-HE80	MCS0	7	5985	16.02	15.94	16.33	16.62	22.26	0.29	22.55	≤ 30.00
802.11ax-HE80	MCS0	55	6225	16.39	16.27	16.42	16.86	22.51	0.29	22.80	≤ 30.00
802.11ax-HE80	MCS0	87	6385	15.91	15.85	16.04	16.40	22.08	0.29	22.37	≤ 30.00
802.11ax-HE80	MCS0	103	6465	16.41	16.24	16.61	16.92	22.57	-0.19	22.38	≤ 30.00
802.11ax-HE80	MCS0	119	6545	16.37	16.42	16.72	17.09	22.68	-0.19	22.49	≤ 30.00
802.11ax-HE80	MCS0	135	6625	16.48	16.41	16.83	16.93	22.69	-0.30	22.39	≤ 30.00
802.11ax-HE80	MCS0	151	6705	16.36	16.35	16.57	16.88	22.57	-0.30	22.27	≤ 30.00
802.11ax-HE80	MCS0	167	6785	16.82	16.56	16.85	16.92	22.81	-0.30	22.51	≤ 30.00
802.11ax-HE80	MCS0	183	6865	16.77	16.93	16.99	17.21	23.00	-0.30	22.70	≤ 30.00
802.11ax-HE80	MCS0	199	6945	16.93	17.02	16.48	17.07	22.90	-0.40	22.50	≤ 30.00
802.11ax-HE80	MCS0	215	7025	16.72	16.96	16.78	16.89	22.86	-0.40	22.46	≤ 30.00
802.11ax-HE160	MCS0	15	6025	18.43	18.41	18.37	18.84	24.54	0.29	24.83	≤ 30.00
802.11ax-HE160	MCS0	47	6185	18.98	18.57	18.74	19.23	24.91	0.29	25.20	≤ 30.00
802.11ax-HE160	MCS0	79	6345	18.61	18.57	18.83	18.93	24.76	0.29	25.05	≤ 30.00
802.11ax-HE160	MCS0	111	6505	19.67	19.80	19.68	20.17	25.86	-0.19	25.67	≤ 30.00
802.11ax-HE160	MCS0	143	6665	20.03	19.89	20.31	20.47	26.20	-0.30	25.90	≤ 30.00
802.11ax-HE160	MCS0	175	6825	18.86	19.01	19.29	19.35	25.15	-0.30	24.85	≤ 30.00
802.11ax-HE160	MCS0	207	6985	19.66	19.82	19.81	19.62	25.75	-0.40	25.35	≤ 30.00

Test Mode	Data Rate/MCS	Channel No.	Freq. (MHz)	Ant 0 Average Power (dBm)	Ant 1 Average Power (dBm)	Ant 2 Average Power (dBm)	Ant 3 Average Power (dBm)	Total Average Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)
802.11be-EHT20	MCS0	1	5955	11.59	11.04	11.83	11.53	17.53	0.29	17.82	≤ 30.00
802.11be-EHT20	MCS0	49	6195	10.97	11.05	11.01	11.66	17.20	0.29	17.49	≤ 30.00
802.11be-EHT20	MCS0	93	6415	10.44	10.54	10.45	11.29	16.72	0.29	17.01	≤ 30.00
802.11be-EHT20	MCS0	97	6435	11.35	11.16	11.25	11.86	17.43	-0.19	17.24	≤ 30.00
802.11be-EHT20	MCS0	105	6475	11.33	10.93	11.35	11.79	17.38	-0.19	17.19	≤ 30.00
802.11be-EHT20	MCS0	113	6515	11.36	11.16	11.15	11.97	17.44	-0.19	17.25	≤ 30.00
802.11be-EHT20	MCS0	117	6535	11.26	11.24	11.19	11.92	17.43	-0.30	17.13	≤ 30.00
802.11be-EHT20	MCS0	149	6695	11.04	11.15	11.31	11.48	17.27	-0.30	16.97	≤ 30.00
802.11be-EHT20	MCS0	181	6855	11.31	11.44	11.28	11.33	17.36	-0.30	17.06	≤ 30.00
802.11be-EHT20	MCS0	185	6875	11.23	11.23	11.26	11.57	17.35	-0.30	17.05	≤ 30.00
802.11be-EHT20	MCS0	189	6895	11.37	11.42	11.09	11.12	17.27	-0.40	16.87	≤ 30.00
802.11be-EHT20	MCS0	209	6995	11.63	11.51	11.52	12.13	17.73	-0.40	17.33	≤ 30.00
802.11be-EHT20	MCS0	229	7095	11.68	11.64	11.90	11.73	17.76	-0.40	17.36	≤ 30.00
802.11be-EHT40	MCS0	3	5965	13.67	13.34	13.83	14.05	19.75	0.29	20.04	≤ 30.00
802.11be-EHT40	MCS0	51	6205	13.94	13.59	14.02	14.23	19.97	0.29	20.26	≤ 30.00
802.11be-EHT40	MCS0	91	6405	12.87	12.92	12.89	13.46	19.06	0.29	19.35	≤ 30.00
802.11be-EHT40	MCS0	99	6445	13.63	13.33	13.62	14.16	19.72	-0.19	19.53	≤ 30.00
802.11be-EHT40	MCS0	107	6485	13.62	13.33	13.72	14.07	19.71	-0.19	19.52	≤ 30.00
802.11be-EHT40	MCS0	115	6525	13.05	12.99	13.32	13.65	19.28	-0.19	19.09	≤ 30.00
802.11be-EHT40	MCS0	123	6565	13.01	13.15	13.44	13.62	19.33	-0.30	19.03	≤ 30.00
802.11be-EHT40	MCS0	147	6685	13.92	13.64	13.96	14.46	20.03	-0.30	19.73	≤ 30.00
802.11be-EHT40	MCS0	179	6845	14.54	14.40	14.31	14.38	20.43	-0.30	20.13	≤ 30.00
802.11be-EHT40	MCS0	187	6885	14.31	14.42	14.24	14.35	20.35	-0.30	20.05	≤ 30.00
802.11be-EHT40	MCS0	195	6925	13.96	14.16	13.89	13.91	20.00	-0.40	19.60	≤ 30.00
802.11be-EHT40	MCS0	211	7005	14.64	14.74	14.43	14.52	20.60	-0.40	20.20	≤ 30.00
802.11be-EHT40	MCS0	227	7085	13.71	14.23	14.21	13.91	20.04	-0.40	19.64	≤ 30.00

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	Ant 0 Average Power (dBm)	Ant 1 Average Power (dBm)	Ant 2 Average Power (dBm)	Ant 3 Average Power (dBm)	Total Average Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)
802.11be-EHT80	MCS0	7	5985	16.04	15.83	16.21	16.52	22.18	0.29	22.47	≤ 30.00
802.11be-EHT80	MCS0	55	6225	16.33	16.14	16.45	16.79	22.45	0.29	22.74	≤ 30.00
802.11be-EHT80	MCS0	87	6385	15.95	15.79	16.12	16.36	22.08	0.29	22.37	≤ 30.00
802.11be-EHT80	MCS0	103	6465	16.44	16.14	16.45	17.03	22.55	-0.19	22.36	≤ 30.00
802.11be-EHT80	MCS0	119	6545	16.39	16.37	16.71	17.13	22.68	-0.19	22.49	≤ 30.00
802.11be-EHT80	MCS0	135	6625	16.37	16.36	16.66	16.92	22.60	-0.30	22.30	≤ 30.00
802.11be-EHT80	MCS0	151	6705	16.32	16.15	16.42	16.82	22.46	-0.30	22.16	≤ 30.00
802.11be-EHT80	MCS0	167	6785	16.97	16.54	16.72	16.92	22.81	-0.30	22.51	≤ 30.00
802.11be-EHT80	MCS0	183	6865	16.74	16.87	17.02	16.94	22.91	-0.30	22.61	≤ 30.00
802.11be-EHT80	MCS0	199	6945	16.87	16.74	16.63	16.87	22.80	-0.40	22.40	≤ 30.00
802.11be-EHT80	MCS0	215	7025	16.53	16.96	16.85	16.82	22.81	-0.40	22.41	≤ 30.00
802.11be-EHT160	MCS0	15	6025	18.52	18.30	18.23	18.80	24.49	0.29	24.78	≤ 30.00
802.11be-EHT160	MCS0	47	6185	19.29	18.86	19.31	19.67	25.31	0.29	25.60	≤ 30.00
802.11be-EHT160	MCS0	79	6345	18.67	18.60	18.94	19.01	24.83	0.29	25.12	≤ 30.00
802.11be-EHT160	MCS0	111	6505	19.61	19.28	19.84	20.29	25.79	-0.19	25.60	≤ 30.00
802.11be-EHT160	MCS0	143	6665	20.25	20.15	20.44	20.63	26.39	-0.30	26.09	≤ 30.00
802.11be-EHT160	MCS0	175	6825	19.18	19.24	19.38	19.64	25.38	-0.30	25.08	≤ 30.00
802.11be-EHT160	MCS0	207	6985	19.87	19.91	19.79	19.81	25.87	-0.40	25.47	≤ 30.00
802.11be-EHT320-1	MCS0	31	6105	19.89	19.64	19.94	20.02	25.90	0.29	26.19	≤ 30.00
802.11be-EHT320-1	MCS0	95	6425	19.68	19.56	19.72	20.17	25.81	0.29	26.10	≤ 30.00
802.11be-EHT320-1	MCS0	159	6745	19.67	19.52	19.85	19.91	25.76	-0.30	25.46	≤ 30.00
802.11be-EHT320-2	MCS0	63	6265	19.55	19.78	19.87	20.31	25.91	0.29	26.20	≤ 30.00
802.11be-EHT320-2	MCS0	127	6585	19.58	19.65	20.07	20.24	25.91	-0.19	25.72	≤ 30.00
802.11be-EHT320-2	MCS0	191	6905	19.97	20.29	20.31	20.42	26.27	-0.30	25.97	≤ 30.00

Note 1: Total Average Power (dBm) = $10 \cdot \log \{10^{(\text{Ant 0 Average Power} / 10)} + 10^{(\text{Ant 1 Average Power} / 10)} + 10^{(\text{Ant 2 Average Power} / 10)} + 10^{(\text{Ant 3 Average Power} / 10)}\}$.

Note 2: EIRP (dBm) = Total Average Power (dBm) + Antenna Gain (dBi).

A.4 Power Spectral Density Test Result


Test Site	WJ-SR2	Test Engineer	Simon Lu
Test Date	2025-02-24	Test Mode	SISO

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	Ant 0 PSD (dBm/MHz)	Duty Cycle (%)	Antenna Gain (dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)
802.11a	6Mbps	1	5955	-0.215	99.15	4.78	4.57	≤ 5.00
802.11a	6Mbps	49	6195	0.044	99.15	4.78	4.82	≤ 5.00
802.11a	6Mbps	93	6415	-0.132	99.15	4.78	4.65	≤ 5.00
802.11a	6Mbps	97	6435	0.180	99.15	4.48	4.66	≤ 5.00
802.11a	6Mbps	105	6475	0.288	99.15	4.48	4.77	≤ 5.00
802.11a	6Mbps	113	6515	0.112	99.15	4.48	4.59	≤ 5.00
802.11a	6Mbps	117	6535	0.039	99.15	4.81	4.85	≤ 5.00
802.11a	6Mbps	149	6695	-0.079	99.15	4.81	4.73	≤ 5.00
802.11a	6Mbps	181	6855	-0.008	99.15	4.81	4.80	≤ 5.00
802.11a	6Mbps	185	6875	-0.073	99.15	4.81	4.74	≤ 5.00
802.11a	6Mbps	189	6895	-0.208	99.15	4.71	4.50	≤ 5.00
802.11a	6Mbps	209	6995	0.258	99.15	4.71	4.97	≤ 5.00
802.11a	6Mbps	229	7095	0.178	99.15	4.71	4.89	≤ 5.00

Note: When EUT duty cycle ≥ 98%, EIRP PSD (dBm/MHz) = $10 \cdot \log \{10^{(\text{Ant 0 PSD}/10)}\}$ (dBm/MHz) + Antenna Gain (dBi).

802.11a Power Spectral Density- Ant 0

Channel 1 (5955MHz)



Channel 49 (6195MHz)




Channel 93 (6415MHz)



Channel 97 (6435MHz)



Channel 105 (6475MHz)



Channel 113 (6515MHz)

