









 EMERSON ROSEMOUNT		MODEL: WPG Wireless Pressure Gauge SERIAL NO. 0987564 Chanhassen, MN USA	
Pressure Range:	Operating Temp:	HW REV:	SW REV:
Max Working Pressure:	Date:	WirelessHART™	
FCC ID: LW2-WPG / IC ID 2731A-WPG:		 	
ENCLOSURE TYPE 4X IP66/67			
WARNING - POTENTIAL ELECTROSTATIC CHARGING HAZARD - SEE INST. WARNING - DO NOT REPLACE BATTERY IN AN EXPLOSIVE ATMOSPHERE CAUTION - DANGER OF EXPLOSIVE IF BATTERY IS INCORRECTLY REPLACED. REPLACE ONLY WITH THE SAME OR EQUIVALENT TYPE			





Wireless Pressure Gauge

SERIAL NO. 0987564

Chanhassen, MN USA

Pressure Range:

Max Working Product:

Operating Temp:
Date:


ICC ID: LVW2-WPG / IC ID: 2731A-WPG

RECALCULATED TYPE A



CCFHL

1. 1990年12月，中共中央、国务院作出《关于实行“八七”扶贫攻坚计划，进一步减少农村贫困人口的决定》。





EMERSONTM

ROSEMOUNTTM

MODEL: WPG

Wireless Pressure Gauge

SERIAL NO. 0987564

Chanhassen, MN USA

Pressure Range:

Operating Temp:

HW REV:

Max Working Pressure:

Date:



SW REV:

FCC ID: LW2-WPG / IC ID 2731A-WPG:

WirelessHARTTM

ENCLOSURE TYPE 4X

IP66/67



CE **FIM**

WARNING - POTENTIAL ELECTROSTATIC CHARGING HAZARD - SEE INST.

WARNING - DO NOT REPLACE BATTERY IN AN EXPLOSIVE ATMOSPHERE

CAUTION - DANGER OF EXPLOSIVE IF BATTERY IS INCORRECTLY REPLACED.

REPLACE ONLY WITH THE SAME OR EQUIVALENT TYPE