





MODEL: WPG45XNAG11A00
4000

WIRELESS PRESSURE GAUGE

SERIAL: 19CHPM0008245

MADE IN USA

Pressure Range: 0 TO 4000 PSI

MWP: 4000 PSI/275.79 BAR

FCC ID: LW2-WPG58 / IC ID 2731A-WPG58
FOR USE WITH 00G45-9000-0001 ONLY
WirelessHART™

DATE: 02/19
HW:
SW:

50 CE


ENCLOSURE TYPE 4X
IP66/67

00G45-6000-1000 / AE

SEE INSTALLATION INSTRUCTIONS BEFORE USE
VOIR LES INSTRUCTIONS D'INSTALLATION AVANT L'EMPLOI

NA

NON-SHIPPIABLE
SFO





XXXXX-5000-4142

SST GP4 Sil 1/2N

18694351



MODULE ASSEMBLED IN U.S.A.

EMERSON
ROSEMOUNT

MODEL: WPC45XNAC11A00
4000
WIRELESS PRESSURE GAUGE
SERIAL: 19CHPM0008245
MADE IN USA

Pressure Range: 0 TO 4000 PSI
MWP: 4000 PSI/275.79 BAR
FCC ID: LW2-WPC58 / IC ID 2731A-WPC58
FOR USE WITH 00C45-9000-0001 ONLY
WirelessHART™

ENCLOSURE TYPE 4X
IP68/67

CE
UL
SR

50

00C45-9000-1000 / A1



EMERSON

ROSEMOUNT

MODEL: WPG45XNAG11A00
4000

WIRELESS PRESSURE GAUGE

SERIAL: 19CHPM0008245

MADE IN USA

Pressure Range: 0 TO 4000 PSI

DATE: 02/19

MWP: 4000 PSI/275.79 BAR

HW:

SW:

FCC ID: LW2-WPG58 / IC ID 2731A-WPG58
FOR USE WITH 00G45-9000-0001 ONLY
WirelessHART™



ENCLOSURE TYPE 4X
IP66/67

00G45-6000-1000 / AE



SEE INSTALLATION INSTRUCTIONS BEFORE USE
VOIR LES INSTRUCTIONS D'INSTALLATION AVANT L'EMPLOI

NA