

ROSEMOUNT®

WirelessHART™

MODEL: 248DX

SERIAL NO. : UNIT 16

SENSOR TYPE:

RANGE:

SW:



N96



APPROVED

ENCLOSURE TYPE 4X IP66/67

FCC ID: LW2248DX / IC ID: 2731A-248DX

**FOR USE WITH EMERSON PROCESS MANAGEMENT
SMART POWER OPTION 701PGNKF**

**WARNING: POTENTIAL ELECTROSTATIC DISCHARGE
HAZARD SEE INSTRUCTIONS**

MODEL: 248DX
SERIAL NO. : UNIT 16
SENSOR TYPE:
RANGE:

SW:



N96

CE



APPROVED

ENCLOSURE TYPE 4X IP66/67
FCC ID: LW2248DX / IC ID: 2731A-248DX
FOR USE WITH EMERSON PROCESS MANAGEMENT
SMART POWER OPTION 701PGNKF
WARNING: POTENTIAL ELECTROSTATIC DISCHARGE
HAZARD SEE INSTRUCTIONS

248DX

-0003 / 01

SENSOR TYPE:
RANGE:



ENCLOSURE TYPE 4X IP66/67
FCC ID: LW2248DX / IC ID: 2731A-248DX
FOR USE WITH EMERSON PROCESS MANAGEMENT
SMART POWER OPTION 701PGNKF
WARNING: POTENTIAL ELECTROSTATIC DISCHARGE
HAZARD SEE INSTRUCTIONS



248DX

-0003 / 01

TDB



XXXXXXXXXXXXXXXXXXXX

248-250X-0015 / 01

MADE IN SINGAPORE