

Intertek Testing Services


RF FIELD

EUT: XI-626
Manuf: Z-COM
Op Cond: AMN-L
Operator: kaysi
Test Spec: FCC CLASS B
Comment: EMI RCV:833364/011
120V 60Hz 22'C 62%RH transmitted at low channel
Date: 15. Apr 02 09:54

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO	LN OFF

Final Measurement: x QP
Meas Time: 1 s



Intertek Testing Services


RF FIELD

EUT: XI-626
Manuf: Z-COM
Op Cond: AMN-N
Operator: kaysi
Test Spec: FCC CLASS B
Comment: EMI RCV:833364/011
120V 60Hz 22'C 62%RH transmitted at low channel
Date: 15. Apr 02 10:03

Scan Settings (1 Range)

----- Frequencies -----			----- Receiver Settings -----				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO	LN OFF

Final Measurement: x QP
Meas Time: 1 s



Intertek Testing Services


RF FIELD

EUT: XI-626
Manuf: Z-COM
Op Cond: AMN-L
Operator: kaysi
Test Spec: FCC CLASS B
Comment: EMI RCV:833364/011
120V 60Hz 22'C 62%RH transmitted at middle channel
Date: 15. Apr 02 10:16

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP
Meas Time: 1 s



Intertek Testing Services


RF FIELD

EUT: XI-626
Manuf: Z-COM
Op Cond: AMN-N
Operator: kaysi
Test Spec: FCC CLASS B
Comment: EMI RCV:833364/011
120V 60Hz 22'C 62%RH transmitted at middle channel
Date: 15. Apr 02 10:09

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO	LN OFF

Final Measurement: x QP
Meas Time: 1 s



Intertek Testing Services


RF FIELD

EUT: XI-626
Manuf: Z-COM
Op Cond: AMN-L
Operator: kaysi
Test Spec: FCC CLASS B
Comment: EMI RCV:833364/011
120V 60Hz 22'C 62%RH transmitted at high channel
Date: 15. Apr 02 10:23

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP
Meas Time: 1 s



Intertek Testing Services

RF FIELD

EUT: XI-626
Manuf: Z-COM
Op Cond: AMN-N
Operator: kaysi
Test Spec: FCC CLASS B
Comment: EMI RCV:833364/011
120V 60Hz 22'C 62%RH transmitted at high channel
Date: 15. Apr 02 10:52

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP
Meas Time: 1 s

