



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sky

File : 2

Data : #1


Date: 2026/7/21

Temperature: 29.2 °C

-20.0 dBm

Time: 下午 08:56:21

Humidity: 58 %



Site : 966A Chamber

Condition : ETSI EN300_422 V2.2.1-TX_Spurious_OP

EUT : W6M22605-25156

M/N:

Test Mode : TX 494.1MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	565.5311	-65.66	peak	-7.65	-73.31	-54.00	150	25	-19.31	
	618.4370	-70.97	peak	-5.35	-76.32	-54.00	150	110	-22.32	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sky

File : 2

Data : #2


Date: 2026/7/21

Temperature: 29.2 °C

-20.0 dBm

Time: 下午 08:58:29

Humidity: 58 %



Site : 966A Chamber

Condition : ETSI EN300_422 V2.2.1-TX_Spurious_OP

EUT : W6M22605-25156

M/N:

Test Mode : TX 494.1MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	565.5311	-73.42	peak	-6.91	-80.33	-54.00	150	155	-26.33	
*	711.4228	-74.88	peak	-3.71	-78.59	-54.00	150	240	-24.59	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sky

File : 3

Data : #1


Date: 2026/7/21

Temperature: 29.2 °C

-20.0 dBm

Time: 下午 09:53:55

Humidity: 58 %



Site : 966A Chamber

Condition : ETSI EN300_422 V2.2.1-TX_Spurious_OP

EUT : W6M22605-25156

M/N:

Test Mode : TX 494.1MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2052.104	-60.02	peak	4.45	-55.57	-30.00	150	225	-25.57	
*	3332.665	-60.38	peak	8.64	-51.74	-30.00	150	130	-21.74	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sky

File : 3

Data : #2


Date: 2026/7/21

Temperature: 29.2 °C

-20.0 dBm

Time: 下午 09:56:37

Humidity: 58 %



Site : 966A Chamber

Condition : ETSI EN300_422 V2.2.1-TX_Spurious_OP

EUT : W6M22605-25156

M/N:

Test Mode : TX 494.1MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1805.611	-57.04	peak	3.59	-53.45	-30.00	150	40	-23.45	
*	2448.898	-57.38	peak	4.60	-52.78	-30.00	150	110	-22.78	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sky

File : 1

Data : #1


Date: 2026/7/21

Temperature: 29.2 °C

Time: 下午 08:25:26

Humidity: 58 %

-20.0 dBm



Site : 966A Chamber

Condition : ETSI EN300_422 V2.2.1-TX_Spurious_OP

EUT : W6M22605-25156

M/N:

Test Mode : TX 551MHz

Note :

Polarization: Horizontal

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	88.9380	-97.31	peak	21.39	-75.92	-54.00	150	10	-21.92	
	97.4550	-99.43	peak	21.21	-78.22	-54.00	150	90	-24.22	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sky

File : 1

Data : #2


Date: 2026/7/21

Temperature: 29.2 °C

Time: 下午 08:27:24

Humidity: 58 %

-20.0 dBm



Site : 966A Chamber

Condition : ETSI EN300_422 V2.2.1-TX_Spurious_OP

EUT : W6M22605-25156

M/N:

Test Mode : TX 551MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.4550	-99.40	peak	21.71	-77.69	-54.00	150	20	-23.69	
	107.3347	-99.41	peak	21.23	-78.18	-54.00	150	115	-24.18	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sky

File : 2

Data : #1


Date: 2026/7/21

Temperature: 29.2 °C

-20.0 dBm

Time: 下午 08:47:48

Humidity: 58 %



Site : 966A Chamber

Condition : ETSI EN300_422 V2.2.1-TX_Spurious_OP

EUT : W6M22605-25156

M/N:

Test Mode : TX 551MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	507.8156	-60.08	peak	-9.53	-69.61	-54.00	150	300	-15.61	
	557.5150	-62.93	peak	-7.91	-70.84	-54.00	150	15	-16.84	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sky

File : 2

Data : #2


Date: 2026/7/21

Temperature: 29.2 °C

-20.0 dBm

Time: 下午 08:50:17

Humidity: 58 %



Site : 966A Chamber

Condition : ETSI EN300_422 V2.2.1-TX_Spurious_OP

EUT : W6M22605-25156

M/N:

Test Mode : TX 551MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	719.4388	-75.03	peak	-3.61	-78.64	-54.00	150	100	-24.64	
*	748.2965	-74.55	peak	-3.24	-77.79	-54.00	150	105	-23.79	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sky

File : 3

Data : #1


Date: 2026/7/21

Temperature: 29.2 °C

-20.0 dBm

Time: 下午 09:47:08

Humidity: 58 %



Site : 966A Chamber

Condition : ETSI EN300_422 V2.2.1-TX_Spurious_OP

EUT : W6M22605-25156

M/N:

Test Mode : TX 551MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2118.236	-59.84	peak	4.40	-55.44	-30.00	150	110	-25.44	
*	2442.886	-57.97	peak	4.15	-53.82	-30.00	150	45	-23.82	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sky

File : 3

Data : #2


Date: 2026/7/21

Temperature: 29.2 °C

-20.0 dBm

Time: 下午 09:49:40

Humidity: 58 %



Site : 966A Chamber

Condition : ETSI EN300_422 V2.2.1-TX_Spurious_OP

EUT : W6M22605-25156

M/N:

Test Mode : TX 551MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2118.236	-58.93	peak	4.64	-54.29	-30.00	150	235	-24.29	
*	2442.886	-56.39	peak	4.60	-51.79	-30.00	150	105	-21.79	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sky

File : 1

Data : #1


Date: 2026/7/21

Temperature: 29.2 °C

Time: 下午 08:31:54

Humidity: 58 %

-20.0 dBm



Site : 966A Chamber

Condition : ETSI EN300_422 V2.2.1-TX_Spurious_OP

EUT : W6M22605-25156

M/N:

Test Mode : TX 607.9MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	88.9380	-97.71	peak	21.39	-76.32	-54.00	150	5	-22.32	
	106.9940	-98.65	peak	20.83	-77.82	-54.00	150	100	-23.82	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sky

File : 1

Data : #2


Date: 2026/7/21

Temperature: 29.2 °C

Time: 下午 08:34:12

Humidity: 58 %

-20.0 dBm



Site : 966A Chamber

Condition : ETSI EN300_422 V2.2.1-TX_Spurious_OP

EUT : W6M22605-25156

M/N:

Test Mode : TX 607.9MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	97.7956	-101.50	peak	21.70	-79.80	-54.00	150	50	-25.80	
*	106.9940	-100.47	peak	21.25	-79.22	-54.00	150	45	-25.22	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sky

File : 2

Data : #1


Date: 2026/7/21

Temperature: 29.2 °C

-20.0 dBm

Time: 下午 08:42:42

Humidity: 58 %



Site : 966A Chamber

Condition : ETSI EN300_422 V2.2.1-TX_Spurious_OP

EUT : W6M22605-25156

M/N:

Test Mode : TX 607.9MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	507.8156	-59.53	peak	-9.53	-69.06	-54.00	150	110	-15.06	
	615.2305	-68.16	peak	-5.55	-73.71	-54.00	150	270	-19.71	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sky

File : 2

Data : #2


Date: 2026/7/21

Temperature: 29.2 °C

-20.0 dBm

Time: 下午 08:40:44

Humidity: 58 %



Site : 966A Chamber

Condition : ETSI EN300_422 V2.2.1-TX_Spurious_OP

Polarization: Vertical

EUT : W6M22605-25156

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 607.9MHz

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	648.8978	-75.58	peak	-3.39	-78.97	-54.00	150	305	-24.97	
	698.5972	-75.62	peak	-3.52	-79.14	-54.00	150	225	-25.14	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sky

File : 3

Data : #1


Date: 2026/7/21

Temperature: 29.2 °C

-20.0 dBm

Time: 下午 09:39:33

Humidity: 58 %



Site : 966A Chamber

Condition : ETSI EN300_422 V2.2.1-TX_Spurious_OP

EUT : W6M22605-25156

M/N:

Test Mode : TX 607.9MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1823.647	-57.53	peak	2.91	-54.62	-30.00	150	25	-24.62	
*	2448.898	-53.42	peak	4.15	-49.27	-30.00	150	110	-19.27	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sky

File : 3

Data : #2


Date: 2026/7/21

Temperature: 29.2 °C

-20.0 dBm

Time: 下午 09:42:53

Humidity: 58 %



Site : 966A Chamber

Condition : ETSI EN300_422 V2.2.1-TX_Spurious_OP

EUT : W6M22605-25156

M/N:

Test Mode : TX 607.9MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1817.635	-57.02	peak	3.65	-53.37	-30.00	150	190	-23.37	
*	2442.886	-56.89	peak	4.60	-52.29	-30.00	150	305	-22.29	

*:Maximum data x:Over limit !:over margin