



Quick Guide

Bodypack Transmitters

ACT-800T	UHF Digital Wideband
ACT-700T	UHF Analog Wideband
ACT-600T	UHF Digital
ACT-500T	UHF Analog
ACT-580TR	5 GHz Digital Recordable
ACT-580T	5 GHz Digital
ACT-240T	2.4 GHz Digital



ACT-800T



ACT-700T



ACT-600T



ACT-500T





ACT-580TR



ACT-580T



ACT-240T




⚠ If the LCD screen does not light up, check the battery polarity and power level.


ACT-800T/ACT-700T/ACT-600T/ ACT-500T/ACT-580T/ACT-240T Charging Dock Instructions (Optional)

Connect to the power source and ensure the power indicator lights up.

- **Red Light:** Charging.
- **Green Light:** Fully Charged.




MP-820



MP-800


ACT-580TR SD Card Instructions

- Use a Micro SDHC card (FAT 32 format) with at least 250 MB of free space.
- Before powering on, insert the SD card with the label facing down until it is locked in place.
- After powering off, push the SD card again to eject it.
- **Recording Format:** .wav, mono, 24-bit/144kbps.




4-Pin Microphone Input Wiring Diagram


- 2-Wire Condenser Microphone Capsule Wiring




- 3-Wire Condenser Microphone Capsule Wiring




- Dynamic Microphone Wiring



- Electric Guitar Wiring



- Line-In (Impedance 8K, ATT 10dB)



Federal Communication Commission Interference Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

FCC Caution: To assure continued compliance, any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment. (Example - use only shielded interface cables when connecting to computer or peripheral devices).

FCC Radiation Exposure Statement

This equipment complies with FCC RF radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with a minimum distance of 0.5 centimeters between the radiator and your body.

This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

The antennas used for this transmitter must be installed to provide a separation distance of at least 0.5 cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

Notes

1. **Scan QR Code to download the user guide.**
2. Power off to conserve battery power.
Remove the battery when it will not be used for an extended period of time.
3. Refer to the actual product in the event of product description discrepancy.
4. Frequency range, RF output power and maximum deviation comply with the regulations of different countries.



Dispose of any unusable devices or batteries responsibly and in accordance with any applicable regulations.

Disposing of used batteries with domestic waste is to be avoided!



Batteries / NiCad cells often contain heavy metals such as cadmium(Cd), mercury(Hg) and lead(Pb) that makes them unsuitable for disposal with domestic waste. You may return spent batteries/ accumulators free of charge to recycling centres or anywhere else batteries/accumulators are sold.

By doing so, you contribute to the conservation of our environment!

User Guide Download

ACT-800T/700T
ACT-600T/500T



ACT-240T
ACT-580T



ACT-580TR



MIPRO ELECTRONICS CO., LTD.

Headquarters: No. 814, Beigang Rd., Chiayi City 600079, Taiwan
Tel : +886-5-238-0809 Fax : +886-5-238-0803
www.mipro.com.tw mipro@mipro.com.tw



2CE683F

All rights reserved. Do not copy or forward without prior approvals of MIPRO.
Specifications and design subject to change without notice. YM 026/03