

Produkte  
Products

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                         |                                                                                                                                                                                                                      |                                                                                                                                                          |                                                                    |                                                                                       |                                                                                                                                                      |                                                                                                         |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------|---------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|
| <b>Prüfbericht - Nr.: 14029350 002</b><br><i>Test Report No.:</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                         |                                                                                                                                                                                                                      | <b>Seite 1 von 13</b><br><i>Page 1 of 13</i>                                                                                                             |                                                                    |                                                                                       |                                                                                                                                                      |                                                                                                         |
| <b>Auftraggeber:</b><br><i>Client:</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                         |                                                                                                                                                                                                                      | <b>Remotec Technology Ltd.</b><br><b>Room 2907 – 2908</b><br><b>Skyline Tower</b><br><b>39 Wang Kwong Road</b><br><b>Kowloon Bay, Kowloon, Hong Kong</b> |                                                                    |                                                                                       |                                                                                                                                                      |                                                                                                         |
| <b>Gegenstand der Prüfung: Zwave Thermostat</b><br><i>Test Item:</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                         |                                                                                                                                                                                                                      |                                                                                                                                                          |                                                                    |                                                                                       |                                                                                                                                                      |                                                                                                         |
| <b>Bezeichnung:</b><br><i>Identification:</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                         | <b>BW8031US</b>                                                                                                                                                                                                      |                                                                                                                                                          | <b>Serien-Nr.:</b><br><i>Serial No.:</i>                           |                                                                                       |                                                                                                                                                      |                                                                                                         |
| <b>Wareneingangs-Nr.:</b><br><i>Receipt No.:</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                         | <b>A000035019-001</b>                                                                                                                                                                                                |                                                                                                                                                          | <b>Eingangsdatum:</b> <b>13.01.2014</b><br><i>Date of Receipt:</i> |                                                                                       |                                                                                                                                                      |                                                                                                         |
| <b>Zustand des Prüfgegenstandes bei Anlieferung:</b><br><i>Condition of test item at delivery:</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                         |                                                                                                                                                                                                                      |                                                                                                                                                          | Test samples received are sufficient for testing and not damaged.  |                                                                                       |                                                                                                                                                      |                                                                                                         |
| <b>Prüfört:</b><br><i>Testing Location:</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                         | <b>TÜV Rheinland Hong Kong Ltd.</b><br>8/F., First Group Centre, 14 Wang Tai Road, Kowloon Bay, Kowloon, Hong Kong<br><b>Hong Kong Productivity Council</b><br>HKPC Building, 78 Tat Chee Avenue, Kowloon, Hong Kong |                                                                                                                                                          |                                                                    |                                                                                       |                                                                                                                                                      |                                                                                                         |
| <b>Prüfgrundlage:</b><br><i>Test Specification:</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                         | <b>FCC Part 15, Subpart C</b>                                                                                                                                                                                        |                                                                                                                                                          |                                                                    |                                                                                       |                                                                                                                                                      |                                                                                                         |
| <b>Prüfergebnis:</b><br><i>Test Result:</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                         | <b>Der Prüfgegenstand entspricht oben genannter Prüfgrundlage(n).</b><br><i>The test item passed the test specification(s).</i>                                                                                      |                                                                                                                                                          |                                                                    |                                                                                       |                                                                                                                                                      |                                                                                                         |
| <b>Prüflaboratorium:</b><br><i>Testing Laboratory:</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                         | <b>TÜV Rheinland Hong Kong Ltd.</b><br>8-10/F., Goldin Financial Global Square, 7 Wang Tai Road, Kowloon Bay, Kowloon, Hong Kong                                                                                     |                                                                                                                                                          |                                                                    |                                                                                       |                                                                                                                                                      |                                                                                                         |
| <b>geprüft / tested by:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                         |                                                                                                                                                                                                                      | <b>kontrolliert / reviewed by:</b>                                                                                                                       |                                                                    |                                                                                       |                                                                                                                                                      |                                                                                                         |
| 06.03.2014                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Joey Leung<br>Project Engineer                                                                          |                                                                                                                                   | 06.03.2014                                                                                                                                               | Sharon Li<br>Section Manager                                       |  |                                                                                                                                                      |                                                                                                         |
| <b>Datum</b><br><i>Date</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | <b>Name/Stellung</b><br><i>Name/Position</i>                                                            | <b>Unterschrift</b><br><i>Signature</i>                                                                                                                                                                              | <b>Datum</b><br><i>Date</i>                                                                                                                              | <b>Name/Stellung</b><br><i>Name/Position</i>                       | <b>Unterschrift</b><br><i>Signature</i>                                               |                                                                                                                                                      |                                                                                                         |
| <b>Sonstiges / Other Aspects:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                         |                                                                                                                                                                                                                      |                                                                                                                                                          |                                                                    |                                                                                       |                                                                                                                                                      |                                                                                                         |
| <b>FCC ID: M7N-BW8030US</b><br>This report is prepared for Class II permissive change                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                         |                                                                                                                                                                                                                      |                                                                                                                                                          |                                                                    |                                                                                       |                                                                                                                                                      |                                                                                                         |
| <table style="width: 100%; border: none;"> <tr> <td style="width: 50%; vertical-align: top;"> <b>Abkürzungen:</b><br/>           P(ass) = entspricht Prüfgrundlage<br/>           F(ail) = entspricht nicht Prüfgrundlage<br/>           N/A = nicht anwendbar<br/>           N/T = nicht getestet         </td> <td style="width: 50%; vertical-align: top;"> <b>Abbreviations:</b><br/>           P(ass) = passed<br/>           F(ail) = failed<br/>           N/A = not applicable<br/>           N/T = not tested         </td> </tr> </table> |                                                                                                         |                                                                                                                                                                                                                      |                                                                                                                                                          |                                                                    |                                                                                       | <b>Abkürzungen:</b><br>P(ass) = entspricht Prüfgrundlage<br>F(ail) = entspricht nicht Prüfgrundlage<br>N/A = nicht anwendbar<br>N/T = nicht getestet | <b>Abbreviations:</b><br>P(ass) = passed<br>F(ail) = failed<br>N/A = not applicable<br>N/T = not tested |
| <b>Abkürzungen:</b><br>P(ass) = entspricht Prüfgrundlage<br>F(ail) = entspricht nicht Prüfgrundlage<br>N/A = nicht anwendbar<br>N/T = nicht getestet                                                                                                                                                                                                                                                                                                                                                                                                | <b>Abbreviations:</b><br>P(ass) = passed<br>F(ail) = failed<br>N/A = not applicable<br>N/T = not tested |                                                                                                                                                                                                                      |                                                                                                                                                          |                                                                    |                                                                                       |                                                                                                                                                      |                                                                                                         |
| <b>Dieser Prüfbericht bezieht sich nur auf das o.g. Prüfmuster und darf ohne Genehmigung der Prüfstelle nicht auszugsweise vervielfältigt werden. Dieser Bericht berechtigt nicht zur Verwendung eines Prüfzeichens.</b><br><i>This test report relates to the a. m. test sample. Without permission of the test center this test report is not permitted to be duplicate in extracts. This test report does not entitle to carry any safety mark on this or similar products.</i>                                                                  |                                                                                                         |                                                                                                                                                                                                                      |                                                                                                                                                          |                                                                    |                                                                                       |                                                                                                                                                      |                                                                                                         |

## Contents

|                                                                            |          |
|----------------------------------------------------------------------------|----------|
| <b>Test Summary</b> .....                                                  | <b>3</b> |
| <b>List of Test and Measurement Instruments</b> .....                      | <b>4</b> |
| <b>General Product Information</b> .....                                   | <b>5</b> |
| Product Function and Intended Use.....                                     | 5        |
| Ratings and System Details.....                                            | 5        |
| Independent Operation Modes.....                                           | 6        |
| Submitted Documents .....                                                  | 6        |
| Remark.....                                                                | 6        |
| <b>Test Set-up and Operation Mode</b> .....                                | <b>7</b> |
| Principle of Configuration Selection .....                                 | 7        |
| Test Operation and Test Software .....                                     | 7        |
| Special Accessories and Auxiliary Equipment.....                           | 7        |
| Countermeasures to achieve EMC Compliance .....                            | 7        |
| <b>Test Methodology</b> .....                                              | <b>8</b> |
| Radiated Emission.....                                                     | 8        |
| Field Strength Calculation .....                                           | 8        |
| <b>Test Results</b> .....                                                  | <b>9</b> |
| Section 15.207 – Conducted Emission   Pass .....                           | 9        |
| Section 15.215 (c) – 20dB Bandwidth   Pass.....                            | 10       |
| Section 15.249 (a) – Radiated Emission of Carrier Frequency   Pass .....   | 11       |
| Section 15.249 (a, c, d, e) – Spurious Radiated Emissions   Pass.....      | 12       |
| <b>Appendix 1: Test Results</b>                                            |          |
| <b>Appendix 2: Test Setup</b>                                              |          |
| <b>Appendix 3: EUT External Photo</b>                                      |          |
| <b>Appendix 4: EUT Internal Photo</b>                                      |          |
| <b>Appendix 5: Block Diagram, FCCID Label, Schematics and User manual.</b> |          |

[www.tuv.com](http://www.tuv.com)

## Test Summary

### Conducted Emissions

*Result: Pass*

### 20dB bandwidth

*Result: Pass*

### Radiated Emission of Carrier Frequency

*Result: Pass*

### Spurious Radiated Emissions

*Result: Pass*

## List of Test and Measurement Instruments

### Hong Kong Productivity Council (Registration number: 90656)

#### Radiated Emission

| Equipment used                             | Manufacturer | Model No.          | S/N               | Due Date    |
|--------------------------------------------|--------------|--------------------|-------------------|-------------|
| Semi-anechoic Chamber                      | Frankonia    | Nil                | Nil               | 12 Apr 2014 |
| Cable                                      | Hubersuhner  | SUCOFLEX 104       | 72799 /6          | 30 Mar 2014 |
| Test Receiver                              | R & S        | ESU40              | 100190            | 19 Mar 2014 |
| Bi-conical Antenna                         | R & S        | HK116              | 100242            | 11 Jun 2015 |
| Log Periodic Antenna                       | R & S        | HL223              | 841516/020        | 10 Jun 2015 |
| Coaxial cable 50ohm                        | Rosenberger  | RTK081-05S-05S-10m | LA2-001-10M / 001 | 15 Nov 2015 |
| Microwave amplifier 0.5-26.5GHz, 25dB gain | HP           | 83017A             | 3123A00437        | 03 Oct 2015 |
| High Pass Filter (cutoff freq. =1000MHz)   | Trilithic    | 23042              | 9829213           | 28 Oct 2015 |
| Horn Antenna                               | EMCO         | 3115               | 9002-3351         | 11 Jun 2015 |
| Active Loop Antenna                        | EMCO         | 6502               | 9107-2651         | 21 Mar 2014 |
| FSP 30 Spectrum Analyser                   | R & S        | FSP 30             | 100007/030        | 03 Dec 2014 |

#### Conducted Emission

| Equipment used      | Manufacturer    | Model No. | S/N    | Due Date    |
|---------------------|-----------------|-----------|--------|-------------|
| Test Receiver       | Rohde & Schwarz | ESCS30    | 100201 | 28 Feb 2015 |
| LISN                | Rohde & Schwarz | ENV216    | 100273 | 26 Feb 2015 |
| Double Shield Cable | Radiall         | RG142     | Nil    | 13 Sep 2014 |

## General Product Information

### Product Function and Intended Use

The equipment under test (EUT) is a remote control of home automation system. It is able to control the wireless enabled equipment at the home. It uses 908.4MHz as a communication channel. There is only one frequency channel in this product.

#### FCC ID: M7N-BW8030US

| Model    | Product description |
|----------|---------------------|
| BW8031US | Zwave Thermostat    |

### Ratings and System Details

|                       |                                          |
|-----------------------|------------------------------------------|
|                       | Transmitter                              |
| Operating Frequencies | : 908.4MHz                               |
| Number of channels    | : 1                                      |
| Type of antenna       | : Integral antenna                       |
| Power supply          | : 24VAC or 6.0VDC, 4 x AA size batteries |
| Ports                 | : Yes                                    |

[www.tuv.com](http://www.tuv.com)

## Independent Operation Modes

The basic operation modes are:

- Control of home electrical product
- Others, please refer to user manual for further details

## Submitted Documents

The submitted documents are listed as follow:

- Circuit diagram
- Block diagram
- Bill(s) of material
- User manual
- FCC ID label

## Remark

The following changes were implemented on the modified product

- 1) The power system change to DC-DC step down converter for increasing the power rating;
- 2) The MCU's internal analog-to-digital circuitry is used to sample the thermistor data.

Hence the test for Part 15.207 Conducted Emission, Part 15.215(c) 20dB bandwidth, Part 15.249(a), (d) & (e) Spurious Radiated Emission were re-evaluated in this test report.

Due to the spurious radiated emission result was worse than the previous, permissive class II change report is submitted to TCB.

## Test Set-up and Operation Mode

### Principle of Configuration Selection

**Emission:** The equipment under test (EUT) was configured to measure its highest possible radiation level. The test modes were adapted accordingly in reference to the instructions for use.

### Test Operation and Test Software

Test operation should refer to test methodology.

- There was no special software to exercise the device.

### Special Accessories and Auxiliary Equipment

The product has been tested together with the following additional accessories:

- Testing board provided by the manufacturer
- AC/AC Power transformer  
Model number: JT-1200  
Input: 120VAC 60Hz  
Output: 24VAC 28.8VA max.

### Countermeasures to achieve EMC Compliance

- none

## Test Methodology

### Radiated Emission

The radiated emission measurements were performed according to the procedures in ANSI C63.4-2003.

The equipment under test (EUT) was placed at the middle of the 80 cm height turntable, and the turntable is 3 meters far from the measuring antenna. During the testing, the EUT was operated standalone and arranged for maximum emissions. The EUT was tested in three orthogonal planes.

The investigation is performed with the EUT rotated 360°, the antenna height scanned between 1m and 4m, and the antenna rotated to repeat the measurements for both the horizontal and vertical antenna polarizations. Repeat the measurement steps until the maximum emissions were obtained.

All radiated tests were performed at an antenna to EUT with 3 meters distance, unless stated otherwise in particular parts of this test report.

### Field Strength Calculation

The field strength at 3 m was established by adding the meter reading of the spectrum analyzer to the factors associated with antenna correction factor, cable loss, preamplifiers and filter attenuation.

The equation is expressed as follow:

$$FS = R + AF + CF + FA - PA$$

Where FS = Field Strength in dBuV/m at 3 meters.  
R = Reading of Spectrum Analyzer in dBuV.  
AF = Antenna Factor in dB.  
CF = Cable Attenuation Factor in dB.  
FA = Filter Attenuation Factor in dB.  
PA = Preamplifier Factor in dB.

FA and PA are only be used for the measuring frequency above 1 GHz.

Average value of FS = FS – Average factor.

Average Factor = 20 log duty cycle.

## Test Results

### Section 15.207 – Conducted Emission

**Pass**

Test Specification : FCC Part 15 Section 15.207  
 Detector Function : Quasi-Peak and Average  
 Supply Voltage : 120VAC 60Hz

| Live measurement      |                 |                   |                |                 |                 |         |
|-----------------------|-----------------|-------------------|----------------|-----------------|-----------------|---------|
| Frequency range (MHz) | Frequency (MHz) | Quasi-peak (dBµV) | Average (dBµV) | Limit QP (dBµV) | Limit AV (dBµV) | Verdict |
| 0.15 – 0.5            | 0.150           | 39.2              | 12.7           | 66 – 56         | 56 – 46         | Pass    |
|                       | 0.170           | 39.0              | 12.3           | 66 – 56         | 56 – 46         | Pass    |
|                       | 0.182           | 37.7              | 12.2           | 66 – 56         | 56 – 46         | Pass    |
| > 0.5 – 5             | No peak found   | ---               | ---            | 56              | 46              | Pass    |
| > 5 - 30              | No peak found   | ---               | ---            | 60              | 50              | Pass    |
| Neutral measurement   |                 |                   |                |                 |                 |         |
| Frequency range (MHz) | Frequency (MHz) | Quasi-peak (dBµV) | Average (dBµV) | Limit QP (dBµV) | Limit AV (dBµV) | Verdict |
| 0.15 – 0.5            | 0.150           | 39.3              | 12.7           | 66 – 56         | 56 – 46         | Pass    |
|                       | 0.162           | 39.4              | 13.4           | 66 – 56         | 56 – 46         | Pass    |
|                       | 0.178           | 38.1              | 11.8           | 66 – 56         | 56 – 46         | Pass    |
| > 0.5 – 5             | No peak found   | ---               | ---            | 56              | 46              | Pass    |
| > 5 - 30              | No peak found   | ---               | ---            | 60              | 50              | Pass    |

**Section 15.215 (c) – 20dB Bandwidth****Pass**

Test Specification : FCC Part 15 Section 15.215(c)  
Detector Function : Peak  
Measurement BW : 100kHz  
Supply Voltage : 6.0V DC from batteries  
Operating band : 908MHz

| Frequency | 20dB Bandwidth | Frequency at 20dB BW<br>closest to Band Edge | Delta to Band Edge |
|-----------|----------------|----------------------------------------------|--------------------|
| (MHz)     | (MHz)          | (MHz)                                        | (MHz)              |
| 908.400   | 0.260          | 908.310                                      | -6.310             |

For test results, please refer to Appendix 1.

**Limit****Section 15.215(c)**

| Frequency band (MHz) |
|----------------------|
| 902 – 928            |

Intentional radiators operating under the alternative provisions to the general emission limits, as contained in § 15.217 through 15.257 and in Subpart E of this part, must be designed to ensure that the 20 dB bandwidth of the emission, or whatever bandwidth may otherwise be specified in the specific rule section under which the equipment operates, is contained within the frequency band designated in the rule section under which the equipment is operated.

**Section 15.249 (a) – Radiated Emission of Carrier Frequency**
**Pass**

Test Specification : FCC Part 15 Section 15.249(a)  
 Test Method : ANSI 63.4-2003  
 Measurement Location : Semi Anechoic Chamber  
 Measurement Distance : 3m  
 Detector Function : Quasi-Peak  
 Measurement BW : 120kHz  
 Supply Voltage : 6.0V DC from batteries

**Polarization: Vertical**

| Frequency (MHz) | Field strength at 3m (dBμV/m) | Limit (dBμV/m) | Delta to Limit (dB) |
|-----------------|-------------------------------|----------------|---------------------|
| 908.396         | 82.1                          | 94.0           | -11.9               |

**Polarization: Horizontal**

| Frequency (MHz) | Field strength at 3m (dBμV/m) | Limit (dBμV/m) | Delta to Limit (dB) |
|-----------------|-------------------------------|----------------|---------------------|
| 908.396         | 85.7                          | 94.0           | -8.3                |

**Limit**
**Section 15.249(a)**

| Frequency band (MHz) | Peak Emission |          |
|----------------------|---------------|----------|
|                      | (μV/m)        | (dBμV/m) |
| 902 – 928            | 50,000        | 94.0     |

As shown in Section 15.35(b), for frequencies above 1000 MHz, the above field strength limits of this section are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation.



www.tuv.com

**Limit**

**Section 15.249(d)**

Emissions radiated outside of the specified frequency bands as listed in 15.249(a), except for harmonics, shall be attenuated by at least 50dB below the level of the fundamental or to the general radiated emission limits in Section 15.209, whichever is the lesser attenuation.

**Limit**

**Section 15.209**

Radiated emissions, which fall in the restricted bands, as defined in Section 15.205(a), must also comply with the radiated emission limits specified in Section 15.209.

Limit for Radiated Emission under Section 15.209:

| Frequency<br>(MHz) | Field strength<br>( $\mu\text{V/m}$ ) | Field strength<br>(dB $\mu\text{V/m}$ ) | Measurement distance<br>(m) |
|--------------------|---------------------------------------|-----------------------------------------|-----------------------------|
| 30-88              | 100                                   | $20 \cdot \log(100) = 40.00$            | 3                           |
| 88-216             | 150                                   | $20 \cdot \log(150) = 43.52$            | 3                           |
| 216-960            | 200                                   | $20 \cdot \log(200) = 46.02$            | 3                           |
| 960-2500           | 500                                   | $20 \cdot \log(500) = 53.98$            | 3                           |

The emission limits shown in the above table below 1000MHz are based on measurements employing a CISPR quasi-peak detector and above 1000 MHz are based on the measurements employing average and peak detectors.