

Prüfbericht - Nr.:

14029350 002

Test Report No.:

Seite 1 von 3

Page 1 of 3


TUV Rheinland Hong Kong Ltd. - EMC Laboratory

1 / 1

**EUT Information**

Client / EUT: Remotec Thermostat
Model no. / Sample no.: BW8031US
Test standard: FCC Part 15
Operating conditions: On mode
Operator: Gary
Test voltage / frequency: 120V 60Hz
Line / lead: L

Conducted Emission (150 kHz - 30 MHz)

**Result Table Single**

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)
0.150000	39.2	12.7
0.170000	39.0	12.3
0.182000	37.7	12.2

Prüfbericht - Nr.:**14029350 002**

Test Report No.:

Seite 2 von 3

Page 2 of 3


TUV Rheinland Hong Kong Ltd. - EMC Laboratory

1 / 1

**EUT Information**

Client / EUT:	Remotec Thermostat
Model no. / Sample no.:	BW8031US
Test standard:	FCC Part 15
Operating conditions:	On mode
Operator:	Gary
Test voltage / frequency:	120V 60Hz
Line / lead:	N

Conducted Emission (150 kHz - 30 MHz)

**Result Table Single**

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)
0.150000	39.3	12.7
0.162000	39.4	13.4
0.178000	38.1	11.8

3/5/2014


10:07:44

Neutral

Prüfbericht - Nr.:
Test Report No.:

14029350 002

Seite 3 von 3
Page 3 of 3



Date: 27.FEB.2014 17:19:37

20dB Bandwidth