



台灣安潔電子股份有限公司
Taiwan Anjie Electronics Co., Ltd

承認書

APPROVAL SHEET

Customer: 研華

Customer Model No.: 1751000195-01

Part No.: AJDQ1J-G0001

Product Description: Antenna Internal WIFI 1.13/465mm(Green)IPEX_IV

Issue Date: 20211202

REV.: A

客戶承認用印	安潔承認用印

核准	審核	承辦
		Anders

Taiwan Anjie Electronics Co., Ltd

台灣安潔電子股份有限公司

ADD: 1F,No.236,Sec.3,Huanbei Rd.,Jubei City,Hsinchu County,30265,Taiwan

地址:新竹縣竹北市環北路三段236號1樓

TEL: 886-3-5543399 FAX:886-3-5543062

電話:886-3-5543399 傳真:886-3-5543062



Table of Contents

Item

1. Drawing

2. Test Report

- Electrical test
 - Antenna Gain and Efficiency
-


3. Material Certifications

- Antenna
 - Connector
-



台灣安潔電子股份有限公司
Taiwan Anjie Electronics Co., Ltd

SPECIFICATION	
Frequency Range	2400~5850MHz
Impedance	50Ω
V.S.W.R	≤ 2.5
Radiation	Omni
Gain	2.4G<4.25dBi 5G<2.02 dBi
Type	PIFA
Polarization	Vertical
Mechanical Properties	
Connector	I-PEX_IV



REV	DATE	DESCRIPTION
X1	2021.01.07	New Release
X2	2021.08.05	Change cable length DIM

4	901-02700-00	O.D. 1.13mm IPEX_IV Part No. 20565-001R-13 ; Lenght=465mm(Green)	1
3	801-03369-00	銅箔 12*8mm	1
2	502-00172-00	FPCB 29*6*0.15mm	1
1	302-06031-00	Wifi AUX Holder 32.1*11.3*4.7mm (Black)	1
No.	Part No.	Description	Q'ty


UNLESS OTHERWISE SPECIFIED Tolerance ON: X.X ±0.5 X° ±1.0 X.XX ±0.2	anjie Taiwan Anjie Electronics Co.,Ltd		
	Customer Model: AIM78		
	Customer Number: --		
	TITLE: Antenna Internal WiFi AUX		
APP BY	CHK BY	DES BY	PART NO.: AJDQ1J-G0001
			
Sheet		UNITS	SCALE
1 of 1		mm	2 / 1
		REV	X2



台灣安潔電子股份有限公司

Taiwan Anjie Electronics Co., Ltd

Electrical test





台灣安潔電子股份有限公司
Taiwan Anjie Electronics Co., Ltd

Antenna Gain and Efficiency

Frequency(MHz)	2400	2410	2420	2430	2440	2450	2460	2470	2480	2490	2500
Gain (dBi)	4.19	4.09	4.25	4.12	4.07	3.95	3.86	3.86	3.71	3.46	3.43
Directivity (dBi)	7.87	7.74	7.89	7.76	7.61	7.43	7.34	7.25	7.03	6.82	6.67
Efficiency (dB)	-3.68	-3.66	-3.64	-3.64	-3.54	-3.48	-3.48	-3.39	-3.32	-3.37	-3.24
Efficiency (%)	42.82	43.09	43.23	43.22	44.3	44.86	44.91	45.87	46.59	46.07	47.43

Frequency(MHz)	5150	5250	5350	5450	5550	5650	5750	5850
Gain (dBi)	0.97	1.81	2.02	1.08	1.63	1.95	0.3	0.41
Directivity (dBi)	4.63	5.5	5.56	4.68	4.94	5.53	3.96	4.33
Efficiency (dB)	-3.66	-3.69	-3.54	-3.59	-3.32	-3.58	-3.66	-3.93
Efficiency (%)	43.01	42.78	44.26	43.71	46.58	43.87	43.05	40.46



台灣安潔電子股份有限公司
Taiwan Anjie Electronics Co., Ltd

Antenna 3D Pattern

