


4.7.4 Test Results


GPRS

Channel 128 (824.2MHz)

Frequency Range : 9kHz ~ 1GHz




Frequency Range : 1GHz ~ 10GHz




Channel 189 (836.4MHz)

Frequency Range : 9kHz ~ 1GHz




Frequency Range : 1GHz ~ 10GHz




Channel 251 (848.8MHz)

Frequency Range : 9kHz ~ 1GHz



Frequency Range : 1GHz ~ 10GHz




*The 9kHz signal over the limit is from Spectrum.


EDGE

Channel 128 (824.2MHz)

Frequency Range : 9kHz ~ 1GHz




Frequency Range : 1GHz ~ 10GHz




Channel 189 (836.4MHz)

Frequency Range : 9kHz ~ 1GHz




Frequency Range : 1GHz ~ 10GHz




Channel 251 (848.8MHz)

Frequency Range : 9kHz ~ 1GHz



Frequency Range : 1GHz ~ 10GHz




*The 9kHz signal over the limit is from Spectrum.


WCDMA

Channel 4132 (826.4MHz)

Frequency Range : 9kHz ~ 1GHz




Frequency Range : 1GHz ~ 10GHz




Channel 4182 (836.4MHz)

Frequency Range : 9kHz ~ 1GHz




Frequency Range : 1GHz ~ 10GHz




Channel 4233 (846.6MHz)

Frequency Range : 9kHz ~ 1GHz



Frequency Range : 1GHz ~ 10GHz




*The 9kHz signal over the limit is from Spectrum.


HSDPA

Channel 4132 (826.4MHz)

Frequency Range : 9kHz ~ 1GHz




Frequency Range : 1GHz ~ 10GHz




Channel 4182 (836.4MHz)

Frequency Range : 9kHz ~ 1GHz




Frequency Range : 1GHz ~ 10GHz




Channel 4233 (846.6MHz)

Frequency Range : 9kHz ~ 1GHz



Frequency Range : 1GHz ~ 10GHz




*The 9kHz signal over the limit is from Spectrum.


HSUPA

Channel 4132 (826.4MHz)

Frequency Range : 9kHz ~ 1GHz




Frequency Range : 1GHz ~ 10GHz




Channel 4182 (836.4MHz)

Frequency Range : 9kHz ~ 1GHz




Frequency Range : 1GHz ~ 10GHz




Channel 4233 (846.6MHz)

Frequency Range : 9kHz ~ 1GHz



Frequency Range : 1GHz ~ 10GHz




*The 9kHz signal over the limit is from Spectrum.


LTE Band 5, Channel Bandwidth 1.4MHz

Channel 20407 (824.7MHz)

Frequency Range : 9kHz ~ 1GHz




Frequency Range : 1GHz ~ 9GHz




Channel 20525 (836.5MHz)

Frequency Range : 9kHz ~ 1GHz




Frequency Range : 1GHz ~ 9GHz




Channel 20643 (848.3MHz)

Frequency Range : 9kHz ~ 1GHz



Frequency Range : 1GHz ~ 9GHz




*The 9kHz signal over the limit is from Spectrum.


LTE Band 5, Channel Bandwidth 3MHz

Channel 20415 (825.5MHz)

Frequency Range : 9kHz ~ 1GHz




Frequency Range : 1GHz ~ 9GHz




Channel 20525 (836.5MHz)

Frequency Range : 9kHz ~ 1GHz




Frequency Range : 1GHz ~ 9GHz




Channel 20635 (847.5MHz)

Frequency Range : 9kHz ~ 1GHz



Frequency Range : 1GHz ~ 9GHz




*The 9kHz signal over the limit is from Spectrum.


LTE Band 5, Channel Bandwidth 5MHz

Channel 20425 (826.5MHz)

Frequency Range : 9kHz ~ 1GHz




Frequency Range : 1GHz ~ 9GHz




Channel 20525 (836.5MHz)

Frequency Range : 9kHz ~ 1GHz




Frequency Range : 1GHz ~ 9GHz




Channel 20625 (846.5MHz)

Frequency Range : 9kHz ~ 1GHz



Frequency Range : 1GHz ~ 9GHz




*The 9kHz signal over the limit is from Spectrum.


LTE Band 5, Channel Bandwidth 10MHz

Channel 20450 (829.0MHz)

Frequency Range : 9kHz ~ 1GHz




Frequency Range : 1GHz ~ 9GHz




Channel 20525 (836.5MHz)

Frequency Range : 9kHz ~ 1GHz




Frequency Range : 1GHz ~ 9GHz




Channel 20600 (844.0MHz)

Frequency Range : 9kHz ~ 1GHz



Frequency Range : 1GHz ~ 9GHz




*The 9kHz signal over the limit is from Spectrum.


LTE Band 26, Channel Bandwidth 1.4MHz

Channel 26797 (824.7MHz)

Frequency Range : 9kHz ~ 1GHz




Frequency Range : 1GHz ~ 9GHz




Channel 26915 (836.5MHz)

Frequency Range : 9kHz ~ 1GHz




Frequency Range : 1GHz ~ 9GHz




Channel 27033 (848.3MHz)

Frequency Range : 9kHz ~ 1GHz



Frequency Range : 1GHz ~ 9GHz




*The 9kHz signal over the limit is from Spectrum.


LTE Band 26, Channel Bandwidth 3MHz

Channel 26805 (825.5MHz)

Frequency Range : 9kHz ~ 1GHz




Frequency Range : 1GHz ~ 9GHz




Channel 26915 (836.5MHz)

Frequency Range : 9kHz ~ 1GHz




Frequency Range : 1GHz ~ 9GHz




Channel 27025 (847.5MHz)

Frequency Range : 9kHz ~ 1GHz



Frequency Range : 1GHz ~ 9GHz




*The 9kHz signal over the limit is from Spectrum.


LTE Band 26, Channel Bandwidth 5MHz

Channel 26815 (826.5MHz)

Frequency Range : 9kHz ~ 1GHz




Frequency Range : 1GHz ~ 9GHz




Channel 26915 (836.5MHz)

Frequency Range : 9kHz ~ 1GHz




Frequency Range : 1GHz ~ 9GHz




Channel 27015 (846.5MHz)

Frequency Range : 9kHz ~ 1GHz



Frequency Range : 1GHz ~ 9GHz




*The 9kHz signal over the limit is from Spectrum.


LTE Band 26, Channel Bandwidth 10MHz

Channel 26840 (829.0MHz)

Frequency Range : 9kHz ~ 1GHz




Frequency Range : 1GHz ~ 9GHz




Channel 26915 (836.5MHz)

Frequency Range : 9kHz ~ 1GHz




Frequency Range : 1GHz ~ 9GHz




Channel 26990 (844.0MHz)

Frequency Range : 9kHz ~ 1GHz



Frequency Range : 1GHz ~ 9GHz




*The 9kHz signal over the limit is from Spectrum.


LTE Band 26, Channel Bandwidth 15MHz

Channel 26865 (831.5MHz)

Frequency Range : 9kHz ~ 1GHz




Frequency Range : 1GHz ~ 9GHz




Channel 26915 (836.5MHz)

Frequency Range : 9kHz ~ 1GHz




Frequency Range : 1GHz ~ 9GHz




Channel 26965 (841.5MHz)

Frequency Range : 9kHz ~ 1GHz



Frequency Range : 1GHz ~ 9GHz



*The 9kHz signal over the limit is from Spectrum.

4.8 Radiated Emission Measurement

4.8.1 Limits of Radiated Emission Measurement

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB. The emission limit equal to -13dBm .

4.8.2 Test Procedure

- a. In the semi-anechoic chamber, EUT placed on the 0.8m(below or equal 1GHz) and/or 1.5m(above 1GHz) height of Turn Table, rotated the table around 360 degrees to search the maximum radiation power and receiver antenna shall be rotated vertical and horizontal polarization and moved height from 1m to 4m to find the maximum polar radiated power. The "Read Value" is the spectrum reading the maximum power value.
- b. The height of antenna is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- c. Perform a field strength measurement and record the worse read value, is the field strength value via a spectrum reading obtained corrected for antenna factor, cable loss and pre-amplifier factor and then mathematically convert the measured field strength level to EIRP/ERP level.
- d. Following C63.26 section 5.5 and 5.2.7
 $\text{EIRP (dBm)} = E (\text{dB}\mu\text{V/m}) + 20\log(D) - 104.8$; where D is the measurement distance (in the far field region) in m.
 $\text{ERP (dBm)} = E (\text{dB}\mu\text{V/m}) + 20\log(D) - 104.8 - 2.15$; where D is the measurement distance (in the far field region) in m.

Note:


1. The resolution bandwidth and video bandwidth of test receiver/spectrum analyzer is 1MHz/3MHz.
2. The emission levels were against the limit of frequency range 9 kHz ~ 30 MHz:
The amplitude of spurious emissions attenuated more than 20 dB below the permissible value is not required to be report.

4.8.3 Deviation from Test Standard


No deviation.

4.8.4 Test Setup

For radiated emission 30MHz to 1GHz



For radiated emission above 1GHz



For the actual test configuration, please refer to the attached file (Test Setup Photo).

4.8.5 Test Results

Test Mode A

GPRS


Low Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 1



Site : 966 chamber 1

Condition: PART 22/24 Horizontal

Remark : GPRS 850_Link_L-Ch

Tested by: Karl Lee

			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	1648.40	-57.12	-64.85	-13.00	-44.12	7.73	Peak
2 pp	2472.60	-47.11	-58.14	-13.00	-34.11	11.03	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 2

Date: 2021-09-13



Site : 966 chamber 1
Condition: PART 22/24 Vertical
Remark : GPRS 850_Link_L-Ch
Tested by: Karl Lee

			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	1648.40	-49.21	-56.94	-13.00	-36.21	7.73	Peak
2	2472.60	-45.22	-56.25	-13.00	-32.22	11.03	Peak

Mid Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 9

Date: 2020-12-03



Site : 966 chamber 1
Condition: PART 22/24 Horizontal
Remark : GPRS 850_Link_M-Ch
Tested by: Karl Lee

			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	41.07	-73.04	-63.24	-13.00	-60.04	-9.80	Peak
2	125.31	-61.12	-53.17	-13.00	-48.12	-7.95	Peak
3	223.86	-66.95	-61.09	-13.00	-53.95	-5.86	Peak
4	344.10	-59.88	-54.43	-13.00	-46.88	-5.45	Peak
5	449.80	-61.83	-57.98	-13.00	-48.83	-3.85	Peak
6	601.00	-68.92	-69.34	-13.00	-55.92	0.42	Peak
7	1672.80	-52.14	-60.05	-13.00	-39.14	7.91	Peak
8 pp	2509.20	-42.21	-53.49	-13.00	-29.21	11.28	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 10

Date: 2020-12-03



Site : 966 chamber 1
Condition: PART 22/24 Vertical
Remark : GPRS 850_Link_M-Ch
Tested by: Karl Lee

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	58.89	-65.47	-51.41	-13.00	-52.47	-14.06	Peak
2	127.74	-59.99	-52.22	-13.00	-46.99	-7.77	Peak
3	217.65	-64.72	-58.77	-13.00	-51.72	-5.95	Peak
4	347.60	-62.03	-56.62	-13.00	-49.03	-5.41	Peak
5	507.20	-69.49	-64.70	-13.00	-56.49	-4.79	Peak
6	703.90	-68.14	-67.69	-13.00	-55.14	-0.45	Peak
7 pp	1672.80	-48.12	-56.03	-13.00	-35.12	7.91	Peak
8	2509.20	-51.65	-62.93	-13.00	-38.65	11.28	Peak

High Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 1

Date: 2021-09-13



Site : 966 chamber 1
Condition: PART 22/24 Horizontal
Remark : GPRS 850_Link_H-Ch
Tested by: Karl Lee

			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	1697.60	-54.64	-62.78	-13.00	-41.64	8.14	Peak
2	2546.40	-49.59	-61.06	-13.00	-36.59	11.47	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 2

Date: 2021-09-13



Site : 966 chamber 1
 Condition: PART 22/24 Vertical
 Remark : GPRS 850_Link_H-Ch
 Tested by: Karl Lee

			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	pp 1697.60	-52.76	-60.90	-13.00	-39.76	8.14	Peak
2	2546.40	-52.91	-64.38	-13.00	-39.91	11.47	Peak


EDGE Low Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 1



Site : 966 chamber 1
Condition: PART 22/24 Horizontal
Remark : EDGE 850_Link_L-Ch
Tested by: Charles Hsiao

		Read	Limit	Over		
Freq	Level	Level	Line	Limit	Factor	Remark
MHz	dBm	dBm	dBm	dB	dB	
1	1648.40	-52.10	-59.83	-13.00	-39.10	7.73 Peak
2 pp	2472.60	-47.57	-58.60	-13.00	-34.57	11.03 Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 2

Date: 2021-09-13



Site : 966 chamber 1
Condition: PART 22/24 Vertical
Remark : EDGE 850_Link_L-Ch
Tested by: Charles Hsiao

			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	pp 1648.40	-50.33	-58.06	-13.00	-37.33	7.73	Peak
2	2472.60	-51.72	-62.75	-13.00	-38.72	11.03	Peak

Mid Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 1

Date: 2021-09-13



Site : 966 chamber 1
Condition: PART 22/24 Horizontal
Remark : EDGE 850_Link_M-Ch
Tested by: Charles Hsiao

			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	1672.80	-58.22	-66.13	-13.00	-45.22	7.91	Peak
2 pp	2509.20	-45.37	-56.65	-13.00	-32.37	11.28	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 2

Date: 2021-09-13



Site : 966 chamber 1
Condition: PART 22/24 Vertical
Remark : EDGE 850_Link_M-Ch
Tested by: Charles Hsiao

			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	1672.80	-54.28	-62.19	-13.00	-41.28	7.91	Peak
2 pp	2509.20	-49.26	-60.54	-13.00	-36.26	11.28	Peak

High Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 1

Date: 2021-09-13



Site : 966 chamber 1
Condition: PART 22/24 Horizontal
Remark : EDGE 850_Link_H-Ch
Tested by: Charles Hsiao

			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	1697.60	-53.24	-61.38	-13.00	-40.24	8.14	Peak
2 pp	2546.40	-45.66	-57.13	-13.00	-32.66	11.47	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 2

Date: 2021-09-13



Site : 966 chamber 1
Condition: PART 22/24 Vertical
Remark : EDGE 850_Link_H-Ch
Tested by: Charles Hsiao

			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	1697.60	-48.55	-56.69	-13.00	-35.55	8.14	Peak
2 pp	2546.40	-46.27	-57.74	-13.00	-33.27	11.47	Peak


WCDMA Low Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3



Site : 966 chamber 1
 Condition: PART 22/24 Horizontal
 Remark : Band V_Link_L-Ch
 Tested by: Karl Lee

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1 pp	1652.80	-53.51	-61.24	7.73	-13.00	-40.51	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4

Date: 2021-08-14



Site : 966 chamber 1
 Condition: PART 22/24 Vertical
 Remark : Band V_Link_L-Ch
 Tested by: Karl Lee

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1 pp	1652.80	-59.67	-67.40	7.73	-13.00	-46.67	Peak

Mid Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3

Date: 2021-08-14



Site : 966 chamber 1
 Condition: PART 22/24 Horizontal
 Remark : Band V_Link_M-Ch
 Tested by: Karl Lee

		Read	Limit	Over	
Freq	Level	Level	Factor	Line	Limit Remark
MHz	dBm	dBm	dB	dBm	dB
1 pp 1672.80	-51.52	-59.43	7.91	-13.00	-38.52 Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4

Date: 2021-08-14



Site : 966 chamber 1
 Condition: PART 22/24 Vertical
 Remark : Band V_Link_M-Ch
 Tested by: Karl Lee

	Read	Limit	Over	
Freq	Level	Level	Factor	Line
MHz	dBm	dBm	dB	dBm
1 pp 1672.80	-57.44	-65.35	7.91	-13.00
				-44.44
				Peak

High Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 7

Date: 2021-08-14



Site : 966 chamber 1
Condition: PART 22/24 Horizontal
Remark : Band V_Link_H-Ch
Tested by: Karl Lee

			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	66.45	-63.58	-50.48	-13.00	-50.58	-13.10	Peak
2	129.90	-55.06	-47.41	-13.00	-42.06	-7.65	Peak
3	247.08	-50.22	-44.67	-13.00	-37.22	-5.55	Peak
4	421.80	-54.30	-51.07	-13.00	-41.30	-3.23	Peak
5	619.20	-58.40	-58.62	-13.00	-45.40	0.22	Peak
6	812.40	-61.11	-62.98	-13.00	-48.11	1.87	Peak
7 pp	1693.20	-48.32	-56.46	-13.00	-35.32	8.14	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 8

Date: 2021-08-14



Site : 966 chamber 1
Condition: PART 22/24 Vertical
Remark : Band V_Link_H-Ch
Tested by: Karl Lee

	Read	Limit	Over				
Freq	Level	Level	Line	Limit	Factor	Remark	
MHz	dBm	dBm	dBm	dB	dB		
1	65.10	-57.81	-44.43	-13.00	-44.81	-13.38	Peak
2	128.55	-59.10	-51.39	-13.00	-46.10	-7.71	Peak
3	208.20	-58.12	-52.05	-13.00	-45.12	-6.07	Peak
4	430.20	-57.25	-53.83	-13.00	-44.25	-3.42	Peak
5 pp	654.20	-55.90	-55.74	-13.00	-42.90	-0.16	Peak
6	806.80	-66.18	-68.11	-13.00	-53.18	1.93	Peak
7	1693.20	-56.70	-64.84	-13.00	-43.70	8.14	Peak


LTE Band 5, Channel Bandwidth 1.4MHz
Low Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3



Site : 966 chamber 1
Condition: PART 22/24 Horizontal
Remark : LTE_Band 5_Link_L-Ch
Tested by: Karl Lee

		Read	Limit	Over	
Freq	Level	Level	Factor	Line	Limit Remark
MHz	dBm	dBm	dB	dBm	dB
1 pp 1649.40	-48.09	-55.82	7.73	-13.00	-35.09 Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4

Date: 2021-08-14



Site : 966 chamber 1
 Condition: PART 22/24 Vertical
 Remark : LTE_Band 5_Link_L-Ch
 Tested by: Karl Lee

	Read	Limit	Over	
Freq	Level	Level	Factor	Line
MHz	dBm	dBm	dB	dBm
1 pp 1649.40	-57.22	-64.95	7.73	-13.00
				-44.22
				Peak

Mid Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3

Date: 2021-08-14



Site : 966 chamber 1
Condition: PART 22/24 Horizontal
Remark : LTE_Band 5_Link_M-Ch
Tested by: Karl Lee

		Read	Limit	Over	
Freq	Level	Level	Factor	Line	Limit Remark
MHz	dBm	dBm	dB	dBm	dB
1 pp 1673.00	-45.82	-53.73	7.91	-13.00	-32.82 Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4

Date: 2021-08-14



Site : 966 chamber 1
 Condition: PART 22/24 Vertical
 Remark : LTE_Band 5_Link_M-Ch
 Tested by: Karl Lee

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1 pp	1673.00	-55.23	-63.14	7.91	-13.00	-42.23	Peak

High Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3

Date: 2021-08-14



Site : 966 chamber 1
Condition: PART 22/24 Horizontal
Remark : LTE_Band 5_Link_H-Ch
Tested by: Karl Lee

		Read	Limit	Over	
Freq	Level	Level	Factor	Line	Limit Remark
MHz	dBm	dBm	dB	dBm	dB
1 pp 1696.60	-43.40	-51.54	8.14	-13.00	-30.40 Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4

Date: 2021-08-14



Site : 966 chamber 1
 Condition: PART 22/24 Vertical
 Remark : LTE_Band 5_Link_H-Ch
 Tested by: Karl Lee

	Read	Limit	Over	
Freq	Level	Level	Factor	Line
MHz	dBm	dBm	dB	dBm
1 pp 1696.60	-52.36	-60.50	8.14	-13.00
				-39.36
				Peak

LTE Band 5, Channel Bandwidth 5MHz
 Low Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3

Date: 2021-08-14



Site : 966 chamber 1
 Condition: PART 22/24 Horizontal
 Remark : LTE_Band 5_Link_L-Ch
 Tested by: Karl Lee

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1 pp	1653.00	-48.66	-56.39	7.73	-13.00	-35.66	Peak
2	2479.50	-50.81	-61.84	11.03	-13.00	-37.81	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4

Date: 2021-08-14



Site : 966 chamber 1
Condition: PART 22/24 Vertical
Remark : LTE_Band 5_Link_L-Ch
Tested by: Karl Lee

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	1653.00	-55.59	-63.32	7.73	-13.00	-42.59	Peak
2	2479.50	-52.57	-63.60	11.03	-13.00	-39.57	Peak

Mid Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3

Date: 2021-08-14



Site : 966 chamber 1
Condition: PART 22/24 Horizontal
Remark : LTE_Band 5_Link_M-Ch
Tested by: Karl Lee

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	pp 1673.00	-46.46	-54.37	7.91	-13.00	-33.46	Peak
2	2509.50	-51.27	-62.55	11.28	-13.00	-38.27	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4

Date: 2021-08-14



Site : 966 chamber 1
 Condition: PART 22/24 Vertical
 Remark : LTE_Band 5_Link_M-Ch
 Tested by: Karl Lee

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	1673.00	-55.00	-62.91	7.91	-13.00	-42.00	Peak
2 pp	2509.50	-52.84	-64.12	11.28	-13.00	-39.84	Peak

High Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3

Date: 2021-08-14



Site : 966 chamber 1
Condition: PART 22/24 Horizontal
Remark : LTE_Band 5_Link_H-Ch
Tested by: Harry Hsueh

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	pp 1693.00	-43.84	-51.86	8.02	-13.00	-30.84	Peak
2	2539.50	-52.45	-63.92	11.47	-13.00	-39.45	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4

Date: 2021-08-14



Site : 966 chamber 1
Condition: PART 22/24 Vertical
Remark : LTE_Band 5_Link_H-Ch
Tested by: Harry Hsueh

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1 pp	1693.00	-51.75	-59.77	8.02	-13.00	-38.75	Peak
2	2539.50	-53.77	-65.24	11.47	-13.00	-40.77	Peak

LTE Band 5, Channel Bandwidth 10MHz Low Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 9

Date: 2021-08-12



Site : 966 chamber 1
Condition: PART 22/24 Horizontal
Remark : LTE_Band 5_Link_L-Ch
Tested by: Karl Lee

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	130.17	-55.08	-47.43	-7.65	-13.00	-42.08	Peak
2	219.54	-59.99	-54.07	-5.92	-13.00	-46.99	Peak
3	245.73	-52.24	-46.67	-5.57	-13.00	-39.24	Peak
4	431.60	-59.21	-55.77	-3.44	-13.00	-46.21	Peak
5	440.00	-63.35	-59.72	-3.63	-13.00	-50.35	Peak
6	567.40	-57.58	-56.64	-0.94	-13.00	-44.58	Peak
7 pp	1658.00	-43.37	-51.28	7.91	-13.00	-30.37	Peak
8	2487.00	-46.82	-57.86	11.04	-13.00	-33.82	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 10

Date: 2021-08-12



Site : 966 chamber 1
Condition: PART 22/24 Vertical
Remark : LTE_Band 5_Link_L-Ch
Tested by: Karl Lee

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	128.01	-59.78	-52.01	-7.77	-13.00	-46.78	Peak
2	203.07	-61.42	-55.28	-6.14	-13.00	-48.42	Peak
3	214.41	-62.24	-56.25	-5.99	-13.00	-49.24	Peak
4	336.40	-63.30	-57.77	-5.53	-13.00	-50.30	Peak
5	433.00	-66.02	-62.56	-3.46	-13.00	-53.02	Peak
6	713.70	-68.25	-67.62	-0.63	-13.00	-55.25	Peak
7	1658.00	-51.64	-59.55	7.91	-13.00	-38.64	Peak
8 pp	2487.00	-49.95	-60.99	11.04	-13.00	-36.95	Peak

Mid Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5

Date: 2021-08-12



Site : 966 chamber 1
Condition: PART 22/24 Horizontal
Remark : LTE_Band 5_Link_M-Ch
Tested by: Karl Lee

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1 pp	1673.00	-46.19	-54.10	7.91	-13.00	-33.19	Peak
2	2509.50	-51.83	-63.11	11.28	-13.00	-38.83	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 6

Date: 2021-08-12



Site : 966 chamber 1
Condition: PART 22/24 Vertical
Remark : LTE_Band 5_Link_M-Ch
Tested by: Karl Lee

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	pp 1673.00	-52.90	-60.81	7.91	-13.00	-39.90	Peak
2	2509.50	-53.21	-64.49	11.28	-13.00	-40.21	Peak

High Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5

Date: 2021-08-12



Site : 966 chamber 1
Condition: PART 22/24 Horizontal
Remark : LTE_Band 5_Link_H-Ch
Tested by: Karl Lee

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	pp 1688.00	-44.96	-52.98	8.02	-13.00	-31.96	Peak
2	2532.00	-50.17	-61.55	11.38	-13.00	-37.17	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 6

Date: 2021-08-12



Site : 966 chamber 1
 Condition: PART 22/24 Vertical
 Remark : LTE_Band 5_Link_H-Ch
 Tested by: Karl Lee

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	1688.00	-53.56	-61.58	8.02	-13.00	-40.56	Peak
2 pp	2532.00	-51.85	-63.23	11.38	-13.00	-38.85	Peak


LTE Band 26, Channel Bandwidth 1.4MHz
Low Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3



Site : 966 chamber 1
Condition: PART 22/24 Horizontal
Remark : LTE_Band 26_Link_L-Ch
Tested by: Charles Hsiao

		Read	Limit	Over	
Freq	Level	Level	Factor	Line	Limit Remark
MHz	dBm	dBm	dB	dBm	dB
1 pp 1649.40	-48.24	-55.97	7.73	-13.00	-35.24 Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4

Date: 2021-08-14



Site : 966 chamber 1
Condition: PART 22/24 Vertical
Remark : LTE_Band 26_Link_L-Ch
Tested by: Charles Hsiao

		Read		Limit	Over	
Freq	Level	Level	Factor	Line	Limit	Remark
MHz	dBm	dBm	dB	dBm	dB	
1 pp 1649.40	-56.36	-64.09	7.73	-13.00	-43.36	Peak

Mid Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3

Date: 2021-08-14



Site : 966 chamber 1
 Condition: PART 22/24 Horizontal
 Remark : LTE_Band 26_Link_M-Ch
 Tested by: Charles Hsiao

		Read	Limit	Over	
Freq	Level	Level	Factor	Line	Limit Remark
MHz	dBm	dBm	dB	dBm	dB
1 pp 1673.00	-46.65	-54.56	7.91	-13.00	-33.65 Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4

Date: 2021-08-14



Site : 966 chamber 1
Condition: PART 22/24 Vertical
Remark : LTE_Band 26_Link_M-Ch
Tested by: Charles Hsiao

		Read		Limit	Over	
Freq	Level	Level	Factor	Line	Limit	Remark
MHz	dBm	dBm	dB	dBm	dB	
1 pp 1673.00	-55.61	-63.52	7.91	-13.00	-42.61	Peak

High Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3

Date: 2021-08-14



Site : 966 chamber 1
 Condition: PART 22/24 Horizontal
 Remark : LTE_Band 26_Link_H-Ch
 Tested by: Charles Hsiao

		Read	Limit	Over	
Freq	Level	Level	Factor	Line	Limit Remark
MHz	dBm	dBm	dB	dBm	dB
1 pp 1696.60	-42.55	-50.69	8.14	-13.00	-29.55 Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4

Date: 2021-08-14



Site : 966 chamber 1
 Condition: PART 22/24 Vertical
 Remark : LTE_Band 26_Link_H-Ch
 Tested by: Charles Hsiao

		Read		Limit	Over	
Freq	Level	Level	Factor	Line	Limit	Remark
MHz	dBm	dBm	dB	dBm	dB	
1 pp 1696.60	-51.97	-60.11	8.14	-13.00	-38.97	Peak


LTE Band 26, Channel Bandwidth 5MHz
Low Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3



Site : 966 chamber 1
Condition: PART 22/24 Horizontal
Remark : LTE_Band 26_Link_L-Ch
Tested by: Charles Hsiao

		Read	Limit	Over	
Freq	Level	Level	Factor	Line	Limit Remark
MHz	dBm	dBm	dB	dBm	dB
1 pp 1653.00	-48.15	-55.88	7.73	-13.00	-35.15 Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4

Date: 2021-08-14



Site : 966 chamber 1
 Condition: PART 22/24 Vertical
 Remark : LTE_Band 26_Link_L-Ch
 Tested by: Charles Hsiao

		Read		Limit	Over	
Freq	Level	Level	Factor	Line	Limit	Remark
MHz	dBm	dBm	dB	dBm	dB	
1 pp 1653.00	-56.08	-63.81	7.73	-13.00	-43.08	Peak

Mid Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3

Date: 2021-08-14



Site : 966 chamber 1
 Condition: PART 22/24 Horizontal
 Remark : LTE_Band 26_Link_M-Ch
 Tested by: Charles Hsiao

		Read	Limit	Over	
Freq	Level	Level	Factor	Line	Limit Remark
MHz	dBm	dBm	dB	dBm	dB
1 pp 1673.00	-47.02	-54.93	7.91	-13.00	-34.02 Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4

Date: 2021-08-14



Site : 966 chamber 1
Condition: PART 22/24 Vertical
Remark : LTE_Band 26_Link_M-Ch
Tested by: Charles Hsiao

Freq	Level	Read	Factor	Limit	Over	Remark
		Level		Line	Limit	
MHz	dBm	dBm	dB	dBm	dB	
1 pp 1673.00	-55.66	-63.57	7.91	-13.00	-42.66	Peak

High Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3

Date: 2021-08-14



Site : 966 chamber 1
Condition: PART 22/24 Horizontal
Remark : LTE_Band 26_Link_H-Ch
Tested by: Charles Hsiao

		Read	Limit	Over	
Freq	Level	Level	Factor	Line	Limit Remark
MHz	dBm	dBm	dB	dBm	dB
1 pp 1693.00	-42.99	-51.01	8.02	-13.00	-29.99 Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4

Date: 2021-08-14



Site : 966 chamber 1
Condition: PART 22/24 Vertical
Remark : LTE_Band 26_Link_H-Ch
Tested by: Charles Hsiao

		Read	Limit	Over	
Freq	Level	Level	Factor	Line	Limit Remark
MHz	dBm	dBm	dB	dBm	dB
1 pp 1693.00	-53.16	-61.18	8.02	-13.00	-40.16 Peak


LTE Band 26, Channel Bandwidth 15MHz
Low Channel



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 3



Site : 966 chamber 1
 Condition: PART 22/24 Horizontal
 Remark : LTE_Band 26_Link_L-Ch
 Tested by: Charles Hsiao

		Read	Limit	Over	
Freq	Level	Level	Factor	Line	Limit Remark
MHz	dBm	dBm	dB	dBm	dB
1 pp 1663.00	-48.85	-56.76	7.91	-13.00	-35.85 Peak
2 2494.50	-51.18	-62.22	11.04	-13.00	-38.18 Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 4

Date: 2021-08-14



Site : 966 chamber 1
 Condition: PART 22/24 Vertical
 Remark : LTE_Band 26_Link_L-Ch
 Tested by: Charles Hsiao

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	1663.00	-57.12	-65.03	7.91	-13.00	-44.12	Peak
2 pp	2494.50	-55.08	-66.12	11.04	-13.00	-42.08	Peak

Mid Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5

Date: 2021-08-12



Site : 966 chamber 1
 Condition: PART 22/24 Horizontal
 Remark : LTE_Band 26_Link_M-Ch
 Tested by: Charles Hsiao

		Read	Limit	Over	
Freq	Level	Level	Factor	Line	Limit Remark
MHz	dBm	dBm	dB	dBm	dB
1 pp 1673.00	-46.82	-54.73	7.91	-13.00	-33.82 Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 6

Date: 2021-08-12



Site : 966 chamber 1
Condition: PART 22/24 Vertical
Remark : LTE_Band 26_Link_M-Ch
Tested by: Charles Hsiao

		Read		Limit	Over	
Freq	Level	Level	Factor	Line	Limit	Remark
MHz	dBm	dBm	dB	dBm	dB	
1 pp 1673.00	-55.92	-63.83	7.91	-13.00	-42.92	Peak

High Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 7

Date: 2021-08-14



Site : 966 chamber 1
Condition: PART 22/24 Horizontal
Remark : LTE_Band 26_Link_H-Ch
Tested by: Charles Hsiao

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	79.95	-61.48	-49.63	-11.85	-13.00	-48.48	Peak
2	126.66	-56.12	-48.29	-7.83	-13.00	-43.12	Peak
3	242.76	-54.32	-48.71	-5.61	-13.00	-41.32	Peak
4	320.30	-61.96	-56.24	-5.72	-13.00	-48.96	Peak
5	365.10	-65.24	-60.64	-4.60	-13.00	-52.24	Peak
6	440.70	-64.37	-60.74	-3.63	-13.00	-51.37	Peak
7 pp	1683.00	-42.48	-50.50	8.02	-13.00	-29.48	Peak
8	2524.50	-50.68	-62.06	11.38	-13.00	-37.68	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 8

Date: 2021-08-14



Site : 966 chamber 1
Condition: PART 22/24 Vertical
Remark : LTE_Band 26_Link_H-Ch
Tested by: Charles Hsiao

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	60.51	-59.95	-45.88	-14.07	-13.00	-46.95	Peak
2	123.42	-60.75	-52.68	-8.07	-13.00	-47.75	Peak
3	203.88	-61.51	-55.38	-6.13	-13.00	-48.51	Peak
4	422.50	-64.62	-61.37	-3.25	-13.00	-51.62	Peak
5	493.90	-72.53	-67.44	-5.09	-13.00	-59.53	Peak
6	608.70	-65.22	-65.55	0.33	-13.00	-52.22	Peak
7 pp	1683.00	-55.81	-63.83	8.02	-13.00	-42.81	Peak
8	2524.50	-57.12	-68.50	11.38	-13.00	-44.12	Peak

Test Mode B
GPRS
Mid Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5

Date: 2021-09-13



Site : 966 chamber 1
Condition: PART 22/24 Horizontal
Remark : GPRS 850_Link_M-Ch
Tested by: Karl Lee

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1 pp	131.52	-61.84	-54.18	-13.00	-48.84	-7.66	Peak
2	194.43	-67.33	-61.37	-13.00	-54.33	-5.96	Peak
3	258.69	-63.29	-57.70	-13.00	-50.29	-5.59	Peak
4	391.00	-65.46	-62.25	-13.00	-52.46	-3.21	Peak
5	468.00	-67.70	-63.33	-13.00	-54.70	-4.37	Peak
6	714.40	-71.14	-70.49	-13.00	-58.14	-0.65	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 6

Date: 2021-09-13



Site : 966 chamber 1
 Condition: PART 22/24 Vertical
 Remark : GPRS 850_Link_M-Ch
 Tested by: Karl Lee

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	40.26	-68.76	-58.96	-13.00	-55.76	-9.80	Peak
2	187.68	-67.56	-61.86	-13.00	-54.56	-5.70	Peak
3	270.03	-65.45	-59.77	-13.00	-52.45	-5.68	Peak
4 pp	365.10	-61.64	-57.04	-13.00	-48.64	-4.60	Peak
5	603.10	-69.20	-69.59	-13.00	-56.20	0.39	Peak
6	803.30	-68.57	-70.55	-13.00	-55.57	1.98	Peak

Test Mode C
GPRS
Mid Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5

Date: 2021-09-13



Site : 966 chamber 1
Condition: PART 22/24 Horizontal
Remark : GPRS 850_Link_M-Ch
Tested by: Karl Lee

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	117.48	-64.07	-55.63	-13.00	-51.07	-8.44	Peak
2	200.64	-68.01	-61.84	-13.00	-55.01	-6.17	Peak
3	265.44	-60.75	-55.10	-13.00	-47.75	-5.65	Peak
4 pp	349.70	-59.91	-54.53	-13.00	-46.91	-5.38	Peak
5	446.30	-63.65	-59.89	-13.00	-50.65	-3.76	Peak
6	776.00	-69.63	-70.04	-13.00	-56.63	0.41	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 6

Date: 2021-09-13



Site : 966 chamber 1
Condition: PART 22/24 Vertical
Remark : GPRS 850_Link_M-Ch
Tested by: Karl Lee

	Read	Limit	Over				
Freq	Level	Level	Line	Limit	Factor	Remark	
MHz	dBm	dBm	dBm	dB	dB		
1	58.35	-66.38	-52.32	-13.00	-53.38	-14.06	Peak
2	144.48	-68.85	-61.04	-13.00	-55.85	-7.81	Peak
3	232.77	-68.31	-62.57	-13.00	-55.31	-5.74	Peak
4 pp	435.10	-60.80	-57.27	-13.00	-47.80	-3.53	Peak
5	645.80	-69.03	-68.94	-13.00	-56.03	-0.09	Peak
6	866.30	-68.35	-70.27	-13.00	-55.35	1.92	Peak

Test Mode D
GPRS
Mid Channel




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 5

Date: 2021-09-13



Site : 966 chamber 1
Condition: PART 22/24 Horizontal
Remark : GPRS 850_Link_M-Ch
Tested by: Karl Lee

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	42.15	-74.30	-63.31	-13.00	-61.30	-10.99	Peak
2	171.48	-67.99	-61.49	-13.00	-54.99	-6.50	Peak
3	244.92	-60.80	-55.23	-13.00	-47.80	-5.57	Peak
4 pp	332.90	-59.95	-54.37	-13.00	-46.95	-5.58	Peak
5	395.90	-61.72	-58.77	-13.00	-48.72	-2.95	Peak
6	540.80	-66.07	-63.77	-13.00	-53.07	-2.30	Peak




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 6

Date: 2021-09-13



Site : 966 chamber 1
Condition: PART 22/24 Vertical
Remark : GPRS 850_Link_M-Ch
Tested by: Karl Lee

			Read	Limit	Over		
	Freq	Level	Level	Line	Limit	Factor	Remark
	MHz	dBm	dBm	dBm	dB	dB	
1	47.28	-65.00	-51.89	-13.00	-52.00	-13.11	Peak
2	133.95	-61.68	-54.02	-13.00	-48.68	-7.66	Peak
3	247.62	-62.45	-56.90	-13.00	-49.45	-5.55	Peak
4 pp	356.00	-60.83	-55.76	-13.00	-47.83	-5.07	Peak
5	534.50	-63.58	-60.78	-13.00	-50.58	-2.80	Peak
6	740.30	-68.43	-67.30	-13.00	-55.43	-1.13	Peak

5 Pictures of Test Arrangements

Please refer to the attached file (Test Setup Photo).

Appendix – Information of the Testing Laboratories

We, Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch, were founded in 1988 to provide our best service in EMC, Radio, Telecom and Safety consultation. Our laboratories are FCC recognized accredited test firms and accredited and approved according to ISO/IEC 17025.

If you have any comments, please feel free to contact us at the following:

Lin Kou EMC/RF Lab

Tel: 886-2-26052180

Fax: 886-2-26051924

Hsin Chu EMC/RF/Telecom Lab

Tel: 886-3-6668565

Fax: 886-3-6668323

Hwa Ya EMC/RF/Safety Lab

Tel: 886-3-3183232

Fax: 886-3-3270892

Email: service.adt@tw.bureauveritas.com

Web Site: www.bureauveritas-adt.com

The address and road map of all our labs can be found in our web site also.

--- END ---