



FCC ID: M82-AIM8IEM
Report No.: T181123D04-RP1

ISED: 9404A-AIM8IEM

Page: 1 / 3
Rev.: 00

RADIO TEST REPORT

Test Standard	FCC Part 15.247 + IC RSS-247 Issue 2 FCC Part 15.225 + IC RSS-210 Issue 9
Brand name	ADVANTECH
Product name	Computer
FCC Model No.	AIM8IEM; AIM8IEMxxxxxxxxxxxxxxxxxx (where "x" may be any alphanumeric character, "-" or blank for marketing purpose and no impact safety related critical components and constructions)
IC Model No.	AIM8IEM
Test Result	Pass

The test Result was tested by Compliance Certification Services Inc. The test data, data evaluation, test procedures, and equipment configurations shown in this report were given in ANSI C63.10: 2013 and compliance standards.

The test results of this report relate only to the tested sample (EUT) identified in this report.

The test Report of full or partial shall not copy. Without written approval of Compliance Certification Services Inc. (Wugu Laboratory).

Approved by:

Tested by:

Sam Chuang
Manager

Jerry Chuang
Engineer

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部分複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: T181123D04-RP1

Test Data Re-Use Summary

Introduction Section:

The application re-uses data collected on a similar device. The subject device of this application (Model: Computer, FCC ID: M82-AIM8IEM, ISED: 9404A-AIM8IEM) is electrically identical to the reference device (Model: Computer, FCC ID: M82-AIM8I, ISED: 9404A-AIM8I) for the portions of the circuitry corresponding to the data being re-used, as treated by KDB Publication 484596 D01.

Differences Brief Description:

The WLAN, BT and RFID hardware of this device are identical to the implementation in FCC ID: M82-AIM8IEM.

ISED No.: 9404A-AIM8IEM

The Product Equality Declaration document includes detailed information about the changes between the devices. The data from that application has been verified through appropriate spot checks to demonstrate compliance for this device as shown in the summary table below.



Report No.: T181123D04-RP1

Spot Check Verification Result Summary

Equipment Class	Reference FCC ID / ISED No.	Folder Test	Report Title/ Section
DSS	M82-AIM8I / 9404A-AIM8I	DSS Report	All Section
DTS-BLE	M82-AIM8I / 9404A-AIM8I	BLE DTS Report	All Section
DTS-WLAN	M82-AIM8I / 9404A-AIM8I	WLAN DTS Report	All Section
RFID	M82-AIM8I / 9404A-AIM8I	RFID Report	All Section

Summery of the spot check for Unlicensed bands and Licensed bands

In order to confirm hardware similarity of the subject device with the reference device, we used same setting power to spot check measurement were performed on the subject device for the Band edge and Harmonic, the test result were similar with FCC ID: M82-AIM8I/ ISED: 9404A-AIM8I).

Report	Test Item	Cannel	Measured Frequency (MHz)	M82-AIM8I / 9404A-AIM8I		M82-AIM8IEM / 9404A-AIM8IEM		Gap (dB)	
				Peak	Average	Peak	Average	Peak	Average
DSS	Band edge	78	2480.004	100.69	97.48	101.35	97.75	0.66	0.27
	RSE	78	4960.000	41.45	30.55	41.05	30.19	-0.40	-0.36
DTS-BLE	Band edge	39	2479.840	103.04	102.41	98.16	97.23	-4.88	-5.18
	RSE	39	4960.000	42.06	31.88	41.66	30.05	-0.40	-1.83
DTS-WLAN (40MHz)	Band edge	9	2442.200	104.56	95.30	98.57	88.09	-5.99	-7.21
	RSE	1	4827.000	50.95	40.15	44.64	40.24	-6.31	0.09
RFID	RSE	1	13.5600	49.56	-	48.72	-	-0.84	-