

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.925G	62.24	68.20	-5.96	3	Horizontal	4	2.60
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.925G	60.04	68.20	-8.16	3	Vertical	169	1.70
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	11.93G	40.91	54.00	-13.09	3	Vertical	168	2.77
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	11.96998G	39.37	54.00	-14.63	3	Vertical	183	2.77
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	12.36992G	39.97	54.00	-14.03	3	Horizontal	316	1.00
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	12.52998G	39.74	54.00	-14.26	3	Horizontal	318	1.16
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	12.95G	40.11	68.20	-28.09	3	Vertical	245	2.48
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	12.86992G	39.98	68.20	-28.22	3	Horizontal	332	1.00
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	12.97G	40.69	68.20	-27.51	3	Horizontal	317	1.00
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	13.08998G	39.77	68.20	-28.43	3	Vertical	211	2.98
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	13.0099G	39.17	68.20	-29.03	3	Horizontal	160	2.26
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	13.1699G	39.72	68.20	-28.48	3	Vertical	201	3.00
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	13.39G	40.65	54.00	-13.35	3	Horizontal	19	1.03
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	13.38862G	39.84	54.00	-14.16	3	Vertical	166	1.54
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	13.68988G	41.47	68.20	-26.73	3	Vertical	32	1.00
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	13.41G	40.33	68.20	-27.87	3	Vertical	196	2.44
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	13.32998G	39.99	54.00	-14.01	3	Vertical	203	1.00
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	7.269G	50.48	54.00	-3.52	3	Horizontal	199	2.28
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	7.125G	66.75	68.20	-1.45	3	Horizontal	209	2.52
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	7.1255G	61.86	68.20	-6.34	3	Horizontal	207	2.47
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	7.235G	48.15	68.20	-20.05	3	Vertical	94	1.04
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	7.1726G	47.67	68.20	-20.53	3	Horizontal	182	2.57
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	7.233G	48.01	68.20	-20.19	3	Vertical	253	2.98

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5935MHz	Pass	AV	5.925G	59.29	68.20	-8.91	3	Vertical	84	2.76
5935MHz	Pass	AV	5.9288G	81.88	Inf	-Inf	3	Vertical	84	2.76
5935MHz	Pass	PK	5.925G	74.94	88.20	-13.26	3	Vertical	84	2.76
5935MHz	Pass	PK	5.9288G	91.51	Inf	-Inf	3	Vertical	84	2.76
5935MHz	Pass	AV	5.925G	62.24	68.20	-5.96	3	Horizontal	4	2.60
5935MHz	Pass	AV	5.9404G	84.19	Inf	-Inf	3	Horizontal	4	2.60
5935MHz	Pass	PK	5.925G	76.73	88.20	-11.47	3	Horizontal	4	2.60
5935MHz	Pass	PK	5.94G	93.35	Inf	-Inf	3	Horizontal	4	2.60
5935MHz	Pass	AV	11.86994G	40.17	54.00	-13.83	3	Vertical	201	3.00
5935MHz	Pass	PK	11.87G	50.24	74.00	-23.76	3	Vertical	201	3.00
5935MHz	Pass	AV	11.86994G	38.35	54.00	-15.65	3	Horizontal	316	1.03
5935MHz	Pass	PK	11.86982G	50.04	74.00	-23.96	3	Horizontal	316	1.03
5955MHz	Pass	AV	5.8068G	44.68	68.20	-23.52	3	Vertical	71	2.91
5955MHz	Pass	AV	5.949G	82.46	Inf	-Inf	3	Vertical	71	2.91
5955MHz	Pass	PK	5.85G	57.27	88.20	-30.93	3	Vertical	71	2.91
5955MHz	Pass	PK	5.949G	91.93	Inf	-Inf	3	Vertical	71	2.91
5955MHz	Pass	AV	5.8056G	44.46	68.20	-23.74	3	Horizontal	10	2.75
5955MHz	Pass	AV	5.952G	84.82	Inf	-Inf	3	Horizontal	10	2.75
5955MHz	Pass	PK	5.9208G	56.76	88.20	-31.44	3	Horizontal	10	2.75
5955MHz	Pass	PK	5.9562G	93.80	Inf	-Inf	3	Horizontal	10	2.75
5955MHz	Pass	AV	11.90994G	40.24	54.00	-13.76	3	Vertical	263	1.00
5955MHz	Pass	PK	11.90994G	50.81	74.00	-23.19	3	Vertical	263	1.00
5955MHz	Pass	AV	11.90994G	37.81	54.00	-16.19	3	Horizontal	193	2.98
5955MHz	Pass	PK	11.90352G	50.03	74.00	-23.97	3	Horizontal	193	2.98
6175MHz	Pass	AV	12.35002G	38.86	54.00	-15.14	3	Vertical	238	1.26
6175MHz	Pass	PK	12.35122G	50.25	74.00	-23.75	3	Vertical	238	1.26
6175MHz	Pass	AV	12.35G	38.29	54.00	-15.71	3	Horizontal	26	1.00
6175MHz	Pass	PK	12.35108G	50.54	74.00	-23.46	3	Horizontal	26	1.00
6415MHz	Pass	AV	12.82994G	39.22	68.20	-28.98	3	Vertical	192	2.30
6415MHz	Pass	PK	12.8267G	52.06	88.20	-36.14	3	Vertical	192	2.30
6415MHz	Pass	AV	12.84356G	38.72	68.20	-29.48	3	Horizontal	266	3.00
6415MHz	Pass	PK	12.83102G	51.50	88.20	-36.70	3	Horizontal	266	3.00
6435MHz	Pass	AV	12.88488G	38.94	68.20	-29.26	3	Vertical	198	1.59
6435MHz	Pass	PK	12.87564G	52.79	88.20	-35.41	3	Vertical	198	1.59
6435MHz	Pass	AV	12.86994G	39.17	68.20	-29.03	3	Horizontal	346	1.01
6435MHz	Pass	PK	12.88392G	52.14	88.20	-36.06	3	Horizontal	346	1.01
6475MHz	Pass	AV	12.95G	40.11	68.20	-28.09	3	Vertical	245	2.48
6475MHz	Pass	PK	12.95924G	51.48	88.20	-36.72	3	Vertical	245	2.48
6475MHz	Pass	AV	12.94904G	38.96	68.20	-29.24	3	Horizontal	82	2.92
6475MHz	Pass	PK	12.96086G	52.04	88.20	-36.16	3	Horizontal	82	2.92
6515MHz	Pass	AV	13.02994G	39.94	68.20	-28.26	3	Vertical	187	2.82
6515MHz	Pass	PK	13.03792G	51.88	88.20	-36.32	3	Vertical	187	2.82
6515MHz	Pass	AV	13.03G	39.82	68.20	-28.38	3	Horizontal	332	1.02
6515MHz	Pass	PK	13.03G	52.25	88.20	-35.95	3	Horizontal	332	1.02
6535MHz	Pass	AV	13.07G	39.92	68.20	-28.28	3	Vertical	188	2.86
6535MHz	Pass	PK	13.06622G	51.64	88.20	-36.56	3	Vertical	188	2.86
6535MHz	Pass	AV	13.06994G	40.11	68.20	-28.09	3	Horizontal	50	1.10
6535MHz	Pass	PK	13.07342G	51.86	88.20	-36.34	3	Horizontal	50	1.10
6695MHz	Pass	AV	13.38992G	39.99	54.00	-14.01	3	Vertical	27	1.01
6695MHz	Pass	PK	13.39042G	53.47	74.00	-20.53	3	Vertical	27	1.01
6695MHz	Pass	AV	13.39G	40.65	54.00	-13.35	3	Horizontal	19	1.03
6695MHz	Pass	PK	13.39196G	52.65	74.00	-21.35	3	Horizontal	19	1.03
6855MHz	Pass	AV	13.70996G	43.76	68.20	-24.44	3	Vertical	246	2.67
6855MHz	Pass	PK	13.70988G	52.95	88.20	-35.25	3	Vertical	246	2.67
6855MHz	Pass	AV	13.70996G	42.01	68.20	-26.19	3	Horizontal	18	1.08
6855MHz	Pass	PK	13.70992G	52.72	88.20	-35.48	3	Horizontal	18	1.08
6875MHz	Pass	AV	13.75002G	43.63	68.20	-24.57	3	Vertical	240	2.12
6875MHz	Pass	PK	13.74994G	53.12	88.20	-35.08	3	Vertical	240	2.12
6875MHz	Pass	AV	13.75G	42.47	68.20	-25.73	3	Horizontal	17	1.00
6875MHz	Pass	PK	13.74976G	52.62	88.20	-35.58	3	Horizontal	17	1.00

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6995MHz	Pass	AV	14.00494G	39.52	68.20	-28.68	3	Vertical	178	1.28
6995MHz	Pass	PK	13.98376G	52.95	88.20	-35.25	3	Vertical	178	1.28
6995MHz	Pass	AV	13.98994G	39.44	68.20	-28.76	3	Horizontal	87	2.45
6995MHz	Pass	PK	14.00392G	52.00	88.20	-36.20	3	Horizontal	87	2.45
7095MHz	Pass	AV	7.0986G	84.71	Inf	-Inf	3	Vertical	252	2.90
7095MHz	Pass	AV	7.2366G	48.25	68.20	-19.95	3	Vertical	252	2.90
7095MHz	Pass	PK	7.0986G	93.56	Inf	-Inf	3	Vertical	252	2.90
7095MHz	Pass	PK	7.2372G	60.68	88.20	-27.52	3	Vertical	252	2.90
7095MHz	Pass	AV	7.0968G	90.03	Inf	-Inf	3	Horizontal	191	2.42
7095MHz	Pass	AV	7.245G	48.23	68.20	-19.97	3	Horizontal	191	2.42
7095MHz	Pass	PK	7.092G	98.76	Inf	-Inf	3	Horizontal	191	2.42
7095MHz	Pass	PK	7.2066G	60.54	88.20	-27.66	3	Horizontal	191	2.42
7095MHz	Pass	AV	14.18994G	39.86	68.20	-28.34	3	Vertical	243	1.50
7095MHz	Pass	PK	14.18614G	52.82	88.20	-35.38	3	Vertical	243	1.50
7095MHz	Pass	AV	14.18994G	40.38	68.20	-27.82	3	Horizontal	19	3.00
7095MHz	Pass	PK	14.19426G	53.22	88.20	-34.98	3	Horizontal	19	3.00
7115MHz	Pass	AV	7.1166G	80.00	Inf	-Inf	3	Vertical	83	3.00
7115MHz	Pass	AV	7.1254G	55.72	68.20	-12.48	3	Vertical	83	3.00
7115MHz	Pass	PK	7.1168G	89.54	Inf	-Inf	3	Vertical	83	3.00
7115MHz	Pass	PK	7.125G	71.76	88.20	-16.44	3	Vertical	83	3.00
7115MHz	Pass	AV	7.1186G	89.34	Inf	-Inf	3	Horizontal	209	2.52
7115MHz	Pass	AV	7.125G	66.75	68.20	-1.45	3	Horizontal	209	2.52
7115MHz	Pass	PK	7.1136G	98.39	Inf	-Inf	3	Horizontal	209	2.52
7115MHz	Pass	PK	7.125G	80.56	88.20	-7.64	3	Horizontal	209	2.52
7115MHz	Pass	AV	14.22992G	40.54	68.20	-27.66	3	Vertical	249	2.04
7115MHz	Pass	PK	14.22552G	52.95	88.20	-35.25	3	Vertical	249	2.04
7115MHz	Pass	AV	14.22998G	40.62	68.20	-27.58	3	Horizontal	346	1.10
7115MHz	Pass	PK	14.2299G	53.17	88.20	-35.03	3	Horizontal	346	1.10
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5935MHz	Pass	AV	5.925G	60.04	68.20	-8.16	3	Vertical	169	1.70
5935MHz	Pass	AV	5.9324G	74.45	Inf	-Inf	3	Vertical	169	1.70
5935MHz	Pass	PK	5.925G	71.12	88.20	-17.08	3	Vertical	169	1.70
5935MHz	Pass	PK	5.9316G	86.32	Inf	-Inf	3	Vertical	169	1.70
5935MHz	Pass	AV	5.925G	52.40	68.20	-15.80	3	Horizontal	5	2.86
5935MHz	Pass	AV	5.936G	84.14	Inf	-Inf	3	Horizontal	5	2.86
5935MHz	Pass	PK	5.925G	77.46	88.20	-10.74	3	Horizontal	5	2.86
5935MHz	Pass	PK	5.9364G	95.93	Inf	-Inf	3	Horizontal	5	2.86
5935MHz	Pass	AV	11.86998G	39.39	54.00	-14.61	3	Vertical	198	2.63
5935MHz	Pass	PK	11.86972G	50.29	74.00	-23.71	3	Vertical	198	2.63
5935MHz	Pass	AV	11.86994G	38.80	54.00	-15.20	3	Horizontal	318	1.08
5935MHz	Pass	PK	11.86968G	50.14	74.00	-23.86	3	Horizontal	318	1.08
5955MHz	Pass	AV	5.8056G	44.67	68.20	-23.53	3	Vertical	212	1.50
5955MHz	Pass	AV	5.9562G	77.15	Inf	-Inf	3	Vertical	212	1.50
5955MHz	Pass	PK	5.907G	57.13	88.20	-31.07	3	Vertical	212	1.50
5955MHz	Pass	PK	5.9574G	87.91	Inf	-Inf	3	Vertical	212	1.50
5955MHz	Pass	AV	5.8098G	44.66	68.20	-23.54	3	Horizontal	182	2.50
5955MHz	Pass	AV	5.952G	86.84	Inf	-Inf	3	Horizontal	182	2.50
5955MHz	Pass	PK	5.8656G	57.54	88.20	-30.66	3	Horizontal	182	2.50
5955MHz	Pass	PK	5.9526G	99.02	Inf	-Inf	3	Horizontal	182	2.50
5955MHz	Pass	AV	11.90992G	40.18	54.00	-13.82	3	Vertical	263	1.02
5955MHz	Pass	PK	11.91G	50.43	74.00	-23.57	3	Vertical	263	1.02
5955MHz	Pass	AV	11.90996G	38.44	54.00	-15.56	3	Horizontal	18	2.12
5955MHz	Pass	PK	11.91008G	49.82	74.00	-24.18	3	Horizontal	18	2.12
6175MHz	Pass	AV	12.34808G	37.47	54.00	-16.53	3	Vertical	200	1.00
6175MHz	Pass	PK	12.35684G	50.25	74.00	-23.75	3	Vertical	200	1.00
6175MHz	Pass	AV	12.34682G	37.28	54.00	-16.72	3	Horizontal	318	1.50
6175MHz	Pass	PK	12.35624G	49.44	74.00	-24.56	3	Horizontal	318	1.50
6415MHz	Pass	AV	12.82998G	39.14	68.20	-29.06	3	Vertical	197	2.30
6415MHz	Pass	PK	12.82992G	51.85	88.20	-36.35	3	Vertical	197	2.30
6415MHz	Pass	AV	12.82998G	40.29	68.20	-27.91	3	Horizontal	15	1.01
6415MHz	Pass	PK	12.83056G	52.33	88.20	-35.87	3	Horizontal	15	1.01
6435MHz	Pass	AV	12.86996G	39.06	68.20	-29.14	3	Vertical	219	1.00

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6435MHz	Pass	PK	12.87464G	51.59	88.20	-36.61	3	Vertical	219	1.00
6435MHz	Pass	AV	12.86992G	39.98	68.20	-28.22	3	Horizontal	332	1.00
6435MHz	Pass	PK	12.8675G	51.75	88.20	-36.45	3	Horizontal	332	1.00
6475MHz	Pass	AV	12.94992G	39.88	68.20	-28.32	3	Vertical	190	2.15
6475MHz	Pass	PK	12.94988G	52.17	88.20	-36.03	3	Vertical	190	2.15
6475MHz	Pass	AV	12.9499G	38.94	68.20	-29.26	3	Horizontal	14	1.50
6475MHz	Pass	PK	12.94674G	51.80	88.20	-36.40	3	Horizontal	14	1.50
6515MHz	Pass	AV	13.02996G	39.86	68.20	-28.34	3	Vertical	192	2.52
6515MHz	Pass	PK	13.02996G	52.06	88.20	-36.14	3	Vertical	192	2.52
6515MHz	Pass	AV	13.02998G	39.49	68.20	-28.71	3	Horizontal	333	1.08
6515MHz	Pass	PK	13.02966G	51.92	88.20	-36.28	3	Horizontal	333	1.08
6535MHz	Pass	AV	13.0844G	39.33	68.20	-28.87	3	Vertical	168	1.44
6535MHz	Pass	PK	13.07636G	52.04	88.20	-36.16	3	Vertical	168	1.44
6535MHz	Pass	AV	13.0685G	38.78	68.20	-29.42	3	Horizontal	247	1.50
6535MHz	Pass	PK	13.08368G	51.32	88.20	-36.88	3	Horizontal	247	1.50
6695MHz	Pass	AV	13.38862G	39.84	54.00	-14.16	3	Vertical	166	1.54
6695MHz	Pass	PK	13.39672G	52.58	74.00	-21.42	3	Vertical	166	1.54
6695MHz	Pass	AV	13.38916G	39.21	54.00	-14.79	3	Horizontal	233	1.37
6695MHz	Pass	PK	13.40026G	51.97	88.20	-36.23	3	Horizontal	233	1.37
6855MHz	Pass	AV	13.7082G	39.18	68.20	-29.02	3	Vertical	150	1.71
6855MHz	Pass	PK	13.72152G	51.58	88.20	-36.62	3	Vertical	150	1.71
6855MHz	Pass	AV	13.70736G	39.11	68.20	-29.09	3	Horizontal	322	2.35
6855MHz	Pass	PK	13.71264G	52.53	88.20	-35.67	3	Horizontal	322	2.35
6875MHz	Pass	AV	13.74874G	39.16	68.20	-29.04	3	Vertical	198	1.36
6875MHz	Pass	PK	13.7488G	52.71	88.20	-35.49	3	Vertical	198	1.36
6875MHz	Pass	AV	13.74874G	39.10	68.20	-29.10	3	Horizontal	24	1.50
6875MHz	Pass	PK	13.74322G	51.26	88.20	-36.94	3	Horizontal	24	1.50
6955MHz	Pass	AV	13.90844G	39.25	68.20	-28.95	3	Vertical	147	2.82
6955MHz	Pass	PK	13.90874G	52.60	88.20	-35.60	3	Vertical	147	2.82
6955MHz	Pass	AV	13.90922G	39.20	68.20	-29.00	3	Horizontal	71	1.50
6955MHz	Pass	PK	13.91798G	51.92	88.20	-36.28	3	Horizontal	71	1.50
7095MHz	Pass	AV	7.092G	80.45	Inf	-Inf	3	Vertical	38	1.17
7095MHz	Pass	AV	7.2444G	48.09	68.20	-20.11	3	Vertical	38	1.17
7095MHz	Pass	PK	7.0896G	92.05	Inf	-Inf	3	Vertical	38	1.17
7095MHz	Pass	PK	7.2168G	60.86	88.20	-27.34	3	Vertical	38	1.17
7095MHz	Pass	AV	7.0908G	89.65	Inf	-Inf	3	Horizontal	182	2.41
7095MHz	Pass	AV	7.2408G	48.08	68.20	-20.12	3	Horizontal	182	2.41
7095MHz	Pass	PK	7.0902G	101.47	Inf	-Inf	3	Horizontal	182	2.41
7095MHz	Pass	PK	7.2258G	60.73	88.20	-27.47	3	Horizontal	182	2.41
7095MHz	Pass	AV	14.20494G	39.75	68.20	-28.45	3	Vertical	286	1.80
7095MHz	Pass	PK	14.19642G	52.21	88.20	-35.99	3	Vertical	286	1.80
7095MHz	Pass	AV	14.20488G	39.70	68.20	-28.50	3	Horizontal	160	1.26
7095MHz	Pass	PK	14.18892G	51.66	88.20	-36.54	3	Horizontal	160	1.26
7115MHz	Pass	AV	7.1185G	81.45	Inf	-Inf	3	Vertical	84	3.00
7115MHz	Pass	AV	7.1255G	55.76	68.20	-12.44	3	Vertical	84	3.00
7115MHz	Pass	PK	7.1185G	88.72	Inf	-Inf	3	Vertical	84	3.00
7115MHz	Pass	PK	7.1255G	66.19	88.20	-22.01	3	Vertical	84	3.00
7115MHz	Pass	AV	7.1105G	90.21	Inf	-Inf	3	Horizontal	207	2.47
7115MHz	Pass	AV	7.1255G	61.86	68.20	-6.34	3	Horizontal	207	2.47
7115MHz	Pass	PK	7.1105G	97.66	Inf	-Inf	3	Horizontal	207	2.47
7115MHz	Pass	PK	7.1255G	72.06	88.20	-16.14	3	Horizontal	207	2.47
7115MHz	Pass	AV	14.24122G	40.00	68.20	-28.20	3	Vertical	345	1.38
7115MHz	Pass	PK	14.24164G	52.04	88.20	-36.16	3	Vertical	345	1.38
7115MHz	Pass	AV	14.23942G	39.95	68.20	-28.25	3	Horizontal	234	1.50
7115MHz	Pass	PK	14.22454G	52.21	88.20	-35.99	3	Horizontal	234	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.8246G	44.89	68.20	-23.31	3	Vertical	205	1.06
5965MHz	Pass	AV	5.971G	77.34	Inf	-Inf	3	Vertical	205	1.06
5965MHz	Pass	PK	5.9092G	57.21	88.20	-30.99	3	Vertical	205	1.06
5965MHz	Pass	PK	5.9716G	88.83	Inf	-Inf	3	Vertical	205	1.06
5965MHz	Pass	AV	5.8204G	44.73	68.20	-23.47	3	Horizontal	222	1.12
5965MHz	Pass	AV	5.968G	86.01	Inf	-Inf	3	Horizontal	222	1.12

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5965MHz	Pass	PK	5.881G	57.36	88.20	-30.84	3	Horizontal	222	1.12
5965MHz	Pass	PK	5.9692G	97.95	Inf	-Inf	3	Horizontal	222	1.12
5965MHz	Pass	AV	11.93G	40.91	54.00	-13.09	3	Vertical	168	2.77
5965MHz	Pass	PK	11.93024G	49.76	74.00	-24.24	3	Vertical	168	2.77
5965MHz	Pass	AV	11.93G	38.76	54.00	-15.24	3	Horizontal	342	2.87
5965MHz	Pass	PK	11.91596G	50.24	74.00	-23.76	3	Horizontal	342	2.87
6165MHz	Pass	AV	12.33G	37.68	54.00	-16.32	3	Vertical	343	1.00
6165MHz	Pass	PK	12.3264G	49.50	74.00	-24.50	3	Vertical	343	1.00
6165MHz	Pass	AV	12.33G	40.45	54.00	-13.55	3	Horizontal	324	1.00
6165MHz	Pass	PK	12.33G	49.73	74.00	-24.27	3	Horizontal	324	1.00
6405MHz	Pass	AV	12.81G	39.38	68.20	-28.82	3	Vertical	211	1.50
6405MHz	Pass	PK	12.81096G	50.78	88.20	-37.42	3	Vertical	211	1.50
6405MHz	Pass	AV	12.81G	40.47	68.20	-27.73	3	Horizontal	317	1.00
6405MHz	Pass	PK	12.80988G	51.18	88.20	-37.02	3	Horizontal	317	1.00
6445MHz	Pass	AV	12.89G	39.30	68.20	-28.90	3	Vertical	215	2.16
6445MHz	Pass	PK	12.90764G	51.57	88.20	-36.63	3	Vertical	215	2.16
6445MHz	Pass	AV	12.89G	40.64	68.20	-27.56	3	Horizontal	317	1.00
6445MHz	Pass	PK	12.9152G	52.48	88.20	-35.72	3	Horizontal	317	1.00
6485MHz	Pass	AV	12.97012G	39.86	68.20	-28.34	3	Vertical	208	2.77
6485MHz	Pass	PK	12.94804G	51.30	88.20	-36.90	3	Vertical	208	2.77
6485MHz	Pass	AV	12.97G	40.69	68.20	-27.51	3	Horizontal	317	1.00
6485MHz	Pass	PK	12.94504G	51.58	88.20	-36.62	3	Horizontal	317	1.00
6525MHz	Pass	AV	13.04988G	40.56	68.20	-27.64	3	Vertical	208	2.63
6525MHz	Pass	PK	13.06644G	51.47	88.20	-36.73	3	Vertical	208	2.63
6525MHz	Pass	AV	13.05012G	39.73	68.20	-28.47	3	Horizontal	67	1.08
6525MHz	Pass	PK	13.05276G	51.95	88.20	-36.25	3	Horizontal	67	1.08
6565MHz	Pass	AV	13.12988G	40.43	68.20	-27.77	3	Vertical	209	2.76
6565MHz	Pass	PK	13.12988G	51.21	88.20	-36.99	3	Vertical	209	2.76
6565MHz	Pass	AV	13.10096G	38.84	68.20	-29.36	3	Horizontal	49	1.50
6565MHz	Pass	PK	13.15952G	51.08	88.20	-37.12	3	Horizontal	49	1.50
6725MHz	Pass	AV	13.45G	41.05	68.20	-27.15	3	Vertical	185	2.58
6725MHz	Pass	PK	13.45012G	52.56	88.20	-35.64	3	Vertical	185	2.58
6725MHz	Pass	AV	13.45012G	40.87	68.20	-27.33	3	Horizontal	160	2.87
6725MHz	Pass	PK	13.43584G	51.93	88.20	-36.27	3	Horizontal	160	2.87
6845MHz	Pass	AV	13.68988G	41.47	68.20	-26.73	3	Vertical	32	1.00
6845MHz	Pass	PK	13.66684G	51.66	88.20	-36.54	3	Vertical	32	1.00
6845MHz	Pass	AV	13.69G	40.48	68.20	-27.72	3	Horizontal	161	2.78
6845MHz	Pass	PK	13.70116G	51.94	88.20	-36.26	3	Horizontal	161	2.78
6885MHz	Pass	AV	13.76988G	40.75	68.20	-27.45	3	Vertical	169	2.93
6885MHz	Pass	PK	13.76796G	52.38	88.20	-35.82	3	Vertical	169	2.93
6885MHz	Pass	AV	13.76988G	39.32	68.20	-28.88	3	Horizontal	77	2.25
6885MHz	Pass	PK	13.7946G	51.42	88.20	-36.78	3	Horizontal	77	2.25
7005MHz	Pass	AV	14.00992G	40.62	68.20	-27.58	3	Vertical	84	1.00
7005MHz	Pass	PK	14.01356G	52.21	88.20	-35.99	3	Vertical	84	1.00
7005MHz	Pass	AV	14.00994G	39.94	68.20	-28.26	3	Horizontal	203	2.69
7005MHz	Pass	PK	14.0086G	52.75	88.20	-35.45	3	Horizontal	203	2.69
7085MHz	Pass	AV	7.0802G	79.69	Inf	-Inf	3	Vertical	94	1.04
7085MHz	Pass	AV	7.235G	48.15	68.20	-20.05	3	Vertical	94	1.04
7085MHz	Pass	PK	7.0994G	91.34	Inf	-Inf	3	Vertical	94	1.04
7085MHz	Pass	PK	7.1456G	60.36	88.20	-27.84	3	Vertical	94	1.04
7085MHz	Pass	AV	7.0796G	85.72	Inf	-Inf	3	Horizontal	56	1.00
7085MHz	Pass	AV	7.2344G	48.13	68.20	-20.07	3	Horizontal	56	1.00
7085MHz	Pass	PK	7.0784G	97.17	Inf	-Inf	3	Horizontal	56	1.00
7085MHz	Pass	PK	7.1894G	61.01	88.20	-27.19	3	Horizontal	56	1.00
7085MHz	Pass	AV	14.16996G	41.13	68.20	-27.07	3	Vertical	140	2.72
7085MHz	Pass	PK	14.17022G	54.06	88.20	-34.14	3	Vertical	140	2.72
7085MHz	Pass	AV	14.1699G	39.88	68.20	-28.32	3	Horizontal	329	2.58
7085MHz	Pass	PK	14.16936G	52.67	88.20	-35.53	3	Horizontal	329	2.58
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.791G	44.55	68.20	-23.65	3	Vertical	211	2.97
5985MHz	Pass	AV	6.005G	76.48	Inf	-Inf	3	Vertical	211	2.97
5985MHz	Pass	PK	5.757G	57.15	88.20	-31.05	3	Vertical	211	2.97


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5985MHz	Pass	PK	6.006G	88.32	Inf	-Inf	3	Vertical	211	2.97
5985MHz	Pass	AV	5.811G	44.79	68.20	-23.41	3	Horizontal	223	1.13
5985MHz	Pass	AV	5.969G	84.73	Inf	-Inf	3	Horizontal	223	1.13
5985MHz	Pass	PK	5.804G	57.14	88.20	-31.06	3	Horizontal	223	1.13
5985MHz	Pass	PK	5.968G	96.05	Inf	-Inf	3	Horizontal	223	1.13
5985MHz	Pass	AV	11.96998G	39.37	54.00	-14.63	3	Vertical	183	2.77
5985MHz	Pass	PK	11.97008G	51.32	74.00	-22.68	3	Vertical	183	2.77
5985MHz	Pass	AV	11.96996G	38.53	54.00	-15.47	3	Horizontal	332	2.68
5985MHz	Pass	PK	11.97036G	50.41	74.00	-23.59	3	Horizontal	332	2.68
6145MHz	Pass	AV	12.28992G	39.24	54.00	-14.76	3	Vertical	272	1.20
6145MHz	Pass	PK	12.29028G	50.58	74.00	-23.42	3	Vertical	272	1.20
6145MHz	Pass	AV	12.28998G	38.94	54.00	-15.06	3	Horizontal	10	1.00
6145MHz	Pass	PK	12.28974G	50.99	74.00	-23.01	3	Horizontal	10	1.00
6385MHz	Pass	AV	12.76996G	39.84	68.20	-28.36	3	Vertical	285	2.05
6385MHz	Pass	PK	12.77012G	51.23	88.20	-36.97	3	Vertical	285	2.05
6385MHz	Pass	AV	12.77002G	39.85	68.20	-28.35	3	Horizontal	326	1.00
6385MHz	Pass	PK	12.77032G	51.50	88.20	-36.70	3	Horizontal	326	1.00
6465MHz	Pass	AV	12.92998G	39.27	68.20	-28.93	3	Vertical	210	2.44
6465MHz	Pass	PK	12.925G	51.82	88.20	-36.38	3	Vertical	210	2.44
6465MHz	Pass	AV	12.93G	38.58	68.20	-29.62	3	Horizontal	17	2.83
6465MHz	Pass	PK	12.92882G	51.98	88.20	-36.22	3	Horizontal	17	2.83
6545MHz	Pass	AV	13.08998G	39.77	68.20	-28.43	3	Vertical	211	2.98
6545MHz	Pass	PK	13.0945G	51.66	88.20	-36.54	3	Vertical	211	2.98
6545MHz	Pass	AV	13.0899G	38.83	68.20	-29.37	3	Horizontal	333	1.02
6545MHz	Pass	PK	13.09002G	52.04	88.20	-36.16	3	Horizontal	333	1.02
6705MHz	Pass	AV	13.41G	40.33	68.20	-27.87	3	Vertical	196	2.44
6705MHz	Pass	PK	13.40998G	52.28	88.20	-35.92	3	Vertical	196	2.44
6705MHz	Pass	AV	13.41002G	39.18	68.20	-29.02	3	Horizontal	68	2.74
6705MHz	Pass	PK	13.40964G	52.07	88.20	-36.13	3	Horizontal	68	2.74
6865MHz	Pass	AV	13.72992G	40.13	68.20	-28.07	3	Vertical	81	1.00
6865MHz	Pass	PK	13.7281G	51.86	88.20	-36.34	3	Vertical	81	1.00
6865MHz	Pass	AV	13.72996G	40.26	68.20	-27.94	3	Horizontal	1	1.00
6865MHz	Pass	PK	13.73028G	52.81	88.20	-35.39	3	Horizontal	1	1.00
6945MHz	Pass	AV	13.88996G	39.67	68.20	-28.53	3	Vertical	144	2.38
6945MHz	Pass	PK	13.88908G	52.34	88.20	-35.86	3	Vertical	144	2.38
6945MHz	Pass	AV	13.89G	39.51	68.20	-28.69	3	Horizontal	165	2.93
6945MHz	Pass	PK	13.88632G	52.38	88.20	-35.82	3	Horizontal	165	2.93
7025MHz	Pass	AV	7.0214G	77.75	Inf	-Inf	3	Vertical	40	1.24
7025MHz	Pass	AV	7.1678G	47.59	68.20	-20.61	3	Vertical	40	1.24
7025MHz	Pass	PK	7.0232G	89.42	Inf	-Inf	3	Vertical	40	1.24
7025MHz	Pass	PK	7.1738G	59.79	88.20	-28.41	3	Vertical	40	1.24
7025MHz	Pass	AV	7.0016G	88.39	Inf	-Inf	3	Horizontal	182	2.57
7025MHz	Pass	AV	7.1726G	47.67	68.20	-20.53	3	Horizontal	182	2.57
7025MHz	Pass	PK	7.0238G	99.91	Inf	-Inf	3	Horizontal	182	2.57
7025MHz	Pass	PK	7.1468G	59.41	88.20	-28.79	3	Horizontal	182	2.57
7025MHz	Pass	AV	14.04988G	40.41	68.20	-27.79	3	Vertical	138	2.80
7025MHz	Pass	PK	14.04754G	52.72	88.20	-35.48	3	Vertical	138	2.80
7025MHz	Pass	AV	14.0546G	39.38	68.20	-28.82	3	Horizontal	221	1.50
7025MHz	Pass	PK	14.0503G	53.74	88.20	-34.46	3	Horizontal	221	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.813G	44.82	68.20	-23.38	3	Vertical	206	1.00
6025MHz	Pass	AV	6.013G	74.15	Inf	-Inf	3	Vertical	206	1.00
6025MHz	Pass	PK	5.912G	57.41	88.20	-30.79	3	Vertical	206	1.00
6025MHz	Pass	PK	6.015G	85.71	Inf	-Inf	3	Vertical	206	1.00
6025MHz	Pass	AV	5.826G	44.94	68.20	-23.26	3	Horizontal	220	1.50
6025MHz	Pass	AV	6.006G	82.83	Inf	-Inf	3	Horizontal	220	1.50
6025MHz	Pass	PK	5.889G	57.09	88.20	-31.11	3	Horizontal	220	1.50
6025MHz	Pass	PK	6.046G	95.14	Inf	-Inf	3	Horizontal	220	1.50
6025MHz	Pass	AV	12.04994G	38.89	54.00	-15.11	3	Vertical	187	2.30
6025MHz	Pass	PK	12.04954G	51.28	74.00	-22.72	3	Vertical	187	2.30
6025MHz	Pass	AV	12.04992G	39.24	54.00	-14.76	3	Horizontal	347	1.06
6025MHz	Pass	PK	12.05018G	50.93	74.00	-23.07	3	Horizontal	347	1.06

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6185MHz	Pass	AV	12.36994G	38.15	54.00	-15.85	3	Vertical	250	2.94
6185MHz	Pass	PK	12.36952G	49.99	74.00	-24.01	3	Vertical	250	2.94
6185MHz	Pass	AV	12.36992G	39.97	54.00	-14.03	3	Horizontal	316	1.00
6185MHz	Pass	PK	12.3682G	50.65	74.00	-23.35	3	Horizontal	316	1.00
6345MHz	Pass	AV	12.69004G	39.26	54.00	-14.74	3	Vertical	329	1.00
6345MHz	Pass	PK	12.68954G	51.40	74.00	-22.60	3	Vertical	329	1.00
6345MHz	Pass	AV	12.689G	39.03	54.00	-14.97	3	Horizontal	9	1.09
6345MHz	Pass	PK	12.6892G	51.44	74.00	-22.56	3	Horizontal	9	1.09
6505MHz	Pass	AV	13.01G	39.01	68.20	-29.19	3	Vertical	217	1.50
6505MHz	Pass	PK	13.014G	52.34	88.20	-35.86	3	Vertical	217	1.50
6505MHz	Pass	AV	13.0099G	39.17	68.20	-29.03	3	Horizontal	160	2.26
6505MHz	Pass	PK	13.01006G	51.98	88.20	-36.22	3	Horizontal	160	2.26
6665MHz	Pass	AV	13.32998G	39.99	54.00	-14.01	3	Vertical	203	1.00
6665MHz	Pass	PK	13.32626G	52.64	74.00	-21.36	3	Vertical	203	1.00
6665MHz	Pass	AV	13.32988G	39.52	54.00	-14.48	3	Horizontal	151	2.82
6665MHz	Pass	PK	13.3268G	51.98	74.00	-22.02	3	Horizontal	151	2.82
6825MHz	Pass	AV	13.65002G	44.22	68.20	-23.98	3	Vertical	262	1.00
6825MHz	Pass	PK	13.65016G	53.60	88.20	-34.60	3	Vertical	262	1.00
6825MHz	Pass	AV	13.64998G	39.74	68.20	-28.46	3	Horizontal	184	2.54
6825MHz	Pass	PK	13.65266G	51.63	88.20	-36.57	3	Horizontal	184	2.54
6985MHz	Pass	AV	6.996G	82.43	Inf	-Inf	3	Vertical	253	2.98
6985MHz	Pass	AV	7.233G	48.01	68.20	-20.19	3	Vertical	253	2.98
6985MHz	Pass	PK	6.996G	94.37	Inf	-Inf	3	Vertical	253	2.98
6985MHz	Pass	PK	7.216G	61.10	88.20	-27.10	3	Vertical	253	2.98
6985MHz	Pass	AV	6.983G	87.19	Inf	-Inf	3	Horizontal	184	2.48
6985MHz	Pass	AV	7.233G	48.01	68.20	-20.19	3	Horizontal	184	2.48
6985MHz	Pass	PK	6.944G	99.51	Inf	-Inf	3	Horizontal	184	2.48
6985MHz	Pass	PK	7.224G	59.98	88.20	-28.22	3	Horizontal	184	2.48
6985MHz	Pass	AV	13.96994G	40.78	68.20	-27.42	3	Vertical	80	1.00
6985MHz	Pass	PK	13.9703G	52.79	88.20	-35.41	3	Vertical	80	1.00
6985MHz	Pass	AV	13.96994G	40.27	68.20	-27.93	3	Horizontal	318	1.08
6985MHz	Pass	PK	13.96646G	52.35	88.20	-35.85	3	Horizontal	318	1.08
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.827G	45.25	68.20	-22.95	3	Vertical	204	1.09
6105MHz	Pass	AV	6.091G	77.66	Inf	-Inf	3	Vertical	204	1.09
6105MHz	Pass	PK	5.875G	57.24	88.20	-30.96	3	Vertical	204	1.09
6105MHz	Pass	PK	5.971G	88.88	Inf	-Inf	3	Vertical	204	1.09
6105MHz	Pass	AV	5.791G	47.55	68.20	-20.65	3	Horizontal	176	2.42
6105MHz	Pass	AV	6.075G	87.14	Inf	-Inf	3	Horizontal	176	2.42
6105MHz	Pass	PK	5.831G	59.99	88.20	-28.21	3	Horizontal	176	2.42
6105MHz	Pass	PK	6.015G	97.99	Inf	-Inf	3	Horizontal	176	2.42
6105MHz	Pass	AV	12.21408G	37.09	54.00	-16.91	3	Vertical	317	1.50
6105MHz	Pass	PK	12.21076G	50.03	74.00	-23.97	3	Vertical	317	1.50
6105MHz	Pass	AV	12.21498G	37.08	54.00	-16.92	3	Horizontal	126	1.50
6105MHz	Pass	PK	12.21292G	50.22	74.00	-23.78	3	Horizontal	126	1.50
6265MHz	Pass	AV	12.52994G	39.30	54.00	-14.70	3	Vertical	277	1.10
6265MHz	Pass	PK	12.53G	51.04	74.00	-22.96	3	Vertical	277	1.10
6265MHz	Pass	AV	12.52998G	39.74	54.00	-14.26	3	Horizontal	318	1.16
6265MHz	Pass	PK	12.5301G	51.26	74.00	-22.74	3	Horizontal	318	1.16
6425MHz	Pass	AV	12.84988G	39.16	68.20	-29.04	3	Vertical	216	1.01
6425MHz	Pass	PK	12.85014G	52.02	88.20	-36.18	3	Vertical	216	1.01
6425MHz	Pass	AV	12.84998G	38.71	68.20	-29.49	3	Horizontal	339	2.28
6425MHz	Pass	PK	12.85074G	51.82	88.20	-36.38	3	Horizontal	339	2.28
6585MHz	Pass	AV	13.1699G	39.72	68.20	-28.48	3	Vertical	201	3.00
6585MHz	Pass	PK	13.1696G	52.27	88.20	-35.93	3	Vertical	201	3.00
6585MHz	Pass	AV	13.16992G	39.12	68.20	-29.08	3	Horizontal	14	1.00
6585MHz	Pass	PK	13.17026G	51.61	88.20	-36.59	3	Horizontal	14	1.00
6745MHz	Pass	AV	13.48996G	40.40	68.20	-27.80	3	Vertical	201	1.07
6745MHz	Pass	PK	13.48962G	52.76	88.20	-35.44	3	Vertical	201	1.07
6745MHz	Pass	AV	13.48992G	40.17	68.20	-28.03	3	Horizontal	160	2.97
6745MHz	Pass	PK	13.49048G	52.54	88.20	-35.66	3	Horizontal	160	2.97
6905MHz	Pass	AV	6.877G	82.67	Inf	-Inf	3	Vertical	66	2.95

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6905MHz	Pass	AV	7.399G	49.13	54.00	-4.87	3	Vertical	66	2.95
6905MHz	Pass	PK	6.877G	93.05	Inf	-Inf	3	Vertical	66	2.95
6905MHz	Pass	PK	7.25G	60.60	74.00	-13.40	3	Vertical	66	2.95
6905MHz	Pass	AV	6.927G	89.59	Inf	-Inf	3	Horizontal	199	2.28
6905MHz	Pass	AV	7.269G	50.48	54.00	-3.52	3	Horizontal	199	2.28
6905MHz	Pass	PK	6.927G	100.42	Inf	-Inf	3	Horizontal	199	2.28
6905MHz	Pass	PK	7.359G	60.91	74.00	-13.09	3	Horizontal	199	2.28
6905MHz	Pass	AV	13.81G	43.33	68.20	-24.87	3	Vertical	259	1.04
6905MHz	Pass	PK	13.80984G	53.29	88.20	-34.91	3	Vertical	259	1.04
6905MHz	Pass	AV	13.81412G	38.64	68.20	-29.56	3	Horizontal	302	2.97
6905MHz	Pass	PK	13.8122G	51.69	88.20	-36.51	3	Horizontal	302	2.97


5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

5935MHz_TX




5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

5935MHz_TX




5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

5935MHz_TX




5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

5935MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5935MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5935MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5935MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5935MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX




6.425-6.525GHz_802.11a_Nss1,(6Mbps)_2TX

6475MHz_TX




6.425-6.525GHz_802.11a_Nss1,(6Mbps)_2TX

6475MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6435MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6435MHz_TX




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6485MHz_TX




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6485MHz_TX




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6545MHz_TX




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6545MHz_TX




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6505MHz_TX




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6505MHz_TX




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6585MHz_TX




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6585MHz_TX




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6695MHz_TX




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6845MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6845MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

7115MHz_TX




6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

7115MHz_TX




6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

7115MHz_TX




6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	PK	39.7M	36.19	40.00	-3.81	3	Vertical	0	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6185MHz_Test Fixture	Pass	PK	39.7M	36.19	40.00	-3.81	3	Vertical	0	1.00
6185MHz_Test Fixture	Pass	PK	90.14M	33.83	43.50	-9.67	3	Vertical	0	1.00
6185MHz_Test Fixture	Pass	PK	249.22M	27.99	46.00	-18.01	3	Vertical	0	1.00
6185MHz_Test Fixture	Pass	PK	375.32M	34.67	46.00	-11.33	3	Vertical	0	1.00
6185MHz_Test Fixture	Pass	PK	499.48M	36.22	46.00	-9.78	3	Vertical	0	1.00
6185MHz_Test Fixture	Pass	PK	600.36M	26.81	46.00	-19.19	3	Vertical	0	1.00
6185MHz_Test Fixture	Pass	PK	99.84M	34.41	43.50	-9.09	3	Horizontal	360	1.00
6185MHz_Test Fixture	Pass	PK	198.78M	30.37	43.50	-13.13	3	Horizontal	360	1.00
6185MHz_Test Fixture	Pass	PK	249.22M	32.09	46.00	-13.91	3	Horizontal	360	1.00
6185MHz_Test Fixture	Pass	PK	375.32M	38.85	46.00	-7.15	3	Horizontal	360	1.00
6185MHz_Test Fixture	Pass	PK	398.6M	36.76	46.00	-9.24	3	Horizontal	360	1.00
6185MHz_Test Fixture	Pass	PK	499.48M	37.02	46.00	-8.98	3	Horizontal	360	1.00


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_Test Fixture



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_Test Fixture



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.925G	64.57	68.20	-3.63	3	Vertical	253	1.04
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.9245G	58.68	68.20	-9.52	3	Horizontal	101	1.17
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	11.95232G	37.34	54.00	-16.66	3	Vertical	202	1.52
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	12.23384G	37.57	54.00	-16.43	3	Vertical	17	1.08
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	12.05G	40.89	54.00	-13.11	3	Vertical	256	2.08
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	12.52996G	38.58	54.00	-15.42	3	Vertical	205	2.56
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	12.94982G	39.02	68.20	-29.18	3	Horizontal	231	1.50
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	13.02004G	39.23	68.20	-28.97	3	Vertical	191	1.45
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	13.02444G	39.34	68.20	-28.86	3	Vertical	191	1.29
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	12.9864G	39.27	68.20	-28.93	3	Vertical	192	1.25
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	13.01G	39.71	68.20	-28.49	3	Vertical	195	1.96
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	13.16992G	39.87	68.20	-28.33	3	Vertical	196	2.49
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	13.38994G	39.36	54.00	-14.64	3	Vertical	183	2.88
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	13.38808G	39.32	54.00	-14.68	3	Vertical	191	2.83
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	13.42168G	39.54	68.20	-28.66	3	Vertical	186	2.98
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	13.4304G	39.66	68.20	-28.54	3	Vertical	191	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	13.3299G	41.41	54.00	-12.59	3	Vertical	250	2.30
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	7.279G	48.97	54.00	-5.03	3	Horizontal	150	1.07
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	7.125G	65.25	68.20	-2.95	3	Vertical	245	1.00
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	7.1255G	64.87	68.20	-3.33	3	Vertical	244	1.00
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	7.2314G	48.15	68.20	-20.05	3	Horizontal	153	2.81
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	7.1672G	47.64	68.20	-20.56	3	Vertical	244	1.01
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	7.232G	48.18	68.20	-20.02	3	Vertical	251	1.03

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5935MHz_TX	Pass	AV	5.925G	64.57	68.20	-3.63	3	Vertical	253	1.04
5935MHz_TX	Pass	AV	5.9316G	87.49	Inf	-Inf	3	Vertical	253	1.04
5935MHz_TX	Pass	PK	5.925G	78.29	88.20	-9.91	3	Vertical	253	1.04
5935MHz_TX	Pass	PK	5.9318G	97.05	Inf	-Inf	3	Vertical	253	1.04
5935MHz_TX	Pass	AV	5.925G	58.57	68.20	-9.63	3	Horizontal	102	1.00
5935MHz_TX	Pass	AV	5.9372G	82.27	Inf	-Inf	3	Horizontal	102	1.00
5935MHz_TX	Pass	PK	5.9248G	73.45	88.20	-14.75	3	Horizontal	102	1.00
5935MHz_TX	Pass	PK	5.9316G	91.25	Inf	-Inf	3	Horizontal	102	1.00
5935MHz_TX	Pass	AV	11.86994G	38.43	54.00	-15.57	3	Vertical	190	1.49
5935MHz_TX	Pass	PK	11.88422G	49.37	74.00	-24.63	3	Vertical	190	1.49
5935MHz_TX	Pass	AV	11.87G	36.75	54.00	-17.25	3	Horizontal	220	1.00
5935MHz_TX	Pass	PK	11.8766G	49.18	74.00	-24.82	3	Horizontal	220	1.00
5955MHz_TX	Pass	AV	5.8212G	44.74	68.20	-23.46	3	Vertical	251	1.00
5955MHz_TX	Pass	AV	5.9508G	87.69	Inf	-Inf	3	Vertical	251	1.00
5955MHz_TX	Pass	PK	5.901G	57.84	88.20	-30.36	3	Vertical	251	1.00
5955MHz_TX	Pass	PK	5.9514G	97.20	Inf	-Inf	3	Vertical	251	1.00
5955MHz_TX	Pass	AV	5.8182G	44.69	68.20	-23.51	3	Horizontal	157	2.16
5955MHz_TX	Pass	AV	5.9514G	83.70	Inf	-Inf	3	Horizontal	157	2.16
5955MHz_TX	Pass	PK	5.8518G	57.58	88.20	-30.62	3	Horizontal	157	2.16
5955MHz_TX	Pass	PK	5.952G	92.74	Inf	-Inf	3	Horizontal	157	2.16
5955MHz_TX	Pass	AV	11.91G	38.54	54.00	-15.46	3	Vertical	187	1.50
5955MHz_TX	Pass	PK	11.90988G	48.91	74.00	-25.09	3	Vertical	187	1.50
5955MHz_TX	Pass	AV	11.90994G	37.89	54.00	-16.11	3	Horizontal	195	2.62
5955MHz_TX	Pass	PK	11.92428G	49.75	74.00	-24.25	3	Horizontal	195	2.62
6175MHz_TX	Pass	AV	12.35G	39.02	54.00	-14.98	3	Vertical	356	2.47
6175MHz_TX	Pass	PK	12.34964G	49.48	74.00	-24.52	3	Vertical	356	2.47
6175MHz_TX	Pass	AV	12.34994G	37.69	54.00	-16.31	3	Horizontal	214	1.50
6175MHz_TX	Pass	PK	12.33914G	49.39	74.00	-24.61	3	Horizontal	214	1.50
6415MHz_TX	Pass	AV	12.82994G	39.60	68.20	-28.60	3	Vertical	277	2.55
6415MHz_TX	Pass	PK	12.83774G	50.89	88.20	-37.31	3	Vertical	277	2.55
6415MHz_TX	Pass	AV	12.84494G	38.49	68.20	-29.71	3	Horizontal	62	1.58
6415MHz_TX	Pass	PK	12.84446G	51.18	88.20	-37.02	3	Horizontal	62	1.58
6435MHz_TX	Pass	AV	12.88494G	38.63	68.20	-29.57	3	Vertical	186	1.50
6435MHz_TX	Pass	PK	12.88128G	50.96	88.20	-37.24	3	Vertical	186	1.50
6435MHz_TX	Pass	AV	12.88476G	38.57	68.20	-29.63	3	Horizontal	47	1.50
6435MHz_TX	Pass	PK	12.88338G	50.91	88.20	-37.29	3	Horizontal	47	1.50
6475MHz_TX	Pass	AV	12.94952G	39.01	68.20	-29.19	3	Vertical	294	1.50
6475MHz_TX	Pass	PK	12.9467G	51.48	88.20	-36.72	3	Vertical	294	1.50
6475MHz_TX	Pass	AV	12.94982G	39.02	68.20	-29.18	3	Horizontal	231	1.50
6475MHz_TX	Pass	PK	12.95114G	51.00	88.20	-37.20	3	Horizontal	231	1.50
6515MHz_TX	Pass	AV	13.0204G	38.77	68.20	-29.43	3	Vertical	173	2.28
6515MHz_TX	Pass	PK	13.03912G	51.19	88.20	-37.01	3	Vertical	173	2.28
6515MHz_TX	Pass	AV	13.02028G	38.78	68.20	-29.42	3	Horizontal	86	2.12
6515MHz_TX	Pass	PK	13.02538G	51.48	88.20	-36.72	3	Horizontal	86	2.12
6535MHz_TX	Pass	AV	13.0679G	38.50	68.20	-29.70	3	Vertical	125	1.50
6535MHz_TX	Pass	PK	13.07852G	51.61	88.20	-36.59	3	Vertical	125	1.50
6535MHz_TX	Pass	AV	13.07G	38.72	68.20	-29.48	3	Horizontal	169	2.78
6535MHz_TX	Pass	PK	13.0616G	51.58	88.20	-36.62	3	Horizontal	169	2.78
6695MHz_TX	Pass	AV	13.38994G	39.36	54.00	-14.64	3	Vertical	183	2.88
6695MHz_TX	Pass	PK	13.37902G	51.35	74.00	-22.65	3	Vertical	183	2.88
6695MHz_TX	Pass	AV	13.38952G	39.08	54.00	-14.92	3	Horizontal	43	2.53
6695MHz_TX	Pass	PK	13.40374G	51.38	88.20	-36.82	3	Horizontal	43	2.53
6855MHz_TX	Pass	AV	13.71G	39.98	68.20	-28.22	3	Vertical	28	1.00
6855MHz_TX	Pass	PK	13.7214G	51.63	88.20	-36.57	3	Vertical	28	1.00
6855MHz_TX	Pass	AV	13.70982G	39.08	68.20	-29.12	3	Horizontal	133	3.00
6855MHz_TX	Pass	PK	13.70106G	51.75	88.20	-36.45	3	Horizontal	133	3.00
6875MHz_TX	Pass	AV	13.74838G	38.88	68.20	-29.32	3	Vertical	104	1.00
6875MHz_TX	Pass	PK	13.75234G	51.70	88.20	-36.50	3	Vertical	104	1.00
6875MHz_TX	Pass	AV	13.74904G	38.90	68.20	-29.30	3	Horizontal	48	2.97
6875MHz_TX	Pass	PK	13.76074G	51.76	88.20	-36.44	3	Horizontal	48	2.97

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6995MHz_TX	Pass	AV	13.98994G	39.71	68.20	-28.49	3	Vertical	251.9	2.55
6995MHz_TX	Pass	PK	13.98382G	51.56	88.20	-36.64	3	Vertical	251.9	2.55
6995MHz_TX	Pass	AV	13.98982G	39.60	68.20	-28.60	3	Horizontal	241	2.66
6995MHz_TX	Pass	PK	13.9864G	52.13	88.20	-36.07	3	Horizontal	241	2.66
7095MHz_TX	Pass	AV	7.0902G	84.98	Inf	-Inf	3	Vertical	254	1.00
7095MHz_TX	Pass	AV	7.2378G	48.22	68.20	-19.98	3	Vertical	254	1.00
7095MHz_TX	Pass	PK	7.0902G	93.96	Inf	-Inf	3	Vertical	254	1.00
7095MHz_TX	Pass	PK	7.2318G	60.93	88.20	-27.27	3	Vertical	254	1.00
7095MHz_TX	Pass	AV	7.089G	81.43	Inf	-Inf	3	Horizontal	36	2.02
7095MHz_TX	Pass	AV	7.2438G	48.26	68.20	-19.94	3	Horizontal	36	2.02
7095MHz_TX	Pass	PK	7.089G	90.80	Inf	-Inf	3	Horizontal	36	2.02
7095MHz_TX	Pass	PK	7.2192G	60.81	88.20	-27.39	3	Horizontal	36	2.02
7095MHz_TX	Pass	AV	14.18998G	40.08	68.20	-28.12	3	Vertical	181	2.67
7095MHz_TX	Pass	PK	14.18826G	52.53	88.20	-35.67	3	Vertical	181	2.67
7095MHz_TX	Pass	AV	14.18516G	39.40	68.20	-28.80	3	Horizontal	283	1.35
7095MHz_TX	Pass	PK	14.18986G	52.26	88.20	-35.94	3	Horizontal	283	1.35
7115MHz_TX	Pass	AV	7.1136G	87.16	Inf	-Inf	3	Vertical	245	1.00
7115MHz_TX	Pass	AV	7.125G	65.25	68.20	-2.95	3	Vertical	245	1.00
7115MHz_TX	Pass	PK	7.114G	96.86	Inf	-Inf	3	Vertical	245	1.00
7115MHz_TX	Pass	PK	7.125G	81.33	88.20	-6.87	3	Vertical	245	1.00
7115MHz_TX	Pass	AV	7.1174G	87.08	Inf	-Inf	3	Horizontal	148	2.12
7115MHz_TX	Pass	AV	7.125G	60.20	68.20	-8.00	3	Horizontal	148	2.12
7115MHz_TX	Pass	PK	7.117G	96.45	Inf	-Inf	3	Horizontal	148	2.12
7115MHz_TX	Pass	PK	7.125G	79.86	88.20	-8.34	3	Horizontal	148	2.12
7115MHz_TX	Pass	AV	14.22998G	39.72	68.20	-28.48	3	Vertical	43	2.42
7115MHz_TX	Pass	PK	14.22994G	52.71	88.20	-35.49	3	Vertical	43	2.42
7115MHz_TX	Pass	AV	14.23004G	39.54	68.20	-28.66	3	Horizontal	167	2.68
7115MHz_TX	Pass	PK	14.22726G	52.94	88.20	-35.26	3	Horizontal	167	2.68
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5935MHz_TX	Pass	AV	5.9245G	57.83	68.20	-10.37	3	Vertical	246	1.04
5935MHz_TX	Pass	AV	5.93753G	89.33	Inf	-Inf	3	Vertical	246	1.04
5935MHz_TX	Pass	PK	5.9245G	69.83	88.20	-18.37	3	Vertical	246	1.04
5935MHz_TX	Pass	PK	5.93653G	96.54	Inf	-Inf	3	Vertical	246	1.04
5935MHz_TX	Pass	AV	5.9245G	58.68	68.20	-9.52	3	Horizontal	101	1.17
5935MHz_TX	Pass	AV	5.94053G	84.27	Inf	-Inf	3	Horizontal	101	1.17
5935MHz_TX	Pass	PK	5.9245G	68.88	88.20	-19.32	3	Horizontal	101	1.17
5935MHz_TX	Pass	PK	5.93953G	91.58	Inf	-Inf	3	Horizontal	101	1.17
5935MHz_TX	Pass	AV	11.86996G	38.48	54.00	-15.52	3	Vertical	190	1.64
5935MHz_TX	Pass	PK	11.86926G	49.93	74.00	-24.07	3	Vertical	190	1.64
5935MHz_TX	Pass	AV	11.87G	37.22	54.00	-16.78	3	Horizontal	217	1.50
5935MHz_TX	Pass	PK	11.87014G	49.82	74.00	-24.18	3	Horizontal	217	1.50
5955MHz_TX	Pass	AV	5.8254G	44.83	68.20	-23.37	3	Vertical	248	1.00
5955MHz_TX	Pass	AV	5.9586G	87.49	Inf	-Inf	3	Vertical	248	1.00
5955MHz_TX	Pass	PK	5.832G	57.19	88.20	-31.01	3	Vertical	248	1.00
5955MHz_TX	Pass	PK	5.9598G	98.84	Inf	-Inf	3	Vertical	248	1.00
5955MHz_TX	Pass	AV	5.8158G	44.59	68.20	-23.61	3	Horizontal	157	2.21
5955MHz_TX	Pass	AV	5.961G	83.31	Inf	-Inf	3	Horizontal	157	2.21
5955MHz_TX	Pass	PK	5.9178G	57.18	88.20	-31.02	3	Horizontal	157	2.21
5955MHz_TX	Pass	PK	5.9604G	94.27	Inf	-Inf	3	Horizontal	157	2.21
5955MHz_TX	Pass	AV	11.90998G	38.31	54.00	-15.69	3	Vertical	191	1.50
5955MHz_TX	Pass	PK	11.90996G	50.15	74.00	-23.85	3	Vertical	191	1.50
5955MHz_TX	Pass	AV	11.9099G	37.54	54.00	-16.46	3	Horizontal	206	2.72
5955MHz_TX	Pass	PK	11.91004G	49.76	74.00	-24.24	3	Horizontal	206	2.72
6175MHz_TX	Pass	AV	12.34994G	39.22	54.00	-14.78	3	Vertical	179	2.96
6175MHz_TX	Pass	PK	12.35336G	51.30	74.00	-22.70	3	Vertical	179	2.96
6175MHz_TX	Pass	AV	12.34998G	37.24	54.00	-16.76	3	Horizontal	216	1.64
6175MHz_TX	Pass	PK	12.34896G	50.31	74.00	-23.69	3	Horizontal	216	1.64
6415MHz_TX	Pass	AV	12.82998G	38.16	68.20	-30.04	3	Vertical	34	1.02
6415MHz_TX	Pass	PK	12.83272G	51.36	88.20	-36.84	3	Vertical	34	1.02
6415MHz_TX	Pass	AV	12.82994G	38.11	68.20	-30.09	3	Horizontal	288	2.02
6415MHz_TX	Pass	PK	12.82598G	50.80	88.20	-37.40	3	Horizontal	288	2.02
6435MHz_TX	Pass	AV	12.86996G	38.41	68.20	-29.79	3	Vertical	202	2.37

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6435MHz_TX	Pass	PK	12.86788G	51.65	88.20	-36.55	3	Vertical	202	2.37
6435MHz_TX	Pass	AV	12.87002G	38.44	68.20	-29.76	3	Horizontal	183	2.35
6435MHz_TX	Pass	PK	12.8724G	51.21	88.20	-36.99	3	Horizontal	183	2.35
6475MHz_TX	Pass	AV	12.9513G	38.84	68.20	-29.36	3	Vertical	24	1.50
6475MHz_TX	Pass	PK	12.9529G	52.26	88.20	-35.94	3	Vertical	24	1.50
6475MHz_TX	Pass	AV	12.95144G	38.83	68.20	-29.37	3	Horizontal	136	1.50
6475MHz_TX	Pass	PK	12.9504G	52.07	88.20	-36.13	3	Horizontal	136	1.50
6515MHz_TX	Pass	AV	13.02004G	39.23	68.20	-28.97	3	Vertical	191	1.45
6515MHz_TX	Pass	PK	13.02094G	51.56	88.20	-36.64	3	Vertical	191	1.45
6515MHz_TX	Pass	AV	13.0219G	38.69	68.20	-29.51	3	Horizontal	312	1.63
6515MHz_TX	Pass	PK	13.01536G	51.52	88.20	-36.68	3	Horizontal	312	1.63
6535MHz_TX	Pass	AV	13.06958G	39.24	68.20	-28.96	3	Vertical	189	1.50
6535MHz_TX	Pass	PK	13.05902G	51.64	88.20	-36.56	3	Vertical	189	1.50
6535MHz_TX	Pass	AV	13.07G	38.60	68.20	-29.60	3	Horizontal	349	1.50
6535MHz_TX	Pass	PK	13.07468G	51.00	88.20	-37.20	3	Horizontal	349	1.50
6695MHz_TX	Pass	AV	13.38808G	39.32	54.00	-14.68	3	Vertical	191	2.83
6695MHz_TX	Pass	PK	13.38934G	52.21	74.00	-21.79	3	Vertical	191	2.83
6695MHz_TX	Pass	AV	13.38976G	39.02	54.00	-14.98	3	Horizontal	106	2.76
6695MHz_TX	Pass	PK	13.38868G	51.28	74.00	-22.72	3	Horizontal	106	2.76
6855MHz_TX	Pass	AV	13.70838G	39.00	68.20	-29.20	3	Vertical	204	1.50
6855MHz_TX	Pass	PK	13.71018G	51.63	88.20	-36.57	3	Vertical	204	1.50
6855MHz_TX	Pass	AV	13.70844G	39.00	68.20	-29.20	3	Horizontal	146	1.50
6855MHz_TX	Pass	PK	13.72296G	51.43	88.20	-36.77	3	Horizontal	146	1.50
6875MHz_TX	Pass	AV	13.74904G	38.96	68.20	-29.24	3	Vertical	202	1.50
6875MHz_TX	Pass	PK	13.74184G	51.51	88.20	-36.69	3	Vertical	202	1.50
6875MHz_TX	Pass	AV	13.7488G	38.96	68.20	-29.24	3	Horizontal	111	1.11
6875MHz_TX	Pass	PK	13.74616G	52.49	88.20	-35.71	3	Horizontal	111	1.11
6955MHz_TX	Pass	AV	13.90952G	39.09	68.20	-29.11	3	Vertical	239	1.00
6955MHz_TX	Pass	PK	13.90748G	52.40	88.20	-35.80	3	Vertical	239	1.00
6955MHz_TX	Pass	AV	13.90802G	39.06	68.20	-29.14	3	Horizontal	136	1.93
6955MHz_TX	Pass	PK	13.91126G	51.56	88.20	-36.64	3	Horizontal	136	1.93
7095MHz_TX	Pass	AV	7.0974G	84.75	Inf	-Inf	3	Vertical	96	3.00
7095MHz_TX	Pass	AV	7.2438G	48.24	68.20	-19.96	3	Vertical	96	3.00
7095MHz_TX	Pass	PK	7.0974G	96.23	Inf	-Inf	3	Vertical	96	3.00
7095MHz_TX	Pass	PK	7.2348G	60.11	88.20	-28.09	3	Vertical	96	3.00
7095MHz_TX	Pass	AV	7.0896G	85.67	Inf	-Inf	3	Horizontal	152	2.72
7095MHz_TX	Pass	AV	7.242G	48.24	68.20	-19.96	3	Horizontal	152	2.72
7095MHz_TX	Pass	PK	7.0884G	97.08	Inf	-Inf	3	Horizontal	152	2.72
7095MHz_TX	Pass	PK	7.2402G	60.30	88.20	-27.90	3	Horizontal	152	2.72
7095MHz_TX	Pass	AV	14.205G	39.55	68.20	-28.65	3	Vertical	343	1.50
7095MHz_TX	Pass	PK	14.1918G	52.14	88.20	-36.06	3	Vertical	343	1.50
7095MHz_TX	Pass	AV	14.20488G	39.57	68.20	-28.63	3	Horizontal	351	2.79
7095MHz_TX	Pass	PK	14.17854G	51.56	88.20	-36.64	3	Horizontal	351	2.79
7115MHz_TX	Pass	AV	7.1095G	89.23	Inf	-Inf	3	Vertical	244	1.00
7115MHz_TX	Pass	AV	7.1255G	64.87	68.20	-3.33	3	Vertical	244	1.00
7115MHz_TX	Pass	PK	7.1085G	96.90	Inf	-Inf	3	Vertical	244	1.00
7115MHz_TX	Pass	PK	7.1255G	75.12	88.20	-13.08	3	Vertical	244	1.00
7115MHz_TX	Pass	AV	7.1205G	89.16	Inf	-Inf	3	Horizontal	145	2.15
7115MHz_TX	Pass	AV	7.1255G	63.86	68.20	-4.34	3	Horizontal	145	2.15
7115MHz_TX	Pass	PK	7.1215G	96.84	Inf	-Inf	3	Horizontal	145	2.15
7115MHz_TX	Pass	PK	7.1255G	74.83	88.20	-13.37	3	Horizontal	145	2.15
7115MHz_TX	Pass	AV	14.22382G	39.84	68.20	-28.36	3	Vertical	270	2.76
7115MHz_TX	Pass	PK	14.23054G	52.15	88.20	-36.05	3	Vertical	270	2.76
7115MHz_TX	Pass	AV	14.24056G	39.83	68.20	-28.37	3	Horizontal	179	1.50
7115MHz_TX	Pass	PK	14.24026G	51.94	88.20	-36.26	3	Horizontal	179	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz_TX	Pass	AV	5.8222G	44.82	68.20	-23.38	3	Vertical	247	1.01
5965MHz_TX	Pass	AV	5.9674G	88.10	Inf	-Inf	3	Vertical	247	1.01
5965MHz_TX	Pass	PK	5.8858G	57.63	88.20	-30.57	3	Vertical	247	1.01
5965MHz_TX	Pass	PK	5.9668G	100.00	Inf	-Inf	3	Vertical	247	1.01
5965MHz_TX	Pass	AV	5.8168G	44.57	68.20	-23.63	3	Horizontal	156	2.20
5965MHz_TX	Pass	AV	5.9692G	84.36	Inf	-Inf	3	Horizontal	156	2.20

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5965MHz_TX	Pass	PK	5.8624G	57.07	88.20	-31.13	3	Horizontal	156	2.20
5965MHz_TX	Pass	PK	5.9698G	96.93	Inf	-Inf	3	Horizontal	156	2.20
5965MHz_TX	Pass	AV	11.95232G	37.34	54.00	-16.66	3	Vertical	202	1.52
5965MHz_TX	Pass	PK	11.94152G	50.36	74.00	-23.64	3	Vertical	202	1.52
5965MHz_TX	Pass	AV	11.9342G	37.03	54.00	-16.97	3	Horizontal	5	2.35
5965MHz_TX	Pass	PK	11.95592G	49.75	74.00	-24.25	3	Horizontal	5	2.35
6165MHz_TX	Pass	AV	12.3156G	37.28	54.00	-16.72	3	Vertical	202	1.25
6165MHz_TX	Pass	PK	12.30792G	49.84	74.00	-24.16	3	Vertical	202	1.25
6165MHz_TX	Pass	AV	12.31416G	37.13	54.00	-16.87	3	Horizontal	277	1.03
6165MHz_TX	Pass	PK	12.34704G	49.30	74.00	-24.70	3	Horizontal	277	1.03
6405MHz_TX	Pass	AV	12.84G	38.44	68.20	-29.76	3	Vertical	225	1.04
6405MHz_TX	Pass	PK	12.82884G	51.14	88.20	-37.06	3	Vertical	225	1.04
6405MHz_TX	Pass	AV	12.84G	38.33	68.20	-29.87	3	Horizontal	360	2.53
6405MHz_TX	Pass	PK	12.8304G	50.28	88.20	-37.92	3	Horizontal	360	2.53
6445MHz_TX	Pass	AV	12.91988G	38.94	68.20	-29.26	3	Vertical	188	1.43
6445MHz_TX	Pass	PK	12.89168G	51.01	88.20	-37.19	3	Vertical	188	1.43
6445MHz_TX	Pass	AV	12.91892G	38.70	68.20	-29.50	3	Horizontal	360	1.50
6445MHz_TX	Pass	PK	12.91568G	51.66	88.20	-36.54	3	Horizontal	360	1.50
6485MHz_TX	Pass	AV	12.99124G	39.32	68.20	-28.88	3	Vertical	188	1.50
6485MHz_TX	Pass	PK	12.99352G	51.31	88.20	-36.89	3	Vertical	188	1.50
6485MHz_TX	Pass	AV	12.99112G	39.02	68.20	-29.18	3	Horizontal	161	1.50
6485MHz_TX	Pass	PK	12.97096G	51.06	88.20	-37.14	3	Horizontal	161	1.50
6525MHz_TX	Pass	AV	13.02444G	39.34	68.20	-28.86	3	Vertical	191	1.29
6525MHz_TX	Pass	PK	13.03044G	51.36	88.20	-36.84	3	Vertical	191	1.29
6525MHz_TX	Pass	AV	13.02108G	38.84	68.20	-29.36	3	Horizontal	83	1.50
6525MHz_TX	Pass	PK	13.02156G	51.18	88.20	-37.02	3	Horizontal	83	1.50
6565MHz_TX	Pass	AV	13.15748G	39.41	68.20	-28.79	3	Vertical	192	1.34
6565MHz_TX	Pass	PK	13.13504G	51.39	88.20	-36.81	3	Vertical	192	1.34
6565MHz_TX	Pass	AV	13.15964G	38.76	68.20	-29.44	3	Horizontal	54.9	1.00
6565MHz_TX	Pass	PK	13.15266G	51.13	88.20	-37.07	3	Horizontal	54.9	1.00
6725MHz_TX	Pass	AV	13.42168G	39.54	68.20	-28.66	3	Vertical	186	2.98
6725MHz_TX	Pass	PK	13.44868G	51.48	88.20	-36.72	3	Vertical	186	2.98
6725MHz_TX	Pass	AV	13.47592G	39.41	68.20	-28.79	3	Horizontal	332	2.04
6725MHz_TX	Pass	PK	13.45816G	51.91	88.20	-36.29	3	Horizontal	332	2.04
6845MHz_TX	Pass	AV	13.66552G	39.23	68.20	-28.97	3	Vertical	44	1.50
6845MHz_TX	Pass	PK	13.67824G	51.60	88.20	-36.60	3	Vertical	44	1.50
6845MHz_TX	Pass	AV	13.66336G	39.20	68.20	-29.00	3	Horizontal	55	1.50
6845MHz_TX	Pass	PK	13.67452G	51.68	88.20	-36.52	3	Horizontal	55	1.50
6885MHz_TX	Pass	AV	13.74768G	39.01	68.20	-29.19	3	Vertical	124	1.50
6885MHz_TX	Pass	PK	13.74192G	51.57	88.20	-36.63	3	Vertical	124	1.50
6885MHz_TX	Pass	AV	13.74492G	39.01	68.20	-29.19	3	Horizontal	346	1.50
6885MHz_TX	Pass	PK	13.74372G	51.45	88.20	-36.75	3	Horizontal	346	1.50
7005MHz_TX	Pass	AV	13.98024G	39.37	68.20	-28.83	3	Vertical	100	1.49
7005MHz_TX	Pass	PK	14.0136G	51.67	88.20	-36.53	3	Vertical	100	1.49
7005MHz_TX	Pass	AV	13.9806G	39.36	68.20	-28.84	3	Horizontal	221	1.50
7005MHz_TX	Pass	PK	14.00832G	52.42	88.20	-35.78	3	Horizontal	221	1.50
7085MHz_TX	Pass	AV	7.0832G	88.62	Inf	-Inf	3	Vertical	251	1.00
7085MHz_TX	Pass	AV	7.2338G	48.11	68.20	-20.09	3	Vertical	251	1.00
7085MHz_TX	Pass	PK	7.0832G	99.83	Inf	-Inf	3	Vertical	251	1.00
7085MHz_TX	Pass	PK	7.1906G	60.69	88.20	-27.51	3	Vertical	251	1.00
7085MHz_TX	Pass	AV	7.0808G	87.04	Inf	-Inf	3	Horizontal	153	2.81
7085MHz_TX	Pass	AV	7.2314G	48.15	68.20	-20.05	3	Horizontal	153	2.81
7085MHz_TX	Pass	PK	7.0802G	98.85	Inf	-Inf	3	Horizontal	153	2.81
7085MHz_TX	Pass	PK	7.2218G	60.34	88.20	-27.86	3	Horizontal	153	2.81
7085MHz_TX	Pass	AV	14.15584G	39.92	68.20	-28.28	3	Vertical	224	1.50
7085MHz_TX	Pass	PK	14.15308G	52.58	88.20	-35.62	3	Vertical	224	1.50
7085MHz_TX	Pass	AV	14.15872G	39.90	68.20	-28.30	3	Horizontal	149	1.50
7085MHz_TX	Pass	PK	14.19616G	52.07	88.20	-36.13	3	Horizontal	149	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz_TX	Pass	AV	5.925G	44.69	68.20	-23.51	3	Vertical	247	1.01
5985MHz_TX	Pass	AV	5.968G	88.09	Inf	-Inf	3	Vertical	247	1.01
5985MHz_TX	Pass	PK	5.876G	57.79	88.20	-30.41	3	Vertical	247	1.01


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5985MHz_TX	Pass	PK	5.989G	98.97	Inf	-Inf	3	Vertical	247	1.01
5985MHz_TX	Pass	AV	5.821G	44.43	68.20	-23.77	3	Horizontal	155	2.19
5985MHz_TX	Pass	AV	5.969G	84.32	Inf	-Inf	3	Horizontal	155	2.19
5985MHz_TX	Pass	PK	5.802G	57.33	88.20	-30.87	3	Horizontal	155	2.19
5985MHz_TX	Pass	PK	5.967G	95.99	Inf	-Inf	3	Horizontal	155	2.19
5985MHz_TX	Pass	AV	11.9796G	37.35	54.00	-16.65	3	Vertical	209	1.99
5985MHz_TX	Pass	PK	11.94768G	49.90	74.00	-24.10	3	Vertical	209	1.99
5985MHz_TX	Pass	AV	12.02256G	37.16	54.00	-16.84	3	Horizontal	79	1.00
5985MHz_TX	Pass	PK	11.98056G	49.52	74.00	-24.48	3	Horizontal	79	1.00
6145MHz_TX	Pass	AV	12.23384G	37.57	54.00	-16.43	3	Vertical	17	1.08
6145MHz_TX	Pass	PK	12.30584G	49.60	74.00	-24.40	3	Vertical	17	1.08
6145MHz_TX	Pass	AV	12.27752G	37.36	54.00	-16.64	3	Horizontal	352	1.50
6145MHz_TX	Pass	PK	12.33536G	49.93	74.00	-24.07	3	Horizontal	352	1.50
6385MHz_TX	Pass	AV	12.82928G	38.44	68.20	-29.76	3	Vertical	158	2.98
6385MHz_TX	Pass	PK	12.82136G	50.83	88.20	-37.37	3	Vertical	158	2.98
6385MHz_TX	Pass	AV	12.82664G	38.44	68.20	-29.76	3	Horizontal	312	1.12
6385MHz_TX	Pass	PK	12.8048G	50.58	88.20	-37.62	3	Horizontal	312	1.12
6465MHz_TX	Pass	AV	12.9864G	39.27	68.20	-28.93	3	Vertical	192	1.25
6465MHz_TX	Pass	PK	12.98328G	52.02	88.20	-36.18	3	Vertical	192	1.25
6465MHz_TX	Pass	AV	12.94848G	38.90	68.20	-29.30	3	Horizontal	268	1.26
6465MHz_TX	Pass	PK	12.88344G	50.96	88.20	-37.24	3	Horizontal	268	1.26
6545MHz_TX	Pass	AV	13.03G	39.18	68.20	-29.02	3	Vertical	190	1.29
6545MHz_TX	Pass	PK	13.13344G	51.52	88.20	-36.68	3	Vertical	190	1.29
6545MHz_TX	Pass	AV	13.0348G	38.71	68.20	-29.49	3	Horizontal	44	2.84
6545MHz_TX	Pass	PK	13.10272G	51.33	88.20	-36.87	3	Horizontal	44	2.84
6705MHz_TX	Pass	AV	13.4304G	39.66	68.20	-28.54	3	Vertical	191	1.50
6705MHz_TX	Pass	PK	13.46616G	52.55	88.20	-35.65	3	Vertical	191	1.50
6705MHz_TX	Pass	AV	13.47G	39.36	68.20	-28.84	3	Horizontal	127	1.50
6705MHz_TX	Pass	PK	13.43352G	51.78	88.20	-36.42	3	Horizontal	127	1.50
6865MHz_TX	Pass	AV	13.67024G	39.03	68.20	-29.17	3	Vertical	172	1.50
6865MHz_TX	Pass	PK	13.68824G	51.15	88.20	-37.05	3	Vertical	172	1.50
6865MHz_TX	Pass	AV	13.67024G	38.98	68.20	-29.22	3	Horizontal	235	1.43
6865MHz_TX	Pass	PK	13.75928G	52.24	88.20	-35.96	3	Horizontal	235	1.43
6945MHz_TX	Pass	AV	13.94256G	39.25	68.20	-28.95	3	Vertical	182	1.69
6945MHz_TX	Pass	PK	13.9308G	51.47	88.20	-36.73	3	Vertical	182	1.69
6945MHz_TX	Pass	AV	13.93824G	39.21	68.20	-28.99	3	Horizontal	360	2.01
6945MHz_TX	Pass	PK	13.8744G	52.21	88.20	-35.99	3	Horizontal	360	2.01
7025MHz_TX	Pass	AV	7.0388G	86.44	Inf	-Inf	3	Vertical	244	1.01
7025MHz_TX	Pass	AV	7.1672G	47.64	68.20	-20.56	3	Vertical	244	1.01
7025MHz_TX	Pass	PK	7.0358G	98.30	Inf	-Inf	3	Vertical	244	1.01
7025MHz_TX	Pass	PK	7.1534G	59.94	88.20	-28.26	3	Vertical	244	1.01
7025MHz_TX	Pass	AV	6.9968G	85.96	Inf	-Inf	3	Horizontal	150	2.09
7025MHz_TX	Pass	AV	7.1732G	47.64	68.20	-20.56	3	Horizontal	150	2.09
7025MHz_TX	Pass	PK	6.9962G	97.67	Inf	-Inf	3	Horizontal	150	2.09
7025MHz_TX	Pass	PK	7.1294G	59.88	88.20	-28.32	3	Horizontal	150	2.09
7025MHz_TX	Pass	AV	14.065G	39.29	68.20	-28.91	3	Vertical	319	1.56
7025MHz_TX	Pass	PK	14.04616G	51.87	88.20	-36.33	3	Vertical	319	1.56
7025MHz_TX	Pass	AV	14.06266G	39.28	68.20	-28.92	3	Horizontal	244	2.01
7025MHz_TX	Pass	PK	14.05066G	52.32	88.20	-35.88	3	Horizontal	244	2.01
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz_TX	Pass	AV	5.894G	45.26	68.20	-22.94	3	Vertical	253	1.02
6025MHz_TX	Pass	AV	6.012G	86.81	Inf	-Inf	3	Vertical	253	1.02
6025MHz_TX	Pass	PK	5.84G	57.40	88.20	-30.80	3	Vertical	253	1.02
6025MHz_TX	Pass	PK	6.033G	98.65	Inf	-Inf	3	Vertical	253	1.02
6025MHz_TX	Pass	AV	5.84G	45.03	68.20	-23.17	3	Horizontal	157	1.96
6025MHz_TX	Pass	AV	6.031G	83.31	Inf	-Inf	3	Horizontal	157	1.96
6025MHz_TX	Pass	PK	5.9G	57.52	88.20	-30.68	3	Horizontal	157	1.96
6025MHz_TX	Pass	PK	6.032G	95.48	Inf	-Inf	3	Horizontal	157	1.96
6025MHz_TX	Pass	AV	12.05G	40.89	54.00	-13.11	3	Vertical	256	2.08
6025MHz_TX	Pass	PK	12.04988G	50.60	74.00	-23.40	3	Vertical	256	2.08
6025MHz_TX	Pass	AV	12.04994G	39.24	54.00	-14.76	3	Horizontal	327	2.84
6025MHz_TX	Pass	PK	12.05474G	50.59	74.00	-23.41	3	Horizontal	327	2.84

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6185MHz_TX	Pass	AV	12.3699G	38.59	54.00	-15.41	3	Vertical	239	1.43
6185MHz_TX	Pass	PK	12.36812G	49.48	74.00	-24.52	3	Vertical	239	1.43
6185MHz_TX	Pass	AV	12.36998G	38.49	54.00	-15.51	3	Horizontal	42	2.70
6185MHz_TX	Pass	PK	12.37008G	49.68	74.00	-24.32	3	Horizontal	42	2.70
6345MHz_TX	Pass	AV	12.68996G	39.35	54.00	-14.65	3	Vertical	202	2.71
6345MHz_TX	Pass	PK	12.68634G	50.68	74.00	-23.32	3	Vertical	202	2.71
6345MHz_TX	Pass	AV	12.68998G	38.48	54.00	-15.52	3	Horizontal	353	2.69
6345MHz_TX	Pass	PK	12.68756G	51.12	74.00	-22.88	3	Horizontal	353	2.69
6505MHz_TX	Pass	AV	13.01G	39.71	68.20	-28.49	3	Vertical	195	1.96
6505MHz_TX	Pass	PK	13.00762G	52.08	88.20	-36.12	3	Vertical	195	1.96
6505MHz_TX	Pass	AV	13.00986G	39.25	68.20	-28.95	3	Horizontal	271	1.05
6505MHz_TX	Pass	PK	13.00886G	51.11	88.20	-37.09	3	Horizontal	271	1.05
6665MHz_TX	Pass	AV	13.3299G	41.41	54.00	-12.59	3	Vertical	250	2.30
6665MHz_TX	Pass	PK	13.3272G	52.24	74.00	-21.76	3	Vertical	250	2.30
6665MHz_TX	Pass	AV	13.32988G	39.24	54.00	-14.76	3	Horizontal	235	2.81
6665MHz_TX	Pass	PK	13.32564G	51.36	74.00	-22.64	3	Horizontal	235	2.81
6825MHz_TX	Pass	AV	13.64996G	41.07	68.20	-27.13	3	Vertical	249	1.50
6825MHz_TX	Pass	PK	13.6495G	52.53	88.20	-35.67	3	Vertical	249	1.50
6825MHz_TX	Pass	AV	13.64994G	40.32	68.20	-27.88	3	Horizontal	189	2.82
6825MHz_TX	Pass	PK	13.65486G	52.76	88.20	-35.44	3	Horizontal	189	2.82
6985MHz_TX	Pass	AV	6.943G	87.86	Inf	-Inf	3	Vertical	251	1.03
6985MHz_TX	Pass	AV	7.232G	48.18	68.20	-20.02	3	Vertical	251	1.03
6985MHz_TX	Pass	PK	7.003G	99.11	Inf	-Inf	3	Vertical	251	1.03
6985MHz_TX	Pass	PK	7.156G	60.75	88.20	-27.45	3	Vertical	251	1.03
6985MHz_TX	Pass	AV	6.978G	88.07	Inf	-Inf	3	Horizontal	151	2.14
6985MHz_TX	Pass	AV	7.233G	48.12	68.20	-20.08	3	Horizontal	151	2.14
6985MHz_TX	Pass	PK	6.98G	99.94	Inf	-Inf	3	Horizontal	151	2.14
6985MHz_TX	Pass	PK	7.213G	60.87	88.20	-27.33	3	Horizontal	151	2.14
6985MHz_TX	Pass	AV	13.9699G	39.67	68.20	-28.53	3	Vertical	244	2.38
6985MHz_TX	Pass	PK	13.97066G	51.36	88.20	-36.84	3	Vertical	244	2.38
6985MHz_TX	Pass	AV	13.9745G	39.11	68.20	-29.09	3	Horizontal	200	2.04
6985MHz_TX	Pass	PK	13.97106G	51.93	88.20	-36.27	3	Horizontal	200	2.04
802.11be EHT320_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz_TX	Pass	AV	5.873G	50.84	68.20	-17.36	3	Vertical	274	1.06
6105MHz_TX	Pass	AV	6.077G	86.94	Inf	-Inf	3	Vertical	274	1.06
6105MHz_TX	Pass	PK	5.877G	62.07	88.20	-26.13	3	Vertical	274	1.06
6105MHz_TX	Pass	PK	6.075G	97.74	Inf	-Inf	3	Vertical	274	1.06
6105MHz_TX	Pass	AV	5.851G	49.26	68.20	-18.94	3	Horizontal	157	1.86
6105MHz_TX	Pass	AV	6.089G	84.18	Inf	-Inf	3	Horizontal	157	1.86
6105MHz_TX	Pass	PK	5.815G	61.35	88.20	-26.85	3	Horizontal	157	1.86
6105MHz_TX	Pass	PK	6.091G	96.10	Inf	-Inf	3	Horizontal	157	1.86
6105MHz_TX	Pass	AV	12.2099G	37.64	54.00	-16.36	3	Vertical	252	1.48
6105MHz_TX	Pass	PK	12.21368G	50.29	74.00	-23.71	3	Vertical	252	1.48
6105MHz_TX	Pass	AV	12.21062G	37.27	54.00	-16.73	3	Horizontal	157	1.50
6105MHz_TX	Pass	PK	12.20612G	49.36	74.00	-24.64	3	Horizontal	157	1.50
6265MHz_TX	Pass	AV	12.52996G	38.58	54.00	-15.42	3	Vertical	205	2.56
6265MHz_TX	Pass	PK	12.53012G	49.40	74.00	-24.60	3	Vertical	205	2.56
6265MHz_TX	Pass	AV	12.53G	37.96	54.00	-16.04	3	Horizontal	360	2.26
6265MHz_TX	Pass	PK	12.52944G	50.06	74.00	-23.94	3	Horizontal	360	2.26
6425MHz_TX	Pass	AV	12.84996G	38.86	68.20	-29.34	3	Vertical	351	1.03
6425MHz_TX	Pass	PK	12.84676G	50.92	88.20	-37.28	3	Vertical	351	1.03
6425MHz_TX	Pass	AV	12.84996G	38.51	68.20	-29.69	3	Horizontal	156	3.00
6425MHz_TX	Pass	PK	12.8525G	50.85	88.20	-37.35	3	Horizontal	156	3.00
6585MHz_TX	Pass	AV	13.16992G	39.87	68.20	-28.33	3	Vertical	196	2.49
6585MHz_TX	Pass	PK	13.16982G	52.19	88.20	-36.01	3	Vertical	196	2.49
6585MHz_TX	Pass	AV	13.16996G	38.97	68.20	-29.23	3	Horizontal	176	2.70
6585MHz_TX	Pass	PK	13.17162G	51.51	88.20	-36.69	3	Horizontal	176	2.70
6745MHz_TX	Pass	AV	13.49G	41.66	68.20	-26.54	3	Vertical	251	2.59
6745MHz_TX	Pass	PK	13.49G	52.99	88.20	-35.21	3	Vertical	251	2.59
6745MHz_TX	Pass	AV	13.49G	39.93	68.20	-28.27	3	Horizontal	300	1.20
6745MHz_TX	Pass	PK	13.49438G	52.14	88.20	-36.06	3	Horizontal	300	1.20
6905MHz_TX	Pass	AV	6.881G	85.66	Inf	-Inf	3	Vertical	161	1.16

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6905MHz_TX	Pass	PK	6.839G	96.50	Inf	-Inf	3	Vertical	161	1.16
6905MHz_TX	Pass	PK	7.321G	61.21	74.00	-12.79	3	Vertical	161	1.16
6905MHz_TX	Pass	AV	7.267G	48.93	54.00	-5.07	3	Vertical	161	1.16
6905MHz_TX	Pass	AV	6.833G	87.39	Inf	-Inf	3	Horizontal	150	1.07
6905MHz_TX	Pass	AV	7.279G	48.97	54.00	-5.03	3	Horizontal	150	1.07
6905MHz_TX	Pass	PK	6.833G	98.89	Inf	-Inf	3	Horizontal	150	1.07
6905MHz_TX	Pass	PK	7.279G	60.79	74.00	-13.21	3	Horizontal	150	1.07
6905MHz_TX	Pass	AV	13.80994G	40.91	68.20	-27.29	3	Vertical	244	2.30
6905MHz_TX	Pass	PK	13.81436G	52.10	88.20	-36.10	3	Vertical	244	2.30
6905MHz_TX	Pass	AV	13.8142G	38.76	68.20	-29.44	3	Horizontal	291	1.50
6905MHz_TX	Pass	PK	13.80656G	51.09	88.20	-37.11	3	Horizontal	291	1.50


5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

5935MHz_TX




5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

5935MHz_TX




5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

5935MHz_TX




5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

5935MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5935MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5935MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5935MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5935MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6145MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6145MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX




6.425-6.525GHz_802.11a_Nss1,(6Mbps)_2TX

6475MHz_TX




6.425-6.525GHz_802.11a_Nss1,(6Mbps)_2TX

6475MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6515MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6515MHz_TX




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6525MHz_TX




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6525MHz_TX




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6465MHz_TX




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6465MHz_TX




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6505MHz_TX




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6505MHz_TX




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6585MHz_TX




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6585MHz_TX




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6695MHz_TX




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6725MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6725MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

7115MHz_TX




6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

7115MHz_TX




6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

7115MHz_TX




6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




Antenna Gain (dBi)			
UNII5	UNII6	UNII7	UNII8
1.66	1.66	1.66	1.66

Contention Based protocol 802.11be EHT20											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-75.87	OFF	10	100	90	Pass
6	101	20	6455	Center	6455	-75.87	OFF	10	100	90	Pass
7	149	20	6695	Center	6695	-72.87	OFF	10	100	90	Pass
8	213	20	7015	Center	7015	-76.87	OFF	10	100	90	Pass


Contention Based protocol 802.11be EHT320											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-71.87	OFF	10	100	90	Pass
				Center	6105	-72.87	OFF	10	100	90	Pass
				High edge	6260	-71.87	OFF	10	100	90	Pass
5,6,7	95	320	6425	Low edge	6270	-71.87	OFF	10	100	90	Pass
				Center	6425	-72.87	OFF	10	100	90	Pass
				High edge	6580	-70.87	OFF	10	100	90	Pass
6,7	127	320	6585	Low edge	6430	-70.87	OFF	10	100	90	Pass
				Center	6585	-71.87	OFF	10	100	90	Pass
				High edge	6740	-70.87	OFF	10	100	90	Pass
7,8	191	320	6905	Low edge	6750	-71.87	OFF	10	100	90	Pass
				Center	6905	-72.87	OFF	10	100	90	Pass
				High edge	7060	-70.87	OFF	10	100	90	Pass

Contention Based protocol 802.11be EHT20										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-73.00	1.66	-74.66	≤ -62
						Minimal	-74.00	1.66	-75.66	≤ -62
						ON	-80.00	1.66	-81.66	≤ -62
6	101	20	6455	Center	6455	OFF	-73.00	1.66	-74.66	≤ -62
						Minimal	-74.00	1.66	-75.66	≤ -62
						ON	-75.00	1.66	-76.66	≤ -62
7	149	20	6695	Center	6695	OFF	-70.00	1.66	-71.66	≤ -62
						Minimal	-71.00	1.66	-72.66	≤ -62
						ON	-72.00	1.66	-73.66	≤ -62
8	213	20	7015	Center	7015	OFF	-74.00	1.66	-75.66	≤ -62
						Minimal	-75.00	1.66	-76.66	≤ -62
						ON	-76.00	1.66	-77.66	≤ -62


Contention Based protocol 802.11be EHT320										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	320	6105	Low edge	5950	OFF	-78.00	1.66	-79.66	≤ -62
						Minimal	-79.00	1.66	-80.66	≤ -62
						ON	-80.00	1.66	-81.66	≤ -62
				Center	6105	OFF	-74.00	1.66	-75.66	≤ -62
						Minimal	-75.00	1.66	-76.66	≤ -62
						ON	-76.00	1.66	-77.66	≤ -62
				High edge	6260	OFF	-75.00	1.66	-76.66	≤ -62
						Minimal	-76.00	1.66	-77.66	≤ -62
						ON	-77.00	1.66	-78.66	≤ -62
5,6,7	95	320	6425	Low edge	6270	OFF	-72.00	1.66	-73.66	≤ -62
						Minimal	-73.00	1.66	-74.66	≤ -62
						ON	-74.00	1.66	-75.66	≤ -62
				Center	6425	OFF	-76.00	1.66	-77.66	≤ -62
						Minimal	-77.00	1.66	-78.66	≤ -62
						ON	-78.00	1.66	-79.66	≤ -62
				High edge	6580	OFF	-73.00	1.66	-74.66	≤ -62
						Minimal	-74.00	1.66	-75.66	≤ -62
						ON	-75.00	1.66	-76.66	≤ -62
6,7	127	320	6585	Low edge	6430	OFF	-70.00	1.66	-71.66	≤ -62
						Minimal	-71.00	1.66	-72.66	≤ -62
						ON	-72.00	1.66	-73.66	≤ -62
				Center	6585	OFF	-69.00	1.66	-70.66	≤ -62
						Minimal	-70.00	1.66	-71.66	≤ -62
						ON	-71.00	1.66	-72.66	≤ -62
				High edge	6740	OFF	-71.00	1.66	-72.66	≤ -62
						Minimal	-72.00	1.66	-73.66	≤ -62
						ON	-73.00	1.66	-74.66	≤ -62
7,8	191	320	6905	Low edge	6750	OFF	-75.00	1.66	-76.66	≤ -62
						Minimal	-76.00	1.66	-77.66	≤ -62
						ON	-77.00	1.66	-78.66	≤ -62
				Center	6905	OFF	-77.00	1.66	-78.66	≤ -62
						Minimal	-78.00	1.66	-79.66	≤ -62
						ON	-79.00	1.66	-80.66	≤ -62
				High edge	7060	OFF	-73.00	1.66	-74.66	≤ -62
						Minimal	-74.00	1.66	-75.66	≤ -62
						ON	-75.00	1.66	-76.66	≤ -62



1. Incumbent signal (AWGN) Plot




2. Contention-Based Protocol Plot



Test CH 149 ; Incumbent signal 6695 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 213 ; Incumbent signal 7015 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 31 ; Incumbent signal 5950 MHz

COT-20M



28/04/2026

Z1[s]

NaNs

Z2[s]

NaNs

Zoom TX

0s

Zoom TX Sample

0

DC-Zoom


0

Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 31 ; Incumbent signal 6105 MHz

Time Analysis

COT-20M



28/04/2026

Sample Time

1us

All TX Time

115.351ms

All TX Sample

115351

Duty Cycle

0.115351

T1[s] T2[s]


NaNs NaNs

T3[s] T4[s]

NaNs NaNs


Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 31 ; Incumbent signal 6260 MHz




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 95 ; Incumbent signal 6270 MHz




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 95 ; Incumbent signal 6425 MHz




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 95 ; Incumbent signal 6580 MHz




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 127 ; Incumbent signal 6430 MHz




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 127 ; Incumbent signal 6585 MHz




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 127 ; Incumbent signal 6740 MHz




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 191 ; Incumbent signal 6750 MHz




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 191 ; Incumbent signal 6905 MHz



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 191 ; Incumbent signal 7060 MHz




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 20


Frequency (MHz): 6215 MHz (Threshold Level: -73 dBm)

Time Analysis



Frequency (MHz): 6215 MHz (Threshold Level: -74 dBm)

Time Analysis




Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 20

Frequency (MHz): 6215 MHz (Threshold Level: -80 dBm)


Time Analysis




Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 320

Frequency (MHz): 5950 MHz (Threshold Level: -78dBm)




Frequency (MHz): 5950 MHz (Threshold Level: -79dBm)




Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 320

Frequency (MHz): 5950 MHz (Threshold Level: -80dBm)




Frequency (MHz): 6105 MHz (Threshold Level: -74dBm)




Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 320

Frequency (MHz): 6105 MHz (Threshold Level: -75dBm)




Frequency (MHz): 6105 MHz (Threshold Level: -76dBm)




Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 320

Frequency (MHz): 6260 MHz (Threshold Level: -75dBm)



Frequency (MHz): 6260 MHz (Threshold Level: -76dBm)




Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 320

Frequency (MHz): 6260 MHz (Threshold Level: -77dBm)

COT-20M

Time Analysis



28/04/2026	
Sample Time	
1us	
All TX Time	
114.715ms	
All TX Sample	
114715	
Duty Cycle	
0.114715	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.9139G	53.90	54.00	-0.10	Horizontal
Mode 2	Pass	AV	4.87986G	50.01	54.00	-3.99	Vertical
Mode 3	Pass	AV	4.87989G	47.64	54.00	-6.36	Vertical


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	4.87982G	48.80	54.00	-5.20	3	Vertical	10	1.08	-
Mode 1	Pass	AV	4.91384G	53.89	54.00	-0.11	3	Vertical	323	1.50	-
Mode 1	Pass	AV	7.31929G	47.97	54.00	-6.03	3	Vertical	220	1.50	-
Mode 1	Pass	AV	7.3716G	45.68	54.00	-8.32	3	Vertical	6	1.41	-
Mode 1	Pass	PK	4.87968G	54.56	74.00	-19.44	3	Vertical	10	1.08	-
Mode 1	Pass	PK	4.91412G	57.59	74.00	-16.41	3	Vertical	323	1.50	-
Mode 1	Pass	PK	7.32052G	56.11	74.00	-17.89	3	Vertical	220	1.50	-
Mode 1	Pass	PK	7.37122G	52.65	74.00	-21.35	3	Vertical	6	1.41	-
Mode 1	Pass	AV	4.87979G	52.96	54.00	-1.04	3	Horizontal	317	2.36	-
Mode 1	Pass	AV	4.9139G	53.90	54.00	-0.10	3	Horizontal	320	2.33	-
Mode 1	Pass	AV	7.31932G	43.31	54.00	-10.69	3	Horizontal	330	1.00	-
Mode 1	Pass	AV	7.37164G	38.01	54.00	-15.99	3	Horizontal	312	1.32	-
Mode 1	Pass	PK	4.87951G	59.11	74.00	-14.89	3	Horizontal	317	2.36	-
Mode 1	Pass	PK	4.91406G	58.45	74.00	-15.55	3	Horizontal	320	2.33	-
Mode 1	Pass	PK	7.3193G	52.19	74.00	-21.81	3	Horizontal	330	1.00	-
Mode 1	Pass	PK	7.3701G	51.16	74.00	-22.84	3	Horizontal	312	1.32	-
Mode 2	Pass	AV	4.87986G	50.01	54.00	-3.99	3	Vertical	327	2.03	-
Mode 2	Pass	AV	7.3193G	37.19	54.00	-16.81	3	Vertical	272	1.84	-
Mode 2	Pass	AV	10.4G	39.39	68.20	-28.81	3	Vertical	317	1.50	-
Mode 2	Pass	AV	15.6111G	37.83	54.00	-16.17	3	Vertical	6	2.24	-
Mode 2	Pass	PK	4.87946G	55.69	74.00	-18.31	3	Vertical	327	2.03	-
Mode 2	Pass	PK	7.31957G	48.27	74.00	-25.73	3	Vertical	272	1.84	-
Mode 2	Pass	PK	10.39724G	51.01	68.20	-17.19	3	Vertical	330	1.50	-
Mode 2	Pass	PK	15.59112G	49.47	74.00	-24.53	3	Vertical	6	2.24	-
Mode 2	Pass	AV	4.87992G	46.87	54.00	-7.13	3	Horizontal	216	1.80	-
Mode 2	Pass	AV	7.31895G	34.61	54.00	-19.39	3	Horizontal	168	1.12	-
Mode 2	Pass	AV	10.3997G	38.01	68.20	-30.19	3	Horizontal	310	2.30	-
Mode 2	Pass	AV	15.59928G	37.97	54.00	-16.03	3	Horizontal	245	1.29	-
Mode 2	Pass	PK	4.87991G	53.23	74.00	-20.77	3	Horizontal	216	1.80	-
Mode 2	Pass	PK	7.31792G	46.65	74.00	-27.35	3	Horizontal	168	1.12	-
Mode 2	Pass	PK	10.39868G	49.60	68.20	-18.60	3	Horizontal	310	2.30	-
Mode 2	Pass	PK	15.60084G	50.66	74.00	-23.34	3	Horizontal	245	1.29	-
Mode 3	Pass	AV	4.87989G	47.64	54.00	-6.36	3	Vertical	318	2.13	-
Mode 3	Pass	AV	7.31934G	37.15	54.00	-16.85	3	Vertical	247	1.50	-
Mode 3	Pass	AV	11.9298G	39.68	54.00	-14.32	3	Vertical	329	2.48	-
Mode 3	Pass	PK	4.88046G	53.26	74.00	-20.74	3	Vertical	318	2.13	-
Mode 3	Pass	PK	7.31947G	49.06	74.00	-24.94	3	Vertical	247	1.50	-
Mode 3	Pass	PK	11.92984G	50.74	74.00	-23.26	3	Vertical	329	2.48	-
Mode 3	Pass	AV	4.87986G	47.03	54.00	-6.97	3	Horizontal	295	1.12	-
Mode 3	Pass	AV	7.32G	34.68	54.00	-19.32	3	Horizontal	334	1.50	-
Mode 3	Pass	AV	11.92986G	37.89	54.00	-16.11	3	Horizontal	281	1.13	-
Mode 3	Pass	PK	4.88G	53.64	74.00	-20.36	3	Horizontal	295	1.12	-
Mode 3	Pass	PK	7.31778G	47.01	74.00	-26.99	3	Horizontal	334	1.50	-
Mode 3	Pass	PK	11.93038G	49.50	74.00	-24.50	3	Horizontal	281	1.13	-


Radiated Emissions above 1GHz_Mode 1




Radiated Emissions above 1GHz_Mode 1




Radiated Emissions above 1GHz_Mode 2




Radiated Emissions above 1GHz_Mode 2



Radiated Emissions above 1GHz_Mode 3



Radiated Emissions above 1GHz_Mode 3






Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.80312G	44.43	54.00	-9.57	Horizontal
Mode 2	Pass	AV	4.80394G	39.16	54.00	-14.84	Horizontal
Mode 3	Pass	AV	4.80305G	45.40	54.00	-8.60	Horizontal

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	4.80297G	40.94	54.00	-13.06	3	Vertical	144	2.22	-
Mode 1	Pass	AV	4.83397G	36.90	54.00	-17.10	3	Vertical	39	1.60	-
Mode 1	Pass	AV	7.25003G	36.06	54.00	-17.94	3	Vertical	210	2.30	-
Mode 1	Pass	PK	4.80498G	51.77	74.00	-22.23	3	Vertical	144	2.22	-
Mode 1	Pass	PK	4.83389G	46.44	74.00	-27.56	3	Vertical	39	1.60	-
Mode 1	Pass	PK	7.24947G	48.21	74.00	-25.79	3	Vertical	210	2.30	-
Mode 1	Pass	AV	4.80312G	44.43	54.00	-9.57	3	Horizontal	7.9	1.04	-
Mode 1	Pass	AV	4.83398G	40.86	54.00	-13.14	3	Horizontal	351	1.50	-
Mode 1	Pass	AV	7.24995G	37.99	54.00	-16.01	3	Horizontal	267	2.00	-
Mode 1	Pass	PK	4.80295G	54.33	74.00	-19.67	3	Horizontal	7.9	1.04	-
Mode 1	Pass	PK	4.83401G	49.30	74.00	-24.70	3	Horizontal	351	1.50	-
Mode 1	Pass	PK	7.25014G	49.10	74.00	-24.90	3	Horizontal	267	2.00	-
Mode 2	Pass	AV	4.80489G	30.46	54.00	-23.54	3	Vertical	187	1.50	-
Mode 2	Pass	AV	10.36193G	36.88	68.20	-31.32	3	Vertical	39	1.50	-
Mode 2	Pass	AV	15.53887G	38.22	54.00	-15.78	3	Vertical	226	1.50	-
Mode 2	Pass	PK	4.80455G	42.20	74.00	-31.80	3	Vertical	187	1.50	-
Mode 2	Pass	PK	10.3596G	48.68	68.20	-19.52	3	Vertical	39	1.50	-
Mode 2	Pass	PK	15.53932G	50.57	74.00	-23.43	3	Vertical	226	1.50	-
Mode 2	Pass	AV	4.80394G	39.16	54.00	-14.84	3	Horizontal	8	1.05	-
Mode 2	Pass	AV	10.36022G	36.98	68.20	-31.22	3	Horizontal	310	1.50	-
Mode 2	Pass	AV	15.54012G	38.27	54.00	-15.73	3	Horizontal	225	1.50	-
Mode 2	Pass	PK	4.80405G	49.80	74.00	-24.20	3	Horizontal	8	1.05	-
Mode 2	Pass	PK	10.35833G	49.42	68.20	-18.78	3	Horizontal	310	1.50	-
Mode 2	Pass	PK	15.54145G	50.40	74.00	-23.60	3	Horizontal	225	1.50	-
Mode 3	Pass	AV	4.803G	42.28	54.00	-11.72	3	Vertical	220	2.56	-
Mode 3	Pass	AV	12.04998G	38.24	54.00	-15.76	3	Vertical	326	2.13	-
Mode 3	Pass	PK	4.805G	52.60	74.00	-21.40	3	Vertical	220	2.56	-
Mode 3	Pass	PK	12.05179G	50.05	74.00	-23.95	3	Vertical	326	2.13	-
Mode 3	Pass	AV	4.80305G	45.40	54.00	-8.60	3	Horizontal	179	1.34	-
Mode 3	Pass	AV	12.05009G	38.83	54.00	-15.17	3	Horizontal	303	1.12	-
Mode 3	Pass	PK	4.80504G	55.64	74.00	-18.36	3	Horizontal	179	1.34	-
Mode 3	Pass	PK	12.04958G	49.90	74.00	-24.10	3	Horizontal	303	1.12	-

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80297G	40.94	54.00	-13.06	4.05	3	Vertical	144	2.22	36.89	32.41	6.29	34.65
AV	4.83397G	36.90	54.00	-17.10	4.22	3	Vertical	39	1.60	32.68	32.54	6.32	34.64
AV	7.25003G	36.06	54.00	-17.94	10.11	3	Vertical	210	2.30	25.95	37.10	7.65	34.64
PK	4.80498G	51.77	74.00	-22.23	4.06	3	Vertical	144	2.22	47.71	32.42	6.29	34.65
PK	4.83389G	46.44	74.00	-27.56	4.22	3	Vertical	39	1.60	42.22	32.54	6.32	34.64
PK	7.24947G	48.21	74.00	-25.79	10.11	3	Vertical	210	2.30	38.10	37.10	7.65	34.64

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80312G	44.43	54.00	-9.57	4.05	3	Horizontal	7.9	1.04	40.38	32.41	6.29	34.65
AV	4.83398G	40.86	54.00	-13.14	4.22	3	Horizontal	351	1.50	36.64	32.54	6.32	34.64
AV	7.24995G	37.99	54.00	-16.01	10.11	3	Horizontal	267	2.00	27.88	37.10	7.65	34.64
PK	4.80295G	54.33	74.00	-19.67	4.05	3	Horizontal	7.9	1.04	50.28	32.41	6.29	34.65
PK	4.83401G	49.30	74.00	-24.70	4.22	3	Horizontal	351	1.50	45.08	32.54	6.32	34.64
PK	7.25014G	49.10	74.00	-24.90	10.11	3	Horizontal	267	2.00	38.99	37.10	7.65	34.64


Radiated Emissions above 1GHz_Mode 2



Radiated Emissions above 1GHz_Mode 2




Radiated Emissions above 1GHz_Mode 3



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.803G	42.28	54.00	-11.72	4.05	3	Vertical	220	2.56	38.23	32.41	6.29	34.65
AV	12.04998G	38.24	54.00	-15.76	15.32	3	Vertical	326	2.13	22.92	39.20	9.71	33.59
PK	4.805G	52.60	74.00	-21.40	4.06	3	Vertical	220	2.56	48.54	32.42	6.29	34.65
PK	12.05179G	50.05	74.00	-23.95	15.32	3	Vertical	326	2.13	34.73	39.20	9.71	33.59

Radiated Emissions above 1GHz_Mode 3



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80305G	45.40	54.00	-8.60	4.05	3	Horizontal	179	1.34	41.35	32.41	6.29	34.65
AV	12.05009G	38.83	54.00	-15.17	15.32	3	Horizontal	303	1.12	23.51	39.20	9.71	33.59
PK	4.80504G	55.64	74.00	-18.36	4.06	3	Horizontal	179	1.34	51.58	32.42	6.29	34.65
PK	12.04958G	49.90	74.00	-24.10	15.32	3	Horizontal	303	1.12	34.58	39.20	9.71	33.59