

2000022231-01

62x105mm

ADVANTECH

ADVANTECH CO., LTD.
 新 華 股 份 有 限 公 司
 新 華 股 份 有 限 公 司
[Http://www.advantech.com](http://www.advantech.com)
 MADE IN TAIWAN 台灣製造 台灣製造

Product Name : Serial Device Server

品 名 / 品 名: 序列設備伺服器/串行设备服务器

MODEL NO

型號 / 型 号 : EKI-1361

I N P U T

電源 / 电源 : 12-48Vdc === 0.65A max

1-port Industrial RS-232/422/485 to 802.11 b/g/n WLAN Serial Device Server

注意

产品避免撞击, 勿自行拆卸机壳, 机壳内部无客户可自行处理部份, 若有问题请洽
 询专业人员。

声明

此为A级产品, 在生活环境中, 该产品可能会造成无线电干扰, 在这种情况下,
 可能需要用户对其干扰采取切实可行的措施。

CAUTION!

To prevent from electronic shock, do NOT open the case. For safety
 reasons, the device should be opened only by qualified service personnel.

This device is in compliance with requirements in part 15 of the FCC rules. Operation is
 subject to the following two conditions:

(1) This device may not cause harmful interference.

(2) This device must accept any interference received, including interference that may
 cause undesired operation.

LAN MAC Address	WLAN MAC Address



FCC ID:M82-EKI1362

S/ N	
---------	--

Pin Assignments

Male DB9 (DB9-M)

1 2 3 4 5



6 7 8 9

Serial Pin Assignments

Pin	1	2	3	4	5	6	7	8	9
RS-232	DCD	RX	TX	DTR	GND	DSR	RTS	CTS	RI
RS-422	TX-	-	-	TX+	GND	-	RX+	-	RX-
RS-485	DATA-	-	-	DATA+	GND	-	-	-	-

銀底黑字

2013.11.20A

2000022232-01

62x105mm

ADVANTECH

ADVANTECH CO., LTD.
 研華股份有限公司
 研華股份有限公司
[Http://www.advantech.com](http://www.advantech.com)
 MADE IN TAIWAN 台灣製造 臺灣製造

Product Name : Serial Device Server

品 名 / 品 名: 序列設備伺服器/串行設備伺服器

MODEL NO

型號 / 型 号 : EKI-1362

I N P U T

電源 / 电源 : 12-48Vdc === 0.8A max

2-port Industrial RS-232/422/485 to 802.11 b/g/n WLAN Serial Device Server

注意

产品避免撞击, 勿自行拆卸机壳, 机台内部无客户可自行处理部份, 若有问题请洽
 询专业人员。

声明

此为A级产品, 在生活环境中, 该产品可能会造成无线电干扰, 在这种情况下,
 可能需要用户对其干扰采取切实可行的措施。

CAUTION!

To prevent from electronic shock, do NOT open the case. For safety
 reasons, the device should be opened only by qualified service personnel.

This device is in complies with requestments in part 15 of the FCC rules. Operation is
 subject to the following two conditions:

(1) This device may not cause harmful interference.

(2) This device must accept any interference received, including interference that may
 cause undesired operation.

LAN MAC Address	WLAN MAC Address



FCC ID:M82-EKI1362

S/ N	
---------	--

Pin Assignments

Male DB9 (DB9-M)

1 2 3 4 5



6 7 8 9

Serial Pin Assignments

Pin	1	2	3	4	5	6	7	8	9
RS-232	DCD	RX	TX	DTR	GND	DSR	RTS	CTS	RI
RS-422	TX-	-	-	TX+	GND	-	RX+	-	RX-
RS-485	DATA-	-	-	DATA+	GND	-	-	-	-

銀底黑字

2013.11.20A



Label Location