



11ax(HE80)_TX_CH_122_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6241.9231	41.99	33.72	-16.14	59.57	68.30	8.73	Vertical
2	7843.5833	52.65	36.33	-44.93	44.05	68.30	24.25	Vertical
3	9855.125	49.63	38.60	-41.91	46.31	68.30	21.99	Vertical
4	11501.541	47.79	39.45	-40.08	47.16	74.00	26.84	Vertical
5	13499.187	46.37	39.55	-38.96	46.96	68.30	21.34	Vertical
6	17926.208	44.60	44.36	-37.19	51.77	74.00	22.23	Vertical
7	17989.937	34.22	44.74	-37.01	41.95	54.00	12.05	Vertical

11ax(HE80)_TX_CH_155_Horizontal



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6240.2308	41.92	33.71	-16.13	59.50	68.30	8.80	Horizontal
2	7804.2917	52.67	36.34	-44.90	44.11	68.30	24.19	Horizontal
3	9316.5417	51.40	37.84	-42.92	46.32	74.00	27.68	Horizontal
4	11927.520	48.17	39.41	-39.54	48.04	74.00	25.96	Horizontal
5	14391.395	46.73	40.26	-38.72	48.27	68.30	20.03	Horizontal
6	17999.520	44.45	44.80	-36.98	52.27	74.00	21.73	Horizontal
7	17999.041	34.10	44.79	-36.98	41.91	54.00	12.09	Horizontal


11ax(HE80)_TX_CH_155_Vertical



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6395.5	41.39	34.30	-16.15	59.54	68.30	8.76	Vertical
2	8530.2292	52.16	36.88	-43.82	45.23	68.30	23.07	Vertical
3	10757.875	48.03	39.33	-40.60	46.76	74.00	27.24	Vertical
4	13712.895	45.93	39.87	-38.02	47.78	68.30	20.52	Vertical
5	16299.437	45.39	38.52	-37.93	45.98	68.30	22.32	Vertical
6	17962.625	44.04	44.58	-37.08	51.53	74.00	22.47	Vertical
7	17997.125	34.16	44.78	-36.99	41.95	54.00	12.05	Vertical

11ax(HE40)_TX_CH_151_Horizonta




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6217.3846	41.62	33.63	-16.10	59.15	68.30	9.15	Horizontal
2	7898.6875	53.04	36.32	-44.97	44.39	68.30	23.91	Horizontal
3	10028.583	48.93	38.82	-41.71	46.04	68.30	22.26	Horizontal
4	12422.5	47.10	39.15	-38.42	47.82	74.00	26.18	Horizontal
5	14940.520	45.22	40.21	-38.19	47.23	68.30	21.07	Horizontal
6	17984.666	43.81	44.71	-37.02	51.50	74.00	22.50	Horizontal
7	17991.375	33.97	44.75	-37.00	41.71	54.00	12.29	Horizontal

11ax(HE40)_TX_CH_151_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6392.5385	41.65	34.29	-16.16	59.79	68.30	8.51	Vertical
2	7318.8958	52.79	36.07	-45.92	42.94	74.00	31.06	Vertical
3	10498.166	47.85	39.15	-40.58	46.42	68.30	21.88	Vertical
4	12452.687	46.71	39.13	-38.57	47.26	74.00	26.74	Vertical
5	14987.958	45.85	40.20	-37.95	48.10	68.30	20.20	Vertical
6	17968.854	43.79	44.61	-37.07	51.34	74.00	22.66	Vertical
7	17950.166	34.48	44.50	-37.12	41.86	54.00	12.14	Vertical

11ax(HE40)_TX_CH_159_Horizonta



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6299.4615	41.85	33.94	-16.23	59.56	68.30	8.74	Horizontal
2	7782.7292	53.74	36.34	-44.94	45.14	68.30	23.16	Horizontal
3	9482.3333	51.06	38.08	-42.68	46.46	74.00	27.54	Horizontal
4	11988.375	46.81	39.40	-38.72	47.49	74.00	26.51	Horizontal
5	14303.708	46.28	40.27	-38.78	47.77	68.30	20.53	Horizontal
6	17910.875	43.57	44.27	-37.23	50.61	74.00	23.39	Horizontal
7	17958.791	34.19	44.55	-37.10	41.65	54.00	12.35	Horizontal

11ax(HE40)_TX_CH_159_Vertical



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	6250.8077	41.95	33.75	-16.15	59.55	68.30	8.75	Vertical
2	7569.5	52.40	36.39	-45.26	43.53	74.00	30.47	Vertical
3	9387.9375	52.37	37.94	-42.83	47.49	74.00	26.51	Vertical
4	11376.958	48.04	39.46	-39.88	47.62	74.00	26.38	Vertical
5	14335.333	46.34	40.27	-38.76	47.85	68.30	20.45	Vertical
6	17618.104	43.60	42.51	-36.93	49.18	68.30	19.12	Vertical
7	17962.145	34.02	44.57	-37.09	41.51	54.00	12.49	Vertical

6.4 Radiated Emissions which fall in the restricted bands

Test Requirement 47 CFR Part 15, Subpart C 15.209 & Subpart E 15.407(b)
Test Method: ANSI C63.10-2020+Cor 1-2023 Section 6.10.5 & 12.7.2
Measurement Distance: 3M

Limit:

Frequency(MHz)	Field strength(microvolts/meter)	Measurement distance(meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30.0	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

*(1) For transmitters operating in the 5.15-5.25 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.

(2) For transmitters operating in the 5.25-5.35 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.

(3) For transmitters operating in the 5.47-5.725 GHz band: All emissions outside of the 5.47-5.725 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.

(4) For transmitters operating in the 5.725-5.85 GHz band:

(i) All emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.

Remark: The emission limits shown in the above table are based on measurements employing a CISPR quasi-peak detector except for the frequency bands 9-90kHz, 110-490kHz and above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation.

6.4.1 E.U.T. Operation

Operating Environment:

Temperature: 22.5 °C

Humidity: 50.2 % RH


Atmospheric Pressure: 1010 mbar

6.4.2 Test Mode Description

Pre-scan /	Mode	Description
------------	------	-------------

Final test	Code	
Final test	04	TX mode (U-NII-1)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80, Only the data of worst case is recorded in the report.
Final test	05	TX mode (U-NII-2A) _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80, Only the data of worst case is recorded in the report.
Final test	06	TX mode (U-NII-2C) _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80, Only the data of worst case is recorded in the report.
Final test	07	TX mode (U-NII-3) _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80, Only the data of worst case is recorded in the report.

6.4.3 Test Setup Diagram



6.4.4 Measurement Procedure and Data


- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- g. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.
- h. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- j. Repeat above procedures until all frequencies measured was complete.

Remark 1: $\text{Level} = \text{Read Level} + \text{Cable Loss} + \text{Antenna Factor} - \text{Preamp Factor}$

Remark 2: The resolution bandwidth of test receiver/spectrum analyzer is 1MHz and the video bandwidth is 3MHz for Peak detection (PK) and Average detection (AV) at frequency above 1GHz.


Remark 3: For fundamental and harmonic signal measurement, the resolution bandwidth of test receiver/spectrum analyzer is 1MHz and the video bandwidth is $\geq 1/T$ (Duty cycle < 98%) or 10Hz (Duty cycle $\geq 98\%$) for Average detection (AV) at frequency above 1GHz.

11a_TX_CH_36_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5142.28	42.54	31.60	-20.25	53.89	74.00	20.11	Horizontal
2	5145.22	43.60	31.61	-20.24	54.97	74.00	19.03	Horizontal

11a_TX_CH_36_Horizontal_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.25	28.65	31.61	-17.76	42.50	54.00	11.50	Horizontal
2	5149.56	29.08	31.62	-17.76	42.94	54.00	11.06	Horizontal

11a_TX_CH_36_Vertical_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.3	43.84	31.62	-20.23	55.23	74.00	18.77	Vertical
2	5149.665	45.27	31.62	-20.23	56.66	74.00	17.34	Vertical

11a_TX_CH_36_Vertical_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5145.815	28.75	31.61	-17.76	42.60	54.00	11.40	Vertical
2	5149.595	29.34	31.62	-17.76	43.20	54.00	10.80	Vertical

11a_TX_CH_64_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.575	48.42	32.18	-16.92	63.68	74.00	10.32	Horizontal
2	5354.65	47.41	32.19	-16.91	62.70	74.00	11.30	Horizontal

11a_TX_CH_64_Horizontal_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.975	29.90	32.18	-16.93	45.16	54.00	8.84	Horizontal
2	5353.55	28.97	32.19	-16.91	44.25	54.00	9.75	Horizontal

11a_TX_CH_64_Vertical_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5352.075	47.71	32.19	-16.92	62.98	74.00	11.02	Vertical
2	5354.975	46.88	32.19	-16.91	62.17	74.00	11.83	Vertical

11a_TX_CH_64_Vertical_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.05	29.60	32.18	-16.93	44.85	54.00	9.15	Vertical
2	5352.325	28.83	32.19	-16.92	44.10	54.00	9.90	Vertical

11a_TX_CH_100_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5458.7275	41.13	32.48	-17.00	56.62	74.00	17.38	Horizontal
2	5464.285	45.20	32.50	-17.03	60.67	68.30	7.63	Horizontal

11a_TX_CH_100_Horizontal_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5454.5475	27.38	32.47	-16.97	42.88	54.00	11.12	Horizontal
2	5457.8725	27.38	32.48	-16.99	42.87	54.00	11.13	Horizontal

11a_TX_CH_100_Vertical_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5442.1975	40.61	32.44	-16.91	56.14	74.00	17.86	Vertical
2	5469.3675	45.17	32.51	-17.05	60.63	68.30	7.67	Vertical


11a_TX_CH_100_Veritical_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5449.655	27.01	32.46	-16.95	42.52	54.00	11.48	Vertical
2	5455.925	26.97	32.48	-16.98	42.46	54.00	11.54	Vertical




11a_TX_CH_140_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5726.9	48.23	32.69	-16.85	64.07	68.30	4.23	Horizontal
2	5729.3	48.44	32.69	-16.84	64.29	68.30	4.01	Horizontal

11a_TX_CH_140_Vertical_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5726.825	44.60	32.69	-16.85	60.44	68.30	7.86	Vertical
2	5728.475	42.52	32.69	-16.85	58.37	68.30	9.93	Vertical


11a_TX_CH_149_Horizontal_Peak



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5634.9938	38.99	32.65	-19.46	52.19	68.30	16.11	Horizontal
2	5659.775	39.63	32.66	-19.46	52.83	75.56	22.73	Horizontal
3	5706.9812	41.05	32.68	-19.43	54.31	107.26	52.95	Horizontal
4	5722.2562	53.57	32.69	-19.33	66.93	116.05	49.12	Horizontal

11a_TX_CH_149_Vertical_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5642.3875	38.96	32.66	-19.46	52.16	68.30	16.14	Vertical
2	5669.525	39.83	32.67	-19.46	53.03	82.79	29.76	Vertical
3	5716.5688	43.65	32.69	-19.36	56.97	109.94	52.97	Vertical
4	5724.6125	47.72	32.69	-19.31	61.10	121.42	60.32	Vertical


11a_TX_CH_165_Horizontal_Peak



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5850.1438	47.95	32.74	-18.81	61.88	121.97	60.09	Horizontal
2	5858.675	43.80	32.74	-18.81	57.74	109.87	52.13	Horizontal
3	5903.6062	39.88	32.76	-18.81	53.83	84.09	30.26	Horizontal
4	5932.8562	39.35	32.77	-19.02	53.11	68.30	15.19	Horizontal

11a_TX_CH_165_Vertical_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5853.3125	43.89	32.74	-18.81	57.82	114.75	56.93	Vertical
2	5866.7188	39.16	32.75	-18.80	53.10	107.62	54.52	Vertical
3	5893.3688	39.40	32.76	-18.79	53.36	91.67	38.31	Vertical
4	5926.3562	39.61	32.77	-18.97	53.41	68.30	14.89	Vertical

11ac(VHT20)_TX_CH_36_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5143.82	40.36	31.60	-20.24	51.72	74.00	22.28	Horizontal
2	5149.42	41.88	31.62	-20.23	53.27	74.00	20.73	Horizontal

11ac(VHT20)_TX_CH_36_Horizontal_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5144.835	27.40	31.61	-17.76	41.24	54.00	12.76	Horizontal
2	5148.58	27.70	31.62	-17.76	41.56	54.00	12.44	Horizontal

11ac(VHT20)_TX_CH_36_Verical_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5142.525	41.49	31.60	-20.25	52.84	74.00	21.16	Vertical
2	5149.315	42.46	31.62	-20.23	53.85	74.00	20.15	Vertical

11ac(VHT20)_TX_CH_36_Vertical_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5144.66	27.47	31.61	-17.76	41.31	54.00	12.69	Vertical
2	5148.58	27.66	31.62	-17.76	41.52	54.00	12.48	Vertical

11ac(VHT20)_TX_CH_64_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.3	46.69	32.18	-16.92	61.95	74.00	12.05	Horizontal
2	5354.025	43.31	32.19	-16.91	58.59	74.00	15.41	Horizontal

11ac(VHT20)_TX_CH_64_Horizontal_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.875	27.92	32.19	-16.92	43.18	54.00	10.82	Horizontal
2	5356.15	27.77	32.20	-16.90	43.07	54.00	10.93	Horizontal

11ac(VHT20)_TX_CH_64_Vertical_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.25	42.91	32.18	-16.93	58.16	74.00	15.84	Vertical
2	5353.3	43.05	32.19	-16.91	58.33	74.00	15.67	Vertical


11ac(VHT20)_TX_CH_64_Vertical_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.3	27.55	32.18	-16.92	42.81	54.00	11.19	Vertical
2	5359.375	27.45	32.21	-16.88	42.77	54.00	11.23	Vertical




11ac(VHT20)_TX_CH_100_Horizontal_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5447.8975	40.74	32.45	-16.94	56.26	74.00	17.74	Horizontal
2	5469.9375	44.38	32.52	-17.06	59.84	68.30	8.46	Horizontal


11ac(VHT20)_TX_CH_100_Horizontal_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5444.8575	27.29	32.45	-16.92	42.81	54.00	11.19	Horizontal
2	5454.31	27.13	32.47	-16.97	42.63	54.00	11.37	Horizontal




11ac(VHT20)_TX_CH_100_Vertical_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5449.6075	40.04	32.46	-16.95	55.55	74.00	18.45	Vertical
2	5467.5625	40.10	32.51	-17.04	55.56	68.30	12.74	Vertical




11ac(VHT20)_TX_CH_100_Veritical_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5449.0375	27.14	32.46	-16.94	42.65	54.00	11.35	Vertical
2	5452.9325	27.01	32.47	-16.97	42.51	54.00	11.49	Vertical


11ac(VHT20)_TX_CH_140_Horizontal_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5725.7	46.95	32.69	-16.86	62.78	68.30	5.52	Horizontal
2	5730.1625	43.24	32.69	-16.84	59.09	68.30	9.21	Horizontal




11ac(VHT20)_TX_CH_140_Vertical_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5726.0375	43.03	32.69	-16.86	58.86	68.30	9.44	Vertical
2	5732.0375	41.08	32.69	-16.83	56.94	68.30	11.36	Vertical

11ac(VHT20)_TX_CH_149_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5640.8438	38.98	32.66	-19.46	52.18	68.30	16.12	Horizontal
2	5666.925	39.79	32.67	-19.46	52.99	80.86	27.87	Horizontal
3	5718.275	39.66	32.69	-19.35	52.99	110.42	57.43	Horizontal
4	5722.9062	48.36	32.69	-19.32	61.73	117.53	55.80	Horizontal

11ac(VHT20)_TX_CH_149_Vertical_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5633.125	38.40	32.65	-19.46	51.60	68.30	16.70	Vertical
2	5653.8438	39.34	32.66	-19.46	52.54	71.16	18.62	Vertical
3	5707.4688	40.06	32.68	-19.42	53.32	107.39	54.07	Vertical
4	5724.5312	43.82	32.69	-19.31	57.20	121.23	64.03	Vertical


11ac(VHT20)_TX_CH_165_Horizontal_Peak



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5850.7938	43.51	32.74	-18.81	57.44	120.49	63.05	Horizontal
2	5868.5062	39.72	32.75	-18.80	53.66	107.12	53.46	Horizontal
3	5907.2625	38.47	32.76	-18.84	52.39	81.39	29.00	Horizontal
4	5930.5812	39.14	32.77	-19.00	52.91	68.30	15.39	Horizontal


11ac(VHT20)_TX_CH_165_Verical_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5853.2312	39.45	32.74	-18.81	53.38	114.93	61.55	Vertical
2	5869.6438	38.97	32.75	-18.80	52.92	106.80	53.88	Vertical
3	5911.1625	38.47	32.76	-18.87	52.37	78.51	26.14	Vertical
4	5941.9562	39.79	32.78	-19.08	53.49	68.30	14.81	Vertical




11ac(VHT40)_TX_CH_38_Horizontal_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5141.44	43.52	31.60	-17.77	57.35	74.00	16.65	Horizontal
2	5379.455	40.37	32.26	-16.78	55.85	74.00	18.15	Horizontal




11ac(VHT40)_TX_CH_38_Horizontal_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.52	28.26	31.61	-17.76	42.11	54.00	11.89	Horizontal
2	5372.805	27.80	32.24	-16.82	43.23	54.00	10.77	Horizontal


11ac(VHT40)_TX_CH_38_Vertical_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.52	44.33	31.62	-17.76	58.19	74.00	15.81	Vertical
2	5369.935	40.94	32.24	-16.83	56.35	74.00	17.65	Vertical




11ac(VHT40)_TX_CH_38_Vertical_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.2	28.52	31.61	-17.76	42.37	54.00	11.63	Vertical
2	5379.525	27.85	32.26	-16.78	43.33	54.00	10.67	Vertical

11ac(VHT40)_TX_CH_62_Horizontal_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5115.5	40.85	31.52	-17.81	54.56	74.00	19.44	Horizontal
2	5354.775	48.66	32.19	-16.91	63.95	74.00	10.05	Horizontal


11ac(VHT40)_TX_CH_62_Horizontal_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5133.8	27.15	31.57	-17.78	40.94	54.00	13.06	Horizontal
2	5352.55	29.98	32.19	-16.92	45.25	54.00	8.75	Horizontal




11ac(VHT40)_TX_CH_62_Vertical_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5130.25	40.32	31.56	-17.79	54.10	74.00	19.90	Vertical
2	5351.075	47.04	32.18	-16.92	62.30	74.00	11.70	Vertical




11ac(VHT40)_TX_CH_62_Vertical_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5134.65	27.25	31.58	-17.78	41.05	54.00	12.95	Vertical
2	5350.725	29.49	32.18	-16.93	44.75	54.00	9.25	Vertical


11ac(VHT40)_TX_CH_102_Horizontal_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5425.04	40.36	32.39	-16.82	55.93	74.00	18.07	Horizontal
2	5469.4275	46.19	32.51	-17.05	61.65	68.30	6.65	Horizontal
3	5734.02	40.31	32.69	-16.82	56.18	68.30	12.12	Horizontal




11ac(VHT40)_TX_CH_102_Horizontal_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5425.8775	27.78	32.39	-16.82	43.35	54.00	10.65	Horizontal
2	5448.6575	28.01	32.46	-16.94	43.52	54.00	10.48	Horizontal

11ac(VHT40)_TX_CH_102_Vertical_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5397.4862	40.37	32.31	-16.69	55.99	74.00	18.01	Vertical
2	5466.3288	42.23	32.51	-17.04	57.70	68.30	10.60	Vertical
3	5738.36	40.37	32.70	-16.81	56.26	68.30	12.04	Vertical

11ac(VHT40)_TX_CH_102_Veritical_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5436.5975	27.75	32.42	-16.88	43.29	54.00	10.71	Vertical
2	5448.155	27.46	32.45	-16.94	42.97	54.00	11.03	Vertical

11ac(VHT40)_TX_CH_134_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5402.26	40.61	32.33	-16.69	56.24	74.00	17.76	Horizontal
2	5466.915	39.31	32.51	-17.04	54.78	68.30	13.52	Horizontal
3	5733.5	42.02	32.69	-16.83	57.89	68.30	10.41	Horizontal

11ac(VHT40)_TX_CH_134_Horizontal_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5414.7388	27.78	32.36	-16.76	43.38	54.00	10.62	Horizontal
2	5435.1738	27.62	32.42	-16.87	43.17	54.00	10.83	Horizontal

11ac(VHT40)_TX_CH_134_Veritical_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5395.9788	40.20	32.31	-16.70	55.81	74.00	18.19	Vertical
2	5461.3875	39.23	32.49	-17.01	54.71	68.30	13.59	Vertical
3	5752.4	40.15	32.70	-16.75	56.10	68.30	12.20	Vertical

11ac(VHT40)_TX_CH_134_Veritical_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5425.4588	27.56	32.39	-16.82	43.13	54.00	10.87	Vertical
2	5440.7012	27.60	32.43	-16.90	43.13	54.00	10.87	Vertical

11ac(VHT40)_TX_CH_151_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5648.4812	39.45	32.66	-19.46	52.65	68.30	15.65	Horizontal
2	5661.3188	39.94	32.66	-19.46	53.14	76.70	23.56	Horizontal
3	5717.8688	49.02	32.69	-19.36	62.35	110.30	47.95	Horizontal
4	5720.7125	47.85	32.69	-19.34	61.20	112.53	51.33	Horizontal

11ac(VHT40)_TX_CH_151_Veritical_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5643.525	38.83	32.66	-19.46	52.03	68.30	16.27	Vertical
2	5685.8562	39.18	32.67	-19.47	52.39	94.87	42.48	Vertical
3	5713.5625	40.63	32.69	-19.38	53.93	109.10	55.17	Vertical
4	5723.8	42.32	32.69	-19.32	55.69	119.56	63.87	Vertical

11ac(VHT40)_TX_CH_159_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5850.225	40.09	32.74	-18.81	54.02	121.79	67.77	Horizontal
2	5863.0625	38.53	32.75	-18.80	52.47	108.64	56.17	Horizontal
3	5911.975	38.83	32.76	-18.87	52.72	77.91	25.19	Horizontal
4	5932.5312	39.66	32.77	-19.01	53.42	68.30	14.88	Horizontal

11ac(VHT40)_TX_CH_159_Vertical_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5852.9062	38.86	32.74	-18.81	52.79	115.67	62.88	Vertical
2	5871.025	39.11	32.75	-18.80	53.06	106.41	53.35	Vertical
3	5911.8125	39.42	32.76	-18.87	53.31	78.03	24.72	Vertical
4	5935.1312	39.87	32.77	-19.03	53.61	68.30	14.69	Vertical

11ac(VHT80)_TX_CH_42_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5129.88	46.84	31.56	-17.79	60.61	74.00	13.39	Horizontal
2	5352.295	41.47	32.19	-16.92	56.74	74.00	17.26	Horizontal

11ac(VHT80)_TX_CH_42_Horizontal_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5141.52	30.42	31.60	-17.77	44.25	54.00	9.75	Horizontal
2	5350.37	28.27	32.18	-16.93	43.52	54.00	10.48	Horizontal

11ac(VHT80)_TX_CH_42_Veritical_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.04	48.24	31.61	-17.76	62.09	74.00	11.91	Vertical
2	5365.805	41.01	32.22	-16.85	56.38	74.00	17.62	Vertical

11ac(VHT80)_TX_CH_42_Vertical_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5141.36	31.29	31.60	-17.77	45.12	54.00	8.88	Vertical
2	5357.23	28.03	32.20	-16.89	43.34	54.00	10.66	Vertical

11ac(VHT80)_TX_CH_58_Horizontal_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5120.75	39.58	31.54	-17.80	53.31	74.00	20.69	Horizontal
2	5353.475	51.41	32.19	-16.91	66.69	74.00	7.31	Horizontal


11ac(VHT80)_TX_CH_58_Horizontal_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5142.5	27.34	31.60	-17.77	41.17	54.00	12.83	Horizontal
2	5350.975	34.16	32.18	-16.93	49.42	54.00	4.58	Horizontal




11ac(VHT80)_TX_CH_58_Vetical_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5125.35	40.33	31.55	-17.80	54.08	74.00	19.92	Vertical
2	5356.4	47.94	32.20	-16.90	63.24	74.00	10.76	Vertical

11ac(VHT80)_TX_CH_58_Vertical_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5145.05	27.45	31.61	-17.76	41.29	54.00	12.71	Vertical
2	5355.525	32.81	32.20	-16.90	48.10	54.00	5.90	Vertical


11ac(VHT80)_TX_CH_106_Horizontal_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5439.11	46.23	32.43	-16.89	61.77	74.00	12.23	Horizontal
2	5465.0725	47.74	32.50	-17.03	63.21	68.30	5.09	Horizontal
3	5736.26	40.28	32.69	-16.81	56.16	68.30	12.14	Horizontal




11ac(VHT80)_TX_CH_106_Horizontal_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5451.4212	30.97	32.46	-16.96	46.48	54.00	7.52	Horizontal
2	5458.6238	31.46	32.48	-17.00	46.95	54.00	7.05	Horizontal


11ac(VHT80)_TX_CH_106_Vertical_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5440.45	42.60	32.43	-16.90	58.13	74.00	15.87	Vertical
2	5465.6587	44.50	32.50	-17.03	59.97	68.30	8.33	Vertical
3	5762.58	42.49	32.71	-16.71	58.49	68.30	9.81	Vertical




11ac(VHT80)_TX_CH_106_Vertical_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5438.5238	28.67	32.43	-16.89	44.21	54.00	9.79	Vertical
2	5456.865	29.35	32.48	-16.99	44.84	54.00	9.16	Vertical

11ac(VHT80)_TX_CH_122_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5387.0175	40.25	32.28	-16.74	55.79	74.00	18.21	Horizontal
2	5464.1512	39.50	32.50	-17.03	54.97	68.30	13.33	Horizontal
3	5732.48	42.99	32.69	-16.83	58.85	68.30	9.45	Horizontal

11ac(VHT80)_TX_CH_122_Horizontal_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5416.8325	27.69	32.37	-16.77	43.29	54.00	10.71	Horizontal
2	5446.145	27.63	32.45	-16.93	43.15	54.00	10.85	Horizontal

11ac(VHT80)_TX_CH_122_Vertical_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5413.3988	39.98	32.36	-16.75	55.59	74.00	18.41	Vertical
2	5464.8212	39.46	32.50	-17.03	54.93	68.30	13.37	Vertical
3	5761.9	41.02	32.70	-16.71	57.01	68.30	11.29	Vertical

11ac(VHT80)_TX_CH_122_Vertical_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5421.7738	27.61	32.38	-16.80	43.19	54.00	10.81	Vertical
2	5449.495	27.65	32.46	-16.95	43.16	54.00	10.84	Vertical

11ac(VHT80)_TX_CH_155_Horizontal_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5633.3688	38.88	32.65	-19.46	52.08	68.30	16.22	Horizontal
2	5688.8625	44.87	32.68	-19.47	58.08	97.09	39.01	Horizontal
3	5718.0312	49.58	32.69	-19.35	62.91	110.35	47.44	Horizontal
4	5721.85	49.97	32.69	-19.33	63.33	115.12	51.79	Horizontal
5	5853.5562	45.29	32.74	-18.81	59.22	114.19	54.97	Horizontal
6	5869.2375	49.82	32.75	-18.80	63.77	106.91	43.14	Horizontal
7	5894.3438	42.58	32.76	-18.79	56.55	90.95	34.40	Horizontal
8	5937.2438	39.42	32.77	-19.05	53.15	68.30	15.15	Horizontal


11ac(VHT80)_TX_CH_155_Vertical_Peak



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5639.4625	38.26	32.66	-19.46	51.46	68.30	16.84	Vertical
2	5689.35	41.88	32.68	-19.47	55.09	97.45	42.36	Vertical
3	5715.675	46.65	32.69	-19.37	59.97	109.69	49.72	Vertical
4	5721.85	45.59	32.69	-19.33	58.95	115.12	56.17	Vertical
5	5850.875	42.65	32.74	-18.81	56.58	120.30	63.72	Vertical
6	5869.3188	44.68	32.75	-18.80	58.63	106.89	48.26	Vertical
7	5907.9938	39.88	32.76	-18.85	53.80	80.85	27.05	Vertical
8	5928.7125	39.42	32.77	-18.99	53.20	68.30	15.10	Vertical

11ax(HE20)_TX_CH_36_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5141.965	39.63	31.60	-20.25	50.98	74.00	23.02	Horizontal
2	5149.245	40.35	31.62	-20.23	51.74	74.00	22.26	Horizontal

11ax(HE20)_TX_CH_36_Veritical_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5140.53	39.12	31.59	-20.25	50.46	74.00	23.54	Vertical
2	5148.58	39.29	31.62	-20.23	50.68	74.00	23.32	Vertical

11ax(HE20)_TX_CH_36_Horizontal_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5143.89	28.08	31.60	-17.77	41.92	54.00	12.08	Horizontal
2	5149.07	28.53	31.62	-17.76	42.39	54.00	11.61	Horizontal

11ax(HE20)_TX_CH_36_Veritical_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5143.19	27.76	31.60	-17.77	41.59	54.00	12.41	Vertical
2	5148.615	28.06	31.62	-17.76	41.92	54.00	12.08	Vertical

11ax(HE20)_TX_CH_64_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5350.925	41.32	32.18	-16.93	56.58	74.00	17.42	Horizontal
2	5356.75	41.48	32.20	-16.90	56.78	74.00	17.22	Horizontal

11ax(HE20)_TX_CH_64_Vertical_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.175	41.67	32.18	-16.92	56.93	74.00	17.07	Vertical
2	5357.175	40.69	32.20	-16.89	56.00	74.00	18.00	Vertical

11ax(HE20)_TX_CH_64_Horizontal_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.175	28.01	32.18	-16.92	43.27	54.00	10.73	Horizontal
2	5355.05	27.91	32.19	-16.90	43.20	54.00	10.80	Horizontal

11ax(HE20)_TX_CH_64_Vertical_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5351.05	27.85	32.18	-16.92	43.11	54.00	10.89	Vertical
2	5358	27.85	32.20	-16.89	43.16	54.00	10.84	Vertical

11ax(HE20)_TX_CH_100_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5458.0625	40.96	32.48	-16.99	56.45	74.00	17.55	Horizontal
2	5468.8925	40.28	32.51	-17.05	55.74	68.30	12.56	Horizontal

11ax(HE20)_TX_CH_100_Veritical_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5459.1075	40.26	32.49	-17.00	55.75	74.00	18.25	Vertical
2	5468.2275	40.53	32.51	-17.05	55.99	68.30	12.31	Vertical

11ax(HE20)_TX_CH_100_Horizontal_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5445.8075	27.40	32.45	-16.93	42.92	54.00	11.08	Horizontal
2	5456.5425	27.24	32.48	-16.99	42.73	54.00	11.27	Horizontal

11ax(HE20)_TX_CH_100_Veritical_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5449.655	27.44	32.46	-16.95	42.95	54.00	11.05	Vertical
2	5458.395	27.25	32.48	-17.00	42.74	54.00	11.26	Vertical

11ax(HE20)_TX_CH_140_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5726.7125	38.98	32.69	-16.85	54.82	68.30	13.48	Horizontal
2	5734.4375	39.57	32.69	-16.82	55.44	68.30	12.86	Horizontal

11ax(HE20)_TX_CH_140_Vertical_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5726.4125	39.35	32.69	-16.85	55.19	68.30	13.11	Vertical
2	5734.1375	39.58	32.69	-16.82	55.45	68.30	12.85	Vertical

11ax(HE20)_TX_CH_149_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5647.5062	38.53	32.66	-19.46	51.73	68.30	16.57	Horizontal
2	5653.0312	38.77	32.66	-19.46	51.97	70.55	18.58	Horizontal
3	5701.8625	39.10	32.68	-19.46	52.32	105.82	53.50	Horizontal
4	5721.6062	38.58	32.69	-19.33	51.94	114.56	62.62	Horizontal

11ax(HE20)_TX_CH_149_Veritical_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5647.8312	38.42	32.66	-19.46	51.62	68.30	16.68	Vertical
2	5651.8938	37.84	32.66	-19.46	51.04	69.71	18.67	Vertical
3	5704.7875	38.81	32.68	-19.44	52.05	106.64	54.59	Vertical
4	5721.9312	38.30	32.69	-19.33	51.66	115.30	63.64	Vertical

11ax(HE20)_TX_CH_165_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5850.3875	42.55	32.74	-18.81	56.48	121.42	64.94	Horizontal
2	5872.8938	39.42	32.75	-18.80	53.37	105.89	52.52	Horizontal
3	5921.4812	39.51	32.77	-18.94	53.34	70.89	17.55	Horizontal
4	5932.45	39.18	32.77	-19.01	52.94	68.30	15.36	Horizontal

11ax(HE40)_TX_CH_151_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5851.1188	40.99	32.74	-18.81	54.92	119.75	64.83	Vertical
2	5870.8625	39.32	32.75	-18.80	53.27	106.46	53.19	Vertical
3	5924.975	39.24	32.77	-18.96	53.05	68.32	15.27	Vertical
4	5932.6125	39.08	32.77	-19.02	52.84	68.30	15.46	Vertical

11ax(HE40)_TX_CH_38_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5145.96	45.28	31.61	-17.76	59.13	74.00	14.87	Horizontal
2	5351.805	40.02	32.19	-16.92	55.28	74.00	18.72	Horizontal

11ax(HE40)_TX_CH_38_Veritical_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.56	40.83	31.61	-17.76	54.68	74.00	19.32	Vertical
2	5355.165	40.30	32.19	-16.90	55.59	74.00	18.41	Vertical

11ax(HE40)_TX_CH_38_Horizontal_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.72	31.80	31.62	-17.76	45.66	54.00	8.34	Horizontal
2	5357.055	28.03	32.20	-16.89	43.34	54.00	10.66	Horizontal


11ax(HE40)_TX_CH_38_Verical_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.68	30.13	31.62	-17.76	43.99	54.00	10.01	Vertical
2	5354.815	28.04	32.19	-16.91	43.33	54.00	10.67	Vertical




11ax(HE40)_TX_CH_62_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146	39.52	31.61	-17.76	53.37	74.00	20.63	Horizontal
2	5352.3	40.99	32.19	-16.92	56.26	74.00	17.74	Horizontal

11ax(HE40)_TX_CH_62_Vertical_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.45	39.00	31.61	-17.76	52.85	74.00	21.15	Vertical
2	5350.625	40.96	32.18	-16.93	56.21	74.00	17.79	Vertical


11ax(HE40)_TX_CH_62_Horizontal_Average



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5145.9	27.51	31.61	-17.76	41.36	54.00	12.64	Horizontal
2	5350.85	29.74	32.18	-16.93	45.00	54.00	9.00	Horizontal

11ax(HE40)_TX_CH_62_Veritical_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5145.85	27.42	31.61	-17.76	41.27	54.00	12.73	Vertical
2	5351.45	29.71	32.18	-16.92	44.97	54.00	9.03	Vertical

11ax(HE40)_TX_CH_102_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5454.9388	41.12	32.47	-16.98	56.62	74.00	17.38	Horizontal
2	5467.1662	39.90	32.51	-17.04	55.37	68.30	12.93	Horizontal
3	5729.16	41.03	32.69	-16.84	56.88	68.30	11.42	Horizontal

11ax(HE40)_TX_CH_102_Vertical_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5449.4112	40.85	32.46	-16.95	56.36	74.00	17.64	Vertical
2	5464.57	40.97	32.50	-17.03	56.44	68.30	11.86	Vertical
3	5729	40.32	32.69	-16.84	56.17	68.30	12.13	Vertical

11ax(HE40)_TX_CH_102_Horizontal_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5439.6125	28.65	32.43	-16.89	44.19	54.00	9.81	Horizontal
2	5455.1062	28.66	32.47	-16.98	44.16	54.00	9.84	Horizontal

11ax(HE40)_TX_CH_102_Veritical_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5444.0513	28.73	32.44	-16.92	44.26	54.00	9.74	Vertical
2	5456.53	28.61	32.48	-16.99	44.10	54.00	9.90	Vertical

11ax(HE40)_TX_CH_134_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5452.0913	39.61	32.47	-16.96	55.11	74.00	18.89	Horizontal
2	5468.0038	38.97	32.51	-17.05	54.43	68.30	13.87	Horizontal
3	5728.44	39.73	32.69	-16.85	55.58	68.30	12.72	Horizontal

11ax(HE40)_TX_CH_134_Vertical_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5453.0125	38.87	32.47	-16.97	54.37	74.00	19.63	Vertical
2	5464.1512	39.44	32.50	-17.03	54.91	68.30	13.39	Vertical
3	5728.04	40.16	32.69	-16.85	56.00	68.30	12.30	Vertical

11ax(HE40)_TX_CH_134_Horizontal_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5423.7837	27.81	32.39	-16.81	43.39	54.00	10.61	Horizontal
2	5457.535	27.57	32.48	-16.99	43.06	54.00	10.94	Horizontal

11ax(HE40)_TX_CH_134_Veritical_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5433.415	28.04	32.41	-16.86	43.59	54.00	10.41	Vertical
2	5455.9438	27.48	32.48	-16.98	42.97	54.00	11.03	Vertical

11ax(HE80)_TX_CH_42_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.84	44.56	31.61	-17.76	58.41	74.00	15.59	Horizontal
2	5354.08	40.39	32.19	-16.91	55.67	74.00	18.33	Horizontal

11ax(HE80)_TX_CH_42_Veritical_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.76	41.51	31.61	-17.76	55.36	74.00	18.64	Vertical
2	5354.71	40.09	32.19	-16.91	55.38	74.00	18.62	Vertical

11ax(HE80)_TX_CH_42_Horizontal_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5149.28	32.33	31.62	-17.76	46.19	54.00	7.81	Horizontal
2	5358.315	28.19	32.20	-16.89	43.50	54.00	10.50	Horizontal

11ax(HE80)_TX_CH_42_Veritical_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.92	30.30	31.62	-17.76	44.16	54.00	9.84	Vertical
2	5350.405	28.32	32.18	-16.93	43.57	54.00	10.43	Vertical


11ax(HE80)_TX_CH_58_Horizontal_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147	41.28	31.61	-17.76	55.13	74.00	18.87	Horizontal
2	5352.375	42.07	32.19	-16.92	57.34	74.00	16.66	Horizontal




11ax(HE80)_TX_CH_58_Vertical_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5144.3	40.83	31.60	-17.76	54.67	74.00	19.33	Vertical
2	5355.075	41.97	32.19	-16.90	57.26	74.00	16.74	Vertical

11ax(HE80)_TX_CH_58_Horizontal_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.4	29.50	31.61	-17.76	43.35	54.00	10.65	Horizontal
2	5350.575	31.00	32.18	-16.93	46.25	54.00	7.75	Horizontal


11ax(HE80)_TX_CH_58_Veritical_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5148.45	28.59	31.62	-17.76	42.45	54.00	11.55	Vertical
2	5354.5	30.34	32.19	-16.91	45.63	54.00	8.37	Vertical




11ax(HE80)_TX_CH_106_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5456.865	40.63	32.48	-16.99	56.12	74.00	17.88	Horizontal
2	5465.91	40.35	32.50	-17.04	55.82	68.30	12.48	Horizontal
3	5730.1	39.73	32.69	-16.84	55.58	68.30	12.72	Horizontal

11ax(HE80)_TX_CH_106_Vertical_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5456.3625	40.00	32.48	-16.98	55.49	74.00	18.51	Vertical
2	5466.0775	40.39	32.51	-17.04	55.86	68.30	12.44	Vertical
3	5733.32	39.44	32.69	-16.83	55.31	68.30	12.99	Vertical

11ax(HE80)_TX_CH_106_Horizontal_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5433.75	30.69	32.41	-16.86	46.24	54.00	7.76	Horizontal
2	5457.7862	29.85	32.48	-16.99	45.34	54.00	8.66	Horizontal

11ax(HE80)_TX_CH_106_Vertical_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5433.5825	30.46	32.41	-16.86	46.01	54.00	7.99	Vertical
2	5453.2638	29.58	32.47	-16.97	45.08	54.00	8.92	Vertical

11ax(HE80)_TX_CH_122_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5455.7762	39.18	32.48	-16.98	54.67	74.00	19.33	Horizontal
2	5469.4275	39.83	32.51	-17.05	55.29	68.30	13.01	Horizontal
3	5726.38	39.70	32.69	-16.85	55.54	68.30	12.76	Horizontal

11ax(HE80)_TX_CH_122_Vertical_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5452.6775	40.98	32.47	-16.96	56.48	74.00	17.52	Vertical
2	5467.25	40.73	32.51	-17.04	56.20	68.30	12.10	Vertical
3	5728.58	40.11	32.69	-16.85	55.96	68.30	12.34	Vertical

11ax(HE80)_TX_CH_122_Horizontal_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5439.445	28.58	32.43	-16.89	44.12	54.00	9.88	Horizontal
2	5454.6875	28.38	32.47	-16.98	43.88	54.00	10.12	Horizontal

11ax(HE80)_TX_CH_122_Veritical_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5437.77	28.41	32.43	-16.88	43.95	54.00	10.05	Vertical
2	5457.535	28.19	32.48	-16.99	43.68	54.00	10.32	Vertical

11ax(HE80)_TX_CH_155_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5647.9125	38.94	32.66	-19.46	52.14	68.30	16.16	Horizontal
2	5652.3812	39.44	32.66	-19.46	52.64	70.07	17.43	Horizontal
3	5703.8938	42.21	32.68	-19.45	55.45	106.39	50.94	Horizontal
4	5724.2062	47.33	32.69	-19.32	60.70	120.49	59.79	Horizontal
5	5850.4688	42.18	32.74	-18.81	56.11	121.23	65.12	Horizontal
6	5870.8625	42.78	32.75	-18.80	56.73	106.46	49.73	Horizontal
7	5921.2375	39.38	32.77	-18.94	53.21	71.07	17.86	Horizontal
8	5926.6	39.42	32.77	-18.97	53.22	68.30	15.08	Horizontal

11ax(HE80)_TX_CH_155_Veritical_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5646.2062	39.21	32.66	-19.46	52.41	68.30	15.89	Vertical
2	5652.1375	39.88	32.66	-19.46	53.08	69.89	16.81	Vertical
3	5701.2125	42.90	32.68	-19.46	56.12	105.64	49.52	Vertical
4	5724.775	48.04	32.69	-19.31	61.42	121.79	60.37	Vertical
5	5852.825	42.08	32.74	-18.81	56.01	115.86	59.85	Vertical
6	5872.4062	39.16	32.75	-18.80	53.11	106.03	52.92	Vertical
7	5922.4562	39.24	32.77	-18.94	53.06	70.17	17.11	Vertical
8	5931.5562	39.09	32.77	-19.01	52.85	68.30	15.45	Vertical

11ax(HE40)_TX_CH_151_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5648.4	38.65	32.66	-19.46	51.85	68.30	16.45	Horizontal
2	5654.0062	38.31	32.66	-19.46	51.51	71.28	19.77	Horizontal
3	5703.4062	39.53	32.68	-19.45	52.76	106.26	53.50	Horizontal
4	5723.15	38.56	32.69	-19.32	51.93	118.08	66.15	Horizontal
5	5850.4688	39.58	32.74	-18.81	53.51	121.23	67.72	Horizontal
6	5871.2688	39.82	32.75	-18.80	53.77	106.34	52.57	Horizontal
7	5918.5562	38.88	32.77	-18.92	52.73	73.05	20.32	Horizontal
8	5928.1438	39.05	32.77	-18.98	52.84	68.30	15.46	Horizontal

11ax(HE40)_TX_CH_151_Verical_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5648.4812	38.56	32.66	-19.46	51.76	68.30	16.54	Vertical
2	5654.9812	38.52	32.66	-19.46	51.72	72.00	20.28	Vertical
3	5702.5938	39.46	32.68	-19.45	52.69	106.03	53.34	Vertical
4	5724.3688	38.92	32.69	-19.31	52.30	120.86	68.56	Vertical
5	5853.2312	39.30	32.74	-18.81	53.23	114.93	61.70	Vertical
6	5870.7	39.98	32.75	-18.80	53.93	106.50	52.57	Vertical
7	5921.075	39.42	32.77	-18.94	53.25	71.19	17.94	Vertical
8	5931.3125	38.78	32.77	-19.01	52.55	68.30	15.75	Vertical


11ax(HE40)_TX_CH_159_Horizontal_Peak



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5646.3688	38.74	32.66	-19.46	51.94	68.30	16.36	Horizontal
2	5653.5188	38.25	32.66	-19.46	51.45	70.91	19.46	Horizontal
3	5703.65	38.67	32.68	-19.45	51.90	106.32	54.42	Horizontal
4	5721.2812	39.06	32.69	-19.33	52.41	113.82	61.41	Horizontal
5	5851.1188	39.62	32.74	-18.81	53.55	119.75	66.20	Horizontal
6	5869.6438	39.03	32.75	-18.80	52.98	106.80	53.82	Horizontal
7	5919.6938	39.78	32.77	-18.93	53.62	72.21	18.59	Horizontal
8	5928.7938	39.30	32.77	-18.99	53.08	68.30	15.22	Horizontal

11ax(HE40)_TX_CH_159_Veritical_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5645.5562	38.64	32.66	-19.46	51.84	68.30	16.46	Vertical
2	5655.4688	38.75	32.66	-19.46	51.95	72.36	20.41	Vertical
3	5703.325	38.64	32.68	-19.45	51.87	106.23	54.36	Vertical
4	5722.5812	39.73	32.69	-19.33	53.09	116.79	63.70	Vertical
5	5854.2062	39.30	32.74	-18.81	53.23	112.71	59.48	Vertical
6	5873.3812	39.05	32.75	-18.80	53.00	105.75	52.75	Vertical
7	5922.2125	39.49	32.77	-18.94	53.32	70.35	17.03	Vertical
8	5928.4688	38.79	32.77	-18.99	52.57	68.30	15.73	Vertical



Report No.: KSCR260100024804

Page: 283 of 283

7 Test Setup Photo

Refer to Appendix - Test Setup Photo for KSCR2601000248AT

8 EUT Constructional Details (EUT Photos)

Refer to Appendix_Photographs of EUT Constructional Details for KSCR2601000248AT

- End of the Report -