

**Dallas Headquarters:**

802 N. Kealy
Lewisville, TX 75057
Tel: (972) 436-9600
Fax: (972) 436-2667

Nemko Dallas, Inc.**Data Plot****Occupied Bandwidth**Page 1 of 3

Job No.: 2L0311

Date: 9/20/2002Complete X

Specification: 73.317

Temperature(°C): 24

Preliminary: _____

Tested By: David LightRelative Humidity(%) 40E.U.T.: DECADE FM TRANSMITTERSConfiguration: TX AUDIO SIGNAL FULL POWERSample Number: 1 & 2Location: Lab 1RBW: 3 kHz

Measurement

Detector Type: PeakVBW: 3 kHz

Distance: _____ m

Test Equipment Used

Antenna: _____

Directional Coupler: _____

Pre-Amp: _____

Cable #1: 1045

Filter: _____

Cable #2: _____

Receiver: 1036

Cable #3: _____


Attenuator #1: 1064

Cable #4: _____

Attenuator #2: _____

Mixer: _____

Additional equipment used: _____

Measurement Uncertainty: +/-1.7 dB

Date: 20.SEP.2002 16:15:18

Notes: FM-850 STEREO TRANSMITTERSTEREO OPERATION


**Dallas Headquarters:**

802 N. Kealy
Lewisville, TX 75057
Tel: (972) 436-9600
Fax: (972) 436-2667

Nemko Dallas, Inc.**Data Plot****Occupied Bandwidth**

Page 2 of 3

Job No.: 2L0311 Date: 9/20/2002
Specification: 73.3 Temperature(°C): 24
Tested By: David Light Relative Humidity(%) 40
E.U.T.: DECADE FM TRANSMITTERS
Configuration: TX AUDIO SIGNAL FULL POWER



Notes: FM-850 STEREO TRANSMITTER
MONO OPERATION



Nemko Dallas, Inc.

Dallas Headquarters:


802 N. Kealy
Lewisville, TX 75057
Tel: (972) 436-9600
Fax: (972) 436-2667

Data Plot

Occupied Bandwidth

Page 3 of 3

Job No.: 2L0311 Date: 9/20/2002
Specification: 73.317 Temperature(°C): 24
Tested By: David Light Relative Humidity(%) 40
E.U.T.: DECADE FM TRANSMITTERS
Configuration: TX AUDIO SIGNAL FULL POWER



Date: 20.SEP.2002 16:26:05

Notes: FM-800 MONO TRANSMITTER