



11be(EHT80)_TX_CH_199_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7909.4375	41.17	37.12	-18.85	59.44	88.20	28.76	Horizontal
2	9981.3333	45.25	38.10	-37.26	46.09	88.20	42.11	Horizontal
3	11570.3333	43.93	38.96	-35.03	47.86	74.00	26.14	Horizontal
4	13837	43.64	40.32	-34.67	49.29	88.20	38.91	Horizontal
5	17865	40.57	41.31	-30.79	51.09	74.00	22.91	Horizontal
6	17942.3333	32.53	41.53	-30.90	43.16	54.00	10.84	Horizontal

11be(EHT80)_TX_CH_199_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7424.25	40.52	36.30	-17.86	58.96	74.00	15.04	Vertical
2	9603	45.49	38.06	-37.82	45.73	88.20	42.47	Vertical
3	11475	45.54	39.01	-35.75	48.80	74.00	25.20	Vertical
4	13896	46.40	40.35	-34.33	52.42	88.20	35.78	Vertical
5	17926	40.60	41.49	-30.96	51.13	74.00	22.87	Vertical
6	17911	32.13	41.44	-31.00	42.57	54.00	11.43	Vertical

11be(EHT80)_TX_CH_215_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7989.0625	40.05	37.28	-18.79	58.54	88.20	29.66	Horizontal
2	9596.6667	46.36	38.06	-37.84	46.58	88.20	41.62	Horizontal
3	11590.6667	43.19	38.95	-34.83	47.31	74.00	26.69	Horizontal
4	14382.6667	43.18	40.17	-33.87	49.48	88.20	38.72	Horizontal
5	17827.6667	40.55	41.20	-30.52	51.23	74.00	22.77	Horizontal
6	17996	31.71	41.69	-30.73	42.67	54.00	11.33	Horizontal

11be(EHT80)_TX_CH_215_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7984.6875	40.50	37.27	-18.79	58.98	88.20	29.22	Vertical
2	9068.6667	48.07	38.01	-39.00	47.08	74.00	26.92	Vertical
3	11482.6667	44.03	39.01	-35.74	47.30	74.00	26.70	Vertical
4	14061.3333	46.90	40.36	-34.87	52.39	88.20	35.81	Vertical
5	17858.3333	40.71	41.29	-30.74	51.26	74.00	22.74	Vertical
6	17994.3333	31.72	41.68	-30.74	42.67	54.00	11.33	Vertical

11be(EHT160)_TX_CH_015_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7150.375	40.37	36.30	-17.60	59.07	88.20	29.13	Horizontal
2	9651.6667	45.51	38.07	-37.67	45.91	88.20	42.29	Horizontal
3	12228.3333	43.57	38.97	-34.87	47.67	74.00	26.33	Horizontal
4	14390.3333	42.64	40.17	-33.81	48.99	88.20	39.21	Horizontal
5	17841.3333	41.49	41.24	-30.62	52.11	74.00	21.89	Horizontal
6	17981	32.16	41.64	-30.78	43.02	54.00	10.98	Horizontal

11be(EHT160)_TX_CH_015_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7636.4375	40.59	36.57	-18.50	58.66	74.00	15.34	Vertical
2	8925.6667	47.11	37.95	-38.89	46.16	88.20	42.04	Vertical
3	12118.6667	44.92	38.84	-34.95	48.81	74.00	25.19	Vertical
4	14673.6667	43.31	40.00	-33.73	49.58	88.20	38.62	Vertical
5	17988	40.73	41.67	-30.76	51.64	74.00	22.36	Vertical
6	17986	32.19	41.66	-30.76	43.08	54.00	10.92	Vertical

11be(EHT160)_TX_CH_047_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7405	40.18	36.30	-17.77	58.71	74.00	15.29	Horizontal
2	9455.6667	46.28	38.05	-38.25	46.07	74.00	27.93	Horizontal
3	11568.6667	43.73	38.96	-35.04	47.64	74.00	26.36	Horizontal
4	13798.3333	43.85	40.30	-34.88	49.27	88.20	38.93	Horizontal
5	17992.3333	40.50	41.68	-30.74	51.43	74.00	22.57	Horizontal
6	17996	31.21	41.69	-30.73	42.17	54.00	11.83	Horizontal

11be(EHT160)_TX_CH_047_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7319.6875	39.89	36.30	-17.75	58.44	74.00	15.56	Vertical
2	9569.6667	46.11	38.06	-37.94	46.23	88.20	41.97	Vertical
3	12309	43.97	39.07	-34.30	48.74	74.00	25.26	Vertical
4	14517	43.10	40.09	-34.59	48.60	88.20	39.60	Vertical
5	17994.6667	40.08	41.68	-30.74	51.03	74.00	22.97	Vertical
6	17996.3333	31.65	41.69	-30.73	42.61	54.00	11.39	Vertical

11be(EHT160)_TX_CH_079_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7611.9375	40.23	36.52	-18.45	58.30	74.00	15.70	Horizontal
2	9063	46.55	38.01	-38.96	45.60	74.00	28.40	Horizontal
3	12257.3333	43.25	39.01	-34.61	47.64	74.00	26.36	Horizontal
4	14836	42.66	39.90	-33.84	48.72	88.20	39.48	Horizontal
5	17996.6667	39.89	41.69	-30.73	50.85	74.00	23.15	Horizontal
6	17976.6667	31.74	41.63	-30.79	42.58	54.00	11.42	Horizontal

11be(EHT160)_TX_CH_079_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7494.6875	40.90	36.30	-18.19	59.01	74.00	14.99	Vertical
2	8959.3333	46.32	37.97	-38.73	45.56	88.20	42.64	Vertical
3	12307.6667	42.95	39.07	-34.29	47.73	74.00	26.27	Vertical
4	14730	42.63	39.96	-33.71	48.88	88.20	39.32	Vertical
5	17992.6667	40.52	41.68	-30.74	51.46	74.00	22.54	Vertical
6	17992	32.04	41.68	-30.75	42.97	54.00	11.03	Vertical

11be(EHT160)_TX_CH_111_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7112.75	40.38	36.30	-17.38	59.30	88.20	28.90	Horizontal
2	9415	46.09	38.04	-38.31	45.82	74.00	28.18	Horizontal
3	11820	43.30	38.81	-35.25	46.85	74.00	27.15	Horizontal
4	14361	43.61	40.18	-34.04	49.76	88.20	38.44	Horizontal
5	17858.3333	40.30	41.29	-30.74	50.85	74.00	23.15	Horizontal
6	17971	31.89	41.62	-30.81	42.69	54.00	11.31	Horizontal

11be(EHT160)_TX_CH_111_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7065.9375	40.31	36.30	-17.30	59.31	88.20	28.89	Vertical
2	9022.3333	46.91	38.00	-38.68	46.23	74.00	27.77	Vertical
3	12276.6667	42.89	39.03	-34.44	47.48	74.00	26.52	Vertical
4	14914.6667	42.69	39.85	-33.43	49.11	88.20	39.09	Vertical
5	17996	40.78	41.69	-30.73	51.74	74.00	22.26	Vertical
6	17978	31.79	41.64	-30.79	42.64	54.00	11.36	Vertical

11be(EHT160)_TX_CH_143_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7154.3125	40.09	36.30	-17.62	58.77	88.20	29.43	Horizontal
2	9442.3333	45.72	38.04	-38.27	45.49	74.00	28.51	Horizontal
3	10965.6667	44.03	39.26	-35.77	47.52	74.00	26.48	Horizontal
4	14511.3333	43.68	40.09	-34.61	49.16	88.20	39.04	Horizontal
5	17991	40.71	41.67	-30.75	51.64	74.00	22.36	Horizontal
6	18000	31.61	41.70	-30.72	42.59	54.00	11.41	Horizontal

11be(EHT160)_TX_CH_143_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7436.5	40.07	36.30	-17.92	58.45	74.00	15.55	Vertical
2	9014.6667	46.65	38.00	-38.63	46.02	74.00	27.98	Vertical
3	11584.3333	43.22	38.95	-34.89	47.28	74.00	26.72	Vertical
4	13826	43.64	40.31	-34.73	49.22	88.20	38.98	Vertical
5	17933	40.82	41.51	-30.93	51.39	74.00	22.61	Vertical
6	18000	31.42	41.70	-30.72	42.40	54.00	11.60	Vertical

11be(EHT160)_TX_CH_175_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7572.125	40.49	36.44	-18.37	58.57	74.00	15.43	Horizontal
2	9488.3333	46.10	38.05	-38.21	45.94	74.00	28.06	Horizontal
3	10954.3333	44.09	39.25	-35.81	47.53	74.00	26.47	Horizontal
4	14215.3333	43.34	40.27	-35.00	48.61	88.20	39.59	Horizontal
5	17926.6667	40.74	41.49	-30.95	51.27	74.00	22.73	Horizontal
6	17991.3333	32.10	41.67	-30.75	43.03	54.00	10.97	Horizontal

11be(EHT160)_TX_CH_175_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7372.1875	40.06	36.30	-17.75	58.61	74.00	15.39	Vertical
2	9571	45.83	38.06	-37.93	45.95	88.20	42.25	Vertical
3	10986.3333	44.19	39.28	-35.70	47.78	74.00	26.22	Vertical
4	14379	42.65	40.17	-33.90	48.92	88.20	39.28	Vertical
5	17841.3333	40.43	41.24	-30.62	51.05	74.00	22.95	Vertical
6	17987.6667	31.56	41.66	-30.76	42.46	54.00	11.54	Vertical

11be(EHT160)_TX_CH_207_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7338.9375	40.78	36.30	-17.75	59.33	74.00	14.67	Horizontal
2	9591.3333	45.66	38.06	-37.86	45.86	88.20	42.34	Horizontal
3	12139.3333	43.66	38.87	-35.00	47.53	74.00	26.47	Horizontal
4	14733.3333	42.34	39.96	-33.73	48.57	88.20	39.63	Horizontal
5	17893	40.86	41.39	-30.99	51.26	74.00	22.74	Horizontal
6	17981.6667	31.90	41.65	-30.78	42.77	54.00	11.23	Horizontal

11be(EHT160)_TX_CH_207_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7456.1875	40.25	36.30	-18.01	58.54	74.00	15.46	Vertical
2	9498.3333	45.99	38.05	-38.19	45.85	74.00	28.15	Vertical
3	11702.3333	43.28	38.88	-35.56	46.60	74.00	27.40	Vertical
4	13995	45.50	40.40	-34.98	50.92	88.20	37.28	Vertical
5	17983.3333	40.42	41.65	-30.77	51.30	74.00	22.70	Vertical
6	17997	31.81	41.69	-30.73	42.77	54.00	11.23	Vertical

11be(EHT320)_TX_CH_031_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7457.9375	40.62	36.30	-18.02	58.90	74.00	15.10	Horizontal
2	9005.3333	45.63	38.00	-38.57	45.06	74.00	28.94	Horizontal
3	11548	43.30	38.97	-35.24	47.03	74.00	26.97	Horizontal
4	14401.6667	42.13	40.16	-33.76	48.53	88.20	39.67	Horizontal
5	17987.3333	39.96	41.66	-30.76	50.86	74.00	23.14	Horizontal
6	17981.6667	31.46	41.65	-30.78	42.33	54.00	11.67	Horizontal

11be(EHT320)_TX_CH_031_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7183.625	40.35	36.30	-17.79	58.86	88.20	29.34	Vertical
2	9029.6667	45.81	38.00	-38.73	45.08	74.00	28.92	Vertical
3	11557.3333	43.21	38.97	-35.15	47.02	74.00	26.98	Vertical
4	14516	42.29	40.09	-34.59	47.79	88.20	40.41	Vertical
5	17869.3333	40.16	41.32	-30.82	50.66	74.00	23.34	Vertical
6	17988.6667	30.77	41.67	-30.76	41.68	54.00	12.32	Vertical

11be(EHT320)_TX_CH_063_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7076.875	40.27	36.30	-17.30	59.27	88.20	28.93	Horizontal
2	9014	45.89	38.00	-38.63	45.27	74.00	28.73	Horizontal
3	12219	42.95	38.96	-34.96	46.95	74.00	27.05	Horizontal
4	14400.6667	41.40	40.16	-33.75	47.81	88.20	40.39	Horizontal
5	17980	38.97	41.64	-30.78	49.83	74.00	24.17	Horizontal
6	17997	30.70	41.69	-30.73	41.66	54.00	12.34	Horizontal

11be(EHT320)_TX_CH_063_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7100.0625	39.94	36.30	-17.31	58.93	88.20	29.27	Vertical
2	8940.3333	46.73	37.96	-38.82	45.87	88.20	42.33	Vertical
3	10861.3333	44.02	39.13	-36.16	46.99	74.00	27.01	Vertical
4	14269	42.42	40.24	-34.68	47.98	88.20	40.22	Vertical
5	17968.3333	40.00	41.61	-30.82	50.79	74.00	23.21	Vertical
6	17991.3333	30.64	41.67	-30.75	41.57	54.00	12.43	Vertical

11be(EHT320)_TX_CH_095_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7044.0625	40.57	36.30	-17.29	59.58	88.20	28.62	Horizontal
2	8931	45.98	37.95	-38.87	45.06	88.20	43.14	Horizontal
3	10939.6667	43.46	39.23	-35.86	46.83	74.00	27.17	Horizontal
4	14324.3333	42.93	40.21	-34.32	48.82	88.20	39.38	Horizontal
5	17866.3333	39.81	41.31	-30.80	50.32	74.00	23.68	Horizontal
6	17965.6667	31.30	41.60	-30.83	42.07	54.00	11.93	Horizontal

11be(EHT320)_TX_CH_095_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7274.625	40.10	36.30	-17.78	58.62	74.00	15.38	Vertical
2	9065.6667	46.02	38.01	-38.98	45.05	74.00	28.95	Vertical
3	12205	42.70	38.95	-35.08	46.56	74.00	27.44	Vertical
4	14735	41.83	39.96	-33.74	48.05	88.20	40.15	Vertical
5	17973.6667	39.31	41.62	-30.80	50.13	74.00	23.87	Vertical
6	17964.6667	31.05	41.60	-30.83	41.81	54.00	12.19	Vertical

11be(EHT320)_TX_CH_127_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7600.5625	40.13	36.50	-18.43	58.20	74.00	15.80	Horizontal
2	8945	46.50	37.96	-38.80	45.66	88.20	42.54	Horizontal
3	11577	43.41	38.95	-34.96	47.40	74.00	26.60	Horizontal
4	14177.3333	42.53	40.29	-35.02	47.80	88.20	40.40	Horizontal
5	17993.3333	39.78	41.68	-30.74	50.72	74.00	23.28	Horizontal
6	18000	30.86	41.70	-30.72	41.84	54.00	12.16	Horizontal

11be(EHT320)_TX_CH_127_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7099.1875	39.57	36.30	-17.31	58.56	88.20	29.64	Vertical
2	9059.3333	46.67	38.01	-38.93	45.74	74.00	28.26	Vertical
3	12275.6667	42.19	39.03	-34.45	46.77	74.00	27.23	Vertical
4	14518.6667	42.81	40.09	-34.58	48.32	88.20	39.88	Vertical
5	17978	39.03	41.64	-30.79	49.88	74.00	24.12	Vertical
6	17928.6667	31.04	41.49	-30.95	41.58	54.00	12.42	Vertical

11be(EHT320)_TX_CH_159_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7288.625	40.20	36.30	-17.76	58.74	74.00	15.26	Horizontal
2	8995.6667	46.25	38.00	-38.55	45.70	88.20	42.50	Horizontal
3	11280	43.32	39.13	-35.36	47.09	74.00	26.91	Horizontal
4	13647	42.31	40.22	-34.56	47.97	88.20	40.23	Horizontal
5	17941.6667	40.27	41.53	-30.91	50.89	74.00	23.11	Horizontal
6	17988.3333	30.72	41.67	-30.76	41.63	54.00	12.37	Horizontal

11be(EHT320)_TX_CH_159_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7377.875	40.00	36.30	-17.75	58.55	74.00	15.45	Vertical
2	9375	45.51	38.04	-38.41	45.13	74.00	28.87	Vertical
3	12269.6667	42.96	39.02	-34.50	47.48	74.00	26.52	Vertical
4	14707	41.42	39.98	-33.58	47.82	88.20	40.38	Vertical
5	17996.3333	39.38	41.69	-30.73	50.34	74.00	23.66	Vertical
6	17999.3333	30.50	41.70	-30.72	41.48	54.00	12.52	Vertical

11be(EHT320)_TX_CH_191_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7825	39.80	36.95	-18.75	58.00	88.20	30.20	Horizontal
2	8996.3333	46.38	38.00	-38.55	45.83	88.20	42.37	Horizontal
3	10957.6667	44.02	39.25	-35.79	47.48	74.00	26.52	Horizontal
4	13850	42.43	40.33	-34.59	48.16	88.20	40.04	Horizontal
5	17994.6667	39.59	41.68	-30.74	50.54	74.00	23.46	Horizontal
6	17986.3333	30.51	41.66	-30.76	41.41	54.00	12.59	Horizontal

11be(EHT320)_TX_CH_191_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7443.9375	39.69	36.30	-17.95	58.04	74.00	15.96	Vertical
2	9569.6667	45.09	38.06	-37.94	45.21	88.20	42.99	Vertical
3	12750.3333	42.43	39.60	-34.67	47.36	88.20	40.84	Vertical
4	15019.3333	41.12	39.77	-33.94	46.95	88.20	41.25	Vertical
5	17990.3333	40.05	41.67	-30.75	50.97	74.00	23.03	Vertical
6	17998	30.68	41.69	-30.73	41.65	54.00	12.35	Vertical

11be(EHT40)_TX_CH_179_ Horizontal



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	39250.35	29.95	43.63	-20.08	53.49	63.54	10.05	Horizontal
2	21321.45	40.32	37.97	-26.48	51.81	83.54	31.73	Horizontal
3	24418.5	35.49	39.38	-23.97	50.90	97.84	46.94	Horizontal
4	29780.45	39.37	40.27	-25.08	54.56	97.84	43.28	Horizontal
5	35023.05	38.80	42.70	-24.34	57.16	97.84	40.68	Horizontal
6	39498.95	37.94	43.65	-20.22	61.37	83.54	22.17	Horizontal

11be(EHT40)_TX_CH_179_Vertical



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	39583.1	30.10	43.66	-20.25	53.51	63.54	10.03	Vertical
2	21188.9	40.11	38.07	-26.24	51.94	83.54	31.60	Vertical
3	24414.65	35.84	39.38	-23.96	51.27	97.84	46.57	Vertical
4	28282.25	37.25	39.37	-24.43	52.19	97.84	45.65	Vertical
5	33030.4	40.97	41.51	-24.48	58.00	97.84	39.84	Vertical
6	39217.9	37.80	43.62	-20.04	61.39	83.54	22.15	Vertical

7.4 Radiated Emissions which fall in the restricted bands

Test Requirement 47 CFR Part 15, Subpart C 15.209 & Subpart E 15.407(b)

Test Method: ANSI C63.10 (2020) Section 6.10.5

7.4.1 E.U.T. Operation

Operating Environment:

Temperature: 23 °C


Humidity: 43 % RH

Atmospheric Pressure: 1001 mbar

7.4.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	09	TX mode (U-NII-5) _Keep the EUT in continuously transmitting mode with all modulation types and being charged. All data rates for each modulation type have been tested, Only the data of worst case is recorded in the report.
Final test	10	TX mode (U-NII-6) _Keep the EUT in continuously transmitting mode with all modulation types and being charged. All data rates for each modulation type have been tested, Only the data of worst case is recorded in the report.
Final test	11	TX mode (U-NII-7) _Keep the EUT in continuously transmitting mode with all modulation types and being charged. All data rates for each modulation type have been tested, Only the data of worst case is recorded in the report.
Final test	12	TX mode (U-NII-8) _Keep the EUT in continuously transmitting mode with all modulation types and being charged. All data rates for each modulation type have been tested, Only the data of worst case is recorded in the report.

7.4.3 Test Setup Diagram



7.4.4 Measurement Procedure and Data


- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- g. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.
- h. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- j. Repeat above procedures until all frequencies measured was complete.

Remark 1: Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor

Remark 2: The resolution bandwidth of test receiver/spectrum analyzer is 1MHz and the video bandwidth is 3MHz for Peak detection (PK) and Average detection (AV) at frequency above 1GHz.

Remark 3: For fundamental and harmonic signal measurement, the resolution bandwidth of test receiver/spectrum analyzer is 1MHz and the video bandwidth is $\geq 1/T$ (Duty cycle < 98%) or 10Hz (Duty cycle $\geq 98\%$) for Average detection (AV) at frequency above 1GHz.


11a_TX_CH_001_Horizontal_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5912.78	48.83	34.24	-16.85	66.22	88.20	21.98	Horizontal
2	5924.26	51.29	34.27	-16.89	68.68	88.20	19.52	Horizontal




11a_TX_CH_001_Horizontal_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5907.46	31.62	34.22	-16.83	49.01	68.20	19.19	Horizontal
2	5923.28	36.59	34.27	-16.88	53.98	68.20	14.22	Horizontal


11a_TX_CH_001_Vertical_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5904.24	40.39	34.21	-16.82	57.78	88.20	30.42	Vertical
2	5924.68	48.48	34.27	-16.89	65.87	88.20	22.33	Vertical




11a_TX_CH_001_Vertical_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5912.08	29.22	34.24	-16.85	46.61	68.20	21.59	Vertical
2	5924.26	34.74	34.27	-16.89	52.13	68.20	16.07	Vertical

11a_TX_CH_233_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	60.67	36.30	-17.45	79.52	88.20	8.68	Horizontal
2	7134.945	42.05	36.30	-17.51	60.84	88.20	27.36	Horizontal

11a_TX_CH_233_Horizontal_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	45.86	36.30	-17.45	64.71	68.20	3.49	Horizontal
2	7133.295	30.43	36.30	-17.50	49.23	68.20	18.97	Horizontal

11a_TX_CH_233_Vertical_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	58.51	36.30	-17.45	77.36	88.20	10.84	Vertical
2	7137.585	39.91	36.30	-17.52	58.69	88.20	29.51	Vertical

11a_TX_CH_233_Vetical_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	45.42	36.30	-17.45	64.27	68.20	3.93	Vertical
2	7133.13	31.41	36.30	-17.50	50.21	68.20	17.99	Vertical

11be(EHT20)_TX_CH_001_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5910.54	43.84	34.23	-16.84	61.23	88.20	26.97	Horizontal
2	5923.56	49.94	34.27	-16.88	67.33	88.20	20.87	Horizontal

11be(EHT20)_TX_CH_001_Horizontal_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5908.3	32.25	34.22	-16.84	49.64	68.20	18.56	Horizontal
2	5924.68	39.93	34.27	-16.89	57.32	68.20	10.88	Horizontal


11be(EHT20)_TX_CH_001_Vertical_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5907.6	43.31	34.22	-16.83	60.70	88.20	27.50	Vertical
2	5924.4	50.45	34.27	-16.89	67.84	88.20	20.36	Vertical




11be(EHT20)_TX_CH_001_Veritical_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5913.62	32.85	34.24	-16.85	50.24	68.20	17.96	Vertical
2	5924.68	39.61	34.27	-16.89	57.00	68.20	11.20	Vertical

11be(EHT20)_TX_CH_233_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	52.67	36.30	-17.45	71.52	88.20	16.68	Horizontal
2	7135.605	36.89	36.30	-17.51	55.68	88.20	32.52	Horizontal

11be(EHT20)_TX_CH_233_Horizontal_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	44.85	36.30	-17.45	63.70	68.20	4.50	Horizontal
2	7133.955	26.25	36.30	-17.50	45.05	68.20	23.15	Horizontal

11be(EHT20)_TX_CH_233_Veritical_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	52.83	36.30	-17.45	71.68	88.20	16.52	Vertical
2	7134.285	38.33	36.30	-17.51	57.12	88.20	31.08	Vertical


11be(EHT20)_TX_CH_233_Veritical_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	45.80	36.30	-17.45	64.65	68.20	3.55	Vertical
2	7130.985	26.35	36.30	-17.49	45.16	68.20	23.04	Vertical




11be(EHT40)_TX_CH_003_Horizontal_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5904.695	46.87	34.21	-16.82	64.26	88.20	23.94	Horizontal
2	5922.845	63.18	34.27	-16.88	80.57	88.20	7.63	Horizontal




11be(EHT40)_TX_CH_003_Horizontal_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5903.045	30.90	34.21	-16.82	48.29	68.20	19.91	Horizontal
2	5921.195	45.98	34.26	-16.88	63.37	68.20	4.83	Horizontal


11be(EHT40)_TX_CH_003_Veritical_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5905.85	46.57	34.22	-16.83	63.96	88.20	24.24	Vertical
2	5922.68	63.78	34.27	-16.88	81.17	88.20	7.03	Vertical




11be(EHT40)_TX_CH_003_Veritical_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5902.715	31.13	34.21	-16.82	48.52	68.20	19.68	Vertical
2	5923.34	46.25	34.27	-16.88	63.64	68.20	4.56	Vertical

11be(EHT40)_TX_CH_227_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7129.8	59.85	36.30	-17.48	78.67	88.20	9.53	Horizontal
2	7139.64	55.17	36.30	-17.54	73.93	88.20	14.27	Horizontal

11be(EHT40)_TX_CH_227_Horizontal_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.48	45.15	36.30	-17.46	63.99	68.20	4.21	Horizontal
2	7134.6	37.50	36.30	-17.51	56.29	68.20	11.91	Horizontal

11be(EHT40)_TX_CH_227_Veritical_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7127.64	61.92	36.30	-17.47	80.75	88.20	7.45	Vertical
2	7140.84	52.94	36.30	-17.54	71.70	88.20	16.50	Vertical

11be(EHT40)_TX_CH_227_Veritical_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.24	44.72	36.30	-17.45	63.57	68.20	4.63	Vertical
2	7141.32	30.92	36.30	-17.55	49.67	68.20	18.53	Vertical

11be(EHT80)_TX_CH_007_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5852.52	37.85	34.06	-16.91	55.00	88.20	33.20	Horizontal
2	5923.24	62.96	34.27	-16.88	80.35	88.20	7.85	Horizontal

11be(EHT80)_TX_CH_007_Horizontal_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5865.64	27.10	34.10	-16.88	44.31	68.20	23.89	Horizontal
2	5919.08	44.69	34.26	-16.87	62.08	68.20	6.12	Horizontal

11be(EHT80)_TX_CH_007_Veritical_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5855.4	38.65	34.07	-16.90	55.81	88.20	32.39	Vertical
2	5921.96	60.27	34.27	-16.88	77.66	88.20	10.54	Vertical

11be(EHT80)_TX_CH_007_Veritical_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5865	27.05	34.10	-16.88	44.26	68.20	23.94	Vertical
2	5918.76	44.00	34.26	-16.87	61.39	68.20	6.81	Vertical

11be(EHT80)_TX_CH_215_Horizontal_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7126.76	52.21	36.30	-17.46	71.05	88.20	17.15	Horizontal
2	7183.08	40.26	36.30	-17.78	58.78	88.20	29.42	Horizontal


11be(EHT80)_TX_CH_215_Horizontal_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7126.76	43.07	36.30	-17.46	61.91	68.20	6.29	Horizontal
2	7147.88	37.41	36.30	-17.58	56.13	68.20	12.07	Horizontal




11be(EHT80)_TX_CH_215_Veritical_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7127.08	57.41	36.30	-17.46	76.25	88.20	11.95	Vertical
2	7191.08	38.79	36.30	-17.83	57.26	88.20	30.94	Vertical




11be(EHT80)_TX_CH_215_Veritical_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.8	45.72	36.30	-17.46	64.56	68.20	3.64	Vertical
2	7149.16	39.20	36.30	-17.59	57.91	68.20	10.29	Vertical

11be(EHT160)_TX_CH_015_Horizontal_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5841.88	37.77	34.03	-16.93	54.86	88.20	33.34	Horizontal
2	5920.72	60.68	34.26	-16.87	78.07	88.20	10.13	Horizontal


11be(EHT160)_TX_CH_015_Horizontal_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5843.32	27.09	34.03	-16.93	44.19	68.20	24.01	Horizontal
2	5917.48	46.69	34.25	-16.86	64.08	68.20	4.12	Horizontal




11be(EHT160)_TX_CH_015_Vertical_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5836.48	39.18	34.01	-16.94	56.25	88.20	31.95	Vertical
2	5917.12	59.45	34.25	-16.86	76.84	88.20	11.36	Vertical

11be(EHT160)_TX_CH_015_Vetical_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5829.64	27.41	33.99	-16.96	44.44	68.20	23.76	Vertical
2	5919.28	47.12	34.26	-16.87	64.51	68.20	3.69	Vertical

11be(EHT160)_TX_CH_207_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7139.32	60.39	36.30	-17.53	79.16	88.20	9.04	Horizontal
2	7201.24	47.26	36.30	-17.88	65.68	88.20	22.52	Horizontal

11be(EHT160)_TX_CH_207_Horizontal_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7127.44	45.32	36.30	-17.47	64.15	68.20	4.05	Horizontal
2	7150.12	41.27	36.30	-17.60	59.97	68.20	8.23	Horizontal


11be(EHT160)_TX_CH_207_Vertical_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7132.12	61.56	36.30	-17.49	80.37	88.20	7.83	Vertical
2	7186.12	52.47	36.30	-17.80	70.97	88.20	17.23	Vertical




11be(EHT160)_TX_CH_207_Vertical_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7127.44	46.06	36.30	-17.47	64.89	68.20	3.31	Vertical
2	7150.48	43.11	36.30	-17.60	61.81	68.20	6.39	Vertical


11be(EHT320)_TX_CH_031_Horizontal_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5857.28	45.13	34.07	-16.90	62.30	88.20	25.90	Horizontal
2	5919.68	38.90	34.26	-16.87	56.29	88.20	31.91	Horizontal




11be(EHT320)_TX_CH_031_Horizontal_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5889	29.10	34.17	-16.83	46.43	68.20	21.77	Horizontal
2	5912.92	29.47	34.24	-16.85	46.86	68.20	21.34	Horizontal




11be(EHT320)_TX_CH_031_Vertical_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5853.64	42.30	34.06	-16.91	59.45	88.20	28.75	Vertical
2	5912.4	38.39	34.24	-16.85	55.78	88.20	32.42	Vertical




11be(EHT320)_TX_CH_031_Vertical_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5889.52	27.90	34.17	-16.83	45.24	68.20	22.96	Vertical
2	5911.36	27.40	34.23	-16.85	44.79	68.20	23.41	Vertical




11be(EHT320)_TX_CH_191_Horizontal_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7134.3	37.78	36.30	-17.51	56.57	88.20	31.63	Horizontal
2	7165.62	37.52	36.30	-17.68	56.14	88.20	32.06	Horizontal




11be(EHT320)_TX_CH_191_Horizontal_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7142.4	26.10	36.30	-17.55	44.85	68.20	23.35	Horizontal
2	7172.64	26.14	36.30	-17.72	44.72	68.20	23.48	Horizontal




11be(EHT320)_TX_CH_191_Vertical_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7139.16	37.56	36.30	-17.53	56.33	88.20	31.87	Vertical
2	7173.18	37.56	36.30	-17.73	56.13	88.20	32.07	Vertical




11be(EHT320)_TX_CH_191_Vertical_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7131.06	26.06	36.30	-17.49	44.87	68.20	23.33	Vertical
2	7165.08	25.96	36.30	-17.68	44.58	68.20	23.62	Vertical


11be(EHT20)_MRU_Small_Left_RU_(52+26)_TX_CH_001_Horizontal_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5914.6	38.52	34.24	-16.86	55.91	88.20	32.29	Horizontal
2	5921.74	41.12	34.27	-16.88	58.51	88.20	29.69	Horizontal




11be(EHT20)_MRU_Small_Left_RU_(52+26)_TX_CH_001_Horizontal_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5916.7	25.40	34.25	-16.86	42.79	68.20	25.41	Horizontal
2	5923.56	25.85	34.27	-16.88	43.24	68.20	24.96	Horizontal




11be(EHT20)_MRU_Small_Left_RU_(52+26)_TX_CH_001_Vertical_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5908.72	37.71	34.23	-16.84	55.10	88.20	33.10	Vertical
2	5920.48	39.19	34.26	-16.87	56.58	88.20	31.62	Vertical




11be(EHT20)_MRU_Small_Left_RU_(52+26)_TX_CH_001_Vertical_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5916.14	25.31	34.25	-16.86	42.70	68.20	25.50	Vertical
2	5922.86	26.59	34.27	-16.88	43.98	68.20	24.22	Vertical


11be(EHT20)_MRU_Small_Right_RU_(52+26)_TX_CH_233_Horizontal_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	59.15	36.30	-17.45	78.00	88.20	10.20	Horizontal
2	7131.81	46.35	36.30	-17.49	65.16	88.20	23.04	Horizontal




11be(EHT20)_MRU_Small_Right_RU_(52+26)_TX_CH_233_Horizontal_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	40.62	36.30	-17.45	59.47	68.20	8.73	Horizontal
2	7130.82	29.60	36.30	-17.49	48.41	68.20	19.79	Horizontal

11be(EHT20)_MRU_Small_Right_RU_(52+26)_TX_CH_233_Vertical_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	57.29	36.30	-17.45	76.14	88.20	12.06	Vertical
2	7131.975	46.93	36.30	-17.49	65.74	88.20	22.46	Vertical


11be(EHT20)_MRU_Small_Right_RU_(52+26)_TX_CH_233_Vertical_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	43.74	36.30	-17.45	62.59	68.20	5.61	Vertical
2	7132.8	29.34	36.30	-17.50	48.14	68.20	20.06	Vertical




11be(EHT20)_MRU_Small_Left_RU_(106+26)_TX_CH_001_Horizontal_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5914.18	37.65	34.24	-16.85	55.04	88.20	33.16	Horizontal
2	5924.4	41.71	34.27	-16.89	59.10	88.20	29.10	Horizontal




11be(EHT20)_MRU_Small_Left_RU_(106+26)_TX_CH_001_Horizontal_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5919.78	25.73	34.26	-16.87	43.12	68.20	25.08	Horizontal
2	5924.54	26.21	34.27	-16.89	43.60	68.20	24.60	Horizontal




11be(EHT20)_MRU_Small_Left_RU_(106+26)_TX_CH_001_Vertical_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5911.94	37.66	34.24	-16.85	55.05	88.20	33.15	Vertical
2	5923.42	40.68	34.27	-16.88	58.07	88.20	30.13	Vertical




11be(EHT20)_MRU_Small_Left_RU_(106+26)_TX_CH_001_Vertical_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5915.86	25.59	34.25	-16.86	42.98	68.20	25.22	Vertical
2	5923.56	26.55	34.27	-16.88	43.94	68.20	24.26	Vertical




11be(EHT20)_MRU_Small_Right_RU_(106+26)_TX_CH_233_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	51.57	36.30	-17.45	70.42	88.20	17.78	Horizontal
2	7130.82	37.80	36.30	-17.49	56.61	88.20	31.59	Horizontal

11be(EHT20)_MRU_Small_Right_RU_(106+26)_TX_CH_233_Horizontal_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	44.53	36.30	-17.45	63.38	68.20	4.82	Horizontal


11be(EHT20)_MRU_Small_Right_RU_(106+26)_TX_CH_233_Veritical_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	54.85	36.30	-17.45	73.70	88.20	14.50	Vertical
2	7132.305	37.33	36.30	-17.49	56.14	88.20	32.06	Vertical




11be(EHT20)_MRU_Small_Right_RU_(106+26)_TX_CH_233_Veritical_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	46.01	36.30	-17.45	64.86	68.20	3.34	Vertical


11be(EHT20)_MRU_Large_RU_(242+484)_TX_CH_001_Horizontal_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5894.44	44.78	34.18	-16.82	62.14	88.20	26.06	Horizontal
2	5912.04	48.63	34.24	-16.85	66.02	88.20	22.18	Horizontal




11be(EHT20)_MRU_Large_RU_(242+484)_TX_CH_001_Horizontal_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5892.84	31.67	34.18	-16.83	49.02	68.20	19.18	Horizontal
2	5911.72	34.50	34.24	-16.85	51.89	68.20	16.31	Horizontal


11be(EHT20)_MRU_Large_RU_(242+484)_TX_CH_001_Vertical_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5889.64	44.03	34.17	-16.83	61.37	88.20	26.83	Vertical
2	5919.08	47.80	34.26	-16.87	65.19	88.20	23.01	Vertical




11be(EHT20)_MRU_Large_RU_(242+484)_TX_CH_001_Vertical_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5897.32	31.85	34.19	-16.82	49.23	68.20	18.97	Vertical
2	5917.8	34.53	34.25	-16.87	51.92	68.20	16.28	Vertical


11be(EHT20)_Puncturing_RU_(242+484)_TX_CH_001_Horizontal_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5896.68	41.85	34.19	-16.82	59.22	88.20	28.98	Horizontal
2	5914.92	45.93	34.24	-16.86	63.32	88.20	24.88	Horizontal



11be(EHT20)_Puncturing_RU_(242+484)_TX_CH_001_Horizontal_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5900.2	30.83	34.20	-16.81	48.22	68.20	19.98	Horizontal
2	5921	32.97	34.26	-16.88	50.36	68.20	17.84	Horizontal



Report No.: SUCR251000101104


Page: 215 of 921

11be(EHT20)_Puncturing_RU_(242+484)_TX_CH_001_Vertical_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5889.96	41.17	34.17	-16.83	58.51	88.20	29.69	Vertical
2	5918.76	48.53	34.26	-16.87	65.92	88.20	22.28	Vertical


11be(EHT20)_Puncturing_RU_(242+484)_TX_CH_001_Veritical_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5896.36	32.32	34.19	-16.82	49.69	68.20	18.51	Vertical
2	5918.76	34.46	34.26	-16.87	51.85	68.20	16.35	Vertical




11be(EHT80)_MRU_Large_RU_(242+484)_TX_CH_215_Horizontal_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7130.92	41.79	36.30	-17.49	60.60	88.20	27.60	Horizontal
2	7147.56	37.64	36.30	-17.58	56.36	88.20	31.84	Horizontal


11be(EHT80)_MRU_Large_RU_(242+484)_TX_CH_215_Horizontal_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7126.12	29.94	36.30	-17.46	48.78	68.20	19.42	Horizontal
2	7152.04	27.04	36.30	-17.61	45.73	68.20	22.47	Horizontal




11be(EHT80)_MRU_Large_RU_(242+484)_TX_CH_215_Vertical_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.8	45.46	36.30	-17.46	64.30	88.20	23.90	Vertical
2	7148.84	38.20	36.30	-17.59	56.91	88.20	31.29	Vertical




11be(EHT80)_MRU_Large_RU_(242+484)_TX_CH_215_Vertical_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.8	33.45	36.30	-17.46	52.29	68.20	15.91	Vertical
2	7148.52	27.14	36.30	-17.59	45.85	68.20	22.35	Vertical




11be(EHT80)_Puncturing_RU_(242+484)_TX_CH_215_Horizontal_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7128.68	38.81	36.30	-17.47	57.64	88.20	30.56	Horizontal
2	7154.28	37.30	36.30	-17.62	55.98	88.20	32.22	Horizontal


11be(EHT80)_Puncturing_RU_(242+484)_TX_CH_215_Horizontal_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.8	29.71	36.30	-17.46	48.55	68.20	19.65	Horizontal
2	7154.28	27.20	36.30	-17.62	45.88	68.20	22.32	Horizontal




11be(EHT80)_Puncturing_RU_(242+484)_TX_CH_215_Vertical_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7129.96	43.75	36.30	-17.48	62.57	88.20	25.63	Vertical
2	7153.32	37.88	36.30	-17.61	56.57	88.20	31.63	Vertical

11be(EHT80)_Puncturing_RU_(242+484)_TX_CH_215_Vertical_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.8	34.17	36.30	-17.46	53.01	68.20	15.19	Vertical
2	7147.88	27.33	36.30	-17.58	46.05	68.20	22.15	Vertical

11be(EHT160)_MRU_Large_RU_(484+996)_TX_CH_15_Horizontal_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5912.44	29.53	34.24	-16.85	46.92	68.20	21.28	Horizontal
2	5918.56	30.35	34.26	-16.87	47.74	68.20	20.46	Horizontal


11be(EHT160)_MRU_Large_RU_(484+996)_TX_CH_15_Veritical_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5886.16	46.49	34.16	-16.84	63.81	88.20	24.39	Vertical
2	5905.24	47.58	34.22	-16.83	64.97	88.20	23.23	Vertical




11be(EHT160)_MRU_Large_RU_(484+996)_TX_CH_15_Veritical_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5909.2	30.87	34.23	-16.84	48.26	68.20	19.94	Vertical
2	5918.56	31.19	34.26	-16.87	48.58	68.20	19.62	Vertical




11be(EHT160)_MRU_Large_RU_(484+996)_TX_CH_207_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7135.72	46.19	36.30	-17.51	64.98	88.20	23.22	Horizontal
2	7143.64	45.68	36.30	-17.56	64.42	88.20	23.78	Horizontal

11be(EHT160)_MRU_Large_RU_(484+996)_TX_CH_207_Horizontal_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7127.08	33.30	36.30	-17.46	52.14	68.20	16.06	Horizontal
2	7140.04	33.06	36.30	-17.54	51.82	68.20	16.38	Horizontal


11be(EHT160)_MRU_Large_RU_(484+996)_TX_CH_207_Vertical_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7128.16	50.82	36.30	-17.47	69.65	88.20	18.55	Vertical
2	7136.08	49.06	36.30	-17.52	67.84	88.20	20.36	Vertical




11be(EHT160)_MRU_Large_RU_(484+996)_TX_CH_207_Vertical_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7127.44	35.24	36.30	-17.47	54.07	68.20	14.13	Vertical
2	7142.56	34.98	36.30	-17.55	53.73	68.20	14.47	Vertical

11be(EHT160)_Puncturing_RU_(484+996)_TX_CH_15_Horizontal_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5896.24	44.34	34.19	-16.82	61.71	88.20	26.49	Horizontal
2	5919.28	46.10	34.26	-16.87	63.49	88.20	24.71	Horizontal


11be(EHT160)_Puncturing_RU_(484+996)_TX_CH_15_Horizontal_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5902.72	29.71	34.21	-16.82	47.10	68.20	21.10	Horizontal
2	5913.16	29.85	34.24	-16.85	47.24	68.20	20.96	Horizontal




11be(EHT160)_Puncturing_RU_(484+996)_TX_CH_15_Verical_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5898.76	44.17	34.20	-16.81	61.55	88.20	26.65	Vertical
2	5922.52	48.70	34.27	-16.88	66.09	88.20	22.11	Vertical




11be(EHT160)_Puncturing_RU_(484+996)_TX_CH_15_Vertival_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5908.84	30.04	34.23	-16.84	47.43	68.20	20.77	Vertical
2	5918.56	31.21	34.26	-16.87	48.60	68.20	19.60	Vertical


11be(EHT160)_Puncturing_RU_(484+996)_TX_CH_207_Horizontal_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7137.16	48.35	36.30	-17.52	67.13	88.20	21.07	Horizontal
2	7142.92	45.99	36.30	-17.55	64.74	88.20	23.46	Horizontal




11be(EHT160)_Puncturing_RU_(484+996)_TX_CH_207_Horizontal_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7127.44	33.83	36.30	-17.47	52.66	68.20	15.54	Horizontal
2	7132.12	33.46	36.30	-17.49	52.27	68.20	15.93	Horizontal

11be(EHT160)_Puncturing_RU_(484+996)_TX_CH_207_Vertical_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7137.52	45.56	36.30	-17.52	64.34	88.20	23.86	Vertical
2	7142.92	44.73	36.30	-17.55	63.48	88.20	24.72	Vertical

11be(EHT160)_Puncturing_RU_(484+996)_TX_CH_207_Verticial_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7127.8	36.43	36.30	-17.47	55.26	68.20	12.94	Vertical
2	7140.4	35.69	36.30	-17.54	54.45	68.20	13.75	Vertical

11be(EHT320)_MRU_Large_RU_(484+2X996)_TX_CH_31_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5908.76	40.93	34.23	-16.84	58.32	88.20	29.88	Horizontal
2	5923.84	39.93	34.27	-16.88	57.32	88.20	30.88	Horizontal

11be(EHT320)_MRU_Large_RU_(484+2X996)_TX_CH_31_Horizontal_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5898.88	26.44	34.20	-16.81	43.82	68.20	24.38	Horizontal
2	5918.64	27.38	34.26	-16.87	44.77	68.20	23.43	Horizontal

11be(EHT320)_MRU_Large_RU_(484+2X996)_TX_CH_31_Vertical_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5890.56	41.98	34.17	-16.83	59.32	88.20	28.88	Vertical
2	5923.32	44.27	34.27	-16.88	61.66	88.20	26.54	Vertical


11be(EHT320)_MRU_Large_RU_(484+2X996)_TX_CH_31_Vertical_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5911.36	28.47	34.23	-16.85	45.86	68.20	22.34	Vertical
2	5922.28	28.91	34.27	-16.88	46.30	68.20	21.90	Vertical




11be(EHT320)_MRU_Large_RU_(484+2X996)_TX_CH_191_Horizontal_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7133.22	42.53	36.30	-17.50	61.33	88.20	26.87	Horizontal
2	7158.6	43.33	36.30	-17.64	61.99	88.20	26.21	Horizontal


11be(EHT320)_MRU_Large_RU_(484+2X996)_TX_CH_191_Horizontal_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7129.44	33.72	36.30	-17.48	52.54	68.20	15.66	Horizontal
2	7151.58	32.75	36.30	-17.60	51.45	68.20	16.75	Horizontal




11be(EHT320)_MRU_Large_RU_(484+2X996)_TX_CH_191_Vertical_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7127.28	46.45	36.30	-17.47	65.28	88.20	22.92	Vertical
2	7153.2	46.49	36.30	-17.61	65.18	88.20	23.02	Vertical




11be(EHT320)_MRU_Large_RU_(484+2X996)_TX_CH_191_Vertical_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7135.38	36.06	36.30	-17.51	54.85	68.20	13.35	Vertical
2	7156.98	34.63	36.30	-17.63	53.30	68.20	14.90	Vertical




11be(EHT320)_Puncturing_RU_(996+2x996)_TX_CH_31_Horizontal_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5910.32	39.83	34.23	-16.84	57.22	88.20	30.98	Horizontal
2	5921.76	40.43	34.27	-16.88	57.82	88.20	30.38	Horizontal

11be(EHT320)_Puncturing_RU_(996+2x996)_TX_CH_31_Horizontal_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5903.56	25.97	34.21	-16.82	43.36	68.20	24.84	Horizontal
2	5922.8	26.70	34.27	-16.88	44.09	68.20	24.11	Horizontal