




Ref Lvl	Delta 1 [T1]	RBW	1 MHz	RF Att	10 dB
97 dBμV	0.37 dB	VBW	3 MHz		
	6.012024 ms	SWT	1 s	Unit	dBμV




Date: 16.MAY.2014 07:37:35

Time of One Pulse – Advertising Mode – 6.012024 ms
Total Duty Cycle = 6.012024 ms / 100 ms = 6.012024%
The maximum 20 dB Peak to Average Ratio can be used



Ref Lvl	Delta 1 [T1]	RBW	1 MHz	RF Att	10 dB
97 dBμV	0.68 dB	VBW	3 MHz		
	2.004008 ms	SWT	200 ms	Unit	dBμV




Date: 16.MAY.2014 07:34:22

Time of One Pulse – Pairing Mode – 2.004005 ms



Ref Lvl 97 dBμV
Delta 1 [T1] 0.05 dB
98.597194 ms
RBW 1 MHz
VBW 3 MHz
SWT 200 ms
RF Att 10 dB
Unit dBμV



Date: 16.MAY.2014 07:34:49

Time between pulses in pairing mode = 95.597194 ms
Total Duty Cycle = 2.0004005 ms / 98.597194 ms = 2.03%
The maximum 20 dB Peak to Average Ratio can be used