





APPENDIX D - SAR TEST SETUP & DUT PHOTOGRAPHS



BODY SAR TEST SETUP PHOTOGRAPHS - HOST LAPTOP PC

DUT with Sony VAIO Laptop PC - Bottom PCMCIA Slot - Laptop AC Power
Bottom Side of Laptop PC Touching Planar Phantom - 6.0 mm Separation Distance from DUT to Planar Phantom



BODY SAR TEST SETUP PHOTOGRAPHS - HOST LAPTOP PC




DUT with Sony VAIO Laptop PC - Bottom PCMCIA Slot - DUT External Battery Power
Bottom Side of Laptop PC facing Planar Phantom (13 mm External DUT Battery Thickness to Phantom)
(20 mm External Battery & Pivot Connector Separation Distance from DUT to Planar Phantom)



BODY SAR TEST SETUP PHOTOGRAPHS - HOST LAPTOP PC




DUT with Compaq Armada Laptop PC - Single PCMCIA Slot - Laptop AC Power

Bottom Side of Laptop PC Touching Planar Phantom - 5.0 mm Separation Distance from DUT to Planar Phantom



BODY SAR TEST SETUP PHOTOGRAPHS - HOST LAPTOP PC

DUT with Compaq Armada Laptop PC - Single PCMCIA Slot - DUT External Battery Power
Bottom Side of Laptop PC facing Planar Phantom (13 mm External DUT Battery Thickness to Phantom)
(17 mm External Battery & Pivot Connector Separation Distance from DUT to Planar Phantom)






Applicant:	Enfora, L.P.	FCC ID:	MIVGSM0110	Freq. Range(s):	824.2 - 848.8 / 1850.2 - 1909.8 MHz	
Model:	GSM0110	DUT Type:	Dual-Band GSM GPRS Compact Flash Card (with PCMCIA Adapter)			
2005 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the written permission of Celltech Labs Inc.				72 of 100

BODY SAR TEST SETUP PHOTOGRAPHS - HOST LAPTOP PC

DUT with Dell Inspiron Laptop PC - Bottom PCMCIA Slot - Laptop AC Power



Bottom Side of Laptop PC Touching Planar Phantom - 6.0 mm Separation Distance from DUT to Planar Phantom



Applicant:	Enfora, L.P.	FCC ID:	MIVGSM0110	Freq. Range(s):	824.2 - 848.8 / 1850.2 - 1909.8 MHz	
Model:	GSM0110	DUT Type:	Dual-Band GSM GPRS Compact Flash Card (with PCMCIA Adapter)			
2005 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the written permission of Celltech Labs Inc.				73 of 100

BODY SAR TEST SETUP PHOTOGRAPHS - HOST LAPTOP PC

DUT with Dell Inspiron Laptop PC - Bottom PCMCIA Slot - DUT External Battery Power
Bottom Side of Laptop PC facing Planar Phantom - (13 mm External DUT Battery Thickness to Phantom)
(18.0 mm External Battery & Pivot Connector Separation Distance from DUT to Planar Phantom)





Applicant:	Enfora, L.P.	FCC ID:	MIVGSM0110	Freq. Range(s):	824.2 - 848.8 / 1850.2 - 1909.8 MHz	
Model:	GSM0110	DUT Type:	Dual-Band GSM GPRS Compact Flash Card (with PCMCIA Adapter)			
2005 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the written permission of Celltech Labs Inc.				74 of 100

BODY SAR TEST SETUP PHOTOGRAPHS - HOST PDA (LAP-HELD)

DUT with HP IPAQ PDA - Compact Flash Slot - PDA Battery Power

Bottom Side of PDA facing Planar Phantom (2 mm DUT Thickness Spacing from PDA to Planar Phantom)

Bottom Side of DUT Touching Planar Phantom







BODY SAR TEST SETUP PHOTOGRAPHS - HOST PDA (LAP-HELD)

DUT with HP iPAQ PDA - Compact Flash Slot - DUT External Battery Power

Bottom Side of PDA (16 mm External Battery & Pivot Separation Distance from PDA to Planar Phantom)

(15 mm External Battery & Pivot Separation Distance from Bottom of DUT to Planar Phantom)





BODY SAR TEST SETUP PHOTOGRAPHS - HOST PDA (LAP-HELD)

DUT with Casio E-200 PDA - Compact Flash Slot - PDA Battery Power





Bottom Side of PDA facing Planar Phantom (2 mm DUT Thickness Spacing from PDA to Planar Phantom)

Bottom Side of DUT Touching Planar Phantom



BODY SAR TEST SETUP PHOTOGRAPHS - HOST PDA (LAP-HELD)





DUT with Casio E-200 PDA - Compact Flash Slot - DUT External Battery Power
Bottom Side of PDA (16 mm External Battery & Pivot Separation Distance from PDA to Planar Phantom)
(15 mm External Battery & Pivot Separation Distance from DUT to Planar Phantom)



BODY SAR TEST SETUP PHOTOGRAPHS - HOST PDA (LAP-HELD)





DUT with Casio E-125 PDA - Compact Flash Slot - PDA Battery Power

Bottom Side of PDA Touching Planar Phantom - 2 mm Separation Distance from DUT to Planar Phantom



BODY SAR TEST SETUP PHOTOGRAPHS - HOST PDA (LAP-HELD)

DUT with Casio E-125 PDA - Compact Flash Slot - DUT External Battery Power
Bottom Side of PDA (13 mm External DUT Battery Thickness from PDA to Planar Phantom)
(15 mm External Battery & Pivot Separation Distance from DUT to Planar Phantom)



DUT PHOTOGRAPHS



Front of Compact Flash Card



Back of Compact Flash Card



Left Side of Compact Flash Card



Right Side of Compact Flash Card




Bottom of Compact Flash Card




Top of Compact Flash Card


DUT PHOTOGRAPHS




External Li-ion Battery (Model: GWBC100)



External Li-ion Battery (Model: GWBC100)



External Li-ion Battery (Model: GWBC100)



Left Side of DUT with External Li-ion Battery



Right Side of DUT with External Li-ion Battery

DUT PHOTOGRAPHS



Front of PCMCIA Adapter



Back of PCMCIA Adapter



Front of DUT with PCMCIA Adapter
(Antenna Extended Position)



Back of DUT with PCMCIA Adapter
(Antenna Retracted Position)

DUT PHOTOGRAPHS



DUT with PCMCIA Adapter



DUT with PCMCIA Adapter

DUT PHOTOGRAPHS

DUT in Bottom PCMCIA Slot of Sony VAIO Laptop PC



DUT PHOTOGRAPHS

DUT in Bottom PCMCIA Slot of Sony VAIO Laptop PC - with External DUT Battery



DUT PHOTOGRAPHS

DUT in Single PCMCIA Slot of Compaq Armada Laptop PC




DUT PHOTOGRAPHS

DUT in Single PCMCIA Slot of Compaq Armada Laptop PC - with External DUT Battery



DUT PHOTOGRAPHS

DUT in Bottom PCMCIA Slot of Dell Inspiron Laptop PC




DUT PHOTOGRAPHS

DUT in Bottom PCMCIA Slot of Dell Inspiron Laptop PC - with External DUT Battery



DUT PHOTOGRAPHS

DUT in Compact Flash Slot of HP iPAQ PDA



DUT PHOTOGRAPHS

DUT in Compact Flash Slot of HP iPAQ PDA - with External DUT Battery



Applicant:	Enfora, L.P.	FCC ID:	MIVGSM0110	Freq. Range(s):	824.2 - 848.8 / 1850.2 - 1909.8 MHz	
Model:	GSM0110	DUT Type:	Dual-Band GSM GPRS Compact Flash Card (with PCMCIA Adapter)			
2005 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the written permission of Celltech Labs Inc.				92 of 100

DUT PHOTOGRAPHS

DUT in Compact Flash Slot of Casio E-200 PDA



Applicant:	Enfora, L.P.	FCC ID:	MIVGSM0110	Freq. Range(s):	824.2 - 848.8 / 1850.2 - 1909.8 MHz	
Model:	GSM0110	DUT Type:	Dual-Band GSM GPRS Compact Flash Card (with PCMCIA Adapter)			
2005 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the written permission of Celltech Labs Inc.				93 of 100

DUT PHOTOGRAPHS

DUT in Compact Flash Slot of Casio E-200 PDA - with External DUT Battery



DUT PHOTOGRAPHS

DUT in Compact Flash Slot of Casio E-125 PDA



Applicant:	Enfora, L.P.	FCC ID:	MIVGSM0110	Freq. Range(s):	824.2 - 848.8 / 1850.2 - 1909.8 MHz	
Model:	GSM0110	DUT Type:	Dual-Band GSM GPRS Compact Flash Card (with PCMCIA Adapter)			
2005 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the written permission of Celltech Labs Inc.				95 of 100

DUT PHOTOGRAPHS

DUT in Compact Flash Slot of Casio E-125 PDA - with External DUT Battery



Applicant:	Enfora, L.P.	FCC ID:	MIVGSM0110	Freq. Range(s):	824.2 - 848.8 / 1850.2 - 1909.8 MHz	
Model:	GSM0110	DUT Type:	Dual-Band GSM GPRS Compact Flash Card (with PCMCIA Adapter)			
2005 Celltech Labs Inc. This document is not to be reproduced in whole or in part without the written permission of Celltech Labs Inc.						96 of 100