

EXHIBIT 1

FCC ID Label


Para. 2.1033(b)(7)



Retlif Testing Laboratories

Test Report No. R-3158N2
FCC ID: MMU700tRF

FCC ID LABEL




Retlif Testing Laboratories

Test Report No. R-3158N2
FCC ID: MMU700tRF

MATERIAL SEQUENCE

- MATTE FINISH
- COLOR MATCHED COLOR
- GLOSSY WHITE POLYESTER .003"
- PERMANENT ACRYLIC ADHESIVE .001"
- RELEASE LINER



SERIAL NUMBERS

SERIAL NUMBER = XXXX-ZZZZZZ
X = MANUFACTURING LOCATION
(i.e., E = E1 MICROCIRCUITS)
Y = DATE OF MANUFACTURE
(i.e., 0994 = SEPT. '94)
Z = SEQUENTIAL SERIAL NUMBER
(FULL PRODUCTION STARTS AT 1000 TYPICAL
PRE-PRODUCTION USE ANY NUMBERS LESS
THAN 1000 TYPICAL)

DOCUMENT CONTROL BLOCK

DOC. #	DESCRIPTION	REV.
740-12593	LABEL PRODUCT ID, 700t RF	1
050-12594	GRAPHICS, LABEL, PRODUCT ID, 700t RF	1
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: FRACTIONS DECIMALS ANGLES .XX +/- .010 .XXX +/- .005		
APPROVALS DATE		
DRAWN	ED	3/12/98
CHECKED	MK	3/16/98
Q.C.	CM	3/16/98
ISSUED	QC	3/16/98
TITLE		
LABEL, PRODUCT ID, 700t RF		
SIZE FSCM NO. DWG. NO. REV.		
C 740-12593 1		
DO NOT SCALE DRAWING		
SCALE 2/1		
SHEET 1 OF 1		

NOTES

- MATERIAL: IDENTICO TT705, GLOSSY WHITE. SYNTHETIC .003" THICK, THERMAL TRANSFER FILM. OVERLAMINATED WITH A CLEAR MATTE FINISH. ADHESIVE TO BE .001" THICK PERMANENT ACRYLIC PRESSURE SENSITIVE ADHESIVE, WITH A 50 LB. RELEASE LINER. BACKGROUND TO MATCH COLOR OF PRODUCT SUPPLIED BY RTI, OR EQUIVALENT.
- VENDOR TO SUBMIT FIRST PIECE SAMPLE(S) FOR APPROVAL OF DIE-CUTS, THERMAL TRANSFER AND COLOR PRIOR TO PRODUCTION.
- SILKSCREEN LEGENDS PER LEXICON GRAPHICS #050-12594. (FONT STYLE & SIZE SHOWN ON THIS DRAWING VARIES FROM ACTUAL ARTWORK.)
- GRAPHICS TO BE DIRECT READING FROM FRONT SIDE OF PIECE.
- PRINTING TO BE OF SUFFICIENT GRADE TO PREVENT ANY DEGRADATION, BLURRING, OR "SAWTOOTHING" OF LEGENDS WHEN VIEWED AT A DISTANCE OF 18".