






NTNV-11N20-5720



NTNV-11N40-5710



NTNV-11AC80-5690

Appendix F: Power Output

UNII Band I Ant 1 (outdoor power cover indoor and client mode)							
Mode	Channel	Frequency (MHz)	Conducted Power (dBm)	EIRP (dBm)	Conducted Power Limit (dBm)	EIRP Limit (dBm)	Verdict
802.11a 6Mbps	36	5180	14.05	16.86	30	21	PASS
	40	5200	14.47	17.28	30	21	
	48	5240	14.20	17.01	30	21	
802.11n-HT20 MCS0	36	5180	13.71	16.52	30	21	
	40	5200	13.80	16.61	30	21	
	48	5240	13.65	16.46	30	21	
802.11n-HT40 MCS0	38	5190	13.85	16.66	30	21	
	46	5230	13.65	16.46	30	21	
802.11ac-VHT20 MCS0	36	5180	13.51	16.32	30	21	
	40	5200	13.59	16.40	30	21	
	48	5240	13.66	16.47	30	21	
802.11ac-VHT40 MCS0	38	5190	13.66	16.47	30	21	
	46	5230	13.56	16.37	30	21	
802.11ac-VHT80 MCS0	42	5210	13.72	16.53	30	21	
802.11ac-VHT160 MCS0	50	5250	13.80	16.61	30	21	
802.11ax-HE20 MCS0	36	5180	13.59	16.40	30	21	
	40	5200	13.86	16.67	30	21	
	48	5240	13.84	16.65	30	21	
802.11ax-HE40 MCS0	38	5190	13.88	16.69	30	21	
	46	5230	13.89	16.70	30	21	
802.11ax-HE80 MCS0	42	5210	13.76	16.57	30	21	
802.11ax-HE160 MCS0	50	5250	13.73	16.54	30	21	
802.11be-EHT20 MCS0	36	5180	13.80	16.61	30	21	
	40	5200	13.58	16.39	30	21	
	48	5240	13.66	16.47	30	21	
802.11be-EHT40 MCS0	38	5190	13.38	16.19	30	21	
	46	5230	13.91	16.72	30	21	
802.11be-EHT80 MCS0	42	5210	13.71	16.52	30	21	
802.11be-EHT160 MCS0	50	5250	13.78	16.59	30	21	

UNII Band I Ant 2 (outdoor power cover indoor and client mode)							
Mode	Channel	Frequency (MHz)	Conducted Power (dBm)	EIRP (dBm)	Conducted Power Limit (dBm)	EIRP Limit (dBm)	Verdict
802.11a 6Mbps	36	5180	15.19	17.76	30	21	PASS
	40	5200	15.76	18.33	30	21	
	48	5240	15.55	18.12	30	21	
802.11n-HT20 MCS0	36	5180	14.58	17.15	30	21	
	40	5200	14.56	17.13	30	21	
	48	5240	14.46	17.03	30	21	
802.11n-HT40 MCS0	38	5190	14.66	17.23	30	21	
	46	5230	14.56	17.13	30	21	
802.11ac-VHT20 MCS0	36	5180	14.68	17.25	30	21	
	40	5200	14.61	17.18	30	21	
	48	5240	14.50	17.07	30	21	
802.11ac-VHT40 MCS0	38	5190	14.14	16.71	30	21	
	46	5230	14.42	16.99	30	21	
802.11ac-VHT80 MCS0	42	5210	14.10	16.67	30	21	
802.11ac-VHT160 MCS0	50	5250	14.71	17.28	30	21	
802.11ax-HE20 MCS0	36	5180	14.58	17.15	30	21	
	40	5200	14.48	17.05	30	21	
	48	5240	14.63	17.20	30	21	
802.11ax-HE40 MCS0	38	5190	14.43	17.00	30	21	
	46	5230	14.46	17.03	30	21	
802.11ax-HE80 MCS0	42	5210	14.58	17.15	30	21	
802.11ax-HE160 MCS0	50	5250	14.52	17.09	30	21	
802.11be-EHT20 MCS0	36	5180	14.46	17.03	30	21	
	40	5200	14.79	17.36	30	21	
	48	5240	14.44	17.01	30	21	
802.11be-EHT40 MCS0	38	5190	14.42	16.99	30	21	
	46	5230	14.76	17.33	30	21	
802.11be-EHT80 MCS0	42	5210	14.47	17.04	30	21	
802.11be-EHT160 MCS0	50	5250	14.79	17.36	30	21	

UNII Band I Ant 1+2 (outdoor power cover indoor and client mode)							
Mode	Channel	Frequency (MHz)	Conducted Power (dBm)	EIRP (dBm)	Conducted Power Limit (dBm)	EIRP Limit (dBm)	Verdict
802.11a 6Mbps	36	5180	17.67	20.34	30	21	PASS
	40	5200	18.17	20.85	30	21	
	48	5240	17.94	20.61	30	21	
802.11n-HT20 MCS0	36	5180	17.18	19.86	30	21	
	40	5200	17.21	19.89	30	21	
	48	5240	17.08	19.76	30	21	
802.11n-HT40 MCS0	38	5190	17.28	19.96	30	21	
	46	5230	17.14	19.82	30	21	
802.11ac-VHT20 MCS0	36	5180	17.14	19.82	30	21	
	40	5200	17.14	19.82	30	21	
	48	5240	17.11	19.79	30	21	
802.11ac-VHT40 MCS0	38	5190	16.92	19.60	30	21	
	46	5230	17.02	19.70	30	21	
802.11ac-VHT80 MCS0	42	5210	16.92	19.61	30	21	
802.11ac-VHT160 MCS0	50	5250	17.29	19.97	30	21	
802.11ax-HE20 MCS0	36	5180	17.12	19.80	30	21	
	40	5200	17.19	19.87	30	21	
	48	5240	17.26	19.94	30	21	
802.11ax-HE40 MCS0	38	5190	17.17	19.86	30	21	
	46	5230	17.19	19.88	30	21	
802.11ax-HE80 MCS0	42	5210	17.20	19.88	30	21	
802.11ax-HE160 MCS0	50	5250	17.15	19.83	30	21	
802.11be-EHT20 MCS0	36	5180	17.15	19.84	30	21	
	40	5200	17.24	19.91	30	21	
	48	5240	17.08	19.76	30	21	
802.11be-EHT40 MCS0	38	5190	16.94	19.62	30	21	
	46	5230	17.37	20.05	30	21	
802.11be-EHT80 MCS0	42	5210	17.12	19.80	30	21	
802.11be-EHT160 MCS0	50	5250	17.67	20.00	30	21	

UNII Band II-A Ant 1							
Mode	Channel	Frequency (MHz)	Conducted Power (dBm)	EIRP (dBm)	Conducted Power Limit (dBm)	EIRP Limit (dBm)	Verdict
802.11a 6Mbps	52	5260	15.19	18.00	24	30	PASS
	56	5280	15.70	18.51	24	30	
	64	5320	15.39	18.20	24	30	
802.11n-HT20 MCS0	52	5260	14.87	17.68	24	30	
	56	5280	14.94	17.75	24	30	
	64	5320	14.74	17.55	24	30	
802.11n-HT40 MCS0	54	5270	14.98	17.79	24	30	
	62	5310	14.98	17.79	24	30	
802.11ac-VHT20 MCS0	52	5260	14.66	17.47	24	30	
	56	5280	14.66	17.47	24	30	
	64	5320	14.82	17.63	24	30	
802.11ac-VHT40 MCS0	54	5270	14.82	17.63	24	30	
	62	5310	14.60	17.41	24	30	
802.11ac-VHT80 MCS0	58	5290	14.94	17.75	24	30	
802.11ax-HE20 MCS0	52	5260	14.83	17.64	24	30	
	56	5280	14.80	17.61	24	30	
	64	5320	14.86	17.67	24	30	
802.11ax-HE40 MCS0	54	5270	14.77	17.58	24	30	
	62	5310	14.76	17.57	24	30	
802.11ax-HE80 MCS0	58	5290	14.83	17.64	24	30	
802.11be-EHT20 MCS0	52	5260	14.76	17.57	24	30	
	56	5280	14.85	17.66	24	30	
	64	5320	14.58	17.39	24	30	
802.11be-EHT40 MCS0	54	5270	15.00	17.81	24	30	
	62	5310	14.84	17.65	24	30	
802.11be-EHT80 MCS0	58	5290	14.58	17.39	24	30	

UNII Band II-A Ant 2							
Mode	Channel	Frequency (MHz)	Conducted Power (dBm)	EIRP (dBm)	Conducted Power Limit (dBm)	EIRP Limit (dBm)	Verdict
802.11a 6Mbps	52	5260	16.48	19.05	24	30	PASS
	56	5280	16.95	19.52	24	30	
	64	5320	16.69	19.26	24	30	
802.11n-HT20 MCS0	52	5260	15.86	18.43	24	30	
	56	5280	15.79	18.36	24	30	
	64	5320	15.65	18.22	24	30	
802.11n-HT40 MCS0	54	5270	15.92	18.49	24	30	
	62	5310	15.75	18.32	24	30	
802.11ac-VHT20 MCS0	52	5260	15.94	18.51	24	30	
	56	5280	15.55	18.12	24	30	
	64	5320	15.39	17.96	24	30	
802.11ac-VHT40 MCS0	54	5270	15.65	18.22	24	30	
	62	5310	15.55	18.12	24	30	
802.11ac-VHT80 MCS0	58	5290	15.66	18.23	24	30	
802.11ax-HE20 MCS0	52	5260	15.84	18.41	24	30	
	56	5280	15.47	18.04	24	30	
	64	5320	15.97	18.54	24	30	
802.11ax-HE40 MCS0	54	5270	15.84	18.41	24	30	
	62	5310	15.92	18.49	24	30	
802.11ax-HE80 MCS0	58	5290	15.75	18.32	24	30	
802.11be-EHT20 MCS0	52	5260	15.51	18.08	24	30	
	56	5280	15.66	18.23	24	30	
	64	5320	15.82	18.39	24	30	
802.11be-EHT40 MCS0	54	5270	15.72	18.29	24	30	
	62	5310	15.81	18.38	24	30	
802.11be-EHT80 MCS0	58	5290	15.42	17.99	24	30	

UNII Band II-A Ant 1+2							
Mode	Channel	Frequency (MHz)	Conducted Power (dBm)	EIRP (dBm)	Conducted Power Limit (dBm)	EIRP Limit (dBm)	Verdict
802.11a 6Mbps	52	5260	18.89	21.57	24	30	PASS
	56	5280	19.38	22.05	24	30	
	64	5320	19.10	21.77	24	30	
802.11n-HT20 MCS0	52	5260	18.40	21.08	24	30	
	56	5280	18.40	21.08	24	30	
	64	5320	18.23	20.91	24	30	
802.11n-HT40 MCS0	54	5270	18.49	21.16	24	30	
	62	5310	18.39	21.07	24	30	
802.11ac-VHT20 MCS0	52	5260	18.36	21.03	24	30	
	56	5280	18.14	20.82	24	30	
	64	5320	18.12	20.81	24	30	
802.11ac-VHT40 MCS0	54	5270	18.27	20.95	24	30	
	62	5310	18.11	20.79	24	30	
802.11ac-VHT80 MCS0	58	5290	18.33	21.01	24	30	
802.11ax-HE20 MCS0	52	5260	18.37	21.05	24	30	
	56	5280	18.16	20.84	24	30	
	64	5320	18.46	21.14	24	30	
802.11ax-HE40 MCS0	54	5270	18.35	21.03	24	30	
	62	5310	18.39	21.06	24	30	
802.11ax-HE80 MCS0	58	5290	18.32	21.00	24	30	
802.11be-EHT20 MCS0	52	5260	18.16	20.84	24	30	
	56	5280	18.28	20.96	24	30	
	64	5320	18.25	20.93	24	30	
802.11be-EHT40 MCS0	54	5270	18.39	21.07	24	30	
	62	5310	18.36	21.04	24	30	
802.11be-EHT80 MCS0	58	5290	18.03	20.71	24	30	

UNII Band II-C Ant 1							
Mode	Channel	Frequency (MHz)	Conducted Power (dBm)	EIRP (dBm)	Conducted Power Limit (dBm)	EIRP Limit (dBm)	Verdict
802.11a 6Mbps	100	5500	16.14	18.98	24	30	PASS
	116	5580	16.29	19.13	24	30	
	140	5700	16.07	18.91	24	30	
	144	5720	16.01	18.85	24	30	
802.11n-HT20 MCS0	100	5500	14.97	17.81	24	30	
	116	5580	14.81	17.65	24	30	
	140	5700	14.81	17.65	24	30	
	144	5720	14.56	17.40	24	30	
802.11n-HT40 MCS0	102	5510	15.02	17.86	24	30	
	110	5550	14.75	17.59	24	30	
	134	5670	14.71	17.55	24	30	
	142	5710	14.56	17.40	24	30	
802.11ac-VHT20 MCS0	100	5500	15.06	17.90	24	30	
	116	5580	14.72	17.56	24	30	
	140	5700	14.61	17.45	24	30	
	144	5720	14.35	17.19	24	30	
802.11ac-VHT40 MCS0	102	5510	14.80	17.64	24	30	
	110	5550	14.59	17.43	24	30	
	134	5670	14.49	17.33	24	30	
	142	5710	14.74	17.58	24	30	
802.11ac-VHT80 MCS0	106	5530	14.80	17.64	24	30	
	122	5610	15.03	17.87	24	30	
	138	5690	14.79	17.63	24	30	
802.11ac-VHT160 MCS0	114	5570	14.63	17.47	24	30	
802.11ax-HE20 MCS0	100	5500	14.97	17.81	24	30	
	116	5580	14.67	17.51	24	30	
	140	5700	14.82	17.66	24	30	
	144	5720	14.56	17.40	24	30	
802.11ax-HE40 MCS0	102	5510	14.80	17.64	24	30	
	110	5550	14.78	17.62	24	30	
	134	5670	14.67	17.51	24	30	
	142	5710	14.89	17.73	24	30	
802.11ax-HE80 MCS0	106	5530	14.75	17.59	24	30	
	122	5610	14.91	17.75	24	30	
	138	5690	14.53	17.37	24	30	

802.11ax-HE160 MCS0	114	5570	14.51	17.35	24	30	
802.11be-EHT20 MCS0	100	5500	14.49	17.33	24	30	
	116	5580	15.11	17.95	24	30	
	140	5700	14.87	17.71	24	30	
	144	5720	15.03	17.87	24	30	
802.11be-EHT40 MCS0	102	5510	14.73	17.57	24	30	
	110	5550	15.22	18.06	24	30	
	134	5670	14.93	17.77	24	30	
	142	5710	14.50	17.34	24	30	
802.11be-EHT80 MCS0	106	5530	14.67	17.51	24	30	
	122	5610	15.00	17.84	24	30	
	138	5690	14.65	17.49	24	30	
802.11be-EHT160 MCS0	114	5570	14.75	17.59	24	30	

UNII Band II-C Ant 2							
Mode	Channel	Frequency (MHz)	Conducted Power (dBm)	EIRP (dBm)	Conducted Power Limit (dBm)	EIRP Limit (dBm)	Verdict
802.11a 6Mbps	100	5500	16.19	18.65	24	30	PASS
	116	5580	16.16	18.62	24	30	
	140	5700	16.04	18.50	24	30	
	144	5720	15.98	18.44	24	30	
802.11n-HT20 MCS0	100	5500	15.51	17.97	24	30	
	116	5580	15.58	18.04	24	30	
	140	5700	15.36	17.82	24	30	
	144	5720	15.31	17.77	24	30	
802.11n-HT40 MCS0	102	5510	15.22	17.68	24	30	
	110	5550	15.23	17.69	24	30	
	134	5670	15.44	17.90	24	30	
	142	5710	15.34	17.80	24	30	
802.11ac-VHT20 MCS0	100	5500	15.67	18.13	24	30	
	116	5580	15.57	18.03	24	30	
	140	5700	15.37	17.83	24	30	
	144	5720	15.18	17.64	24	30	
802.11ac-VHT40 MCS0	102	5510	15.27	17.73	24	30	
	110	5550	15.10	17.56	24	30	
	134	5670	15.49	17.95	24	30	
	142	5710	15.46	17.92	24	30	

802.11ac-VHT80 MCS0	106	5530	15.29	17.75	24	30	
	122	5610	15.80	18.26	24	30	
	138	5690	15.19	17.65	24	30	
802.11ac-VHT160 MCS0	114	5570	15.53	17.99	24	30	
802.11ax-HE20 MCS0	100	5500	14.99	17.45	24	30	
	116	5580	15.41	17.87	24	30	
	140	5700	15.59	18.05	24	30	
	144	5720	15.41	17.87	24	30	
802.11ax-HE40 MCS0	102	5510	15.54	18.00	24	30	
	110	5550	15.20	17.66	24	30	
	134	5670	15.29	17.75	24	30	
	142	5710	15.57	18.03	24	30	
802.11ax-HE80 MCS0	106	5530	15.18	17.64	24	30	
	122	5610	15.17	17.63	24	30	
	138	5690	15.30	17.76	24	30	
802.11ax-HE160 MCS0	114	5570	15.29	17.75	24	30	
802.11be-EHT20 MCS0	100	5500	15.55	18.01	24	30	
	116	5580	15.73	18.19	24	30	
	140	5700	15.56	18.02	24	30	
	144	5720	15.43	17.89	24	30	
802.11be-EHT40 MCS0	102	5510	15.11	17.57	24	30	
	110	5550	15.37	17.83	24	30	
	134	5670	15.44	17.90	24	30	
	142	5710	15.53	17.99	24	30	
802.11be-EHT80 MCS0	106	5530	15.30	17.76	24	30	
	122	5610	15.46	17.92	24	30	
	138	5690	15.50	17.96	24	30	
802.11be-EHT160 MCS0	114	5570	15.47	17.93	24	30	

UNII Band II-C Ant 1+2							
Mode	Channel	Frequency (MHz)	Conducted Power (dBm)	EIRP (dBm)	Conducted Power Limit (dBm)	EIRP Limit (dBm)	Verdict
802.11a 6Mbps	100	5500	19.18	21.83	24	30	PASS
	116	5580	19.24	21.89	24	30	
	140	5700	19.07	21.72	24	30	
	144	5720	19.01	21.66	24	30	
802.11n-HT20 MCS0	100	5500	18.26	20.90	24	30	

	116	5580	18.22	20.86	24	30
	140	5700	18.10	20.75	24	30
	144	5720	17.96	20.60	24	30
802.11n-HT40 MCS0	102	5510	18.13	20.78	24	30
	110	5550	18.01	20.65	24	30
	134	5670	18.10	20.74	24	30
	142	5710	17.98	20.61	24	30
802.11ac-VHT20 MCS0	100	5500	18.39	21.03	24	30
	116	5580	18.18	20.81	24	30
	140	5700	18.02	20.65	24	30
	144	5720	17.80	20.43	24	30
802.11ac-VHT40 MCS0	102	5510	18.05	20.70	24	30
	110	5550	17.86	20.51	24	30
	134	5670	18.03	20.66	24	30
	142	5710	18.13	20.76	24	30
802.11ac-VHT80 MCS0	106	5530	18.06	20.71	24	30
	122	5610	18.44	21.08	24	30
	138	5690	18.00	20.65	24	30
802.11ac-VHT160 MCS0	114	5570	18.11	20.75	24	30
802.11ax-HE20 MCS0	100	5500	17.99	20.64	24	30
	116	5580	18.07	20.70	24	30
	140	5700	18.23	20.87	24	30
	144	5720	18.02	20.65	24	30
802.11ax-HE40 MCS0	102	5510	18.20	20.83	24	30
	110	5550	18.01	20.65	24	30
	134	5670	18.00	20.64	24	30
	142	5710	18.25	20.89	24	30
802.11ax-HE80 MCS0	106	5530	17.98	20.63	24	30
	122	5610	18.05	20.70	24	30
	138	5690	17.94	20.58	24	30
802.11ax-HE160 MCS0	114	5570	17.93	20.56	24	30
802.11be-EHT20 MCS0	100	5500	18.06	20.69	24	30
	116	5580	18.44	21.08	24	30
	140	5700	18.24	20.88	24	30
	144	5720	18.24	20.89	24	30
802.11be-EHT40 MCS0	102	5510	17.93	20.58	24	30
	110	5550	18.31	20.96	24	30
	134	5670	18.20	20.85	24	30
	142	5710	18.06	20.69	24	30



802.11be-EHT80 MCS0	106	5530	18.01	20.65	24	30	
	122	5610	18.25	20.89	24	30	
	138	5690	18.11	20.74	24	30	
802.11be-EHT160 MCS0	114	5570	18.14	20.77	24	30	

UNII Band III Ant 1							
Mode	Channel	Frequency (MHz)	Conducted Power (dBm)	EIRP (dBm)	Conducted Power Limit (dBm)	EIRP Limit (dBm)	Verdict
802.11a 6Mbps	149	5745	15.52	18.61	30	30	PASS
	157	5785	15.59	18.68	30	30	
	165	5825	15.61	18.70	30	30	
802.11n-HT20 MCS0	149	5745	14.80	17.89	30	30	
	157	5785	14.93	18.02	30	30	
	165	5825	14.90	17.99	30	30	
802.11n-HT40 MCS0	151	5755	14.92	18.01	30	30	
	159	5795	15.00	18.09	30	30	
802.11ac-VHT20 MCS0	149	5745	14.64	17.73	30	30	
	157	5785	15.01	18.10	30	30	
	165	5825	14.79	17.88	30	30	
802.11ac-VHT40 MCS0	151	5755	14.70	17.79	30	30	
	159	5795	14.89	17.98	30	30	
802.11ac-VHT80 MCS0	155	5775	14.86	17.95	30	30	
802.11ax-HE20 MCS0	149	5745	15.14	18.23	30	30	
	157	5785	14.76	17.85	30	30	
	165	5825	15.09	18.18	30	30	
802.11ax-HE40 MCS0	151	5755	15.08	18.17	30	30	
	159	5795	14.98	18.07	30	30	
802.11ax-HE80 MCS0	155	5775	14.76	17.85	30	30	
802.11be-EHT20 MCS0	149	5745	14.71	17.80	30	30	
	157	5785	14.86	17.95	30	30	
	165	5825	15.20	18.29	30	30	
802.11be-EHT40 MCS0	151	5755	14.92	18.01	30	30	
	159	5795	14.75	17.84	30	30	
802.11be-EHT80 MCS0	155	5775	14.90	17.99	30	30	

UNII Band III Ant 2							
Mode	Channel	Frequency (MHz)	Conducted Power (dBm)	EIRP (dBm)	Conducted Power Limit (dBm)	EIRP Limit (dBm)	Verdict
802.11a 6Mbps	149	5745	16.42	18.78	30	30	PASS
	157	5785	16.70	19.06	30	30	
	165	5825	16.67	19.03	30	30	
802.11n-HT20 MCS0	149	5745	15.54	17.90	30	30	
	157	5785	15.65	18.01	30	30	
	165	5825	15.63	17.99	30	30	
802.11n-HT40 MCS0	151	5755	15.65	18.01	30	30	
	159	5795	15.75	18.11	30	30	
802.11ac-VHT20 MCS0	149	5745	15.51	17.87	30	30	
	157	5785	15.82	18.18	30	30	
	165	5825	15.74	18.10	30	30	
802.11ac-VHT40 MCS0	151	5755	15.48	17.84	30	30	
	159	5795	15.54	17.90	30	30	
802.11ac-VHT80 MCS0	155	5775	15.38	17.74	30	30	
802.11ax-HE20 MCS0	149	5745	15.72	18.08	30	30	
	157	5785	15.41	17.77	30	30	
	165	5825	15.57	17.93	30	30	
802.11ax-HE40 MCS0	151	5755	15.63	17.99	30	30	
	159	5795	15.64	18.00	30	30	
802.11ax-HE80 MCS0	155	5775	15.82	18.18	30	30	
802.11be-EHT20 MCS0	149	5745	15.66	18.02	30	30	
	157	5785	15.74	18.10	30	30	
	165	5825	15.52	17.88	30	30	
802.11be-EHT40 MCS0	151	5755	15.72	18.08	30	30	
	159	5795	15.57	17.93	30	30	
802.11be-EHT80 MCS0	155	5775	15.52	17.88	30	30	

UNII Band III Ant 1+2							
Mode	Channel	Frequency (MHz)	Conducted Power (dBm)	EIRP (dBm)	Conducted Power Limit (dBm)	EIRP Limit (dBm)	Verdict
802.11a 6Mbps	149	5745	19.00	21.71	30	30	PASS
	157	5785	19.19	21.88	30	30	
	165	5825	19.18	21.88	30	30	
802.11n-HT20 MCS0	149	5745	18.20	20.91	30	30	
	157	5785	18.32	21.03	30	30	
	165	5825	18.29	21.00	30	30	
802.11n-HT40 MCS0	151	5755	18.31	21.02	30	30	
	159	5795	18.40	21.11	30	30	
802.11ac-VHT20 MCS0	149	5745	18.11	20.81	30	30	
	157	5785	18.44	21.15	30	30	
	165	5825	18.30	21.00	30	30	
802.11ac-VHT40 MCS0	151	5755	18.12	20.83	30	30	
	159	5795	18.24	20.95	30	30	
802.11ac-VHT80 MCS0	155	5775	18.14	20.86	30	30	
802.11ax-HE20 MCS0	149	5745	18.45	21.17	30	30	
	157	5785	18.11	20.82	30	30	
	165	5825	18.35	21.07	30	30	
802.11ax-HE40 MCS0	151	5755	18.37	21.09	30	30	
	159	5795	18.33	21.05	30	30	
802.11ax-HE80 MCS0	155	5775	18.33	21.03	30	30	
802.11be-EHT20 MCS0	149	5745	18.22	20.92	30	30	
	157	5785	18.33	21.04	30	30	
	165	5825	18.37	21.10	30	30	
802.11be-EHT40 MCS0	151	5755	18.35	21.06	30	30	
	159	5795	18.19	20.90	30	30	
802.11be-EHT80 MCS0	155	5775	18.23	20.95	30	30	

Appendix G: Peak Power Spectral Density


TestMode	Antenna	Frequency[MHz]	PSD [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant1+2	5180	4.98	≤11.00	PASS
11A	Ant1+2	5200	4.86	≤11.00	PASS
11A	Ant1+2	5240	5.13	≤11.00	PASS
11A	Ant1+2	5260	4.82	≤11.00	PASS
11A	Ant1+2	5280	5.01	≤11.00	PASS
11A	Ant1+2	5320	4.97	≤11.00	PASS
11A	Ant1+2	5500	4.94	≤11.00	PASS
11A	Ant1+2	5580	5.07	≤11.00	PASS
11A	Ant1+2	5700	5.09	≤11.00	PASS
11A	Ant1+2	5745	5.13	≤30.00	PASS
11A	Ant1+2	5785	4.62	≤30.00	PASS
11A	Ant1+2	5825	4.76	≤30.00	PASS
11N20	Ant1+2	5180	3.74	≤11.00	PASS
11N20	Ant1+2	5200	3.61	≤11.00	PASS
11N20	Ant1+2	5240	3.59	≤11.00	PASS
11N20	Ant1+2	5260	3.29	≤11.00	PASS
11N20	Ant1+2	5280	3.75	≤11.00	PASS
11N20	Ant1+2	5320	3.53	≤11.00	PASS
11N20	Ant1+2	5500	3.82	≤11.00	PASS
11N20	Ant1+2	5580	3.59	≤11.00	PASS
11N20	Ant1+2	5700	3.61	≤11.00	PASS
11N20	Ant1+2	5745	3.84	≤30.00	PASS
11N20	Ant1+2	5785	3.73	≤30.00	PASS
11N20	Ant1+2	5825	3.32	≤30.00	PASS
11N40	Ant1+2	5190	0.5	≤11.00	PASS
11N40	Ant1+2	5230	0.42	≤11.00	PASS
11N40	Ant1+2	5270	0.68	≤11.00	PASS
11N40	Ant1+2	5310	0.75	≤11.00	PASS
11N40	Ant1+2	5510	0.52	≤11.00	PASS
11N40	Ant1+2	5550	0.43	≤11.00	PASS
11N40	Ant1+2	5670	1.11	≤11.00	PASS
11N40	Ant1+2	5755	1.01	≤30.00	PASS
11N40	Ant1+2	5795	0.54	≤30.00	PASS
11AC80	Ant1+2	5210	-3.21	≤11.00	PASS
11AC80	Ant1+2	5290	-3.56	≤11.00	PASS
11AC80	Ant1+2	5530	-3.19	≤11.00	PASS
11AC80	Ant1+2	5610	-3.54	≤11.00	PASS
11AC80	Ant1+2	5775	-3.24	≤30.00	PASS
11AC160	Ant1+2	5250_UNII-1	-5.81	≤11.00	PASS
11AC160	Ant1+2	5250_UNII-2A	-5.51	≤11.00	PASS
11AC160	Ant1+2	5570	-5.62	≤11.00	PASS

TestMode	Antenna	Frequency[MHz]	EIRP [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant1+2	5720_UNII-2C	4.40	≤11.00	PASS
11A	Ant1+2	5720_UNII-3	0.42	≤30.00	PASS
11N20	Ant1+2	5720_UNII-2C	2.54	≤11.00	PASS
11N20	Ant1+2	5720_UNII-3	-0.94	≤30.00	PASS
11N40	Ant1+2	5710_UNII-2C	0.32	≤11.00	PASS
11N40	Ant1+2	5710_UNII-3	-3.37	≤30.00	PASS
11AC80	Ant1+2	5690_UNII-2C	-4.57	≤11.00	PASS
11AC80	Ant1+2	5690_UNII-3	-9.14	≤30.00	PASS

Note :

- Directional gain = $10 \log[(10^{\text{Ant1 gain}/20} + 10^{\text{Ant2 gain}/20})^2 / 2]$
 For U-NII-I, The directional gain is 5.70 dBi.
 For U-NII-II-A, The directional gain is 5.70 dBi.
 For U-NII-II-C, The directional gain is 5.66 dBi.
 For U-NII-III, The directional gain is 5.74 dBi.
- The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
- The Duty Cycle Factor and RBW Factor is compensated in the graph.

Test Graphs for Worst-case data





11A-5200-PASS



11A-5240-PASS



11A-5260-PASS




11A-5280-PASS



11A-5320-PASS



11A-5500-PASS



11A-5580-PASS



11A-5700-PASS



11A-5745-PASS




11A-5785-PASS



11A-5825-PASS


Appendix H: Radiated Emission Band Edge

Test Report




Suspected Data List									
NO	Freque ncy [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdi ct
1	5149.46	38.41	53.52	15.11	74.00	20.48	PK	Horizo	PASS
2	5150.00	34.70	49.81	15.11	74.00	24.19	PK	Horizo	PASS

Test Report



Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5144.46	29.00	44.08	15.08	54.00	9.92	AV	Horizo	PASS
2	5150.00	28.50	43.61	15.11	54.00	10.39	AV	Horizo	PASS

Test Report




Suspected Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	5145.93	38.90	53.99	15.09	74.00	20.01	PK	Vertic	PASS
2	5150.00	36.19	51.30	15.11	74.00	22.70	PK	Vertic	PASS

Test Report

Project Information

Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5180MHz by 802.11a	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25°C ; Humi:60%	Engineer	Reyn Chen
Test Standard:	FCC PART 15E		

Test Graph




Suspected Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5148.86	29.89	44.99	15.10	54.00	9.01	AV	Vertic	PASS
2	5150.00	29.34	44.45	15.11	54.00	9.55	AV	Vertic	PASS

Test Report

Project Information			
Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5320MHz by 802.11a	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25℃ ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15E		




Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	35.87	51.58	15.71	74.00	22.42	PK	Horizo	PASS
2	5353.88	40.70	56.40	15.70	74.00	17.60	PK	Horizo	PASS

Test Report

Project Information

Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5320MHz by 802.11a	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25°C ; Humi:60%	Engineer	Reyn Chen
Test Standard:	FCC PART 15E		

Test Graph




Suspected Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	31.55	47.26	15.71	54.00	6.74	AV	Horizo	PASS
2	5351.55	33.05	48.76	15.71	54.00	5.24	AV	Horizo	PASS

Test Report

Project Information			
Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5320MHz by 802.11a	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25℃ ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15E		

Test Graph




Suspected Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	40.08	55.79	15.71	74.00	18.21	PK	Vertic	PASS
2	5351.83	44.46	60.17	15.71	74.00	13.83	PK	Vertic	PASS

Test Report


Project Information			
Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5320MHz by 802.11a	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25℃ ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15E		



Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	33.09	48.80	15.71	54.00	5.20	AV	Vertic	PASS
2	5353.24	34.00	49.71	15.71	54.00	4.29	AV	Vertic	PASS

Test Report


Project Information			
Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5500MHz by 802.11a	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25℃ ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC Part15 E		



Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	37.05	53.39	16.34	68.30	14.91	PK	Horizo	PASS
2	5468.93	39.44	55.88	16.44	68.30	12.42	PK	Horizo	PASS

Test Report

Project Information			
Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5500MHz by 802.11a	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25℃ ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15E		




Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5456.40	28.21	44.51	16.30	54.00	9.49	AV	Horizo	PASS
2	5460.00	27.32	43.66	16.34	54.00	10.34	AV	Horizo	PASS

Test Report

Project Information			
Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5500MHz by 802.11a	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25℃ ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC Part15 E		

Test Graph




Suspected Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	36.93	53.27	16.34	68.30	15.03	PK	Vertic	PASS
2	5463.07	39.62	56.00	16.38	68.30	12.30	PK	Vertic	PASS

Test Report

Project Information			
Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5500MHz by 802.11a	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25℃ ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15E		

Test Graph




Suspected Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5457.28	28.37	44.68	16.31	54.00	9.32	AV	Vertic	PASS
2	5460.00	27.05	43.39	16.34	54.00	10.61	AV	Vertic	PASS


Test Report

Project Information			
Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5700MHz by 802.11a	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25℃ ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC Part15 E		



Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	38.40	57.07	18.67	68.30	11.23	PK	Horizo	PASS
2	5730.55	39.09	57.75	18.66	68.30	10.55	PK	Horizo	PASS

Test Report




Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	37.39	56.06	18.67	68.30	12.24	PK	Vertic	PASS
2	5735.50	39.31	57.96	18.65	68.30	10.34	PK	Vertic	PASS



Test Report

Project Information			
Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5180MHz by 802.11n(20MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25℃ ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15E		


Test Graph



Suspected Data List

NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	5122.47	37.80	52.75	14.95	74.00	21.25	PK	Horizo	PASS
2	5150.00	36.14	51.25	15.11	74.00	22.75	PK	Horizo	PASS

Test Report




Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5147.65	28.29	43.39	15.10	54.00	10.61	AV	Horizo	PASS
2	5150.00	27.74	42.85	15.11	54.00	11.15	AV	Horizo	PASS

Test Report

Project Information

Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5180MHz by 802.11n(20MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25°C ; Humi:60%	Engineer	Reyn Chen
Test Standard:	FCC PART 15E		

Test Graph



Suspected Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5134.54	39.31	54.33	15.02	74.00	19.67	PK	Vertic	PASS
2	5150.00	34.73	49.84	15.11	74.00	24.16	PK	Vertic	PASS

Test Report

Project Information

Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5180MHz by 802.11n(20MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25°C ; Humi:60%	Engineer	Reyn Chen
Test Standard:	FCC PART 15E		

Test Graph




Suspected Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5139.46	28.29	43.34	15.05	54.00	10.66	AV	Vertic	PASS
2	5150.00	29.12	44.23	15.11	54.00	9.77	AV	Vertic	PASS

Test Report

Project Information			
Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5320MHz by 802.11n(20MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25℃ ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15E		

Test Graph




Suspected Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	36.78	52.49	15.71	74.00	21.51	PK	Horizo	PASS
2	5352.96	39.80	55.51	15.71	74.00	18.49	PK	Horizo	PASS

Test Report

Project Information			
Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5320MHz by 802.11n(20MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25℃ ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15E		

Test Graph




Suspected Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	30.85	46.56	15.71	54.00	7.44	AV	Horizo	PASS
2	5350.78	31.49	47.20	15.71	54.00	6.80	AV	Horizo	PASS

Test Report

Project Information			
Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5320MHz by 802.11n(20MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25℃ ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15E		




Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	30.89	46.60	15.71	74.00	27.40	PK	Vertic	PASS
2	5440.28	36.91	53.02	16.11	74.00	20.98	PK	Vertic	PASS

Test Report

Project Information			
Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5320MHz by 802.11n(20MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25℃ ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15E		

Test Graph




Suspected Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	31.92	47.63	15.71	54.00	6.37	AV	Vertic	PASS
2	5350.39	33.57	49.28	15.71	54.00	4.72	AV	Vertic	PASS

Test Report

Project Information			
Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5500MHz by 802.11n(20MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25℃ ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC Part15 E		




Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	37.10	53.44	16.34	68.30	14.86	PK	Horizo	PASS
2	5460.29	38.58	54.92	16.34	68.30	13.38	PK	Horizo	PASS

Test Report

Project Information

Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5500MHz by 802.11n(20MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25°C ; Humi:60%	Engineer	Reyn Chen
Test Standard:	FCC PART 15E		


Test Graph



Suspected Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5457.92	27.64	43.95	16.31	54.00	10.05	AV	Horizo	PASS
2	5460.00	26.78	43.12	16.34	54.00	10.88	AV	Horizo	PASS


Test Report



Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	37.92	54.26	16.34	68.30	14.04	PK	Vertic	PASS
2	5464.77	38.58	54.98	16.40	68.30	13.32	PK	Vertic	PASS

Test Report

Project Information			
Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5500MHz by 802.11n(20MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25℃ ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15E		




Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5451.36	28.23	44.47	16.24	54.00	9.53	AV	Vertic	PASS
2	5460.00	27.28	43.62	16.34	54.00	10.38	AV	Vertic	PASS

Test Report

Project Information

Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5700MHz by 802.11n(20MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25°C ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC Part15 E		

Test Graph



Suspected Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	36.62	55.29	18.67	68.30	13.01	PK	Horizo	PASS
2	5735.80	38.22	56.87	18.65	68.30	11.43	PK	Horizo	PASS

Test Report

Project Information

Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5700MHz by 802.11n(20MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25°C ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC Part15 E		

Test Graph



Suspected Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	35.92	54.59	18.67	68.30	13.71	PK	Vertic	PASS
2	5733.00	37.99	56.65	18.66	68.30	11.65	PK	Vertic	PASS

Test Report

Project Information

Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5190MHz by 802.11n(40MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25°C ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15E		


Test Graph



Suspected Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5124.00	40.22	55.18	14.96	74.00	18.82	PK	Horizo	PASS
2	5150.00	38.30	53.41	15.11	74.00	20.59	PK	Horizo	PASS


Test Report



Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5144.95	31.13	46.21	15.08	54.00	7.79	AV	Horizo	PASS
2	5150.00	30.31	45.42	15.11	54.00	8.58	AV	Horizo	PASS




Test Report



Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5120.27	41.33	56.27	14.94	74.00	17.73	PK	Vertic	PASS
2	5150.00	38.37	53.48	15.11	74.00	20.52	PK	Vertic	PASS

Test Report




Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5126.66	33.17	48.14	14.97	54.00	5.86	AV	Vertic	PASS
2	5150.00	32.12	47.23	15.11	54.00	6.77	AV	Vertic	PASS

Test Report

Project Information			
Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5310MHz by 802.11n(40MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25℃ ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15E		

Test Graph




Suspected Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	36.58	52.29	15.71	74.00	21.71	PK	Horizo	PASS
2	5352.35	39.74	55.45	15.71	74.00	18.55	PK	Horizo	PASS

Test Report

Project Information			
Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5310MHz by 802.11n(40MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25℃ ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15E		

Test Graph



Suspected Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	30.48	46.19	15.71	54.00	7.81	AV	Horizo	PASS
2	5350.71	31.91	47.62	15.71	54.00	6.38	AV	Horizo	PASS

Test Report

Project Information

Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5310MHz by 802.11n(40MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25°C ; Humi:60%	Engineer	Reyn Chen
Test Standard:	FCC PART 15E		

Test Graph




Suspected Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	37.78	53.49	15.71	74.00	20.51	PK	Vertic	PASS
2	5364.16	40.54	56.23	15.69	74.00	17.77	PK	Vertic	PASS

Test Report

Project Information			
Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5310MHz by 802.11n(40MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25℃ ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15E		

Test Graph



Suspected Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	32.48	48.19	15.71	54.00	5.81	AV	Vertic	PASS
2	5351.16	33.42	49.13	15.71	54.00	4.87	AV	Vertic	PASS

Test Report

Project Information

Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5510MHz by 802.11n(40MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25°C ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC Part15 E		

Test Graph




Suspected Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	38.09	54.43	16.34	68.30	13.87	PK	Horizo	PASS
2	5468.62	42.78	59.22	16.44	68.30	9.08	PK	Horizo	PASS

Test Report

Project Information			
Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5510MHz by 802.11n(40MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25℃ ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15E		




Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5459.55	29.20	45.54	16.34	54.00	8.46	AV	Horizo	PASS
2	5460.00	28.30	44.64	16.34	54.00	9.36	AV	Horizo	PASS

Test Report

Project Information

Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5510MHz by 802.11n(40MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25°C ; Humi:60%	Engineer	Reyn Chen
Test Standard:	FCC Part15 E		

Test Graph




Suspected Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	39.45	55.79	16.34	68.30	12.51	PK	Vertic	PASS
2	5466.16	43.52	59.93	16.41	68.30	8.37	PK	Vertic	PASS

Test Report

Project Information			
Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5510MHz by 802.11n(40MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25℃ ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15E		

Test Graph




Suspected Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5459.06	29.12	45.45	16.33	54.00	8.55	AV	Vertic	PASS
2	5460.00	28.46	44.80	16.34	54.00	9.20	AV	Vertic	PASS

Test Report

Project Information			
Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5670MHz by 802.11n(40MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25℃ ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC Part15 E		




Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5470.00	37.09	53.54	16.45	68.30	14.76	PK	Horizo	PASS
2	5725.00	37.33	56.00	18.67	68.30	12.30	PK	Horizo	PASS

Test Report

Project Information

Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5670MHz by 802.11n(40MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25°C ; Humi:60%	Engineer	Reyn Chen
Test Standard:	FCC PART 15E		

Test Graph




Suspected Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5454.94	27.34	43.63	16.29	54.00	10.37	AV	Horizo	PASS
2	5460.00	26.48	42.82	16.34	54.00	11.18	AV	Horizo	PASS

Test Report

Project Information			
Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5670MHz by 802.11n(40MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25℃ ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC Part15 E		

Test Graph




Suspected Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5470.00	37.46	53.91	16.45	68.30	14.39	PK	Vertic	PASS
2	5725.00	39.17	57.84	18.67	68.30	10.46	PK	Vertic	PASS

Test Report

Project Information			
Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5670MHz by 802.11n(40MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25℃ ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15E		

Test Graph



Suspected Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5456.55	27.22	43.52	16.30	54.00	10.48	AV	Vertic	PASS
2	5460.00	26.80	43.14	16.34	54.00	10.86	AV	Vertic	PASS

Test Report

Project Information

Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5210MHz by 802.11ac(80MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25°C ; Humi:60%	Engineer	Reyn Chen
Test Standard:	FCC PART 15E		


Test Graph



Suspected Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5119.22	38.53	53.46	14.93	74.00	20.54	PK	Horizo	PASS
2	5150.00	35.40	50.51	15.11	74.00	23.49	PK	Horizo	PASS

Test Report




Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5149.88	28.63	43.74	15.11	54.00	10.26	AV	Horizo	PASS
2	5150.00	28.28	43.39	15.11	54.00	10.61	AV	Horizo	PASS

Test Report

Project Information

Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5210MHz by 802.11ac(80MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25°C ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15E		


Test Graph



Suspected Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5147.63	38.32	53.42	15.10	74.00	20.58	PK	Vertic	PASS
2	5150.00	34.24	49.35	15.11	74.00	24.65	PK	Vertic	PASS

Test Report




Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5122.13	29.28	44.23	14.95	54.00	9.77	AV	Vertic	PASS
2	5150.00	27.78	42.89	15.11	54.00	11.11	AV	Vertic	PASS

Test Report

Project Information

Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5290MHz by 802.11ac(80MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25°C ; Humi:60%	Engineer	Reyn Chen
Test Standard:	FCC PART 15E		

Test Graph



Suspected Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	33.13	48.84	15.71	74.00	25.16	PK	Horizo	PASS
2	5380.54	37.08	52.75	15.67	74.00	21.25	PK	Horizo	PASS

Test Report

Project Information

Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5290MHz by 802.11ac(80MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25°C ; Humi:60%	Engineer	Reyn Chen
Test Standard:	FCC PART 15E		

Test Graph




Suspected Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	27.44	43.15	15.71	54.00	10.85	AV	Horizo	PASS
2	5356.00	28.43	44.13	15.70	54.00	9.87	AV	Horizo	PASS

Test Report

Project Information			
Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5290MHz by 802.11ac(80MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25℃ ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15E		

Test Graph




Suspected Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	34.01	49.72	15.71	74.00	24.28	PK	Vertic	PASS
2	5362.95	37.87	53.56	15.69	74.00	20.44	PK	Vertic	PASS

Test Report

Project Information			
Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5290MHz by 802.11ac(80MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25℃ ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15E		




Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	27.60	43.31	15.71	54.00	10.69	AV	Vertic	PASS
2	5352.11	29.01	44.72	15.71	54.00	9.28	AV	Vertic	PASS

Test Report

Project Information

Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5530MHz by 802.11ac(80MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25°C ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC Part15 E		

Test Graph



Suspected Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	37.62	53.96	16.34	68.30	14.34	PK	Horizo	PASS
2	5465.79	38.45	54.86	16.41	68.30	13.44	PK	Horizo	PASS

Test Report

Project Information

Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5530MHz by 802.11ac(80MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25°C ; Humi:60%	Engineer	Reyn Chen
Test Standard:	FCC PART 15E		

Test Graph



Suspected Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5458.05	27.51	43.82	16.31	54.00	10.18	AV	Horizo	PASS
2	5460.00	27.08	43.42	16.34	54.00	10.58	AV	Horizo	PASS

Test Report

Project Information

Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5530MHz by 802.11ac(80MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25°C ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC Part15 E		

Test Graph



Suspected Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	37.24	53.58	16.34	68.30	14.72	PK	Vertic	PASS
2	5469.39	38.25	54.70	16.45	68.30	13.60	PK	Vertic	PASS

Test Report

Project Information

Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5530MHz by 802.11ac(80MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25°C ; Humi:60%	Engineer	Reyn Chen
Test Standard:	FCC PART 15E		

Test Graph



Suspected Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5454.23	27.52	43.79	16.27	54.00	10.21	AV	Vertic	PASS
2	5460.00	26.51	42.85	16.34	54.00	11.15	AV	Vertic	PASS

Test Report

Project Information

Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5610MHz by 802.11ac(80MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25°C ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC Part15 E		

Test Graph




Suspected Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5461.22	38.55	54.90	16.35	68.30	13.40	PK	Horizo	PASS
2	5725.00	36.87	55.54	18.67	68.30	12.76	PK	Horizo	PASS

Test Report

Project Information			
Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5610MHz by 802.11ac(80MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25℃ ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15E		




Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5457.12	27.19	43.50	16.31	54.00	10.50	AV	Horizo	PASS
2	5460.00	26.62	42.96	16.34	54.00	11.04	AV	Horizo	PASS

Test Report

Project Information

Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5610MHz by 802.11ac(80MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25°C ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC Part15 E		

Test Graph




Suspected Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5461.64	39.40	55.76	16.36	68.30	12.54	PK	Vertic	PASS
2	5725.00	35.82	54.49	18.67	68.30	13.81	PK	Vertic	PASS

Test Report

Project Information			
Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5610MHz by 802.11ac(80MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25℃ ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15E		


Test Graph



Suspected Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5457.07	27.37	43.68	16.31	54.00	10.32	AV	Vertic	PASS
2	5460.00	26.77	43.11	16.34	54.00	10.89	AV	Vertic	PASS

Test Report




Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5143.56	39.36	54.43	15.07	74.00	19.57	PK	Horizo	PASS
2	5150.00	35.48	50.59	15.11	74.00	23.41	PK	Horizo	PASS
3	5350.00	35.97	51.68	15.71	74.00	22.32	PK	Horizo	PASS
4	5389.44	38.38	54.04	15.66	74.00	19.96	PK	Horizo	PASS

Test Report

Project Information

Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5250MHz by 802.11ac(160MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25°C ; Humi:60%	Engineer	Reyn Chen
Test Standard:	FCC PART 15E		

Test Graph



Suspected Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5126.04	32.59	47.56	14.97	54.00	6.44	AV	Horizo	PASS
2	5150.00	29.31	44.42	15.11	54.00	9.58	AV	Horizo	PASS
3	5350.00	27.68	43.39	15.71	54.00	10.61	AV	Horizo	PASS
4	5397.72	31.06	46.71	15.65	54.00	7.29	AV	Horizo	PASS

Test Report

Project Information

Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5250MHz by 802.11ac(160MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25°C ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15E		


Test Graph



Suspected Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5141.40	41.95	57.01	15.06	74.00	16.99	PK	Vertic	PASS
2	5150.00	36.76	51.87	15.11	74.00	22.13	PK	Vertic	PASS
3	5350.00	36.06	51.77	15.71	74.00	22.23	PK	Vertic	PASS
4	5446.68	38.58	54.77	16.19	74.00	19.23	PK	Vertic	PASS


Test Report



Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5127.48	35.21	50.19	14.98	54.00	3.81	AV	Vertic	PASS
2	5150.00	32.13	47.24	15.11	54.00	6.76	AV	Vertic	PASS
3	5350.00	29.45	45.16	15.71	54.00	8.84	AV	Vertic	PASS
4	5392.68	32.47	48.13	15.66	54.00	5.87	AV	Vertic	PASS

Test Report

Project Information			
Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5570MHz by 802.11ac(160MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25℃ ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15E		




Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5449.49	38.40	54.62	16.22	74.00	19.38	PK	Horizo	PASS
2	5460.00	34.85	51.19	16.34	74.00	22.81	PK	Horizo	PASS

Test Report

Project Information

Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5570MHz by 802.11ac(160MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25°C ; Humi:60%	Engineer	Reyn Chen
Test Standard:	FCC PART 15E		

Test Graph



Suspected Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5456.88	29.27	45.57	16.30	54.00	8.43	AV	Horizo	PASS
2	5460.00	28.75	45.09	16.34	54.00	8.91	AV	Horizo	PASS

Test Report

Project Information

Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5570MHz by 802.11ac(160MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25°C ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15E		

Test Graph




Suspected Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5443.26	37.79	53.94	16.15	74.00	20.06	PK	Vertic	PASS
2	5460.00	33.94	50.28	16.34	74.00	23.72	PK	Vertic	PASS

Test Report

Project Information			
Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5570MHz by 802.11ac(160MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25℃ ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC PART 15E		

Test Graph



Suspected Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5451.93	29.13	45.38	16.25	54.00	8.62	AV	Vertic	PASS
2	5460.00	28.23	44.57	16.34	54.00	9.43	AV	Vertic	PASS

Test Report

Project Information

Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5720MHz by 802.11a	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25°C ; Humi:60%	Engineer	Reyn Chen
Test Standard:	FCC Part15 E		

Test Graph



Suspected Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5850.00	36.46	55.41	18.95	68.30	12.89	PK	Horizo	PASS
2	5884.19	38.35	57.56	19.21	68.30	10.74	PK	Horizo	PASS

Test Report

Project Information

Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5720MHz by 802.11a	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25°C ; Humi:60%	Engineer	Reyn Chen
Test Standard:	FCC Part15 E		

Test Graph



Suspected Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5850.00	36.28	55.23	18.95	68.30	13.07	PK	Vertic	PASS
2	5856.84	38.55	57.54	18.99	68.30	10.76	PK	Vertic	PASS

Test Report

Project Information

Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5720MHz by 802.11n(20MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25°C ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC Part15 E		

Test Graph



Suspected Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5850.00	37.33	56.28	18.95	68.30	12.02	PK	Horizo	PASS
2	5910.10	38.53	57.94	19.41	68.30	10.36	PK	Horizo	PASS

Test Report

Project Information

Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5720MHz by 802.11n(20MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25°C ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC Part15 E		


Test Graph



Suspected Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5850.00	36.40	55.35	18.95	68.30	12.95	PK	Vertic	PASS
2	5858.67	38.99	57.99	19.00	68.30	10.31	PK	Vertic	PASS

Test Report




Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5850.00	36.40	55.35	18.95	68.30	12.95	PK	Horizo	PASS
2	5879.93	38.62	57.80	19.18	68.30	10.50	PK	Horizo	PASS

Test Report

Project Information

Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5710MHz by 802.11n(40MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25°C ; Humi:60%	Engineer	Reyn Chen
Test Standard:	FCC Part15 E		

Test Graph




Suspected Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5850.00	37.24	56.19	18.95	68.30	12.11	PK	Vertic	PASS
2	5873.21	38.66	57.79	19.13	68.30	10.51	PK	Vertic	PASS

Test Report

Project Information			
Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5690MHz by 802.11ac(80MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25℃ ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC Part15 E		




Suspected Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5461.80	38.13	54.49	16.36	68.30	13.81	PK	Horizo	PASS
2	5470.00	37.98	54.43	16.45	68.30	13.87	PK	Horizo	PASS

Test Report

Project Information

Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5690MHz by 802.11ac(80MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25°C ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC Part15 E		

Test Graph



Suspected Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5463.06	38.14	54.52	16.38	68.30	13.78	PK	Vertic	PASS
2	5470.00	37.96	54.41	16.45	68.30	13.89	PK	Vertic	PASS

Test Report

Project Information

Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5745MHz by 802.11a	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25°C ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC Part15 E		

Test Graph



Suspected Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5635.56	36.68	54.74	18.06	68.30	13.56	PK	Horizo	PASS
2	5653.28	37.15	55.39	18.24	70.73	15.34	PK	Horizo	PASS
3	5696.18	36.95	55.62	18.67	102.48	46.86	PK	Horizo	PASS
4	5719.09	44.17	62.84	18.67	110.64	47.80	PK	Horizo	PASS
5	5865.34	37.90	56.96	19.06	108.00	51.04	PK	Horizo	PASS
6	5876.55	38.53	57.69	19.16	104.15	46.46	PK	Horizo	PASS
7	5896.86	38.25	57.56	19.31	89.08	31.52	PK	Horizo	PASS
8	5935.54	37.62	57.23	19.61	68.30	11.07	PK	Horizo	PASS

Test Report

Project Information

Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5745MHz by 802.11a	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25°C ; Humi:60%	Engineer	Reyn Chen
Test Standard:	FCC Part15 E		

Test Graph



Suspected Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5635.24	36.76	54.82	18.06	68.30	13.48	PK	Vertic	PASS
2	5681.06	37.07	55.59	18.52	91.32	35.73	PK	Vertic	PASS
3	5685.45	38.03	56.60	18.57	94.57	37.97	PK	Vertic	PASS
4	5718.76	46.37	65.04	18.67	110.55	45.51	PK	Vertic	PASS
5	5861.93	38.17	57.20	19.03	108.96	51.76	PK	Vertic	PASS
6	5879.96	38.29	57.47	19.18	101.61	44.14	PK	Vertic	PASS
7	5912.95	37.83	57.27	19.44	77.19	19.92	PK	Vertic	PASS
8	5941.88	38.40	58.06	19.66	68.30	10.24	PK	Vertic	PASS

Test Report

Project Information

Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5825MHz by 802.11a	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25°C ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC Part15 E		

Test Graph



Suspected Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5630.53	36.27	54.29	18.02	68.30	14.01	PK	Horizo	PASS
2	5659.29	36.84	55.15	18.31	75.20	20.05	PK	Horizo	PASS
3	5696.66	36.54	55.21	18.67	102.84	47.63	PK	Horizo	PASS
4	5714.86	36.94	55.62	18.68	109.46	53.84	PK	Horizo	PASS
5	5854.29	49.37	68.34	18.97	112.52	44.18	PK	Horizo	PASS
6	5870.38	41.01	60.11	19.10	106.59	46.48	PK	Horizo	PASS
7	5892.48	38.01	57.29	19.28	92.33	35.04	PK	Horizo	PASS
8	5945.78	38.43	58.12	19.69	68.30	10.18	PK	Horizo	PASS

Test Report

Project Information

Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5825MHz by 802.11a	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25°C ; Humi:60%	Engineer	Reyn Chen
Test Standard:	FCC Part15 E		

Test Graph



Suspected Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5644.66	36.52	54.67	18.15	68.30	13.63	PK	Vertic	PASS
2	5660.91	37.67	55.99	18.32	76.40	20.41	PK	Vertic	PASS
3	5708.69	36.86	55.56	18.70	107.73	52.17	PK	Vertic	PASS
4	5711.78	37.34	56.03	18.69	108.60	52.57	PK	Vertic	PASS
5	5854.13	51.70	70.67	18.97	112.89	42.22	PK	Vertic	PASS
6	5863.23	45.09	64.14	19.05	108.59	44.45	PK	Vertic	PASS
7	5888.41	40.81	60.05	19.24	95.34	35.29	PK	Vertic	PASS
8	5932.29	38.49	58.07	19.58	68.30	10.23	PK	Vertic	PASS

Test Report

Project Information

Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5745MHz by 802.11n(20MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25°C ; Humi:60%	Engineer	Reyn Chen
Test Standard:	FCC Part15 E		

Test Graph



Suspected Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5628.90	36.56	54.56	18.00	68.30	13.74	PK	Horizo	PASS
2	5664.33	36.62	54.98	18.36	78.93	23.95	PK	Horizo	PASS
3	5709.66	37.77	56.46	18.69	108.01	51.55	PK	Horizo	PASS
4	5723.48	40.10	58.77	18.67	118.82	60.05	PK	Horizo	PASS
5	5862.58	38.42	57.46	19.04	108.78	51.32	PK	Horizo	PASS
6	5876.06	37.66	56.80	19.14	104.51	47.71	PK	Horizo	PASS
7	5908.89	37.85	57.26	19.41	80.19	22.93	PK	Horizo	PASS
8	5947.73	39.37	59.07	19.70	68.30	9.23	PK	Horizo	PASS

Test Report

Project Information

Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5745MHz by 802.11n(20MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25°C ; Humi:60%	Engineer	Reyn Chen
Test Standard:	FCC Part15 E		

Test Graph



Suspected Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5643.53	36.40	54.55	18.15	68.30	13.75	PK	Vertic	PASS
2	5654.90	36.95	55.21	18.26	71.94	16.73	PK	Vertic	PASS
3	5699.91	37.06	55.77	18.71	105.24	49.47	PK	Vertic	PASS
4	5710.31	41.48	60.17	18.69	108.19	48.02	PK	Vertic	PASS
5	5869.73	38.50	57.60	19.10	106.78	49.18	PK	Vertic	PASS
6	5891.18	38.30	57.57	19.27	93.30	35.73	PK	Vertic	PASS
7	5910.84	38.11	57.53	19.42	78.75	21.22	PK	Vertic	PASS
8	5934.40	37.87	57.47	19.60	68.30	10.83	PK	Vertic	PASS

Test Report

Project Information

Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5825MHz by 802.11n(20MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25°C ; Humi:60%	Engineer	Reyn Chen
Test Standard:	FCC Part15 E		

Test Graph



Suspected Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5634.43	36.81	54.87	18.06	68.30	13.43	PK	Horizo	PASS
2	5657.99	36.16	54.45	18.29	74.23	19.78	PK	Horizo	PASS
3	5682.20	36.17	54.70	18.53	92.17	37.47	PK	Horizo	PASS
4	5709.50	37.18	55.87	18.69	107.96	52.09	PK	Horizo	PASS
5	5854.45	42.24	61.22	18.98	112.15	50.93	PK	Horizo	PASS
6	5874.44	38.11	57.24	19.13	105.46	48.22	PK	Horizo	PASS
7	5891.34	38.23	57.50	19.27	93.18	35.68	PK	Horizo	PASS
8	5941.71	37.94	57.60	19.66	68.30	10.70	PK	Horizo	PASS

Test Report

Project Information

Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5825MHz by 802.11n(20MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25°C ; Humi:60%	Engineer	Reyn Chen
Test Standard:	FCC Part15 E		

Test Graph



Suspected Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5636.38	36.59	54.66	18.07	68.30	13.64	PK	Vertic	PASS
2	5660.43	36.26	54.58	18.32	76.04	21.46	PK	Vertic	PASS
3	5689.35	36.90	55.51	18.61	97.45	41.94	PK	Vertic	PASS
4	5717.95	36.85	55.53	18.68	110.33	54.80	PK	Vertic	PASS
5	5853.80	44.22	63.19	18.97	113.64	50.45	PK	Vertic	PASS
6	5861.44	41.34	60.37	19.03	109.10	48.73	PK	Vertic	PASS
7	5907.75	37.78	57.18	19.40	81.03	23.85	PK	Vertic	PASS
8	5932.45	37.59	57.17	19.58	68.30	11.13	PK	Vertic	PASS

Test Report

Project Information

Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5755MHz by 802.11n(40MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25°C ; Humi:60%	Engineer	Reyn Chen
Test Standard:	FCC Part15 E		

Test Graph



Suspected Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5641.25	36.94	55.06	18.12	68.30	13.24	PK	Horizo	PASS
2	5663.68	37.12	55.47	18.35	78.45	22.98	PK	Horizo	PASS
3	5699.26	44.02	62.72	18.70	104.76	42.04	PK	Horizo	PASS
4	5712.91	51.93	70.62	18.69	108.92	38.30	PK	Horizo	PASS
5	5862.09	38.76	57.79	19.03	108.91	51.12	PK	Horizo	PASS
6	5881.26	38.62	57.81	19.19	100.65	42.84	PK	Horizo	PASS
7	5900.76	38.18	57.52	19.34	86.20	28.68	PK	Horizo	PASS
8	5940.58	37.96	57.61	19.65	68.30	10.69	PK	Horizo	PASS

Test Report

Project Information

Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5755MHz by 802.11n(40MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25°C ; Humi:60%	Engineer	Reyn Chen
Test Standard:	FCC Part15 E		

Test Graph



Suspected Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5633.78	36.61	54.66	18.05	68.30	13.64	PK	Vertic	PASS
2	5667.74	38.04	56.43	18.39	81.46	25.03	PK	Vertic	PASS
3	5686.43	45.23	63.81	18.58	95.29	31.48	PK	Vertic	PASS
4	5716.16	54.19	72.88	18.69	109.83	36.95	PK	Vertic	PASS
5	5857.86	41.42	60.42	19.00	110.10	49.68	PK	Vertic	PASS
6	5880.29	38.53	57.71	19.18	101.37	43.66	PK	Vertic	PASS
7	5907.59	38.51	57.91	19.40	81.15	23.24	PK	Vertic	PASS
8	5940.58	38.43	58.08	19.65	68.30	10.22	PK	Vertic	PASS

Test Report

Project Information

Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5795MHz by 802.11n(40MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25°C ; Humi:60%	Engineer:	Reyn Chen
Test Standard:	FCC Part15 E		

Test Graph



Suspected Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5638.16	36.58	54.67	18.09	68.30	13.63	PK	Horizo	PASS
2	5673.43	37.49	55.94	18.45	85.68	29.74	PK	Horizo	PASS
3	5685.13	37.46	56.03	18.57	94.33	38.30	PK	Horizo	PASS
4	5723.15	40.76	59.43	18.67	118.08	58.65	PK	Horizo	PASS
5	5853.80	49.61	68.58	18.97	113.64	45.06	PK	Horizo	PASS
6	5874.44	40.83	59.96	19.13	105.46	45.50	PK	Horizo	PASS
7	5881.91	40.40	59.60	19.20	100.17	40.57	PK	Horizo	PASS
8	5914.41	38.57	58.02	19.45	76.11	18.09	PK	Horizo	PASS

Test Report

Project Information

Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5795MHz by 802.11n(40MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25°C ; Humi:60%	Engineer	Reyn Chen
Test Standard:	FCC Part15 E		

Test Graph



Suspected Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5632.64	36.27	54.31	18.04	68.30	13.99	PK	Vertic	PASS
2	5670.99	37.83	56.25	18.42	83.87	27.62	PK	Vertic	PASS
3	5697.64	39.77	58.45	18.68	103.56	45.11	PK	Vertic	PASS
4	5721.20	41.34	60.02	18.68	113.64	53.62	PK	Vertic	PASS
5	5854.45	51.92	70.90	18.98	112.15	41.25	PK	Vertic	PASS
6	5864.69	49.41	68.47	19.06	108.19	39.72	PK	Vertic	PASS
7	5897.51	41.95	61.27	19.32	88.60	27.33	PK	Vertic	PASS
8	5925.30	39.50	59.03	19.53	68.30	9.27	PK	Vertic	PASS

Test Report

Project Information

Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5775MHz by 802.11ac(80MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25°C ; Humi:60%	Engineer	Reyn Chen
Test Standard:	FCC Part15 E		

Test Graph



Suspected Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5645.48	36.28	54.44	18.16	68.30	13.86	PK	Horizo	PASS
2	5670.01	37.09	55.50	18.41	83.15	27.65	PK	Horizo	PASS
3	5708.36	38.40	57.10	18.70	107.64	50.54	PK	Horizo	PASS
4	5722.99	45.35	64.02	18.67	117.71	53.69	PK	Horizo	PASS
5	5861.76	40.07	59.10	19.03	109.00	49.90	PK	Horizo	PASS
6	5875.25	38.66	57.80	19.14	105.11	47.31	PK	Horizo	PASS
7	5899.79	38.44	57.78	19.34	86.92	29.14	PK	Horizo	PASS
8	5948.05	38.10	57.80	19.70	68.30	10.50	PK	Horizo	PASS

Test Report

Project Information

Profile:	2490489R	EUT:	5G WiFi 7 Mobile Router
Mode:	Transmit at 5775MHz by 802.11ac(80MHz)	Voltage:	120 Vac / 60 Hz
Environment:	Temp: 25°C ; Humi:60%	Enginee	Reyn Chen
Test Standard:	FCC Part15 E		

Test Graph



Suspected Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5637.68	37.35	55.44	18.09	68.30	12.86	PK	Vertic	PASS
2	5682.53	38.65	57.19	18.54	92.41	35.22	PK	Vertic	PASS
3	5710.80	38.91	57.60	18.69	108.33	50.73	PK	Vertic	PASS
4	5723.64	48.03	66.70	18.67	119.19	52.49	PK	Vertic	PASS
5	5852.66	40.91	59.87	18.96	116.23	56.36	PK	Vertic	PASS
6	5860.63	41.28	60.31	19.03	109.32	49.01	PK	Vertic	PASS
7	5878.83	41.24	60.41	19.17	102.46	42.05	PK	Vertic	PASS
8	5933.43	37.87	57.47	19.60	68.30	10.83	PK	Vertic	PASS

Note : Measurement Level = Reading Level + Factor(Probe+Cable-Amp)

Appendix I: Frequency Stability

TestMode	Frequency [MHz]	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	5180	NV	NT	0.00	0.000000	20	PASS
11A	5180	LV	NT	0.00	0.000000	20	PASS
11A	5180	HV	NT	0.00	0.000000	20	PASS
11A	5200	NV	NT	-20000.00	-3.846154	20	PASS
11A	5200	LV	NT	-20000.00	-3.846154	20	PASS
11A	5200	HV	NT	-20000.00	-3.846154	20	PASS
11A	5240	NV	NT	-20000.00	-3.816794	20	PASS
11A	5240	LV	NT	0.00	0.000000	20	PASS
11A	5240	HV	NT	0.00	0.000000	20	PASS
11A	5260	NV	NT	-20000.00	-3.802281	20	PASS
11A	5260	LV	NT	-20000.00	-3.802281	20	PASS
11A	5260	HV	NT	-20000.00	-3.802281	20	PASS
11A	5280	NV	NT	-20000.00	-3.787879	20	PASS
11A	5280	LV	NT	-40000.00	-7.575758	20	PASS
11A	5280	HV	NT	-20000.00	-3.787879	20	PASS
11A	5320	NV	NT	-20000.00	-3.759398	20	PASS
11A	5320	LV	NT	-20000.00	-3.759398	20	PASS
11A	5320	HV	NT	-20000.00	-3.759398	20	PASS
11A	5500	NV	NT	-20000.00	-3.636364	20	PASS
11A	5500	LV	NT	-20000.00	-3.636364	20	PASS
11A	5500	HV	NT	-20000.00	-3.636364	20	PASS
11A	5580	NV	NT	-40000.00	-7.168459	20	PASS
11A	5580	LV	NT	-20000.00	-3.584229	20	PASS
11A	5580	HV	NT	-20000.00	-3.584229	20	PASS
11A	5700	NV	NT	-20000.00	-3.508772	20	PASS
11A	5700	LV	NT	-20000.00	-3.508772	20	PASS
11A	5700	HV	NT	-20000.00	-3.508772	20	PASS
11A	5720	NV	NT	-20000.00	-3.496503	20	PASS
11A	5720	LV	NT	-20000.00	-3.496503	20	PASS
11A	5720	HV	NT	-20000.00	-3.496503	20	PASS
11A	5745	NV	NT	-20000.00	-3.481288	20	PASS
11A	5745	LV	NT	-20000.00	-3.481288	20	PASS
11A	5745	HV	NT	-20000.00	-3.481288	20	PASS
11A	5785	NV	NT	-20000.00	-3.457217	20	PASS
11A	5785	LV	NT	-20000.00	-3.457217	20	PASS
11A	5785	HV	NT	-20000.00	-3.457217	20	PASS
11A	5825	NV	NT	-20000.00	-3.433476	20	PASS
11A	5825	LV	NT	0.00	0.000000	20	PASS
11A	5825	HV	NT	0.00	0.000000	20	PASS
11N20	5180	NV	NT	-20000.00	-3.861004	20	PASS
11N20	5180	LV	NT	-40000.00	-7.722008	20	PASS
11N20	5180	HV	NT	-20000.00	-3.861004	20	PASS
11N20	5200	NV	NT	-20000.00	-3.846154	20	PASS
11N20	5200	LV	NT	-40000.00	-7.692308	20	PASS
11N20	5200	HV	NT	-20000.00	-3.846154	20	PASS
11N20	5240	NV	NT	-40000.00	-7.633588	20	PASS

11N20	5240	LV	NT	-40000.00	-7.633588	20	PASS
11N20	5240	HV	NT	-40000.00	-7.633588	20	PASS
11N20	5260	NV	NT	-40000.00	-7.604563	20	PASS
11N20	5260	LV	NT	-20000.00	-3.802281	20	PASS
11N20	5260	HV	NT	-20000.00	-3.802281	20	PASS
11N20	5280	NV	NT	-40000.00	-7.575758	20	PASS
11N20	5280	LV	NT	-40000.00	-7.575758	20	PASS
11N20	5280	HV	NT	-60000.00	-11.363636	20	PASS
11N20	5320	NV	NT	-20000.00	-3.759398	20	PASS
11N20	5320	LV	NT	-40000.00	-7.518797	20	PASS
11N20	5320	HV	NT	-20000.00	-3.759398	20	PASS
11N20	5500	NV	NT	-40000.00	-7.272727	20	PASS
11N20	5500	LV	NT	-40000.00	-7.272727	20	PASS
11N20	5500	HV	NT	-40000.00	-7.272727	20	PASS
11N20	5580	NV	NT	-40000.00	-7.168459	20	PASS
11N20	5580	LV	NT	-40000.00	-7.168459	20	PASS
11N20	5580	HV	NT	-40000.00	-7.168459	20	PASS
11N20	5700	NV	NT	-40000.00	-7.017544	20	PASS
11N20	5700	LV	NT	-40000.00	-7.017544	20	PASS
11N20	5700	HV	NT	-40000.00	-7.017544	20	PASS
11N20	5720	NV	NT	-40000.00	-6.993007	20	PASS
11N20	5720	LV	NT	-40000.00	-6.993007	20	PASS
11N20	5720	HV	NT	-20000.00	-3.496503	20	PASS
11N20	5745	NV	NT	-40000.00	-6.962576	20	PASS
11N20	5745	LV	NT	-40000.00	-6.962576	20	PASS
11N20	5745	HV	NT	-40000.00	-6.962576	20	PASS
11N20	5785	NV	NT	-40000.00	-6.914434	20	PASS
11N20	5785	LV	NT	-40000.00	-6.914434	20	PASS
11N20	5785	HV	NT	-60000.00	-10.371651	20	PASS
11N20	5825	NV	NT	-40000.00	-6.866953	20	PASS
11N20	5825	LV	NT	-20000.00	-3.433476	20	PASS
11N20	5825	HV	NT	-40000.00	-6.866953	20	PASS
11N40	5190	NV	NT	-40000.00	-7.707129	20	PASS
11N40	5190	LV	NT	-40000.00	-7.707129	20	PASS
11N40	5190	HV	NT	-40000.00	-7.707129	20	PASS
11N40	5230	NV	NT	-40000.00	-7.648184	20	PASS
11N40	5230	LV	NT	-40000.00	-7.648184	20	PASS
11N40	5230	HV	NT	0.00	0.000000	20	PASS
11N40	5270	NV	NT	0.00	0.000000	20	PASS
11N40	5270	LV	NT	-40000.00	-7.590133	20	PASS
11N40	5270	HV	NT	-40000.00	-7.590133	20	PASS
11N40	5310	NV	NT	-40000.00	-7.532957	20	PASS
11N40	5310	LV	NT	-40000.00	-7.532957	20	PASS
11N40	5310	HV	NT	-40000.00	-7.532957	20	PASS
11N40	5510	NV	NT	0.00	0.000000	20	PASS
11N40	5510	LV	NT	-40000.00	-7.259528	20	PASS
11N40	5510	HV	NT	-40000.00	-7.259528	20	PASS
11N40	5550	NV	NT	-40000.00	-7.207207	20	PASS
11N40	5550	LV	NT	-40000.00	-7.207207	20	PASS
11N40	5550	HV	NT	-40000.00	-7.207207	20	PASS
11N40	5670	NV	NT	-40000.00	-7.054674	20	PASS

11N40	5670	LV	NT	-40000.00	-7.054674	20	PASS
11N40	5670	HV	NT	-40000.00	-7.054674	20	PASS
11N40	5710	NV	NT	-40000.00	-7.005254	20	PASS
11N40	5710	LV	NT	-40000.00	-7.005254	20	PASS
11N40	5710	HV	NT	-40000.00	-7.005254	20	PASS
11N40	5755	NV	NT	0.00	0.000000	20	PASS
11N40	5755	LV	NT	-40000.00	-6.950478	20	PASS
11N40	5755	HV	NT	-40000.00	-6.950478	20	PASS
11N40	5795	NV	NT	-40000.00	-6.902502	20	PASS
11N40	5795	LV	NT	-40000.00	-6.902502	20	PASS
11N40	5795	HV	NT	-40000.00	-6.902502	20	PASS
11AC80	5210	NV	NT	-40000.00	-7.722008	20	PASS
11AC80	5210	LV	NT	-20000.00	-3.861004	20	PASS
11AC80	5210	HV	NT	-20000.00	-3.861004	20	PASS
11AC80	5290	NV	NT	-40000.00	-7.692308	20	PASS
11AC80	5290	LV	NT	-40000.00	-7.692308	20	PASS
11AC80	5290	HV	NT	-20000.00	-3.846154	20	PASS
11AC80	5530	NV	NT	-20000.00	-3.816794	20	PASS
11AC80	5530	LV	NT	-20000.00	-3.816794	20	PASS
11AC80	5530	HV	NT	-40000.00	-7.633588	20	PASS
11AC80	5610	NV	NT	-20000.00	-3.802281	20	PASS
11AC80	5610	LV	NT	-20000.00	-3.802281	20	PASS
11AC80	5610	HV	NT	-40000.00	-7.692308	20	PASS
11AC80	5690	NV	NT	-40000.00	-7.692308	20	PASS
11AC80	5690	LV	NT	-20000.00	-3.846154	20	PASS
11AC80	5690	HV	NT	-20000.00	-7.692308	20	PASS
11AC80	5775	NV	NT	-20000.00	-7.692308	20	PASS
11AC80	5775	LV	NT	-40000.00	-3.846154	20	PASS
11AC80	5775	HV	NT	-20000.00	-3.816794	20	PASS
11AC160	5250	NV	NT	-20000.00	-3.816794	20	PASS
11AC160	5250	LV	NT	-20000.00	-7.633588	20	PASS
11AC160	5250	HV	NT	-40000.00	-7.692308	20	PASS
11AC160	5570	NV	NT	-20000.00	-3.802281	20	PASS
11AC160	5570	LV	NT	-20000.00	-3.802281	20	PASS
11AC160	5570	HV	NT	-40000.00	-7.604563	20	PASS

TestMode	Antenna	Frequency [MHz]	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5180	NV	-30	0.00	0.000000	20	PASS
11A	Ant1	5180	NV	-20	0.00	0.000000	20	PASS
11A	Ant1	5180	NV	-10	0.00	0.000000	20	PASS
11A	Ant1	5180	NV	0	0.00	0.000000	20	PASS
11A	Ant1	5180	NV	10	0.00	0.000000	20	PASS
11A	Ant1	5180	NV	20	0.00	0.000000	20	PASS
11A	Ant1	5180	NV	30	0.00	0.000000	20	PASS
11A	Ant1	5180	NV	40	-20000.00	-3.861004	20	PASS
11A	Ant1	5180	NV	50	0.00	0.000000	20	PASS
11A	Ant1	5200	NV	-30	-20000.00	-3.846154	20	PASS
11A	Ant1	5200	NV	-20	0.00	0.000000	20	PASS

11A	Ant1	5200	NV	-10	0.00	0.000000	20	PASS
11A	Ant1	5200	NV	0	0.00	0.000000	20	PASS
11A	Ant1	5200	NV	10	-20000.00	-3.846154	20	PASS
11A	Ant1	5200	NV	20	-20000.00	-3.846154	20	PASS
11A	Ant1	5200	NV	30	-20000.00	-3.846154	20	PASS
11A	Ant1	5200	NV	40	-20000.00	-3.846154	20	PASS
11A	Ant1	5200	NV	50	0.00	0.000000	20	PASS
11A	Ant1	5240	NV	-30	0.00	0.000000	20	PASS
11A	Ant1	5240	NV	-20	0.00	0.000000	20	PASS
11A	Ant1	5240	NV	-10	0.00	0.000000	20	PASS
11A	Ant1	5240	NV	0	-20000.00	-3.816794	20	PASS
11A	Ant1	5240	NV	10	-20000.00	-3.816794	20	PASS
11A	Ant1	5240	NV	20	0.00	0.000000	20	PASS
11A	Ant1	5240	NV	30	-20000.00	-3.816794	20	PASS
11A	Ant1	5240	NV	40	-40000.00	-7.633588	20	PASS
11A	Ant1	5240	NV	50	0.00	0.000000	20	PASS
11A	Ant1	5260	NV	-30	0.00	0.000000	20	PASS
11A	Ant1	5260	NV	-20	0.00	0.000000	20	PASS
11A	Ant1	5260	NV	-10	-20000.00	-3.802281	20	PASS
11A	Ant1	5260	NV	0	-20000.00	-3.802281	20	PASS
11A	Ant1	5260	NV	10	0.00	0.000000	20	PASS
11A	Ant1	5260	NV	20	0.00	0.000000	20	PASS
11A	Ant1	5260	NV	30	-20000.00	-3.802281	20	PASS
11A	Ant1	5260	NV	40	-20000.00	-3.802281	20	PASS
11A	Ant1	5260	NV	50	-20000.00	-3.802281	20	PASS
11A	Ant1	5280	NV	-30	-20000.00	-3.787879	20	PASS
11A	Ant1	5280	NV	-20	-20000.00	-3.787879	20	PASS
11A	Ant1	5280	NV	-10	-40000.00	-7.575758	20	PASS
11A	Ant1	5280	NV	0	-20000.00	-3.787879	20	PASS
11A	Ant1	5280	NV	10	-20000.00	-3.787879	20	PASS
11A	Ant1	5280	NV	20	-40000.00	-7.575758	20	PASS
11A	Ant1	5280	NV	30	-20000.00	-3.787879	20	PASS
11A	Ant1	5280	NV	40	-20000.00	-3.787879	20	PASS
11A	Ant1	5280	NV	50	-20000.00	-3.787879	20	PASS
11A	Ant1	5320	NV	-30	0.00	0.000000	20	PASS
11A	Ant1	5320	NV	-20	-20000.00	-3.759398	20	PASS
11A	Ant1	5320	NV	-10	-20000.00	-3.759398	20	PASS
11A	Ant1	5320	NV	0	-20000.00	-3.759398	20	PASS
11A	Ant1	5320	NV	10	0.00	0.000000	20	PASS
11A	Ant1	5320	NV	20	0.00	0.000000	20	PASS
11A	Ant1	5320	NV	30	-20000.00	-3.759398	20	PASS
11A	Ant1	5320	NV	40	-20000.00	-3.759398	20	PASS
11A	Ant1	5320	NV	50	-20000.00	-3.759398	20	PASS
11A	Ant1	5500	NV	-30	-20000.00	-3.636364	20	PASS
11A	Ant1	5500	NV	-20	-20000.00	-3.636364	20	PASS
11A	Ant1	5500	NV	-10	-40000.00	-7.272727	20	PASS
11A	Ant1	5500	NV	0	-20000.00	-3.636364	20	PASS
11A	Ant1	5500	NV	10	-20000.00	-3.636364	20	PASS
11A	Ant1	5500	NV	20	-20000.00	-3.636364	20	PASS
11A	Ant1	5500	NV	30	-20000.00	-3.636364	20	PASS
11A	Ant1	5500	NV	40	-20000.00	-3.636364	20	PASS

11A	Ant1	5500	NV	50	-40000.00	-7.272727	20	PASS
11A	Ant1	5580	NV	-30	-40000.00	-7.168459	20	PASS
11A	Ant1	5580	NV	-20	-20000.00	-3.584229	20	PASS
11A	Ant1	5580	NV	-10	-20000.00	-3.584229	20	PASS
11A	Ant1	5580	NV	0	-20000.00	-3.584229	20	PASS
11A	Ant1	5580	NV	10	-20000.00	-3.584229	20	PASS
11A	Ant1	5580	NV	20	-20000.00	-3.584229	20	PASS
11A	Ant1	5580	NV	30	-20000.00	-3.584229	20	PASS
11A	Ant1	5580	NV	40	-40000.00	-7.168459	20	PASS
11A	Ant1	5580	NV	50	-20000.00	-3.584229	20	PASS
11A	Ant1	5700	NV	-30	-20000.00	-3.508772	20	PASS
11A	Ant1	5700	NV	-20	-20000.00	-3.508772	20	PASS
11A	Ant1	5700	NV	-10	-20000.00	-3.508772	20	PASS
11A	Ant1	5700	NV	0	0.00	0.000000	20	PASS
11A	Ant1	5700	NV	10	-20000.00	-3.508772	20	PASS
11A	Ant1	5700	NV	20	-20000.00	-3.508772	20	PASS
11A	Ant1	5700	NV	30	-20000.00	-3.508772	20	PASS
11A	Ant1	5700	NV	40	-20000.00	-3.508772	20	PASS
11A	Ant1	5700	NV	50	-20000.00	-3.508772	20	PASS
11A	Ant1	5720	NV	-30	-20000.00	-3.496503	20	PASS
11A	Ant1	5720	NV	-20	-40000.00	-6.993007	20	PASS
11A	Ant1	5720	NV	-10	-20000.00	-3.496503	20	PASS
11A	Ant1	5720	NV	0	-20000.00	-3.496503	20	PASS
11A	Ant1	5720	NV	10	-20000.00	-3.496503	20	PASS
11A	Ant1	5720	NV	20	-20000.00	-3.496503	20	PASS
11A	Ant1	5720	NV	30	-20000.00	-3.496503	20	PASS
11A	Ant1	5720	NV	40	-20000.00	-3.496503	20	PASS
11A	Ant1	5720	NV	50	-20000.00	-3.496503	20	PASS
11A	Ant1	5745	NV	-30	-20000.00	-3.481288	20	PASS
11A	Ant1	5745	NV	-20	-20000.00	-3.481288	20	PASS
11A	Ant1	5745	NV	-10	-20000.00	-3.481288	20	PASS
11A	Ant1	5745	NV	0	-20000.00	-3.481288	20	PASS
11A	Ant1	5745	NV	10	-20000.00	-3.481288	20	PASS
11A	Ant1	5745	NV	20	-20000.00	-3.481288	20	PASS
11A	Ant1	5745	NV	30	0.00	0.000000	20	PASS
11A	Ant1	5745	NV	40	-20000.00	-3.481288	20	PASS
11A	Ant1	5745	NV	50	-20000.00	-3.481288	20	PASS
11A	Ant1	5785	NV	-30	-20000.00	-3.457217	20	PASS
11A	Ant1	5785	NV	-20	-20000.00	-3.457217	20	PASS
11A	Ant1	5785	NV	-10	-20000.00	-3.457217	20	PASS
11A	Ant1	5785	NV	0	-20000.00	-3.457217	20	PASS
11A	Ant1	5785	NV	10	-20000.00	-3.457217	20	PASS
11A	Ant1	5785	NV	20	-20000.00	-3.457217	20	PASS
11A	Ant1	5785	NV	30	-40000.00	-6.914434	20	PASS
11A	Ant1	5785	NV	40	-40000.00	-6.914434	20	PASS
11A	Ant1	5785	NV	50	-20000.00	-3.457217	20	PASS
11A	Ant1	5825	NV	-30	0.00	0.000000	20	PASS
11A	Ant1	5825	NV	-20	0.00	0.000000	20	PASS
11A	Ant1	5825	NV	-10	-20000.00	-3.433476	20	PASS
11A	Ant1	5825	NV	0	-20000.00	-3.433476	20	PASS
11A	Ant1	5825	NV	10	-20000.00	-3.433476	20	PASS

11A	Ant1	5825	NV	20	0.00	0.000000	20	PASS
11A	Ant1	5825	NV	30	0.00	0.000000	20	PASS
11A	Ant1	5825	NV	40	0.00	0.000000	20	PASS
11A	Ant1	5825	NV	50	-40000.00	-6.866953	20	PASS
11N20	Ant1	5180	NV	-30	-40000.00	-7.722008	20	PASS
11N20	Ant1	5180	NV	-20	-40000.00	-7.722008	20	PASS
11N20	Ant1	5180	NV	-10	-40000.00	-7.722008	20	PASS
11N20	Ant1	5180	NV	0	-20000.00	-3.861004	20	PASS
11N20	Ant1	5180	NV	10	-20000.00	-3.861004	20	PASS
11N20	Ant1	5180	NV	20	-20000.00	-3.861004	20	PASS
11N20	Ant1	5180	NV	30	-20000.00	-3.861004	20	PASS
11N20	Ant1	5180	NV	40	-40000.00	-7.722008	20	PASS
11N20	Ant1	5180	NV	50	-20000.00	-3.861004	20	PASS
11N20	Ant1	5200	NV	-30	-40000.00	-7.692308	20	PASS
11N20	Ant1	5200	NV	-20	-40000.00	-7.692308	20	PASS
11N20	Ant1	5200	NV	-10	-40000.00	-7.692308	20	PASS
11N20	Ant1	5200	NV	0	-20000.00	-3.846154	20	PASS
11N20	Ant1	5200	NV	10	-40000.00	-7.692308	20	PASS
11N20	Ant1	5200	NV	20	-20000.00	-3.846154	20	PASS
11N20	Ant1	5200	NV	30	-20000.00	-3.846154	20	PASS
11N20	Ant1	5200	NV	40	-20000.00	-3.846154	20	PASS
11N20	Ant1	5200	NV	50	-20000.00	-3.846154	20	PASS
11N20	Ant1	5240	NV	-30	-40000.00	-7.633588	20	PASS
11N20	Ant1	5240	NV	-20	-40000.00	-7.633588	20	PASS
11N20	Ant1	5240	NV	-10	-40000.00	-7.633588	20	PASS
11N20	Ant1	5240	NV	0	-40000.00	-7.633588	20	PASS
11N20	Ant1	5240	NV	10	-40000.00	-7.633588	20	PASS
11N20	Ant1	5240	NV	20	-20000.00	-3.816794	20	PASS
11N20	Ant1	5240	NV	30	-20000.00	-3.816794	20	PASS
11N20	Ant1	5240	NV	40	-40000.00	-7.633588	20	PASS
11N20	Ant1	5240	NV	50	-20000.00	-3.816794	20	PASS
11N20	Ant1	5260	NV	-30	-20000.00	-3.802281	20	PASS
11N20	Ant1	5260	NV	-20	-20000.00	-3.802281	20	PASS
11N20	Ant1	5260	NV	-10	-20000.00	-3.802281	20	PASS
11N20	Ant1	5260	NV	0	-20000.00	-3.802281	20	PASS
11N20	Ant1	5260	NV	10	-20000.00	-3.802281	20	PASS
11N20	Ant1	5260	NV	20	-40000.00	-7.604563	20	PASS
11N20	Ant1	5260	NV	30	-20000.00	-3.802281	20	PASS
11N20	Ant1	5260	NV	40	-40000.00	-7.604563	20	PASS
11N20	Ant1	5260	NV	50	-20000.00	-3.802281	20	PASS
11N20	Ant1	5280	NV	-30	-40000.00	-7.575758	20	PASS
11N20	Ant1	5280	NV	-20	-20000.00	-3.787879	20	PASS
11N20	Ant1	5280	NV	-10	-20000.00	-3.787879	20	PASS
11N20	Ant1	5280	NV	0	-20000.00	-3.787879	20	PASS
11N20	Ant1	5280	NV	10	-40000.00	-7.575758	20	PASS
11N20	Ant1	5280	NV	20	-20000.00	-3.787879	20	PASS
11N20	Ant1	5280	NV	30	-20000.00	-3.787879	20	PASS
11N20	Ant1	5280	NV	40	-40000.00	-7.575758	20	PASS
11N20	Ant1	5280	NV	50	-20000.00	-3.787879	20	PASS
11N20	Ant1	5320	NV	-30	-20000.00	-3.759398	20	PASS
11N20	Ant1	5320	NV	-20	-40000.00	-7.518797	20	PASS

11N20	Ant1	5320	NV	-10	-40000.00	-7.518797	20	PASS
11N20	Ant1	5320	NV	0	-20000.00	-3.759398	20	PASS
11N20	Ant1	5320	NV	10	-20000.00	-3.759398	20	PASS
11N20	Ant1	5320	NV	20	-20000.00	-3.759398	20	PASS
11N20	Ant1	5320	NV	30	-60000.00	-11.278195	20	PASS
11N20	Ant1	5320	NV	40	-40000.00	-7.518797	20	PASS
11N20	Ant1	5320	NV	50	-60000.00	-11.278195	20	PASS
11N20	Ant1	5500	NV	-30	-40000.00	-7.272727	20	PASS
11N20	Ant1	5500	NV	-20	-40000.00	-7.272727	20	PASS
11N20	Ant1	5500	NV	-10	-40000.00	-7.272727	20	PASS
11N20	Ant1	5500	NV	0	-40000.00	-7.272727	20	PASS
11N20	Ant1	5500	NV	10	-40000.00	-7.272727	20	PASS
11N20	Ant1	5500	NV	20	-40000.00	-7.272727	20	PASS
11N20	Ant1	5500	NV	30	-60000.00	-10.909091	20	PASS
11N20	Ant1	5500	NV	40	-40000.00	-7.272727	20	PASS
11N20	Ant1	5500	NV	50	-40000.00	-7.272727	20	PASS
11N20	Ant1	5580	NV	-30	-40000.00	-7.168459	20	PASS
11N20	Ant1	5580	NV	-20	-40000.00	-7.168459	20	PASS
11N20	Ant1	5580	NV	-10	-20000.00	-3.584229	20	PASS
11N20	Ant1	5580	NV	0	-40000.00	-7.168459	20	PASS
11N20	Ant1	5580	NV	10	-40000.00	-7.168459	20	PASS
11N20	Ant1	5580	NV	20	-40000.00	-7.168459	20	PASS
11N20	Ant1	5580	NV	30	-40000.00	-7.168459	20	PASS
11N20	Ant1	5580	NV	40	-40000.00	-7.168459	20	PASS
11N20	Ant1	5580	NV	50	-20000.00	-3.584229	20	PASS
11N20	Ant1	5700	NV	-30	-40000.00	-7.017544	20	PASS
11N20	Ant1	5700	NV	-20	-40000.00	-7.017544	20	PASS
11N20	Ant1	5700	NV	-10	-40000.00	-7.017544	20	PASS
11N20	Ant1	5700	NV	0	-40000.00	-7.017544	20	PASS
11N20	Ant1	5700	NV	10	-40000.00	-7.017544	20	PASS
11N20	Ant1	5700	NV	20	-20000.00	-3.508772	20	PASS
11N20	Ant1	5700	NV	30	-40000.00	-7.017544	20	PASS
11N20	Ant1	5700	NV	40	-40000.00	-7.017544	20	PASS
11N20	Ant1	5700	NV	50	-40000.00	-7.017544	20	PASS
11N20	Ant1	5720	NV	-30	-20000.00	-3.496503	20	PASS
11N20	Ant1	5720	NV	-20	-40000.00	-6.993007	20	PASS
11N20	Ant1	5720	NV	-10	-60000.00	-10.489510	20	PASS
11N20	Ant1	5720	NV	0	-60000.00	-10.489510	20	PASS
11N20	Ant1	5720	NV	10	-60000.00	-10.489510	20	PASS
11N20	Ant1	5720	NV	20	-60000.00	-10.489510	20	PASS
11N20	Ant1	5720	NV	30	-60000.00	-10.489510	20	PASS
11N20	Ant1	5720	NV	40	-60000.00	-10.489510	20	PASS
11N20	Ant1	5720	NV	50	-60000.00	-10.489510	20	PASS
11N20	Ant1	5745	NV	-30	-60000.00	-10.443864	20	PASS
11N20	Ant1	5745	NV	-20	-40000.00	-6.962576	20	PASS
11N20	Ant1	5745	NV	-10	-40000.00	-6.962576	20	PASS
11N20	Ant1	5745	NV	0	-20000.00	-3.481288	20	PASS
11N20	Ant1	5745	NV	10	-40000.00	-6.962576	20	PASS
11N20	Ant1	5745	NV	20	-40000.00	-6.962576	20	PASS
11N20	Ant1	5745	NV	30	-20000.00	-3.481288	20	PASS
11N20	Ant1	5745	NV	40	-40000.00	-6.962576	20	PASS

11N20	Ant1	5745	NV	50	-40000.00	-6.962576	20	PASS
11N20	Ant1	5785	NV	-30	-40000.00	-6.914434	20	PASS
11N20	Ant1	5785	NV	-20	-60000.00	-10.371651	20	PASS
11N20	Ant1	5785	NV	-10	-40000.00	-6.914434	20	PASS
11N20	Ant1	5785	NV	0	-60000.00	-10.371651	20	PASS
11N20	Ant1	5785	NV	10	-40000.00	-6.914434	20	PASS
11N20	Ant1	5785	NV	20	-40000.00	-6.914434	20	PASS
11N20	Ant1	5785	NV	30	-60000.00	-10.371651	20	PASS
11N20	Ant1	5785	NV	40	-40000.00	-6.914434	20	PASS
11N20	Ant1	5785	NV	50	-40000.00	-6.914434	20	PASS
11N20	Ant1	5825	NV	-30	-60000.00	-10.300429	20	PASS
11N20	Ant1	5825	NV	-20	-40000.00	-6.866953	20	PASS
11N20	Ant1	5825	NV	-10	-40000.00	-6.866953	20	PASS
11N20	Ant1	5825	NV	0	-40000.00	-6.866953	20	PASS
11N20	Ant1	5825	NV	10	-40000.00	-6.866953	20	PASS
11N20	Ant1	5825	NV	20	-40000.00	-6.866953	20	PASS
11N20	Ant1	5825	NV	30	-60000.00	-10.300429	20	PASS
11N20	Ant1	5825	NV	40	-20000.00	-3.433476	20	PASS
11N20	Ant1	5825	NV	50	-40000.00	-6.866953	20	PASS
11N40	Ant1	5190	NV	-30	-40000.00	-7.707129	20	PASS
11N40	Ant1	5190	NV	-20	0.00	0.000000	20	PASS
11N40	Ant1	5190	NV	-10	-40000.00	-7.707129	20	PASS
11N40	Ant1	5190	NV	0	-40000.00	-7.707129	20	PASS
11N40	Ant1	5190	NV	10	-40000.00	-7.707129	20	PASS
11N40	Ant1	5190	NV	20	-40000.00	-7.707129	20	PASS
11N40	Ant1	5190	NV	30	0.00	0.000000	20	PASS
11N40	Ant1	5190	NV	40	-40000.00	-7.707129	20	PASS
11N40	Ant1	5190	NV	50	-40000.00	-7.707129	20	PASS
11N40	Ant1	5230	NV	-30	-40000.00	-7.648184	20	PASS
11N40	Ant1	5230	NV	-20	-40000.00	-7.648184	20	PASS
11N40	Ant1	5230	NV	-10	0.00	0.000000	20	PASS
11N40	Ant1	5230	NV	0	-40000.00	-7.648184	20	PASS
11N40	Ant1	5230	NV	10	-40000.00	-7.648184	20	PASS
11N40	Ant1	5230	NV	20	-40000.00	-7.648184	20	PASS
11N40	Ant1	5230	NV	30	-40000.00	-7.648184	20	PASS
11N40	Ant1	5230	NV	40	-40000.00	-7.648184	20	PASS
11N40	Ant1	5230	NV	50	-40000.00	-7.648184	20	PASS
11N40	Ant1	5270	NV	-30	-40000.00	-7.590133	20	PASS
11N40	Ant1	5270	NV	-20	-40000.00	-7.590133	20	PASS
11N40	Ant1	5270	NV	-10	-40000.00	-7.590133	20	PASS
11N40	Ant1	5270	NV	0	-40000.00	-7.590133	20	PASS
11N40	Ant1	5270	NV	10	0.00	0.000000	20	PASS
11N40	Ant1	5270	NV	20	-40000.00	-7.590133	20	PASS
11N40	Ant1	5270	NV	30	-40000.00	-7.590133	20	PASS
11N40	Ant1	5270	NV	40	-40000.00	-7.590133	20	PASS
11N40	Ant1	5270	NV	50	0.00	0.000000	20	PASS
11N40	Ant1	5310	NV	-30	-40000.00	-7.532957	20	PASS
11N40	Ant1	5310	NV	-20	-40000.00	-7.532957	20	PASS
11N40	Ant1	5310	NV	-10	-40000.00	-7.532957	20	PASS
11N40	Ant1	5310	NV	0	-40000.00	-7.532957	20	PASS
11N40	Ant1	5310	NV	10	-40000.00	-7.532957	20	PASS

11N40	Ant1	5310	NV	20	-40000.00	-7.532957	20	PASS
11N40	Ant1	5310	NV	30	-40000.00	-7.532957	20	PASS
11N40	Ant1	5310	NV	40	-80000.00	-15.065913	20	PASS
11N40	Ant1	5310	NV	50	-40000.00	-7.532957	20	PASS
11N40	Ant1	5510	NV	-30	-40000.00	-7.259528	20	PASS
11N40	Ant1	5510	NV	-20	-40000.00	-7.259528	20	PASS
11N40	Ant1	5510	NV	-10	-40000.00	-7.259528	20	PASS
11N40	Ant1	5510	NV	0	-40000.00	-7.259528	20	PASS
11N40	Ant1	5510	NV	10	-40000.00	-7.259528	20	PASS
11N40	Ant1	5510	NV	20	-40000.00	-7.259528	20	PASS
11N40	Ant1	5510	NV	30	-40000.00	-7.259528	20	PASS
11N40	Ant1	5510	NV	40	-40000.00	-7.259528	20	PASS
11N40	Ant1	5510	NV	50	-40000.00	-7.259528	20	PASS
11N40	Ant1	5550	NV	-30	-40000.00	-7.207207	20	PASS
11N40	Ant1	5550	NV	-20	-40000.00	-7.207207	20	PASS
11N40	Ant1	5550	NV	-10	-40000.00	-7.207207	20	PASS
11N40	Ant1	5550	NV	0	-40000.00	-7.207207	20	PASS
11N40	Ant1	5550	NV	10	-40000.00	-7.207207	20	PASS
11N40	Ant1	5550	NV	20	-40000.00	-7.207207	20	PASS
11N40	Ant1	5550	NV	30	-40000.00	-7.207207	20	PASS
11N40	Ant1	5550	NV	40	-40000.00	-7.207207	20	PASS
11N40	Ant1	5550	NV	50	-40000.00	-7.207207	20	PASS
11N40	Ant1	5670	NV	-30	-40000.00	-7.054674	20	PASS
11N40	Ant1	5670	NV	-20	-40000.00	-7.054674	20	PASS
11N40	Ant1	5670	NV	-10	-40000.00	-7.054674	20	PASS
11N40	Ant1	5670	NV	0	-40000.00	-7.054674	20	PASS
11N40	Ant1	5670	NV	10	-40000.00	-7.054674	20	PASS
11N40	Ant1	5670	NV	20	-40000.00	-7.054674	20	PASS
11N40	Ant1	5670	NV	30	-40000.00	-7.054674	20	PASS
11N40	Ant1	5670	NV	40	0.00	0.000000	20	PASS
11N40	Ant1	5670	NV	50	-40000.00	-7.054674	20	PASS
11N40	Ant1	5710	NV	-30	-40000.00	-7.005254	20	PASS
11N40	Ant1	5710	NV	-20	-40000.00	-7.005254	20	PASS
11N40	Ant1	5710	NV	-10	-40000.00	-7.005254	20	PASS
11N40	Ant1	5710	NV	0	-40000.00	-7.005254	20	PASS
11N40	Ant1	5710	NV	10	0.00	0.000000	20	PASS
11N40	Ant1	5710	NV	20	-40000.00	-7.005254	20	PASS
11N40	Ant1	5710	NV	30	-40000.00	-7.005254	20	PASS
11N40	Ant1	5710	NV	40	0.00	0.000000	20	PASS
11N40	Ant1	5710	NV	50	-40000.00	-7.005254	20	PASS
11N40	Ant1	5755	NV	-30	-40000.00	-6.950478	20	PASS
11N40	Ant1	5755	NV	-20	-40000.00	-6.950478	20	PASS
11N40	Ant1	5755	NV	-10	-40000.00	-6.950478	20	PASS
11N40	Ant1	5755	NV	0	0.00	0.000000	20	PASS
11N40	Ant1	5755	NV	10	0.00	0.000000	20	PASS
11N40	Ant1	5755	NV	20	-40000.00	-6.950478	20	PASS
11N40	Ant1	5755	NV	30	0.00	0.000000	20	PASS
11N40	Ant1	5755	NV	40	-40000.00	-6.950478	20	PASS
11N40	Ant1	5755	NV	50	-40000.00	-6.950478	20	PASS
11N40	Ant1	5795	NV	-30	-80000.00	-13.805004	20	PASS
11N40	Ant1	5795	NV	-20	-80000.00	-13.805004	20	PASS

11N40	Ant1	5795	NV	-10	0.00	0.000000	20	PASS
11N40	Ant1	5795	NV	0	0.00	0.000000	20	PASS
11N40	Ant1	5795	NV	10	-40000.00	-6.902502	20	PASS
11N40	Ant1	5795	NV	20	-40000.00	-6.902502	20	PASS
11N40	Ant1	5795	NV	30	-80000.00	-13.805004	20	PASS
11N40	Ant1	5795	NV	40	-40000.00	-6.902502	20	PASS
11N40	Ant1	5795	NV	50	-40000.00	-6.902502	20	PASS
11AC80	Ant1	5210	NV	-30	-40000.00	-7.707129	20	PASS
11AC80	Ant1	5210	NV	-20	-40000.00	-7.707129	20	PASS
11AC80	Ant1	5210	NV	-10	-40000.00	-7.707129	20	PASS
11AC80	Ant1	5210	NV	0	0.00	0.000000	20	PASS
11AC80	Ant1	5210	NV	10	-40000.00	-7.707129	20	PASS
11AC80	Ant1	5210	NV	20	-40000.00	-7.707129	20	PASS
11AC80	Ant1	5210	NV	30	-40000.00	-7.707129	20	PASS
11AC80	Ant1	5210	NV	40	0.00	0.000000	20	PASS
11AC80	Ant1	5210	NV	50	-40000.00	-7.707129	20	PASS
11AC80	Ant1	5290	NV	-30	-40000.00	-7.648184	20	PASS
11AC80	Ant1	5290	NV	-20	-40000.00	-7.648184	20	PASS
11AC80	Ant1	5290	NV	-10	-40000.00	-7.648184	20	PASS
11AC80	Ant1	5290	NV	0	0.00	0.000000	20	PASS
11AC80	Ant1	5290	NV	10	-40000.00	-7.648184	20	PASS
11AC80	Ant1	5290	NV	20	-40000.00	-7.648184	20	PASS
11AC80	Ant1	5290	NV	30	-40000.00	-7.648184	20	PASS
11AC80	Ant1	5290	NV	40	-40000.00	-7.648184	20	PASS
11AC80	Ant1	5290	NV	50	-40000.00	-7.648184	20	PASS
11AC80	Ant1	5530	NV	-30	-40000.00	-7.590133	20	PASS
11AC80	Ant1	5530	NV	-20	-40000.00	-7.590133	20	PASS
11AC80	Ant1	5530	NV	-10	-40000.00	-7.590133	20	PASS
11AC80	Ant1	5530	NV	0	-40000.00	-7.590133	20	PASS
11AC80	Ant1	5530	NV	10	-40000.00	-7.590133	20	PASS
11AC80	Ant1	5530	NV	20	0.00	0.000000	20	PASS
11AC80	Ant1	5530	NV	30	-40000.00	-7.590133	20	PASS
11AC80	Ant1	5530	NV	40	0.00	0.000000	20	PASS
11AC80	Ant1	5530	NV	50	0.00	0.000000	20	PASS
11AC80	Ant1	5610	NV	-30	-40000.00	-7.532957	20	PASS
11AC80	Ant1	5610	NV	-20	-40000.00	-7.532957	20	PASS
11AC80	Ant1	5610	NV	-10	-40000.00	-7.532957	20	PASS
11AC80	Ant1	5610	NV	0	-40000.00	-7.532957	20	PASS
11AC80	Ant1	5610	NV	10	-40000.00	-7.532957	20	PASS
11AC80	Ant1	5610	NV	20	-40000.00	-7.532957	20	PASS
11AC80	Ant1	5610	NV	30	-40000.00	-7.532957	20	PASS
11AC80	Ant1	5610	NV	40	-40000.00	-7.532957	20	PASS
11AC80	Ant1	5610	NV	50	-40000.00	-7.532957	20	PASS
11AC80	Ant1	5690	NV	-30	-40000.00	-7.259528	20	PASS
11AC80	Ant1	5690	NV	-20	-40000.00	-7.259528	20	PASS
11AC80	Ant1	5690	NV	-10	-40000.00	-7.259528	20	PASS
11AC80	Ant1	5690	NV	0	-40000.00	-7.259528	20	PASS
11AC80	Ant1	5690	NV	10	-40000.00	-7.259528	20	PASS
11AC80	Ant1	5690	NV	20	-40000.00	-7.259528	20	PASS
11AC80	Ant1	5690	NV	30	-40000.00	-7.259528	20	PASS
11AC80	Ant1	5690	NV	40	-40000.00	-7.259528	20	PASS

11AC80	Ant1	5690	NV	50	-40000.00	-7.259528	20	PASS
11AC80	Ant1	5775	NV	-30	-40000.00	-7.207207	20	PASS
11AC80	Ant1	5775	NV	-20	0.00	0.000000	20	PASS
11AC80	Ant1	5775	NV	-10	-40000.00	-7.207207	20	PASS
11AC80	Ant1	5775	NV	0	-40000.00	-7.207207	20	PASS
11AC80	Ant1	5775	NV	10	-40000.00	-7.207207	20	PASS
11AC80	Ant1	5775	NV	20	-40000.00	-7.207207	20	PASS
11AC80	Ant1	5775	NV	30	-40000.00	-7.207207	20	PASS
11AC80	Ant1	5775	NV	40	-40000.00	-7.207207	20	PASS
11AC80	Ant1	5775	NV	50	-40000.00	-7.207207	20	PASS
11AC160	Ant1	5250	NV	-30	-40000.00	-7.707129	20	PASS
11AC160	Ant1	5250	NV	-20	-40000.00	-7.707129	20	PASS
11AC160	Ant1	5250	NV	-10	-40000.00	-7.707129	20	PASS
11AC160	Ant1	5250	NV	0	0.00	0.000000	20	PASS
11AC160	Ant1	5250	NV	10	-40000.00	-7.707129	20	PASS
11AC160	Ant1	5250	NV	20	-40000.00	-7.707129	20	PASS
11AC160	Ant1	5250	NV	30	-40000.00	-7.707129	20	PASS
11AC160	Ant1	5250	NV	40	0.00	0.000000	20	PASS
11AC160	Ant1	5250	NV	50	-40000.00	-7.707129	20	PASS
11AC160	Ant1	5570	NV	-30	-40000.00	-7.648184	20	PASS
11AC160	Ant1	5570	NV	-20	-40000.00	-7.648184	20	PASS
11AC160	Ant1	5570	NV	-10	-40000.00	-7.648184	20	PASS
11AC160	Ant1	5570	NV	0	0.00	0.000000	20	PASS
11AC160	Ant1	5570	NV	10	-40000.00	-7.648184	20	PASS
11AC160	Ant1	5570	NV	20	-40000.00	-7.648184	20	PASS
11AC160	Ant1	5570	NV	30	-40000.00	-7.648184	20	PASS
11AC160	Ant1	5570	NV	40	-40000.00	-7.648184	20	PASS
11AC160	Ant1	5570	NV	50	-40000.00	-7.648184	20	PASS

Appendix J: Dynamic Frequency Selection


Master Mode :


DFS Detection Thresholds

TestMode	Frequency[dbm]	Radar Type	Result	Limit[dbm]	Verdict
11A	5260	Type0	-62.47	-62.00	PASS
		Type1	-62.24	-62.00	PASS
		Type2	-62.01	-62.00	PASS
		Type3	-62.47	-62.00	PASS
		Type4	-62.43	-62.00	PASS
		Type5	-62.45	-62.00	PASS
		Type6	-62.48	-62.00	PASS
	5500	Type0	-62.07	-62.00	PASS
		Type1	-62.12	-62.00	PASS
		Type2	-62.05	-62.00	PASS
		Type3	-62.49	-62.00	PASS
		Type4	-62.48	-62.00	PASS
		Type5	-62.30	-62.00	PASS
		Type6	-62.32	-62.00	PASS
11N40SISO	5270	Type0	-62.37	-62.00	PASS
		Type1	-62.17	-62.00	PASS
		Type2	-62.27	-62.00	PASS
		Type3	-62.11	-62.00	PASS
		Type4	-62.17	-62.00	PASS
		Type5	-62.40	-62.00	PASS
		Type6	-62.06	-62.00	PASS
	5510	Type0	-62.14	-62.00	PASS
		Type1	-62.42	-62.00	PASS
		Type2	-62.02	-62.00	PASS
		Type3	-62.15	-62.00	PASS
		Type4	-62.15	-62.00	PASS
		Type5	-62.17	-62.00	PASS
		Type6	-62.29	-62.00	PASS
11AC80SISO	5290	Type0	-62.12	-62.00	PASS
		Type1	-62.35	-62.00	PASS
		Type2	-62.26	-62.00	PASS
		Type3	-62.20	-62.00	PASS
		Type4	-62.27	-62.00	PASS
		Type5	-62.13	-62.00	PASS
		Type6	-62.31	-62.00	PASS
	5530	Type0	-62.08	-62.00	PASS
		Type1	-62.45	-62.00	PASS
		Type2	-62.09	-62.00	PASS
		Type3	-62.29	-62.00	PASS
		Type4	-62.24	-62.00	PASS
		Type5	-62.21	-62.00	PASS
		Type6	-62.19	-62.00	PASS
11AC160SISO	5250	Type0	-62.44	-62.00	PASS
		Type1	-62.33	-62.00	PASS


		Type2	-62.14	-62.00	PASS
		Type3	-62.26	-62.00	PASS
		Type4	-62.01	-62.00	PASS
		Type5	-62.11	-62.00	PASS
		Type6	-62.35	-62.00	PASS
	5570	Type0	-62.26	-62.00	PASS
		Type1	-62.31	-62.00	PASS
		Type2	-62.23	-62.00	PASS
		Type3	-62.21	-62.00	PASS
		Type4	-62.19	-62.00	PASS
		Type5	-62.35	-62.00	PASS
		Type6	-62.28	-62.00	PASS

Test Graphs







11A_5260_Type3




11A_5260_Type4




11A_5260_Type5



11A_5260_Type6



11A_5500_Type0



11A_5500_Type1

