

|              |                                              |           |     |
|--------------|----------------------------------------------|-----------|-----|
| Product      | Wireless-AC2600 Dual WAN VPN Wireless Router |           |     |
| Test Item    | Peak Power Output                            |           |     |
| Test Mode    | Mode 2: Transmit_Beamforming Mode_Adapter 1  |           |     |
| Date of Test | 2015/11/17                                   | Test Site | SR7 |


IEEE 802.11n\_40M (ANT 0)

| Channel No. | Frequency (MHz) | Measure Level (dBm) | Limit (dBm)  |
|-------------|-----------------|---------------------|--------------|
| 3           | 2422            | 12.53               | $\leq 27.80$ |
| 4           | 2427            | 13.59               | $\leq 27.80$ |
| 6           | 2437            | 16.40               | $\leq 27.80$ |
| 8           | 2447            | 14.15               | $\leq 27.80$ |
| 9           | 2452            | 13.97               | $\leq 27.80$ |


The worst emission of data rate is 13.5 Mbps.

| Peak Power Output (dBm) |                    |           |       |       |       |       |       |       |       |                   |
|-------------------------|--------------------|-----------|-------|-------|-------|-------|-------|-------|-------|-------------------|
| MCS Index               |                    | 0         | 1     | 2     | 3     | 4     | 5     | 6     | 7     | Required<br>Limit |
| Channel<br>No           | Frequency<br>(MHz) | Data Rate |       |       |       |       |       |       |       |                   |
|                         |                    | 13.5      | 27    | 40.5  | 54    | 81    | 108   | 121.5 | 135   |                   |
| 3                       | 2422               | 12.53     | --    | --    | --    | --    | --    | --    | --    | ≤ 27.80           |
| 4                       | 2427               | 13.59     | --    | --    | --    | --    | --    | --    | --    | ≤ 27.80           |
| 6                       | 2437               | 16.40     | 16.29 | 16.22 | 16.14 | 16.07 | 16.00 | 15.96 | 15.90 | ≤ 27.80           |
| 8                       | 2447               | 14.15     | --    | --    | --    | --    | --    | --    | --    | ≤ 27.80           |
| 9                       | 2452               | 13.97     | --    | --    | --    | --    | --    | --    | --    | ≤ 27.80           |


### Channel 3




### Channel 4




### Channel 6



### Channel 8



### Channel 9



|              |                                              |           |     |
|--------------|----------------------------------------------|-----------|-----|
| Product      | Wireless-AC2600 Dual WAN VPN Wireless Router |           |     |
| Test Item    | Peak Power Output                            |           |     |
| Test Mode    | Mode 2: Transmit_Beamforming Mode_Adapter 1  |           |     |
| Date of Test | 2015/11/17                                   | Test Site | SR7 |


IEEE 802.11n\_40M (ANT 1)

| Channel No. | Frequency (MHz) | Measure Level (dBm) | Limit (dBm)  |
|-------------|-----------------|---------------------|--------------|
| 3           | 2422            | 12.11               | $\leq 27.80$ |
| 4           | 2427            | 13.29               | $\leq 27.80$ |
| 6           | 2437            | 16.33               | $\leq 27.80$ |
| 8           | 2447            | 14.15               | $\leq 27.80$ |
| 9           | 2452            | 14.10               | $\leq 27.80$ |


The worst emission of data rate is 13.5 Mbps.

| Peak Power Output (dBm) |                 |           |       |       |       |       |       |       |       |                      |
|-------------------------|-----------------|-----------|-------|-------|-------|-------|-------|-------|-------|----------------------|
| MCS Index               |                 | 0         | 1     | 2     | 3     | 4     | 5     | 6     | 7     | Required Limit (dBm) |
| Channel No              | Frequency (MHz) | Data Rate |       |       |       |       |       |       |       |                      |
|                         |                 | 13.5      | 27    | 40.5  | 54    | 81    | 108   | 121.5 | 135   |                      |
| 3                       | 2422            | 12.11     | --    | --    | --    | --    | --    | --    | --    | ≤ 27.80              |
| 4                       | 2427            | 13.29     | --    | --    | --    | --    | --    | --    | --    | ≤ 27.80              |
| 6                       | 2437            | 16.33     | 16.28 | 16.21 | 16.15 | 16.08 | 16.01 | 15.97 | 15.94 | ≤ 27.80              |
| 8                       | 2447            | 14.15     | --    | --    | --    | --    | --    | --    | --    | ≤ 27.80              |
| 9                       | 2452            | 14.10     | --    | --    | --    | --    | --    | --    | --    | ≤ 27.80              |


### Channel 3




### Channel 4




### Channel 6



### Channel 8



### Channel 9



|              |                                              |           |     |
|--------------|----------------------------------------------|-----------|-----|
| Product      | Wireless-AC2600 Dual WAN VPN Wireless Router |           |     |
| Test Item    | Peak Power Output                            |           |     |
| Test Mode    | Mode 2: Transmit_Beamforming Mode_Adapter 1  |           |     |
| Date of Test | 2015/11/17                                   | Test Site | SR7 |


IEEE 802.11n\_40M (ANT 2)

| Channel No. | Frequency (MHz) | Measure Level (dBm) | Limit (dBm)  |
|-------------|-----------------|---------------------|--------------|
| 3           | 2422            | 12.06               | $\leq 27.80$ |
| 4           | 2427            | 12.97               | $\leq 27.80$ |
| 6           | 2437            | 16.08               | $\leq 27.80$ |
| 8           | 2447            | 13.66               | $\leq 27.80$ |
| 9           | 2452            | 13.72               | $\leq 27.80$ |


The worst emission of data rate is 13.5 Mbps.

| Peak Power Output (dBm) |                 |           |       |       |       |       |       |       |       |                      |
|-------------------------|-----------------|-----------|-------|-------|-------|-------|-------|-------|-------|----------------------|
| MCS Index               |                 | 0         | 1     | 2     | 3     | 4     | 5     | 6     | 7     | Required Limit (dBm) |
| Channel No              | Frequency (MHz) | Data Rate |       |       |       |       |       |       |       |                      |
|                         |                 | 13.5      | 27    | 40.5  | 54    | 81    | 108   | 121.5 | 135   |                      |
| 3                       | 2422            | 12.06     | --    | --    | --    | --    | --    | --    | --    | ≤ 27.80              |
| 4                       | 2427            | 12.97     | --    | --    | --    | --    | --    | --    | --    | ≤ 27.80              |
| 6                       | 2437            | 16.08     | 16.00 | 15.93 | 15.88 | 15.81 | 15.77 | 15.72 | 15.64 | ≤ 27.80              |
| 8                       | 2447            | 13.66     | --    | --    | --    | --    | --    | --    | --    | ≤ 27.80              |
| 9                       | 2452            | 13.72     | --    | --    | --    | --    | --    | --    | --    | ≤ 27.80              |


### Channel 3




### Channel 4




### Channel 6



### Channel 8



### Channel 9



|              |                                              |           |     |
|--------------|----------------------------------------------|-----------|-----|
| Product      | Wireless-AC2600 Dual WAN VPN Wireless Router |           |     |
| Test Item    | Peak Power Output                            |           |     |
| Test Mode    | Mode 2: Transmit_Beamforming Mode_Adapter 1  |           |     |
| Date of Test | 2015/11/17                                   | Test Site | SR7 |


IEEE 802.11n\_40M (ANT 3)

| Channel No. | Frequency (MHz) | Measure Level (dBm) | Limit (dBm)  |
|-------------|-----------------|---------------------|--------------|
| 3           | 2422            | 12.11               | $\leq 27.80$ |
| 4           | 2427            | 13.19               | $\leq 27.80$ |
| 6           | 2437            | 16.14               | $\leq 27.80$ |
| 8           | 2447            | 13.92               | $\leq 27.80$ |
| 9           | 2452            | 13.79               | $\leq 27.80$ |


The worst emission of data rate is 13.5 Mbps.

| Peak Power Output (dBm) |                 |           |       |       |       |       |       |       |       |                      |
|-------------------------|-----------------|-----------|-------|-------|-------|-------|-------|-------|-------|----------------------|
| MCS Index               |                 | 0         | 1     | 2     | 3     | 4     | 5     | 6     | 7     | Required Limit (dBm) |
| Channel No              | Frequency (MHz) | Data Rate |       |       |       |       |       |       |       |                      |
|                         |                 | 13.5      | 27    | 40.5  | 54    | 81    | 108   | 121.5 | 135   |                      |
| 3                       | 2422            | 12.11     | --    | --    | --    | --    | --    | --    | --    | ≤ 27.80              |
| 4                       | 2427            | 13.19     | --    | --    | --    | --    | --    | --    | --    | ≤ 27.80              |
| 6                       | 2437            | 16.14     | 16.05 | 15.97 | 15.91 | 15.88 | 15.82 | 15.74 | 15.69 | ≤ 27.80              |
| 8                       | 2447            | 13.92     | --    | --    | --    | --    | --    | --    | --    | ≤ 27.80              |
| 9                       | 2452            | 13.79     | --    | --    | --    | --    | --    | --    | --    | ≤ 27.80              |


### Channel 3




### Channel 4




### Channel 6



### Channel 8



### Channel 9



|              |                                              |           |     |
|--------------|----------------------------------------------|-----------|-----|
| Product      | Wireless-AC2600 Dual WAN VPN Wireless Router |           |     |
| Test Item    | Peak Power Output                            |           |     |
| Test Mode    | Mode 2: Transmit_Beamforming Mode_Adapter 1  |           |     |
| Date of Test | 2015/11/17                                   | Test Site | SR7 |

IEEE 802.11n\_40M (ANT 0+1+2+3)

| Channel No. | Frequency (MHz) | Measure Level (dBm) | Limit (dBm)  |
|-------------|-----------------|---------------------|--------------|
| 3           | 2422            | 18.23               | $\leq 27.80$ |
| 4           | 2427            | 19.29               | $\leq 27.80$ |
| 6           | 2437            | 22.26               | $\leq 27.80$ |
| 8           | 2447            | 20.00               | $\leq 27.80$ |
| 9           | 2452            | 19.92               | $\leq 27.80$ |

The worst emission of data rate is 13.5 Mbps.

| Peak Power Output (dBm) |           |           |       |       |       |       |       |       |       |                      |
|-------------------------|-----------|-----------|-------|-------|-------|-------|-------|-------|-------|----------------------|
| MCS Index               |           | 0         | 1     | 2     | 3     | 4     | 5     | 6     | 7     | Required Limit (dBm) |
| Channel                 | Frequency | Data Rate |       |       |       |       |       |       |       |                      |
| No                      | (MHz)     | 13.5      | 27    | 40.5  | 54    | 81    | 108   | 121.5 | 135   |                      |
| 3                       | 2422      | 18.23     | --    | --    | --    | --    | --    | --    | --    | ≤ 27.80              |
| 4                       | 2427      | 19.29     | --    | --    | --    | --    | --    | --    | --    | ≤ 27.80              |
| 6                       | 2437      | 22.26     | 22.18 | 22.11 | 22.04 | 21.98 | 21.92 | 21.87 | 21.82 | ≤ 27.80              |
| 8                       | 2447      | 20.00     | --    | --    | --    | --    | --    | --    | --    | ≤ 27.80              |
| 9                       | 2452      | 19.92     | --    | --    | --    | --    | --    | --    | --    | ≤ 27.80              |

|              |                                              |           |     |
|--------------|----------------------------------------------|-----------|-----|
| Product      | Wireless-AC2600 Dual WAN VPN Wireless Router |           |     |
| Test Item    | Peak Power Output                            |           |     |
| Test Mode    | Mode 2: Transmit_Beamforming Mode_Adapter 1  |           |     |
| Date of Test | 2015/11/17                                   | Test Site | SR7 |


IEEE 802.11n\_20M (ANT 0)

| Channel No. | Frequency (MHz) | Measure Level (dBm) | Required Limit (dBm) |
|-------------|-----------------|---------------------|----------------------|
| 149         | 5745            | 20.44               | ≤26.79               |
| 157         | 5785            | 20.41               | ≤26.79               |
| 165         | 5825            | 20.49               | ≤26.79               |


The worst emission of data rate is 6.5 Mbps.

| Peak Power Output (dBm) |                    |           |       |       |       |       |       |       |       |                   |
|-------------------------|--------------------|-----------|-------|-------|-------|-------|-------|-------|-------|-------------------|
| MCS Index               |                    | 0         | 1     | 2     | 3     | 4     | 5     | 6     | 7     | Required<br>Limit |
| Channel<br>No           | Frequency<br>(MHz) | Data Rate |       |       |       |       |       |       |       |                   |
|                         |                    | 6.5       | 13    | 19.5  | 26    | 39    | 52    | 58.5  | 65    |                   |
| 149                     | 5745               | 20.44     | --    | --    | --    | --    | --    | --    | --    | ≤26.79dBm         |
| 157                     | 5785               | 20.41     | 20.35 | 20.16 | 20.05 | 19.80 | 19.51 | 19.36 | 19.17 |                   |
| 165                     | 5825               | 20.49     | --    | --    | --    | --    | --    | --    | --    |                   |


### Channel 149



### Channel 157



### Channel 165



|              |                                              |           |     |
|--------------|----------------------------------------------|-----------|-----|
| Product      | Wireless-AC2600 Dual WAN VPN Wireless Router |           |     |
| Test Item    | Peak Power Output                            |           |     |
| Test Mode    | Mode 2: Transmit_Beamforming Mode_Adapter 1  |           |     |
| Date of Test | 2015/11/17                                   | Test Site | SR7 |


#### IEEE 802.11n\_20M (ANT 1)

| Channel No. | Frequency (MHz) | Measure Level (dBm) | Required Limit (dBm) |
|-------------|-----------------|---------------------|----------------------|
| 149         | 5745            | 20.51               | ≤26.79               |
| 157         | 5785            | 20.78               | ≤26.79               |
| 165         | 5825            | 20.56               | ≤26.79               |


The worst emission of data rate is 6.5 Mbps.

| Peak Power Output (dBm) |                 |           |       |       |       |       |       |       |       |                |
|-------------------------|-----------------|-----------|-------|-------|-------|-------|-------|-------|-------|----------------|
| MCS Index               |                 | 0         | 1     | 2     | 3     | 4     | 5     | 6     | 7     | Required Limit |
| Channel No              | Frequency (MHz) | Data Rate |       |       |       |       |       |       |       |                |
|                         |                 | 6.5       | 13    | 19.5  | 26    | 39    | 52    | 58.5  | 65    |                |
| 149                     | 5745            | 20.51     | --    | --    | --    | --    | --    | --    | --    | ≤26.79dBm      |
| 157                     | 5785            | 20.78     | 20.65 | 20.56 | 20.45 | 20.20 | 20.06 | 19.75 | 19.38 |                |
| 165                     | 5825            | 20.56     | --    | --    | --    | --    | --    | --    | --    |                |


### Channel 149



### Channel 157



### Channel 165



|              |                                              |           |     |
|--------------|----------------------------------------------|-----------|-----|
| Product      | Wireless-AC2600 Dual WAN VPN Wireless Router |           |     |
| Test Item    | Peak Power Output                            |           |     |
| Test Mode    | Mode 2: Transmit_Beamforming Mode_Adapter 1  |           |     |
| Date of Test | 2015/11/17                                   | Test Site | SR7 |


#### IEEE 802.11n\_20M (ANT 2)

| Channel No. | Frequency (MHz) | Measure Level (dBm) | Required Limit (dBm) |
|-------------|-----------------|---------------------|----------------------|
| 149         | 5745            | 20.53               | ≤26.79               |
| 157         | 5785            | 20.58               | ≤26.79               |
| 165         | 5825            | 20.55               | ≤26.79               |


The worst emission of data rate is 6.5 Mbps.

| Peak Power Output (dBm) |                 |           |       |       |       |       |       |       |       |                |
|-------------------------|-----------------|-----------|-------|-------|-------|-------|-------|-------|-------|----------------|
| MCS Index               |                 | 0         | 1     | 2     | 3     | 4     | 5     | 6     | 7     | Required Limit |
| Channel No              | Frequency (MHz) | Data Rate |       |       |       |       |       |       |       |                |
|                         |                 | 6.5       | 13    | 19.5  | 26    | 39    | 52    | 58.5  | 65    |                |
| 149                     | 5745            | 20.53     | --    | --    | --    | --    | --    | --    | --    | ≤26.79dBm      |
| 157                     | 5785            | 20.58     | 20.45 | 20.26 | 20.05 | 19.80 | 19.51 | 19.20 | 18.83 |                |
| 165                     | 5825            | 20.55     | --    | --    | --    | --    | --    | --    | --    |                |


### Channel 149



Channel 157



### Channel 165



|              |                                              |           |     |
|--------------|----------------------------------------------|-----------|-----|
| Product      | Wireless-AC2600 Dual WAN VPN Wireless Router |           |     |
| Test Item    | Peak Power Output                            |           |     |
| Test Mode    | Mode 2: Transmit_Beamforming Mode_Adapter 1  |           |     |
| Date of Test | 2015/11/17                                   | Test Site | SR7 |


#### IEEE 802.11n\_20M (ANT 3)

| Channel No. | Frequency (MHz) | Measure Level (dBm) | Required Limit (dBm) |
|-------------|-----------------|---------------------|----------------------|
| 149         | 5745            | 20.57               | ≤26.79               |
| 157         | 5785            | 20.62               | ≤26.79               |
| 165         | 5825            | 20.75               | ≤26.79               |


The worst emission of data rate is 6.5 Mbps.

| Peak Power Output (dBm) |                 |           |       |       |       |       |       |       |       |                |
|-------------------------|-----------------|-----------|-------|-------|-------|-------|-------|-------|-------|----------------|
| MCS Index               |                 | 0         | 1     | 2     | 3     | 4     | 5     | 6     | 7     | Required Limit |
| Channel No              | Frequency (MHz) | Data Rate |       |       |       |       |       |       |       |                |
|                         |                 | 6.5       | 13    | 19.5  | 26    | 39    | 52    | 58.5  | 65    |                |
| 149                     | 5745            | 20.57     | --    | --    | --    | --    | --    | --    | --    | ≤26.79dBm      |
| 157                     | 5785            | 20.62     | 20.49 | 20.30 | 20.20 | 20.07 | 19.93 | 19.62 | 19.43 |                |
| 165                     | 5825            | 20.75     | --    | --    | --    | --    | --    | --    | --    |                |


### Channel 149



Channel 157



### Channel 165



|              |                                              |           |     |
|--------------|----------------------------------------------|-----------|-----|
| Product      | Wireless-AC2600 Dual WAN VPN Wireless Router |           |     |
| Test Item    | Peak Power Output                            |           |     |
| Test Mode    | Mode 2: Transmit_Beamforming Mode_Adapter 1  |           |     |
| Date of Test | 2015/11/17                                   | Test Site | SR7 |

IEEE 802.11n\_20M (ANT 0+1+2+3)

| Channel No. | Frequency (MHz) | Measure Level (dBm) | Required Limit (dBm) |
|-------------|-----------------|---------------------|----------------------|
| 149         | 5745            | 26.53               | ≤26.79               |
| 157         | 5785            | 26.62               | ≤26.79               |
| 165         | 5825            | 26.61               | ≤26.79               |

The worst emission of data rate is 6.5 Mbps.

| Peak Power Output (dBm) |           |           |       |       |       |       |       |       |       |                |
|-------------------------|-----------|-----------|-------|-------|-------|-------|-------|-------|-------|----------------|
| MCS Index               |           | 0         | 1     | 2     | 3     | 4     | 5     | 6     | 7     | Required Limit |
| Channel                 | Frequency | Data Rate |       |       |       |       |       |       |       |                |
| No                      | (MHz)     | 6.5       | 13    | 19.5  | 26    | 39    | 52    | 58.5  | 65    |                |
| 149                     | 5745      | 26.53     | --    | --    | --    | --    | --    | --    | --    | ≤26.79dBm      |
| 157                     | 5785      | 26.62     | 26.51 | 26.34 | 26.21 | 25.99 | 25.78 | 25.50 | 25.23 |                |
| 165                     | 5825      | 26.61     | --    | --    | --    | --    | --    | --    | --    |                |

|              |                                              |           |     |
|--------------|----------------------------------------------|-----------|-----|
| Product      | Wireless-AC2600 Dual WAN VPN Wireless Router |           |     |
| Test Item    | Peak Power Output                            |           |     |
| Test Mode    | Mode 2: Transmit Beamforming Mode Adapter 1  |           |     |
| Date of Test | 2015/11/17                                   | Test Site | SR7 |


IEEE802.11n 40MHz(ANT 0)

| Channel No. | Frequency (MHz) | Measure Level (dBm) | Required Limit (dBm) |
|-------------|-----------------|---------------------|----------------------|
| 151         | 5755            | 20.61               | ≤26.79               |
| 159         | 5795            | 20.45               | ≤26.79               |


The worst emission of data rate is 13.5 Mbps.

| Peak Power Output (dBm) |                 |           |       |       |       |       |       |       |       |                |
|-------------------------|-----------------|-----------|-------|-------|-------|-------|-------|-------|-------|----------------|
| MCS Index               |                 | 0         | 1     | 2     | 3     | 4     | 5     | 6     | 7     | Required Limit |
| Channel No              | Frequency (MHz) | Data Rate |       |       |       |       |       |       |       |                |
|                         |                 | 13.5      | 27    | 40.5  | 54    | 81    | 108   | 121.5 | 135   |                |
| 151                     | 5755            | 20.61     | --    | --    | --    | --    | --    | --    | --    | ≤26.79dBm      |
| 159                     | 5795            | 20.45     | 20.39 | 20.29 | 20.19 | 19.94 | 19.79 | 19.64 | 19.27 |                |

### Channel 151



### Channel 159



|              |                                              |           |     |
|--------------|----------------------------------------------|-----------|-----|
| Product      | Wireless-AC2600 Dual WAN VPN Wireless Router |           |     |
| Test Item    | Peak Power Output                            |           |     |
| Test Mode    | Mode 2: Transmit Beamforming Mode Adapter 1  |           |     |
| Date of Test | 2015/11/17                                   | Test Site | SR7 |


IEEE802.11n 40MHz(ANT 1)

| Channel No. | Frequency (MHz) | Measure Level (dBm) | Required Limit (dBm) |
|-------------|-----------------|---------------------|----------------------|
| 151         | 5755            | 20.68               | ≤26.79               |
| 159         | 5795            | 20.59               | ≤26.79               |


The worst emission of data rate is 13.5 Mbps.

| Peak Power Output (dBm) |                 |           |       |       |       |       |       |       |       |                |
|-------------------------|-----------------|-----------|-------|-------|-------|-------|-------|-------|-------|----------------|
| MCS Index               |                 | 0         | 1     | 2     | 3     | 4     | 5     | 6     | 7     | Required Limit |
| Channel No              | Frequency (MHz) | Data Rate |       |       |       |       |       |       |       |                |
|                         |                 | 13.5      | 27    | 40.5  | 54    | 81    | 108   | 121.5 | 135   |                |
| 151                     | 5755            | 20.68     | --    | --    | --    | --    | --    | --    | --    | ≤26.79dBm      |
| 159                     | 5795            | 20.59     | 20.53 | 20.43 | 20.22 | 19.97 | 19.83 | 19.52 | 19.15 |                |

### Channel 151



### Channel 159



|              |                                              |           |     |
|--------------|----------------------------------------------|-----------|-----|
| Product      | Wireless-AC2600 Dual WAN VPN Wireless Router |           |     |
| Test Item    | Peak Power Output                            |           |     |
| Test Mode    | Mode 2: Transmit Beamforming Mode Adapter 1  |           |     |
| Date of Test | 2015/11/17                                   | Test Site | SR7 |


IEEE802.11n 40MHz(ANT 2)

| Channel No. | Frequency (MHz) | Measure Level (dBm) | Required Limit (dBm) |
|-------------|-----------------|---------------------|----------------------|
| 151         | 5755            | 20.53               | ≤26.79               |
| 159         | 5795            | 20.61               | ≤26.79               |


The worst emission of data rate is 13.5 Mbps.

| Peak Power Output (dBm) |                 |           |       |       |       |       |       |       |       |                |
|-------------------------|-----------------|-----------|-------|-------|-------|-------|-------|-------|-------|----------------|
| MCS Index               |                 | 0         | 1     | 2     | 3     | 4     | 5     | 6     | 7     | Required Limit |
| Channel No              | Frequency (MHz) | Data Rate |       |       |       |       |       |       |       |                |
|                         |                 | 13.5      | 27    | 40.5  | 54    | 81    | 108   | 121.5 | 135   |                |
| 151                     | 5755            | 20.53     | --    | --    | --    | --    | --    | --    | --    | ≤26.79dBm      |
| 159                     | 5795            | 20.61     | 20.48 | 20.39 | 20.28 | 20.16 | 19.87 | 19.71 | 19.53 |                |

### Channel 151



Channel 159



|              |                                              |           |     |
|--------------|----------------------------------------------|-----------|-----|
| Product      | Wireless-AC2600 Dual WAN VPN Wireless Router |           |     |
| Test Item    | Peak Power Output                            |           |     |
| Test Mode    | Mode 2: Transmit Beamforming Mode Adapter 1  |           |     |
| Date of Test | 2015/11/17                                   | Test Site | SR7 |


IEEE802.11n 40MHz(ANT 3)

| Channel No. | Frequency (MHz) | Measure Level (dBm) | Required Limit (dBm) |
|-------------|-----------------|---------------------|----------------------|
| 151         | 5755            | 20.69               | ≤26.79               |
| 159         | 5795            | 20.74               | ≤26.79               |


The worst emission of data rate is 13.5 Mbps.

| Peak Power Output (dBm) |                 |           |       |       |       |       |       |       |       |                |
|-------------------------|-----------------|-----------|-------|-------|-------|-------|-------|-------|-------|----------------|
| MCS Index               |                 | 0         | 1     | 2     | 3     | 4     | 5     | 6     | 7     | Required Limit |
| Channel No              | Frequency (MHz) | Data Rate |       |       |       |       |       |       |       |                |
|                         |                 | 13.5      | 27    | 40.5  | 54    | 81    | 108   | 121.5 | 135   |                |
| 151                     | 5755            | 20.69     | --    | --    | --    | --    | --    | --    | --    | ≤26.79dBm      |
| 159                     | 5795            | 20.74     | 20.68 | 20.58 | 20.48 | 20.23 | 20.08 | 19.77 | 19.40 |                |

### Channel 151



### Channel 159



|              |                                              |           |     |
|--------------|----------------------------------------------|-----------|-----|
| Product      | Wireless-AC2600 Dual WAN VPN Wireless Router |           |     |
| Test Item    | Peak Power Output                            |           |     |
| Test Mode    | Mode 2: Transmit_Beamforming Mode_Adapter 1  |           |     |
| Date of Test | 2015/11/17                                   | Test Site | SR7 |

IEEE802.11n 40MHz(ANT 0+1+2+3)

| Channel No. | Frequency (MHz) | Measure Level (dBm) | Required Limit (dBm) |
|-------------|-----------------|---------------------|----------------------|
| 151         | 5755            | 26.65               | ≤26.79               |
| 159         | 5795            | 26.62               | ≤26.79               |

The worst emission of data rate is 13.5 Mbps.

| Peak Power Output (dBm) |                 |           |       |       |       |       |       |       |       |                |
|-------------------------|-----------------|-----------|-------|-------|-------|-------|-------|-------|-------|----------------|
| MCS Index               |                 | 0         | 1     | 2     | 3     | 4     | 5     | 6     | 7     | Required Limit |
| Channel No              | Frequency (MHz) | Data Rate |       |       |       |       |       |       |       |                |
|                         |                 | 13.5      | 27    | 40.5  | 54    | 81    | 108   | 121.5 | 135   |                |
| 151                     | 5755            | 26.65     | --    | --    | --    | --    | --    | --    | --    | ≤26.79dBm      |
| 159                     | 5795            | 26.62     | 26.54 | 26.44 | 26.31 | 26.09 | 25.91 | 25.68 | 25.36 |                |

|              |                                              |           |     |
|--------------|----------------------------------------------|-----------|-----|
| Product      | Wireless-AC2600 Dual WAN VPN Wireless Router |           |     |
| Test Item    | Peak Power Output                            |           |     |
| Test Mode    | Mode 2: Transmit Beamforming Mode Adapter 1  |           |     |
| Date of Test | 2015/11/17                                   | Test Site | SR7 |


IEEE 802.11ac 80MHz (ANT 0)

| Channel No. | Frequency (MHz) | Measure Level (dBm) | Required Limit (dBm) |
|-------------|-----------------|---------------------|----------------------|
| 155         | 5775            | 20.55               | ≤26.79               |

The worst emission of data rate is 29.3 Mbps

| Peak Power Output (dBm) |                 |           |       |       |       |       |       |       |       |       |                |           |
|-------------------------|-----------------|-----------|-------|-------|-------|-------|-------|-------|-------|-------|----------------|-----------|
| MCS Index               | 0               | 1         | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | Required Limit |           |
| Channel No              | Frequency (MHz) | Data Rate |       |       |       |       |       |       |       |       |                | ≤26.79dBm |
| 155                     | 5775            | 29.3      | 58.5  | 87.8  | 117   | 175.5 | 234   | 263.3 | 292.5 | 351   | 390            |           |
|                         |                 | 20.55     | 20.35 | 20.11 | 19.83 | 19.68 | 19.34 | 19.17 | 18.75 | 18.51 | 18.36          |           |

### Channel 155



|              |                                              |           |     |
|--------------|----------------------------------------------|-----------|-----|
| Product      | Wireless-AC2600 Dual WAN VPN Wireless Router |           |     |
| Test Item    | Peak Power Output                            |           |     |
| Test Mode    | Mode 2: Transmit Beamforming Mode Adapter 1  |           |     |
| Date of Test | 2015/11/17                                   | Test Site | SR7 |


IEEE 802.11ac 80MHz (ANT 1)

| Channel No. | Frequency (MHz) | Measure Level (dBm) | Required Limit (dBm) |
|-------------|-----------------|---------------------|----------------------|
| 155         | 5775            | 20.56               | ≤26.79               |

The worst emission of data rate is 29.3 Mbps

| Peak Power Output (dBm) |                 |           |       |       |       |       |       |       |       |       |                |           |
|-------------------------|-----------------|-----------|-------|-------|-------|-------|-------|-------|-------|-------|----------------|-----------|
| MCS Index               | 0               | 1         | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | Required Limit |           |
| Channel No              | Frequency (MHz) | Data Rate |       |       |       |       |       |       |       |       |                | ≤26.79dBm |
| 155                     | 5775            | 29.3      | 58.5  | 87.8  | 117   | 175.5 | 234   | 263.3 | 292.5 | 351   | 390            |           |
|                         |                 | 20.56     | 20.36 | 20.12 | 19.84 | 19.69 | 19.35 | 19.01 | 18.80 | 18.56 | 18.41          |           |

### Channel 155



|              |                                              |           |     |
|--------------|----------------------------------------------|-----------|-----|
| Product      | Wireless-AC2600 Dual WAN VPN Wireless Router |           |     |
| Test Item    | Peak Power Output                            |           |     |
| Test Mode    | Mode 2: Transmit Beamforming Mode Adapter 1  |           |     |
| Date of Test | 2015/11/17                                   | Test Site | SR7 |


IEEE 802.11ac 80MHz (ANT 2)

| Channel No. | Frequency (MHz) | Measure Level (dBm) | Required Limit (dBm) |
|-------------|-----------------|---------------------|----------------------|
| 155         | 5775            | 20.58               | ≤26.79               |

The worst emission of data rate is 29.3 Mbps

| Peak Power Output (dBm) |                 |           |       |       |       |       |       |       |       |       |                |           |
|-------------------------|-----------------|-----------|-------|-------|-------|-------|-------|-------|-------|-------|----------------|-----------|
| MCS Index               | 0               | 1         | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | Required Limit |           |
| Channel No              | Frequency (MHz) | Data Rate |       |       |       |       |       |       |       |       |                | ≤26.79dBm |
| 155                     | 5775            | 29.3      | 58.5  | 87.8  | 117   | 175.5 | 234   | 263.3 | 292.5 | 351   | 390            |           |
|                         |                 | 20.58     | 20.48 | 20.36 | 20.08 | 19.78 | 19.61 | 19.44 | 19.23 | 18.99 | 18.69          |           |

### Channel 155



|              |                                              |           |     |
|--------------|----------------------------------------------|-----------|-----|
| Product      | Wireless-AC2600 Dual WAN VPN Wireless Router |           |     |
| Test Item    | Peak Power Output                            |           |     |
| Test Mode    | Mode 2: Transmit Beamforming Mode Adapter 1  |           |     |
| Date of Test | 2015/11/17                                   | Test Site | SR7 |


IEEE 802.11ac 80MHz (ANT 3)

| Channel No. | Frequency (MHz) | Measure Level (dBm) | Required Limit (dBm) |
|-------------|-----------------|---------------------|----------------------|
| 155         | 5775            | 20.69               | ≤26.79               |

The worst emission of data rate is 29.3 Mbps

| Peak Power Output (dBm) |                 |           |       |       |       |       |       |       |       |       |                |           |
|-------------------------|-----------------|-----------|-------|-------|-------|-------|-------|-------|-------|-------|----------------|-----------|
| MCS Index               | 0               | 1         | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | Required Limit |           |
| Channel No              | Frequency (MHz) | Data Rate |       |       |       |       |       |       |       |       |                | ≤26.79dBm |
| 155                     | 5775            | 29.3      | 58.5  | 87.8  | 117   | 175.5 | 234   | 263.3 | 292.5 | 351   | 390            |           |
|                         |                 | 20.69     | 20.59 | 20.47 | 20.19 | 20.04 | 19.87 | 19.70 | 19.28 | 18.80 | 18.50          |           |

### Channel 155



|              |                                              |           |     |
|--------------|----------------------------------------------|-----------|-----|
| Product      | Wireless-AC2600 Dual WAN VPN Wireless Router |           |     |
| Test Item    | Peak Power Output                            |           |     |
| Test Mode    | Mode 2: Transmit_Beamforming Mode_Adapter 1  |           |     |
| Date of Test | 2015/11/17                                   | Test Site | SR7 |

IEEE 802.11ac 80MHz (ANT 0+1+2+3)

| Channel No. | Frequency (MHz) | Measure Level (dBm) | Required Limit (dBm) |
|-------------|-----------------|---------------------|----------------------|
| 155         | 5775            | 26.62               | ≤26.79               |

The worst emission of data rate is 29.3 Mbps

| Peak Power Output (dBm) |                 |           |       |       |       |       |       |       |       |       |       |                |
|-------------------------|-----------------|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------------|
| MCS Index               |                 | 0         | 1     | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | Required Limit |
| Channel No              | Frequency (MHz) | Data Rate |       |       |       |       |       |       |       |       |       |                |
|                         |                 | 29.3      | 58.5  | 87.8  | 117   | 175.5 | 234   | 263.3 | 292.5 | 351   | 390   | ≤26.79dBm      |
| 155                     | 5775            | 26.62     | 26.47 | 26.29 | 26.01 | 25.82 | 25.57 | 25.36 | 25.04 | 24.74 | 24.51 |                |

## 4. Radiated Emission

### 4.1. Test Equipment

The following test equipments are used during the test:


Radiated Emission / CB1

| Instrument                       | Manufacturer | Model No.  | Serial No   | Next Cal. Date |
|----------------------------------|--------------|------------|-------------|----------------|
| Bilog Antenna                    | Schaffner    | CBL6112B   | 2895        | 2016/08/14     |
| Double Ridged Guide Horn Antenna | Schwarzbeck  | BBHA 9120  | D743        | 2016/01/26     |
| Pre-Amplifier                    | EMCI         | EMC0031835 | 980233      | 2016/01/18     |
| Pre-Amplifier                    | QuieTek      | AP-025C    | CHM-0706049 | 2016/01/18     |
| Spectrum Analyzer                | Agilent      | E4440A     | MY46187335  | 2016/01/07     |
| k Type Cable                     | Huber+Suhner | SF 102     | 25623/2     | 2016/01/26     |
| Horn Antenna                     | Schwarzbeck  | BBHA 9170  | 203         | 2016/09/07     |
| Signal & Spectrum Analyzer       | R&S          | FSV40      | 101049      | 2016/01/19     |


Note: 1. All equipments that need to calibrate are with calibration period of 1 year.

### 4.2. Test Setup

Under 1GHz Test Setup:



Above 1GHz Test Setup:



### 4.3. Limits

Emissions radiated outside of the specified frequency bands, except for harmonics, shall be attenuated by at least 20dB below the level of the fundamental or to the general radiated emission limits in paragraph 15.209, whichever is the lesser attenuation.

| <b>FCC Part 15 Subpart C Paragraph 15.209 Limits</b> |               |        |
|------------------------------------------------------|---------------|--------|
| Frequency<br><b>MHz</b>                              | <b>dBuV/m</b> | dBuV/m |
| 30-88                                                | <b>100</b>    | 40     |
| 88-216                                               | 150           | 43.5   |
| 216-960                                              | 200           | 46     |
| Above 960                                            | 500           | 54     |

Remarks: E field strength (dBuV/m) = 20 log E field strength (uV/m)

#### 4.4. Test Procedure

The EUT was setup according to ANSI C63.10:2013 and tested according to DTS test procedure of KDB558074 v03r02 for compliance to FCC 47CFR 15.247 requirements.

The EUT and its simulators are placed on a turn table which is 0.8 meter above ground (under 1GHz) or 1.5 meter above ground (above 1GHz). The turn table can rotate 360 degrees to determine the position of the maximum emission level.

The antenna can move up and down between 1 meter and 4 meters to find out the maximum emission level.

Both horizontal and vertical polarization of the antenna are set on measurement. In order to find the maximum emission, all of the interface cables must be manipulated according to ANSI C63.10: 2013 on radiated measurement.

On any frequency or frequencies below or equal to 1000 MHz, the limits shown are based on measuring equipment employing a quasi-peak detector function and on any frequency or frequencies above 1000 MHz the radiated limits shown are based upon the use of measurement instrumentation employing an average detector function. When average radiated emission measurement are included emission measurement below 1000 MHz, there also is a limit on the radio frequency emissions, as measured using instrumentation with a peak detector function, corresponding to 20 dB above the maximum permitted average limit. The bandwidth below 1GHz setting on the field strength meter is 120 kHz and above 1GHz is 1MHz.

#### 4.5. Test Specification

According to FCC Part 15 Subpart C Paragraph 15.247: 2014

#### 4.6. Uncertainty

The measurement uncertainty


30MHz~1GHz as  $\pm 3.43\text{dB}$

1GHz~26.5Ghz as  $\pm 3.65\text{dB}$

## 4.7. Test Result

### 30MHz-1GHz Spurious

|                                                    |                                                                    |
|----------------------------------------------------|--------------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/19 - 15:31                                          |
| Limit : FCC_CLASS_B_03M_QP                         | Margin : 6                                                         |
| Probe : CB1_FCC_EFS_30-1G-2_1011 - HORIZONTAL      | Power : AC 120V / 60Hz                                             |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11n(40M)_2437MHz |




|   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | 125.050            | 10.644                 | 25.417                  | 36.061                    | -7.439         | 43.500            | QUASIPeAK     |
| 2 | 249.974            | 11.873                 | 22.069                  | 33.942                    | -12.058        | 46.000            | QUASIPeAK     |
| 3 | * 374.995          | 14.553                 | 26.275                  | 40.829                    | -5.171         | 46.000            | QUASIPeAK     |
| 4 | 500.015            | 17.179                 | 14.423                  | 31.602                    | -14.398        | 46.000            | QUASIPeAK     |
| 5 | 625.132            | 17.612                 | 21.236                  | 38.847                    | -7.153         | 46.000            | QUASIPeAK     |
| 6 | 875.173            | 19.408                 | 17.620                  | 37.028                    | -8.972         | 46.000            | QUASIPeAK     |

Note:

1. All Reading Levels are Quasi-Peak value.
2. " \* ", means this data is the worst emission level.
3. Measurement Level = Reading Level + Correct Factor.

|                                                    |                                                                    |
|----------------------------------------------------|--------------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/19 - 15:36                                          |
| Limit : FCC_CLASS_B_03M_QP                         | Margin : 6                                                         |
| Probe : CB1_FCC_EFS_30-1G-2_1011 - VERTICAL        | Power : AC 120V / 60Hz                                             |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11n(40M)_2437MHz |




|   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | 98.475             | 9.485                  | 20.572                  | 30.057                    | -13.443        | 43.500            | QUASIPeAK     |
| 2 | 125.050            | 10.644                 | 19.686                  | 30.330                    | -13.170        | 43.500            | QUASIPeAK     |
| 3 | 249.974            | 11.873                 | 18.228                  | 30.101                    | -15.899        | 46.000            | QUASIPeAK     |
| 4 | * 374.995          | 14.553                 | 23.647                  | 38.201                    | -7.799         | 46.000            | QUASIPeAK     |
| 5 | 625.132            | 17.612                 | 15.240                  | 32.851                    | -13.149        | 46.000            | QUASIPeAK     |
| 6 | 875.173            | 19.408                 | 18.479                  | 37.887                    | -8.113         | 46.000            | QUASIPeAK     |

Note:

1. All Reading Levels are Quasi-Peak value.
2. " \* ", means this data is the worst emission level.
3. Measurement Level = Reading Level + Correct Factor.

|                                                    |                                                                     |
|----------------------------------------------------|---------------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/19 - 15:10                                           |
| Limit : FCC_CLASS_B_03M_QP                         | Margin : 6                                                          |
| Probe : CB1_FCC_EFS_30-1G-2_1011 - HORIZONTAL      | Power : AC 120V / 60Hz                                              |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11ac(80M)_5775MHz |




|   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | 101.870            | 9.934                  | 22.672                  | 32.606                    | -10.894        | 43.500            | QUASIPeAK     |
| 2 | 125.050            | 10.644                 | 24.674                  | 35.318                    | -8.182         | 43.500            | QUASIPeAK     |
| 3 | 249.974            | 11.873                 | 22.108                  | 33.981                    | -12.019        | 46.000            | QUASIPeAK     |
| 4 | * 374.995          | 14.553                 | 25.861                  | 40.415                    | -5.585         | 46.000            | QUASIPeAK     |
| 5 | 625.132            | 17.612                 | 21.157                  | 38.768                    | -7.232         | 46.000            | QUASIPeAK     |
| 6 | 875.173            | 19.408                 | 18.275                  | 37.683                    | -8.317         | 46.000            | QUASIPeAK     |

**Note:**

1. All Reading Levels are Quasi-Peak value.
2. " \* ", means this data is the worst emission level.
3. Measurement Level = Reading Level + Correct Factor.

|                                                    |                                                                     |
|----------------------------------------------------|---------------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/19 - 15:12                                           |
| Limit : FCC_CLASS_B_03M_QP                         | Margin : 6                                                          |
| Probe : CB1_FCC_EFS_30-1G-2_1011 - VERTICAL        | Power : AC 120V / 60Hz                                              |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11ac(80M)_5775MHz |




|   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | 125.050            | 10.644                 | 19.849                  | 30.493                    | -13.007        | 43.500            | QUASIPeAK     |
| 2 | 249.974            | 11.873                 | 17.500                  | 29.373                    | -16.627        | 46.000            | QUASIPeAK     |
| 3 | * 374.995          | 14.553                 | 24.497                  | 39.051                    | -6.949         | 46.000            | QUASIPeAK     |
| 4 | 500.015            | 17.179                 | 13.699                  | 30.878                    | -15.122        | 46.000            | QUASIPeAK     |
| 5 | 625.132            | 17.612                 | 17.506                  | 35.117                    | -10.883        | 46.000            | QUASIPeAK     |
| 6 | 875.173            | 19.408                 | 19.387                  | 38.795                    | -7.205         | 46.000            | QUASIPeAK     |

Note:

1. All Reading Levels are Quasi-Peak value.
2. " \* ", means this data is the worst emission level.
3. Measurement Level = Reading Level + Correct Factor.

|                                                    |                                                           |
|----------------------------------------------------|-----------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/18 - 20:12                                 |
| Limit : FCC_CLASS_B_03M_QP                         | Margin : 6                                                |
| Probe : CB1_FCC_EFS_30-1G-2_1011 - HORIZONTAL      | Power : AC 120V / 60Hz                                    |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 3: Transmit_Adapter 2<br>802.11n(40M)_2437MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | * | 125.050            | 10.644                 | 28.362                  | 39.006                    | -4.494         | 43.500            | QUASIPeAK     |
| 2 |   | 249.974            | 11.873                 | 20.199                  | 32.072                    | -13.928        | 46.000            | QUASIPeAK     |
| 3 |   | 374.995            | 14.553                 | 24.823                  | 39.377                    | -6.623         | 46.000            | QUASIPeAK     |
| 4 |   | 500.015            | 17.179                 | 15.307                  | 32.486                    | -13.514        | 46.000            | QUASIPeAK     |
| 5 |   | 855.962            | 19.358                 | 17.885                  | 37.243                    | -8.757         | 46.000            | QUASIPeAK     |
| 6 |   | 875.173            | 19.408                 | 19.280                  | 38.688                    | -7.312         | 46.000            | QUASIPeAK     |

Note:

1. All Reading Levels are Quasi-Peak value.
2. " \* ", means this data is the worst emission level.
3. Measurement Level = Reading Level + Correct Factor.

|                                                    |                                                           |
|----------------------------------------------------|-----------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/18 - 20:14                                 |
| Limit : FCC_CLASS_B_03M_QP                         | Margin : 6                                                |
| Probe : CB1_FCC_EFS_30-1G-2_1011 - VERTICAL        | Power : AC 120V / 60Hz                                    |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 3: Transmit_Adapter 2<br>802.11n(40M)_2437MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 |   | 90.231             | 7.553                  | 24.411                  | 31.964                    | -11.536        | 43.500            | QUASIPeAK     |
| 2 |   | 125.050            | 10.644                 | 23.299                  | 33.943                    | -9.557         | 43.500            | QUASIPeAK     |
| 3 |   | 249.974            | 11.873                 | 18.336                  | 30.209                    | -15.791        | 46.000            | QUASIPeAK     |
| 4 |   | 374.995            | 14.553                 | 23.949                  | 38.503                    | -7.497         | 46.000            | QUASIPeAK     |
| 5 |   | 625.132            | 17.612                 | 17.834                  | 35.445                    | -10.555        | 46.000            | QUASIPeAK     |
| 6 | * | 875.173            | 19.408                 | 19.640                  | 39.048                    | -6.952         | 46.000            | QUASIPeAK     |

Note:

1. All Reading Levels are Quasi-Peak value.
2. “ \* ”, means this data is the worst emission level.
3. Measurement Level = Reading Level + Correct Factor.

|                                                    |                                                            |
|----------------------------------------------------|------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/18 - 19:53                                  |
| Limit : FCC_CLASS_B_03M_QP                         | Margin : 6                                                 |
| Probe : CB1_FCC_EFS_30-1G-2_1011 - HORIZONTAL      | Power : AC 120V / 60Hz                                     |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 3: Transmit_Adapter 2<br>802.11ac(80M)_5775MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 |   | 78.800             | 6.180                  | 13.247                  | 19.427                    | -20.573        | 40.000            | QUASIPeAK     |
| 2 | * | 125.050            | 10.644                 | 28.320                  | 38.964                    | -4.536         | 43.500            | QUASIPeAK     |
| 3 |   | 249.974            | 11.873                 | 18.799                  | 30.672                    | -15.328        | 46.000            | QUASIPeAK     |
| 4 |   | 374.995            | 14.553                 | 25.097                  | 39.651                    | -6.349         | 46.000            | QUASIPeAK     |
| 5 |   | 875.173            | 19.408                 | 19.389                  | 38.797                    | -7.203         | 46.000            | QUASIPeAK     |
| 6 |   | 978.274            | 20.112                 | 15.192                  | 35.304                    | -18.696        | 54.000            | QUASIPeAK     |

Note:

1. All Reading Levels are Quasi-Peak value.
2. " \* ", means this data is the worst emission level.
3. Measurement Level = Reading Level + Correct Factor.

|                                                    |                                                            |
|----------------------------------------------------|------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/18 - 19:56                                  |
| Limit : FCC_CLASS_B_03M_QP                         | Margin : 6                                                 |
| Probe : CB1_FCC_EFS_30-1G-2_1011 - VERTICAL        | Power : AC 120V / 60Hz                                     |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 3: Transmit_Adapter 2<br>802.11ac(80M)_5775MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 |   | 90.231             | 7.553                  | 24.163                  | 31.716                    | -11.784        | 43.500            | QUASIPeAK     |
| 2 |   | 125.050            | 10.644                 | 25.256                  | 35.900                    | -7.600         | 43.500            | QUASIPeAK     |
| 3 |   | 249.974            | 11.873                 | 18.882                  | 30.755                    | -15.245        | 46.000            | QUASIPeAK     |
| 4 |   | 374.995            | 14.553                 | 24.052                  | 38.606                    | -7.394         | 46.000            | QUASIPeAK     |
| 5 |   | 625.132            | 17.612                 | 19.323                  | 36.934                    | -9.066         | 46.000            | QUASIPeAK     |
| 6 | * | 875.173            | 19.408                 | 20.410                  | 39.818                    | -6.182         | 46.000            | QUASIPeAK     |

Note:

1. All Reading Levels are Quasi-Peak value.
2. " \* ", means this data is the worst emission level.
3. Measurement Level = Reading Level + Correct Factor.

|                                                    |                                                           |
|----------------------------------------------------|-----------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/19 - 14:38                                 |
| Limit : FCC_CLASS_B_03M_QP                         | Margin : 6                                                |
| Probe : CB1_FCC_EFS_30-1G-2_1011 - HORIZONTAL      | Power : AC 120V / 60Hz                                    |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 4: Transmit_Adapter 3<br>802.11n(40M)_2437MHz |




|   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | 125.050            | 10.644                 | 27.184                  | 37.828                    | -5.672         | 43.500            | QUASIPeAK     |
| 2 | 249.974            | 11.873                 | 21.622                  | 33.495                    | -12.505        | 46.000            | QUASIPeAK     |
| 3 | * 375.696          | 14.570                 | 27.221                  | 41.792                    | -4.208         | 46.000            | QUASIPeAK     |
| 4 | 500.015            | 17.179                 | 14.551                  | 31.730                    | -14.270        | 46.000            | QUASIPeAK     |
| 5 | 625.133            | 17.612                 | 20.483                  | 38.094                    | -7.906         | 46.000            | QUASIPeAK     |
| 6 | 875.173            | 19.408                 | 18.900                  | 38.308                    | -7.692         | 46.000            | QUASIPeAK     |

**Note:**

1. All Reading Levels are Quasi-Peak value.
2. " \* ", means this data is the worst emission level.
3. Measurement Level = Reading Level + Correct Factor.

|                                                    |                                                           |
|----------------------------------------------------|-----------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/19 - 14:21                                 |
| Limit : FCC_CLASS_B_03M_QP                         | Margin : 6                                                |
| Probe : CB1_FCC_EFS_30-1G-2_1011 - VERTICAL        | Power : AC 120V / 60Hz                                    |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 4: Transmit_Adapter 3<br>802.11n(40M)_2437MHz |




|   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | 98.475             | 9.485                  | 21.903                  | 31.388                    | -12.112        | 43.500            | QUASIPeAK     |
| 2 | 125.050            | 10.644                 | 21.662                  | 32.306                    | -11.194        | 43.500            | QUASIPeAK     |
| 3 | 249.974            | 11.873                 | 18.037                  | 29.910                    | -16.090        | 46.000            | QUASIPeAK     |
| 4 | * 374.995          | 14.553                 | 25.375                  | 39.929                    | -6.071         | 46.000            | QUASIPeAK     |
| 5 | 625.132            | 17.612                 | 16.959                  | 34.570                    | -11.430        | 46.000            | QUASIPeAK     |
| 6 | 875.173            | 19.408                 | 19.431                  | 38.839                    | -7.161         | 46.000            | QUASIPeAK     |

Note:

1. All Reading Levels are Quasi-Peak value.
2. " \* ", means this data is the worst emission level.
3. Measurement Level = Reading Level + Correct Factor.

|                                                    |                                                            |
|----------------------------------------------------|------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/18 - 21:25                                  |
| Limit : FCC_CLASS_B_03M_QP                         | Margin : 6                                                 |
| Probe : CB1_FCC_EFS_30-1G-2_1011 - HORIZONTAL      | Power : AC 120V / 60Hz                                     |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 4: Transmit_Adapter 3<br>802.11ac(80M)_5775MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 |   | 125.050            | 10.644                 | 26.759                  | 37.403                    | -6.097         | 43.500            | QUASIPeAK     |
| 2 |   | 249.974            | 11.873                 | 18.032                  | 29.905                    | -16.095        | 46.000            | QUASIPeAK     |
| 3 |   | 374.995            | 14.553                 | 24.921                  | 39.475                    | -6.525         | 46.000            | QUASIPeAK     |
| 4 |   | 500.015            | 17.179                 | 13.472                  | 30.651                    | -15.349        | 46.000            | QUASIPeAK     |
| 5 | * | 625.132            | 17.612                 | 22.328                  | 39.939                    | -6.061         | 46.000            | QUASIPeAK     |
| 6 |   | 875.173            | 19.408                 | 18.779                  | 38.187                    | -7.813         | 46.000            | QUASIPeAK     |

Note:

1. All Reading Levels are Quasi-Peak value.
2. " \* ", means this data is the worst emission level.
3. Measurement Level = Reading Level + Correct Factor.

|                                                    |                                                            |
|----------------------------------------------------|------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/18 - 21:27                                  |
| Limit : FCC_CLASS_B_03M_QP                         | Margin : 6                                                 |
| Probe : CB1_FCC_EFS_30-1G-2_1011 - VERTICAL        | Power : AC 120V / 60Hz                                     |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 4: Transmit_Adapter 3<br>802.11ac(80M)_5775MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 |   | 106.719            | 10.171                 | 22.134                  | 32.305                    | -11.195        | 43.500            | QUASIPeAK     |
| 2 |   | 125.050            | 10.644                 | 19.743                  | 30.387                    | -13.113        | 43.500            | QUASIPeAK     |
| 3 |   | 374.995            | 14.553                 | 21.993                  | 36.547                    | -9.453         | 46.000            | QUASIPeAK     |
| 4 |   | 500.015            | 17.179                 | 12.021                  | 29.200                    | -16.800        | 46.000            | QUASIPeAK     |
| 5 |   | 625.132            | 17.612                 | 15.941                  | 33.552                    | -12.448        | 46.000            | QUASIPeAK     |
| 6 | * | 875.173            | 19.408                 | 19.801                  | 39.209                    | -6.791         | 46.000            | QUASIPeAK     |

Note:

1. All Reading Levels are Quasi-Peak value.
2. " \* ", means this data is the worst emission level.
3. Measurement Level = Reading Level + Correct Factor.

|                                                    |                                                           |
|----------------------------------------------------|-----------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/19 - 17:04                                 |
| Limit : FCC_CLASS_B_03M_QP                         | Margin : 6                                                |
| Probe : CB1_FCC_EFS_30-1G-2_1011 - HORIZONTAL      | Power : AC 120V / 60Hz                                    |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 5: Transmit_Adapter 4<br>802.11n(40M)_2437MHz |




|   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | 125.050            | 10.644                 | 23.742                  | 34.386                    | -9.114         | 43.500            | QUASIPeAK     |
| 2 | 249.974            | 11.873                 | 20.667                  | 32.540                    | -13.460        | 46.000            | QUASIPeAK     |
| 3 | * 374.995          | 14.553                 | 26.363                  | 40.917                    | -5.083         | 46.000            | QUASIPeAK     |
| 4 | 500.015            | 17.179                 | 14.698                  | 31.877                    | -14.123        | 46.000            | QUASIPeAK     |
| 5 | 625.132            | 17.612                 | 22.011                  | 39.622                    | -6.378         | 46.000            | QUASIPeAK     |
| 6 | 875.173            | 19.408                 | 18.193                  | 37.601                    | -8.399         | 46.000            | QUASIPeAK     |

Note:

1. All Reading Levels are Quasi-Peak value.
2. " \* ", means this data is the worst emission level.
3. Measurement Level = Reading Level + Correct Factor.

|                                                    |                                                           |
|----------------------------------------------------|-----------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/19 - 17:07                                 |
| Limit : FCC_CLASS_B_03M_QP                         | Margin : 6                                                |
| Probe : CB1_FCC_EFS_30-1G-2_1011 - VERTICAL        | Power : AC 120V / 60Hz                                    |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 5: Transmit_Adapter 4<br>802.11n(40M)_2437MHz |




|   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | 125.050            | 10.644                 | 21.031                  | 31.675                    | -11.825        | 43.500            | QUASIPeAK     |
| 2 | 249.974            | 11.873                 | 18.559                  | 30.432                    | -15.568        | 46.000            | QUASIPeAK     |
| 3 | * 374.995          | 14.553                 | 25.343                  | 39.897                    | -6.103         | 46.000            | QUASIPeAK     |
| 4 | 625.229            | 17.612                 | 15.801                  | 33.413                    | -12.587        | 46.000            | QUASIPeAK     |
| 5 | 749.959            | 18.603                 | 12.960                  | 31.563                    | -14.437        | 46.000            | QUASIPeAK     |
| 6 | 875.173            | 19.408                 | 19.129                  | 38.537                    | -7.463         | 46.000            | QUASIPeAK     |

Note:

1. All Reading Levels are Quasi-Peak value.
2. " \* ", means this data is the worst emission level.
3. Measurement Level = Reading Level + Correct Factor.

|                                                    |                                                            |
|----------------------------------------------------|------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/19 - 16:40                                  |
| Limit : FCC_CLASS_B_03M_QP                         | Margin : 6                                                 |
| Probe : CB1_FCC_EFS_30-1G-2_1011 - HORIZONTAL      | Power : AC 120V / 60Hz                                     |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 5: Transmit_Adapter 4<br>802.11ac(80M)_5775MHz |




|   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | 125.050            | 10.644                 | 24.267                  | 34.911                    | -8.589         | 43.500            | QUASIPeAK     |
| 2 | 249.974            | 11.873                 | 22.113                  | 33.986                    | -12.014        | 46.000            | QUASIPeAK     |
| 3 | * 374.995          | 14.553                 | 26.466                  | 41.020                    | -4.980         | 46.000            | QUASIPeAK     |
| 4 | 500.015            | 17.179                 | 14.131                  | 31.310                    | -14.690        | 46.000            | QUASIPeAK     |
| 5 | 625.132            | 17.612                 | 22.394                  | 40.005                    | -5.995         | 46.000            | QUASIPeAK     |
| 6 | 875.173            | 19.408                 | 18.584                  | 37.992                    | -8.008         | 46.000            | QUASIPeAK     |

Note:

1. All Reading Levels are Quasi-Peak value.
2. " \* ", means this data is the worst emission level.
3. Measurement Level = Reading Level + Correct Factor.

|                                                    |                                                            |
|----------------------------------------------------|------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/19 - 16:43                                  |
| Limit : FCC_CLASS_B_03M_QP                         | Margin : 6                                                 |
| Probe : CB1_FCC_EFS_30-1G-2_1011 - VERTICAL        | Power : AC 120V / 60Hz                                     |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 5: Transmit_Adapter 4<br>802.11ac(80M)_5775MHz |




|   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | 98.475             | 9.485                  | 19.404                  | 28.889                    | -14.611        | 43.500            | QUASIPeAK     |
| 2 | 125.050            | 10.644                 | 21.158                  | 31.802                    | -11.698        | 43.500            | QUASIPeAK     |
| 3 | 249.974            | 11.873                 | 18.280                  | 30.153                    | -15.847        | 46.000            | QUASIPeAK     |
| 4 | * 374.995          | 14.553                 | 25.367                  | 39.921                    | -6.079         | 46.000            | QUASIPeAK     |
| 5 | 625.132            | 17.612                 | 17.996                  | 35.607                    | -10.393        | 46.000            | QUASIPeAK     |
| 6 | 875.173            | 19.408                 | 19.542                  | 38.950                    | -7.050         | 46.000            | QUASIPeAK     |

Note:

1. All Reading Levels are Quasi-Peak value.
2. " \* ", means this data is the worst emission level.
3. Measurement Level = Reading Level + Correct Factor.

### Above 1GHz Spurious

|                                                    |                                                               |
|----------------------------------------------------|---------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/10 - 20:23                                     |
| Limit : FCC_SpartC_15.247_H_03M_PK                 | Margin : 6                                                    |
| Probe : CB1_FCC_EFS_1-18G_H2 - HORIZONTAL          | Power : AC 120 V / 60Hz                                       |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11b_2412MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 |   | 4823.860           | -2.560                 | 44.960                  | 42.400                    | -31.600        | 74.000            | PEAK          |
| 2 | * | 7237.030           | 5.928                  | 44.700                  | 50.628                    | -23.372        | 74.000            | PEAK          |
| 3 |   | 9640.520           | 7.618                  | 41.110                  | 48.728                    | -25.272        | 74.000            | PEAK          |
| 4 |   | 12061.950          | 10.335                 | 40.080                  | 50.415                    | -23.585        | 74.000            | PEAK          |

#### Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                               |
|----------------------------------------------------|---------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/10 - 20:31                                     |
| Limit : FCC_SpartC_15.247_H_03M_PK                 | Margin : 6                                                    |
| Probe : CB1_FCC_EFS_1-18G_H2 - VERTICAL            | Power : AC 120 V / 60Hz                                       |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11b_2412MHz |




|   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | 4824.025           | -1.662                 | 48.290                  | 46.628                    | -27.372        | 74.000            | PEAK          |
| 2 | * 7237.450         | 5.429                  | 49.900                  | 55.329                    | -18.671        | 74.000            | PEAK          |
| 3 | 9648.175           | 7.162                  | 43.970                  | 51.132                    | -22.868        | 74.000            | PEAK          |
| 4 | 12058.625          | 9.914                  | 44.530                  | 54.444                    | -19.556        | 74.000            | PEAK          |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                               |
|----------------------------------------------------|---------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/10 - 20:32                                     |
| Limit : FCC_SpartC_15.247_H_03M_AV                 | Margin : 6                                                    |
| Probe : CB1_FCC_EFS_1-18G_H2 - VERTICAL            | Power : AC 120 V / 60Hz                                       |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11b_2412MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | * | 7237.275           | 5.429                  | 44.200                  | 49.628                    | -4.372         | 54.000            | AVERAGE       |
| 2 |   | 12059.125          | 9.914                  | 38.360                  | 48.274                    | -5.726         | 54.000            | AVERAGE       |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. “ \* ”, means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                               |
|----------------------------------------------------|---------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/10 - 20:52                                     |
| Limit : FCC_SpartC_15.247_H_03M_PK                 | Margin : 6                                                    |
| Probe : CB1_FCC_EFS_1-18G_H2 - HORIZONTAL          | Power : AC 120 V / 60Hz                                       |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11b_2437MHz |




|   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | 4873.925           | -2.425                 | 46.280                  | 43.854                    | -30.146        | 74.000            | PEAK          |
| 2 | * 7312.800         | 6.077                  | 46.290                  | 52.367                    | -21.633        | 74.000            | PEAK          |
| 3 | 9758.675           | 8.257                  | 40.050                  | 48.308                    | -25.692        | 74.000            | PEAK          |
| 4 | 12170.600          | 10.206                 | 39.650                  | 49.855                    | -24.145        | 74.000            | PEAK          |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                               |
|----------------------------------------------------|---------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/10 - 20:53                                     |
| Limit : FCC_SpartC_15.247_H_03M_AV                 | Margin : 6                                                    |
| Probe : CB1_FCC_EFS_1-18G_H2 - HORIZONTAL          | Power : AC 120 V / 60Hz                                       |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11b_2437MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | * | 7311.850           | 6.075                  | 39.650                  | 45.725                    | -8.275         | 54.000            | AVERAGE       |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                               |
|----------------------------------------------------|---------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/10 - 21:01                                     |
| Limit : FCC_SpartC_15.247_H_03M_PK                 | Margin : 6                                                    |
| Probe : CB1_FCC_EFS_1-18G_H2 - VERTICAL            | Power : AC 120 V / 60Hz                                       |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11b_2437MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 |   | 4874.000           | -1.653                 | 48.460                  | 46.807                    | -27.193        | 74.000            | PEAK          |
| 2 |   | 7312.150           | 5.575                  | 50.060                  | 55.636                    | -18.364        | 74.000            | PEAK          |
| 3 |   | 9748.225           | 7.553                  | 43.760                  | 51.314                    | -22.686        | 74.000            | PEAK          |
| 4 | * | 12183.900          | 9.890                  | 46.870                  | 56.760                    | -17.240        | 74.000            | PEAK          |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                               |
|----------------------------------------------------|---------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/10 - 21:01                                     |
| Limit : FCC_SpartC_15.247_H_03M_AV                 | Margin : 6                                                    |
| Probe : CB1_FCC_EFS_1-18G_H2 - VERTICAL            | Power : AC 120 V / 60Hz                                       |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11b_2437MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 |   | 7311.875           | 5.575                  | 45.540                  | 51.115                    | -2.885         | 54.000            | AVERAGE       |
| 2 | * | 12183.925          | 9.890                  | 41.540                  | 51.430                    | -2.570         | 54.000            | AVERAGE       |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. “ \* ”, means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                               |
|----------------------------------------------------|---------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/10 - 21:50                                     |
| Limit : FCC_SpartC_15.247_H_03M_PK                 | Margin : 6                                                    |
| Probe : CB1_FCC_EFS_1-18G_H2 - HORIZONTAL          | Power : AC 120 V / 60Hz                                       |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11b_2462MHz |




|   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | 4924.200           | -2.291                 | 47.170                  | 44.879                    | -29.121        | 74.000            | PEAK          |
| 2 | * 7387.100         | 6.223                  | 45.460                  | 51.683                    | -22.317        | 74.000            | PEAK          |
| 3 | 9838.000           | 8.688                  | 40.350                  | 49.038                    | -24.962        | 74.000            | PEAK          |
| 4 | 12322.325          | 10.024                 | 39.960                  | 49.985                    | -24.015        | 74.000            | PEAK          |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                               |
|----------------------------------------------------|---------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/10 - 21:55                                     |
| Limit : FCC_SpartC_15.247_H_03M_PK                 | Margin : 6                                                    |
| Probe : CB1_FCC_EFS_1-18G_H2 - VERTICAL            | Power : AC 120 V / 60Hz                                       |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11b_2462MHz |




|   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | 4924.050           | -1.644                 | 48.740                  | 47.096                    | -26.904        | 74.000            | PEAK          |
| 2 | * 7387.650         | 5.724                  | 50.300                  | 56.024                    | -17.976        | 74.000            | PEAK          |
| 3 | 9848.325           | 7.946                  | 44.700                  | 52.646                    | -21.354        | 74.000            | PEAK          |
| 4 | 12308.975          | 9.867                  | 45.280                  | 55.146                    | -18.854        | 74.000            | PEAK          |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                               |
|----------------------------------------------------|---------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/10 - 21:55                                     |
| Limit : FCC_SpartC_15.247_H_03M_AV                 | Margin : 6                                                    |
| Probe : CB1_FCC_EFS_1-18G_H2 - VERTICAL            | Power : AC 120 V / 60Hz                                       |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11b_2462MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | * | 7387.850           | 5.725                  | 46.050                  | 51.775                    | -2.225         | 54.000            | AVERAGE       |
| 2 |   | 12309.000          | 9.867                  | 39.520                  | 49.386                    | -4.614         | 54.000            | AVERAGE       |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                               |
|----------------------------------------------------|---------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/11 - 11:14                                     |
| Limit : FCC_SpartC_15.247_H_03M_PK                 | Margin : 6                                                    |
| Probe : CB1_FCC_EFS_1-18G_H2 - HORIZONTAL          | Power : AC 120 V / 60Hz                                       |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11g_2412MHz |




|   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | 4821.800           | -2.565                 | 49.430                  | 46.865                    | -27.135        | 74.000            | PEAK          |
| 2 | * 7240.450         | 5.935                  | 47.750                  | 53.685                    | -20.315        | 74.000            | PEAK          |
| 3 | 9747.400           | 8.197                  | 39.900                  | 48.097                    | -25.903        | 74.000            | PEAK          |
| 4 | 12054.100          | 10.344                 | 39.410                  | 49.754                    | -24.246        | 74.000            | PEAK          |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                               |
|----------------------------------------------------|---------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/11 - 11:15                                     |
| Limit : FCC_SpartC_15.247_H_03M_AV                 | Margin : 6                                                    |
| Probe : CB1_FCC_EFS_1-18G_H2 - HORIZONTAL          | Power : AC 120 V / 60Hz                                       |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11g_2412MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | * | 7235.000           | 5.924                  | 36.670                  | 42.594                    | -11.406        | 54.000            | AVERAGE       |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                               |
|----------------------------------------------------|---------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/11 - 11:29                                     |
| Limit : FCC_SpartC_15.247_H_03M_PK                 | Margin : 6                                                    |
| Probe : CB1_FCC_EFS_1-18G_H2 - VERTICAL            | Power : AC 120 V / 60Hz                                       |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11g_2412MHz |




|   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | 4820.450           | -1.663                 | 51.680                  | 50.017                    | -23.983        | 74.000            | PEAK          |
| 2 | * 7238.100         | 5.430                  | 53.380                  | 58.810                    | -15.190        | 74.000            | PEAK          |
| 3 | 9754.850           | 7.579                  | 43.730                  | 51.310                    | -22.690        | 74.000            | PEAK          |
| 4 | 12054.150          | 9.915                  | 46.660                  | 56.575                    | -17.425        | 74.000            | PEAK          |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                               |
|----------------------------------------------------|---------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/11 - 11:29                                     |
| Limit : FCC_SpartC_15.247_H_03M_AV                 | Margin : 6                                                    |
| Probe : CB1_FCC_EFS_1-18G_H2 - VERTICAL            | Power : AC 120 V / 60Hz                                       |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11g_2412MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | * | 7237.000           | 5.428                  | 42.220                  | 47.648                    | -6.352         | 54.000            | AVERAGE       |
| 2 |   | 12053.700          | 9.915                  | 34.220                  | 44.135                    | -9.865         | 54.000            | AVERAGE       |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                               |
|----------------------------------------------------|---------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/11 - 11:46                                     |
| Limit : FCC_SpartC_15.247_H_03M_PK                 | Margin : 6                                                    |
| Probe : CB1_FCC_EFS_1-18G_H2 - HORIZONTAL          | Power : AC 120 V / 60Hz                                       |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11g_2437MHz |




|   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | 4876.750           | -2.417                 | 50.640                  | 48.222                    | -25.778        | 74.000            | PEAK          |
| 2 | * 7306.400         | 6.064                  | 49.680                  | 55.744                    | -18.256        | 74.000            | PEAK          |
| 3 | 9753.450           | 8.229                  | 41.730                  | 49.960                    | -24.040        | 74.000            | PEAK          |
| 4 | 12174.750          | 10.200                 | 39.830                  | 50.030                    | -23.970        | 74.000            | PEAK          |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                               |
|----------------------------------------------------|---------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/11 - 11:48                                     |
| Limit : FCC_SpartC_15.247_H_03M_AV                 | Margin : 6                                                    |
| Probe : CB1_FCC_EFS_1-18G_H2 - HORIZONTAL          | Power : AC 120 V / 60Hz                                       |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11g_2437MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | * | 7313.875           | 6.080                  | 36.760                  | 42.839                    | -11.161        | 54.000            | AVERAGE       |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                               |
|----------------------------------------------------|---------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/11 - 11:51                                     |
| Limit : FCC_SpartC_15.247_H_03M_PK                 | Margin : 6                                                    |
| Probe : CB1_FCC_EFS_1-18G_H2 - VERTICAL            | Power : AC 120 V / 60Hz                                       |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11g_2437MHz |




|   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | 4877.250           | -1.652                 | 51.620                  | 49.968                    | -24.032        | 74.000            | PEAK          |
| 2 | * 7313.325         | 5.578                  | 54.280                  | 59.858                    | -14.142        | 74.000            | PEAK          |
| 3 | 9754.000           | 7.575                  | 42.730                  | 50.306                    | -23.694        | 74.000            | PEAK          |
| 4 | 12175.750          | 9.892                  | 43.900                  | 53.792                    | -20.208        | 74.000            | PEAK          |

**Note:**


1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                               |
|----------------------------------------------------|---------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/11 - 11:52                                     |
| Limit : FCC_SpartC_15.247_H_03M_AV                 | Margin : 6                                                    |
| Probe : CB1_FCC_EFS_1-18G_H2 - VERTICAL            | Power : AC 120 V / 60Hz                                       |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11g_2437MHz |



|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | * | 7313.700           | 5.579                  | 44.060                  | 49.639                    | -4.361         | 54.000            | AVERAGE       |
| 2 |   | 12175.850          | 9.891                  | 32.080                  | 41.972                    | -12.028        | 54.000            | AVERAGE       |

|                                                    |                                                               |
|----------------------------------------------------|---------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/11 - 11:58                                     |
| Limit : FCC_SpartC_15.247_H_03M_PK                 | Margin : 6                                                    |
| Probe : CB1_FCC_EFS_1-18G_H2 - HORIZONTAL          | Power : AC 120 V / 60Hz                                       |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11g_2462MHz |




|   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | 4925.600           | -2.286                 | 49.290                  | 47.003                    | -26.997        | 74.000            | PEAK          |
| 2 | * 7388.080         | 6.225                  | 49.980                  | 56.205                    | -17.795        | 74.000            | PEAK          |
| 3 | 9856.760           | 8.790                  | 41.730                  | 50.519                    | -23.481        | 74.000            | PEAK          |
| 4 | 12342.700          | 10.001                 | 40.490                  | 50.490                    | -23.510        | 74.000            | PEAK          |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                               |
|----------------------------------------------------|---------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/11 - 11:59                                     |
| Limit : FCC_SpartC_15.247_H_03M_AV                 | Margin : 6                                                    |
| Probe : CB1_FCC_EFS_1-18G_H2 - HORIZONTAL          | Power : AC 120 V / 60Hz                                       |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11g_2462MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | * | 7388.175           | 6.225                  | 37.410                  | 43.635                    | -10.365        | 54.000            | AVERAGE       |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                               |
|----------------------------------------------------|---------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/11 - 13:06                                     |
| Limit : FCC_SpartC_15.247_H_03M_PK                 | Margin : 6                                                    |
| Probe : CB1_FCC_EFS_1-18G_H2 - VERTICAL            | Power : AC 120 V / 60Hz                                       |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11g_2462MHz |




|   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | 4925.500           | -1.643                 | 52.210                  | 50.567                    | -23.433        | 74.000            | PEAK          |
| 2 | * 7390.000         | 5.729                  | 54.820                  | 60.549                    | -13.451        | 74.000            | PEAK          |
| 3 | 9874.000           | 8.045                  | 42.860                  | 50.906                    | -23.094        | 74.000            | PEAK          |
| 4 | 12301.450          | 9.868                  | 42.770                  | 52.638                    | -21.362        | 74.000            | PEAK          |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                               |
|----------------------------------------------------|---------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/11 - 13:07                                     |
| Limit : FCC_SpartC_15.247_H_03M_AV                 | Margin : 6                                                    |
| Probe : CB1_FCC_EFS_1-18G_H2 - VERTICAL            | Power : AC 120 V / 60Hz                                       |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11g_2462MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | * | 7389.625           | 5.728                  | 42.140                  | 47.868                    | -6.132         | 54.000            | AVERAGE       |
| 2 |   | 12309.900          | 9.867                  | 32.440                  | 42.306                    | -11.694        | 54.000            | AVERAGE       |

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                                    |
|----------------------------------------------------|--------------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/11 - 13:11                                          |
| Limit : FCC_SpartC_15.247_H_03M_PK                 | Margin : 6                                                         |
| Probe : CB1_FCC_EFS_1-18G_H2 - HORIZONTAL          | Power : AC 120 V / 60Hz                                            |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11n(20M)_2412MHz |




|   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | 4826.500           | -2.553                 | 53.310                  | 50.757                    | -23.243        | 74.000            | PEAK          |
| 2 | * 7239.850         | 5.934                  | 50.820                  | 56.753                    | -17.247        | 74.000            | PEAK          |
| 3 | 9638.230           | 7.605                  | 42.420                  | 50.026                    | -23.974        | 74.000            | PEAK          |
| 4 | 12044.580          | 10.355                 | 40.440                  | 50.796                    | -23.204        | 74.000            | PEAK          |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                                    |
|----------------------------------------------------|--------------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/11 - 13:12                                          |
| Limit : FCC_SpartC_15.247_H_03M_AV                 | Margin : 6                                                         |
| Probe : CB1_FCC_EFS_1-18G_H2 - HORIZONTAL          | Power : AC 120 V / 60Hz                                            |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11n(20M)_2412MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | * | 7240.070           | 5.934                  | 36.920                  | 42.854                    | -11.146        | 54.000            | AVERAGE       |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                                    |
|----------------------------------------------------|--------------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/11 - 13:16                                          |
| Limit : FCC_SpartC_15.247_H_03M_PK                 | Margin : 6                                                         |
| Probe : CB1_FCC_EFS_1-18G_H2 - VERTICAL            | Power : AC 120 V / 60Hz                                            |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11n(20M)_2412MHz |




|   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | 4821.700           | -1.662                 | 51.100                  | 49.438                    | -24.562        | 74.000            | PEAK          |
| 2 | * 7237.100         | 5.428                  | 55.610                  | 61.038                    | -12.962        | 74.000            | PEAK          |
| 3 | 9655.325           | 7.190                  | 43.330                  | 50.520                    | -23.480        | 74.000            | PEAK          |
| 4 | 12068.900          | 9.913                  | 47.300                  | 57.213                    | -16.787        | 74.000            | PEAK          |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                                    |
|----------------------------------------------------|--------------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/11 - 13:16                                          |
| Limit : FCC_SpartC_15.247_H_03M_AV                 | Margin : 6                                                         |
| Probe : CB1_FCC_EFS_1-18G_H2 - VERTICAL            | Power : AC 120 V / 60Hz                                            |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11n(20M)_2412MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | * | 7237.100           | 5.428                  | 43.150                  | 48.578                    | -5.422         | 54.000            | AVERAGE       |
| 2 |   | 12050.750          | 9.916                  | 32.890                  | 42.806                    | -11.194        | 54.000            | AVERAGE       |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                                    |
|----------------------------------------------------|--------------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/11 - 13:24                                          |
| Limit : FCC_SpartC_15.247_H_03M_PK                 | Margin : 6                                                         |
| Probe : CB1_FCC_EFS_1-18G_H2 - HORIZONTAL          | Power : AC 120 V / 60Hz                                            |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11n(20M)_2437MHz |




|   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | 4874.120           | -2.425                 | 53.730                  | 51.305                    | -22.695        | 74.000            | PEAK          |
| 2 | * 7312.600         | 6.076                  | 51.900                  | 57.977                    | -16.023        | 74.000            | PEAK          |
| 3 | 9768.275           | 8.310                  | 41.270                  | 49.580                    | -24.420        | 74.000            | PEAK          |
| 4 | 12179.450          | 10.195                 | 40.870                  | 51.065                    | -22.935        | 74.000            | PEAK          |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                                    |
|----------------------------------------------------|--------------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/11 - 13:25                                          |
| Limit : FCC_SpartC_15.247_H_03M_AV                 | Margin : 6                                                         |
| Probe : CB1_FCC_EFS_1-18G_H2 - HORIZONTAL          | Power : AC 120 V / 60Hz                                            |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11n(20M)_2437MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | * | 7314.365           | 6.081                  | 35.680                  | 41.760                    | -12.240        | 54.000            | AVERAGE       |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                                    |
|----------------------------------------------------|--------------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/11 - 13:32                                          |
| Limit : FCC_SpartC_15.247_H_03M_PK                 | Margin : 6                                                         |
| Probe : CB1_FCC_EFS_1-18G_H2 - VERTICAL            | Power : AC 120 V / 60Hz                                            |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11n(20M)_2437MHz |




|   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | 4874.450           | -1.653                 | 52.310                  | 50.657                    | -23.343        | 74.000            | PEAK          |
| 2 | * 7306.950         | 5.565                  | 54.110                  | 59.676                    | -14.324        | 74.000            | PEAK          |
| 3 | 9754.000           | 7.575                  | 43.440                  | 51.016                    | -22.984        | 74.000            | PEAK          |
| 4 | 12176.450          | 9.892                  | 44.170                  | 54.062                    | -19.938        | 74.000            | PEAK          |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                                    |
|----------------------------------------------------|--------------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/11 - 13:34                                          |
| Limit : FCC_SpartC_15.247_H_03M_AV                 | Margin : 6                                                         |
| Probe : CB1_FCC_EFS_1-18G_H2 - VERTICAL            | Power : AC 120 V / 60Hz                                            |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11n(20M)_2437MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | * | 7312.400           | 5.576                  | 42.610                  | 48.186                    | -5.814         | 54.000            | AVERAGE       |
| 2 |   | 12175.550          | 9.892                  | 32.320                  | 42.212                    | -11.788        | 54.000            | AVERAGE       |

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                                    |
|----------------------------------------------------|--------------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/10 - 22:39                                          |
| Limit : FCC_SpartC_15.247_H_03M_PK                 | Margin : 6                                                         |
| Probe : CB1_FCC_EFS_1-18G_H2 - HORIZONTAL          | Power : AC 120 V / 60Hz                                            |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11n(20M)_2462MHz |




|   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | 4926.250           | -2.285                 | 48.520                  | 46.235                    | -27.765        | 74.000            | PEAK          |
| 2 | * 7381.750         | 6.213                  | 48.550                  | 54.763                    | -19.237        | 74.000            | PEAK          |
| 3 | 9835.800           | 8.676                  | 40.540                  | 49.216                    | -24.784        | 74.000            | PEAK          |
| 4 | 12332.400          | 10.013                 | 39.840                  | 49.852                    | -24.148        | 74.000            | PEAK          |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                                    |
|----------------------------------------------------|--------------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/10 - 22:39                                          |
| Limit : FCC_SpartC_15.247_H_03M_AV                 | Margin : 6                                                         |
| Probe : CB1_FCC_EFS_1-18G_H2 - HORIZONTAL          | Power : AC 120 V / 60Hz                                            |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11n(20M)_2462MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | * | 7382.875           | 6.215                  | 35.590                  | 41.805                    | -12.195        | 54.000            | AVERAGE       |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                                    |
|----------------------------------------------------|--------------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/10 - 22:55                                          |
| Limit : FCC_SpartC_15.247_H_03M_PK                 | Margin : 6                                                         |
| Probe : CB1_FCC_EFS_1-18G_H2 - VERTICAL            | Power : AC 120 V / 60Hz                                            |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11n(20M)_2462MHz |




|   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | 4922.300           | -1.644                 | 52.860                  | 51.216                    | -22.784        | 74.000            | PEAK          |
| 2 | * 7381.750         | 5.713                  | 54.710                  | 60.423                    | -13.577        | 74.000            | PEAK          |
| 3 | 9844.775           | 7.932                  | 42.930                  | 50.862                    | -23.138        | 74.000            | PEAK          |
| 4 | 12302.600          | 9.868                  | 41.360                  | 51.228                    | -22.772        | 74.000            | PEAK          |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                                    |
|----------------------------------------------------|--------------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/10 - 22:59                                          |
| Limit : FCC_SpartC_15.247_H_03M_AV                 | Margin : 6                                                         |
| Probe : CB1_FCC_EFS_1-18G_H2 - VERTICAL            | Power : AC 120 V / 60Hz                                            |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11n(20M)_2462MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | * | 7381.650           | 5.712                  | 41.160                  | 46.873                    | -7.127         | 54.000            | AVERAGE       |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                                    |
|----------------------------------------------------|--------------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/10 - 23:11                                          |
| Limit : FCC_SpartC_15.247_H_03M_PK                 | Margin : 6                                                         |
| Probe : CB1_FCC_EFS_1-18G_H2 - HORIZONTAL          | Power : AC 120 V / 60Hz                                            |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11n(40M)_2422MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 |   | 4847.600           | -2.496                 | 45.260                  | 42.764                    | -31.236        | 74.000            | PEAK          |
| 2 |   | 7262.550           | 5.978                  | 43.290                  | 49.268                    | -24.732        | 74.000            | PEAK          |
| 3 |   | 9684.150           | 7.854                  | 40.560                  | 48.414                    | -25.586        | 74.000            | PEAK          |
| 4 | * | 12136.450          | 10.246                 | 39.640                  | 49.886                    | -24.114        | 74.000            | PEAK          |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                                    |
|----------------------------------------------------|--------------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/10 - 23:21                                          |
| Limit : FCC_SpartC_15.247_H_03M_PK                 | Margin : 6                                                         |
| Probe : CB1_FCC_EFS_1-18G_H2 - VERTICAL            | Power : AC 120 V / 60Hz                                            |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11n(40M)_2422MHz |




|   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | 4850.600           | -1.656                 | 47.970                  | 46.313                    | -27.687        | 74.000            | PEAK          |
| 2 | * 7281.400         | 5.515                  | 48.410                  | 53.925                    | -20.075        | 74.000            | PEAK          |
| 3 | 9667.350           | 7.237                  | 41.790                  | 49.027                    | -24.973        | 74.000            | PEAK          |
| 4 | 12100.400          | 9.906                  | 42.050                  | 51.956                    | -22.044        | 74.000            | PEAK          |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                                    |
|----------------------------------------------------|--------------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/10 - 23:22                                          |
| Limit : FCC_SpartC_15.247_H_03M_AV                 | Margin : 6                                                         |
| Probe : CB1_FCC_EFS_1-18G_H2 - VERTICAL            | Power : AC 120 V / 60Hz                                            |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11n(40M)_2422MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | * | 7261.200           | 5.475                  | 36.170                  | 41.646                    | -12.354        | 54.000            | AVERAGE       |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                                    |
|----------------------------------------------------|--------------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/10 - 23:33                                          |
| Limit : FCC_SpartC_15.247_H_03M_PK                 | Margin : 6                                                         |
| Probe : CB1_FCC_EFS_1-18G_H2 - HORIZONTAL          | Power : AC 120 V / 60Hz                                            |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11n(40M)_2437MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 |   | 4878.750           | -2.413                 | 46.610                  | 44.197                    | -29.803        | 74.000            | PEAK          |
| 2 | * | 7306.400           | 6.064                  | 45.160                  | 51.224                    | -22.776        | 74.000            | PEAK          |
| 3 |   | 9704.500           | 7.966                  | 40.130                  | 48.095                    | -25.905        | 74.000            | PEAK          |
| 4 |   | 12186.400          | 10.187                 | 39.640                  | 49.827                    | -24.173        | 74.000            | PEAK          |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                                    |
|----------------------------------------------------|--------------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/10 - 23:42                                          |
| Limit : FCC_SpartC_15.247_H_03M_PK                 | Margin : 6                                                         |
| Probe : CB1_FCC_EFS_1-18G_H2 - VERTICAL            | Power : AC 120 V / 60Hz                                            |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11n(40M)_2437MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 |   | 4880.750           | -1.651                 | 49.200                  | 47.548                    | -26.452        | 74.000            | PEAK          |
| 2 | * | 7306.650           | 5.564                  | 48.920                  | 54.485                    | -19.515        | 74.000            | PEAK          |
| 3 |   | 9748.650           | 7.555                  | 41.260                  | 48.815                    | -25.185        | 74.000            | PEAK          |
| 4 |   | 12174.800          | 9.891                  | 40.150                  | 50.042                    | -23.958        | 74.000            | PEAK          |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                                    |
|----------------------------------------------------|--------------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/10 - 23:43                                          |
| Limit : FCC_SpartC_15.247_H_03M_AV                 | Margin : 6                                                         |
| Probe : CB1_FCC_EFS_1-18G_H2 - VERTICAL            | Power : AC 120 V / 60Hz                                            |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11n(40M)_2437MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | * | 7306.600           | 5.564                  | 36.340                  | 41.905                    | -12.095        | 54.000            | AVERAGE       |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                                    |
|----------------------------------------------------|--------------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/11 - 10:01                                          |
| Limit : FCC_SpartC_15.247_H_03M_PK                 | Margin : 6                                                         |
| Probe : CB1_FCC_EFS_1-18G_H2 - HORIZONTAL          | Power : AC 120 V / 60Hz                                            |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11n(40M)_2452MHz |




|   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | 4907.050           | -2.337                 | 42.900                  | 40.563                    | -33.437        | 74.000            | PEAK          |
| 2 | * 7371.250         | 6.192                  | 45.190                  | 51.382                    | -22.618        | 74.000            | PEAK          |
| 3 | 9807.550           | 8.523                  | 40.770                  | 49.293                    | -24.707        | 74.000            | PEAK          |
| 4 | 12298.550          | 10.052                 | 39.750                  | 49.803                    | -24.197        | 74.000            | PEAK          |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                                    |
|----------------------------------------------------|--------------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/11 - 10:48                                          |
| Limit : FCC_SpartC_15.247_H_03M_PK                 | Margin : 6                                                         |
| Probe : CB1_FCC_EFS_1-18G_H2 - VERTICAL            | Power : AC 120 V / 60Hz                                            |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11n(40M)_2452MHz |




|   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | 4904.250           | -1.648                 | 49.380                  | 47.733                    | -26.267        | 74.000            | PEAK          |
| 2 | * 7337.950         | 5.627                  | 48.420                  | 54.047                    | -19.953        | 74.000            | PEAK          |
| 3 | 9826.100           | 7.858                  | 42.650                  | 50.509                    | -23.491        | 74.000            | PEAK          |
| 4 | 12279.050          | 9.873                  | 39.650                  | 49.522                    | -24.478        | 74.000            | PEAK          |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                                    |
|----------------------------------------------------|--------------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/11 - 10:49                                          |
| Limit : FCC_SpartC_15.247_H_03M_AV                 | Margin : 6                                                         |
| Probe : CB1_FCC_EFS_1-18G_H2 - VERTICAL            | Power : AC 120 V / 60Hz                                            |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11n(40M)_2452MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | * | 7357.850           | 5.666                  | 36.760                  | 42.426                    | -11.574        | 54.000            | AVERAGE       |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                               |
|----------------------------------------------------|---------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/10 - 10:38                                     |
| Limit : FCC_SpartC_15.209_03M_PK                   | Margin : 6                                                    |
| Probe : CB1_FCC_EFS_1-18G_H2 - HORIZONTAL          | Power : AC 120 V / 60Hz                                       |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11a_5745MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 |   | 11488.000          | 11.041                 | 39.860                  | 50.901                    | -23.099        | 74.000            | PEAK          |
| 2 | * | 17231.450          | 14.344                 | 38.570                  | 52.915                    | -21.085        | 74.000            | PEAK          |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. “ \* ”, means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                               |
|----------------------------------------------------|---------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/10 - 10:38                                     |
| Limit : FCC_SpartC_15.209_03M_PK                   | Margin : 6                                                    |
| Probe : CB1_FCC_EFS_1-18G_H2 - VERTICAL            | Power : AC 120 V / 60Hz                                       |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11a_5745MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | * | 11486.650          | 10.790                 | 43.360                  | 54.151                    | -19.849        | 74.000            | PEAK          |
| 2 |   | 17241.300          | 14.392                 | 38.960                  | 53.352                    | -20.648        | 74.000            | PEAK          |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. “ \* ”, means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                               |
|----------------------------------------------------|---------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/10 - 10:39                                     |
| Limit : FCC_SpartC_15.209_03M_AV                   | Margin : 6                                                    |
| Probe : CB1_FCC_EFS_1-18G_H2 - VERTICAL            | Power : AC 120 V / 60Hz                                       |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11a_5745MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | * | 11487.450          | 10.790                 | 31.060                  | 41.850                    | -12.150        | 54.000            | AVERAGE       |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                               |
|----------------------------------------------------|---------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/10 - 10:46                                     |
| Limit : FCC_SpartC_15.209_03M_PK                   | Margin : 6                                                    |
| Probe : CB1_FCC_EFS_1-18G_H2 - HORIZONTAL          | Power : AC 120 V / 60Hz                                       |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11a_5785MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 |   | 11582.300          | 10.925                 | 39.700                  | 50.625                    | -23.375        | 74.000            | PEAK          |
| 2 | * | 17237.250          | 14.373                 | 38.600                  | 52.972                    | -21.028        | 74.000            | PEAK          |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                               |
|----------------------------------------------------|---------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/10 - 10:52                                     |
| Limit : FCC_SpartC_15.209_03M_PK                   | Margin : 6                                                    |
| Probe : CB1_FCC_EFS_1-18G_H2 - VERTICAL            | Power : AC 120 V / 60Hz                                       |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11a_5785MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | * | 11564.650          | 10.657                 | 46.490                  | 57.146                    | -16.854        | 74.000            | PEAK          |
| 2 |   | 17364.050          | 14.980                 | 40.550                  | 55.530                    | -18.470        | 74.000            | PEAK          |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                               |
|----------------------------------------------------|---------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/10 - 10:53                                     |
| Limit : FCC_SpartC_15.209_03M_AV                   | Margin : 6                                                    |
| Probe : CB1_FCC_EFS_1-18G_H2 - VERTICAL            | Power : AC 120 V / 60Hz                                       |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11a_5785MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | * | 11567.750          | 10.651                 | 32.620                  | 43.271                    | -10.729        | 54.000            | AVERAGE       |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                               |
|----------------------------------------------------|---------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/10 - 10:58                                     |
| Limit : FCC_SpartC_15.209_03M_PK                   | Margin : 6                                                    |
| Probe : CB1_FCC_EFS_1-18G_H2 - HORIZONTAL          | Power : AC 120 V / 60Hz                                       |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11a_5825MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 |   | 11658.400          | 10.831                 | 42.520                  | 53.351                    | -20.649        | 74.000            | PEAK          |
| 2 | * | 17459.750          | 15.439                 | 38.430                  | 53.869                    | -20.131        | 74.000            | PEAK          |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                               |
|----------------------------------------------------|---------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/10 - 10:58                                     |
| Limit : FCC_SpartC_15.209_03M_AV                   | Margin : 6                                                    |
| Probe : CB1_FCC_EFS_1-18G_H2 - HORIZONTAL          | Power : AC 120 V / 60Hz                                       |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11a_5825MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | * | 11656.950          | 10.832                 | 28.770                  | 39.603                    | -14.397        | 54.000            | AVERAGE       |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                               |
|----------------------------------------------------|---------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/10 - 11:07                                     |
| Limit : FCC_SpartC_15.209_03M_PK                   | Margin : 6                                                    |
| Probe : CB1_FCC_EFS_1-18G_H2 - VERTICAL            | Power : AC 120 V / 60Hz                                       |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11a_5825MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 |   | 11647.550          | 10.512                 | 44.070                  | 54.582                    | -19.418        | 74.000            | PEAK          |
| 2 | * | 17450.900          | 15.397                 | 39.400                  | 54.797                    | -19.203        | 74.000            | PEAK          |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                               |
|----------------------------------------------------|---------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/10 - 11:07                                     |
| Limit : FCC_SpartC_15.209_03M_AV                   | Margin : 6                                                    |
| Probe : CB1_FCC_EFS_1-18G_H2 - VERTICAL            | Power : AC 120 V / 60Hz                                       |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11a_5825MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | * | 11648.100          | 10.511                 | 32.200                  | 42.711                    | -11.289        | 54.000            | AVERAGE       |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                                    |
|----------------------------------------------------|--------------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/10 - 11:11                                          |
| Limit : FCC_SpartC_15.209_03M_PK                   | Margin : 6                                                         |
| Probe : CB1_FCC_EFS_1-18G_H2 - HORIZONTAL          | Power : AC 120 V / 60Hz                                            |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11n(20M)_5745MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 |   | 11495.050          | 11.034                 | 40.880                  | 51.913                    | -22.087        | 74.000            | PEAK          |
| 2 | * | 17249.200          | 14.430                 | 38.920                  | 53.350                    | -20.650        | 74.000            | PEAK          |

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                                    |
|----------------------------------------------------|--------------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/10 - 11:11                                          |
| Limit : FCC_SpartC_15.209_03M_AV                   | Margin : 6                                                         |
| Probe : CB1_FCC_EFS_1-18G_H2 - HORIZONTAL          | Power : AC 120 V / 60Hz                                            |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11n(20M)_5745MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | * | 11495.250          | 11.034                 | 27.880                  | 38.913                    | -15.087        | 54.000            | AVERAGE       |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                                    |
|----------------------------------------------------|--------------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/10 - 11:18                                          |
| Limit : FCC_SpartC_15.209_03M_PK                   | Margin : 6                                                         |
| Probe : CB1_FCC_EFS_1-18G_H2 - VERTICAL            | Power : AC 120 V / 60Hz                                            |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11n(20M)_5745MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 |   | 11487.850          | 10.789                 | 41.780                  | 52.569                    | -21.431        | 74.000            | PEAK          |
| 2 | * | 17236.600          | 14.369                 | 39.950                  | 54.319                    | -19.681        | 74.000            | PEAK          |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                                    |
|----------------------------------------------------|--------------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/10 - 11:19                                          |
| Limit : FCC_SpartC_15.209_03M_AV                   | Margin : 6                                                         |
| Probe : CB1_FCC_EFS_1-18G_H2 - VERTICAL            | Power : AC 120 V / 60Hz                                            |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11n(20M)_5745MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | * | 11487.400          | 10.789                 | 28.370                  | 39.160                    | -14.840        | 54.000            | AVERAGE       |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                                    |
|----------------------------------------------------|--------------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/10 - 16:12                                          |
| Limit : FCC_SpartC_15.247_H_03M_PK                 | Margin : 6                                                         |
| Probe : CB1_FCC_EFS_1-18G_H2 - HORIZONTAL          | Power : AC 120 V / 60Hz                                            |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11n(20M)_5785MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | * | 11564.100          | 10.947                 | 43.200                  | 54.148                    | -19.852        | 74.000            | PEAK          |
| 2 |   | 17400.300          | 15.155                 | 38.630                  | 53.784                    | -20.216        | 74.000            | PEAK          |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                                    |
|----------------------------------------------------|--------------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/10 - 16:13                                          |
| Limit : FCC_SpartC_15.247_H_03M_AV                 | Margin : 6                                                         |
| Probe : CB1_FCC_EFS_1-18G_H2 - HORIZONTAL          | Power : AC 120 V / 60Hz                                            |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11n(20M)_5785MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | * | 11563.950          | 10.948                 | 30.670                  | 41.618                    | -12.382        | 54.000            | AVERAGE       |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                                    |
|----------------------------------------------------|--------------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/10 - 16:26                                          |
| Limit : FCC_SpartC_15.247_H_03M_PK                 | Margin : 6                                                         |
| Probe : CB1_FCC_EFS_1-18G_H2 - VERTICAL            | Power : AC 120 V / 60Hz                                            |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11n(20M)_5785MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | * | 11564.350          | 10.657                 | 46.700                  | 57.357                    | -16.643        | 74.000            | PEAK          |
| 2 |   | 17361.500          | 14.969                 | 38.720                  | 53.688                    | -20.312        | 74.000            | PEAK          |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                                    |
|----------------------------------------------------|--------------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/10 - 16:26                                          |
| Limit : FCC_SpartC_15.247_H_03M_AV                 | Margin : 6                                                         |
| Probe : CB1_FCC_EFS_1-18G_H2 - VERTICAL            | Power : AC 120 V / 60Hz                                            |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11n(20M)_5785MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | * | 11564.800          | 10.656                 | 33.650                  | 44.306                    | -9.694         | 54.000            | AVERAGE       |

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                                    |
|----------------------------------------------------|--------------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/10 - 16:30                                          |
| Limit : FCC_SpartC_15.247_H_03M_PK                 | Margin : 6                                                         |
| Probe : CB1_FCC_EFS_1-18G_H2 - HORIZONTAL          | Power : AC 120 V / 60Hz                                            |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11n(20M)_5825MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 |   | 11655.400          | 10.835                 | 43.040                  | 53.875                    | -20.125        | 74.000            | PEAK          |
| 2 | * | 17501.950          | 15.786                 | 39.310                  | 55.097                    | -18.903        | 74.000            | PEAK          |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                                    |
|----------------------------------------------------|--------------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/10 - 16:31                                          |
| Limit : FCC_SpartC_15.247_H_03M_AV                 | Margin : 6                                                         |
| Probe : CB1_FCC_EFS_1-18G_H2 - HORIZONTAL          | Power : AC 120 V / 60Hz                                            |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11n(20M)_5825MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | * | 11644.950          | 10.848                 | 31.790                  | 42.638                    | -11.362        | 54.000            | AVERAGE       |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                                    |
|----------------------------------------------------|--------------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/10 - 16:46                                          |
| Limit : FCC_SpartC_15.247_H_03M_PK                 | Margin : 6                                                         |
| Probe : CB1_FCC_EFS_1-18G_H2 - VERTICAL            | Power : AC 120 V / 60Hz                                            |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11n(20M)_5825MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | * | 11644.250          | 10.518                 | 47.660                  | 58.178                    | -15.822        | 74.000            | PEAK          |
| 2 |   | 17519.100          | 16.000                 | 39.520                  | 55.520                    | -18.480        | 74.000            | PEAK          |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                                    |
|----------------------------------------------------|--------------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/10 - 16:47                                          |
| Limit : FCC_SpartC_15.247_H_03M_AV                 | Margin : 6                                                         |
| Probe : CB1_FCC_EFS_1-18G_H2 - VERTICAL            | Power : AC 120 V / 60Hz                                            |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11n(20M)_5825MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | * | 11645.500          | 10.515                 | 33.490                  | 44.006                    | -9.994         | 54.000            | AVERAGE       |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                                    |
|----------------------------------------------------|--------------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/10 - 16:55                                          |
| Limit : FCC_SpartC_15.247_H_03M_PK                 | Margin : 6                                                         |
| Probe : CB1_FCC_EFS_1-18G_H2 - HORIZONTAL          | Power : AC 120 V / 60Hz                                            |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11n(40M)_5755MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 |   | 11528.300          | 10.992                 | 40.260                  | 51.252                    | -22.748        | 74.000            | PEAK          |
| 2 | * | 17276.800          | 14.562                 | 38.700                  | 53.262                    | -20.738        | 74.000            | PEAK          |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                                    |
|----------------------------------------------------|--------------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/10 - 17:07                                          |
| Limit : FCC_SpartC_15.247_H_03M_PK                 | Margin : 6                                                         |
| Probe : CB1_FCC_EFS_1-18G_H2 - VERTICAL            | Power : AC 120 V / 60Hz                                            |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11n(40M)_5755MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 |   | 11504.100          | 10.762                 | 42.750                  | 53.511                    | -20.489        | 74.000            | PEAK          |
| 2 | * | 17331.000          | 14.822                 | 39.470                  | 54.292                    | -19.708        | 74.000            | PEAK          |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                                    |
|----------------------------------------------------|--------------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/10 - 17:08                                          |
| Limit : FCC_SpartC_15.247_H_03M_AV                 | Margin : 6                                                         |
| Probe : CB1_FCC_EFS_1-18G_H2 - VERTICAL            | Power : AC 120 V / 60Hz                                            |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11n(40M)_5755MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | * | 11504.800          | 10.760                 | 31.630                  | 42.390                    | -11.610        | 54.000            | AVERAGE       |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                                    |
|----------------------------------------------------|--------------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/10 - 17:15                                          |
| Limit : FCC_SpartC_15.247_H_03M_PK                 | Margin : 6                                                         |
| Probe : CB1_FCC_EFS_1-18G_H2 - HORIZONTAL          | Power : AC 120 V / 60Hz                                            |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11n(40M)_5795MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 |   | 11597.600          | 10.906                 | 41.500                  | 52.406                    | -21.594        | 74.000            | PEAK          |
| 2 | * | 17342.200          | 14.876                 | 39.280                  | 54.156                    | -19.844        | 74.000            | PEAK          |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                                    |
|----------------------------------------------------|--------------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/10 - 17:15                                          |
| Limit : FCC_SpartC_15.247_H_03M_AV                 | Margin : 6                                                         |
| Probe : CB1_FCC_EFS_1-18G_H2 - HORIZONTAL          | Power : AC 120 V / 60Hz                                            |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11n(40M)_5795MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | * | 11596.900          | 10.907                 | 29.540                  | 40.447                    | -13.553        | 54.000            | AVERAGE       |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                                    |
|----------------------------------------------------|--------------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/10 - 17:27                                          |
| Limit : FCC_SpartC_15.247_H_03M_PK                 | Margin : 6                                                         |
| Probe : CB1_FCC_EFS_1-18G_H2 - VERTICAL            | Power : AC 120 V / 60Hz                                            |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11n(40M)_5795MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 |   | 11585.000          | 10.621                 | 43.520                  | 54.141                    | -19.859        | 74.000            | PEAK          |
| 2 | * | 17422.700          | 15.262                 | 38.960                  | 54.222                    | -19.778        | 74.000            | PEAK          |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                                    |
|----------------------------------------------------|--------------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/10 - 17:29                                          |
| Limit : FCC_SpartC_15.247_H_03M_AV                 | Margin : 6                                                         |
| Probe : CB1_FCC_EFS_1-18G_H2 - VERTICAL            | Power : AC 120 V / 60Hz                                            |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11n(40M)_5795MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | * | 11585.500          | 10.619                 | 32.670                  | 43.290                    | -10.710        | 54.000            | AVERAGE       |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                                     |
|----------------------------------------------------|---------------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/10 - 17:42                                           |
| Limit : FCC_SpartC_15.247_H_03M_PK                 | Margin : 6                                                          |
| Probe : CB1_FCC_EFS_1-18G_H2 - HORIZONTAL          | Power : AC 120 V / 60Hz                                             |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11ac(80M)_5775MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | * | 11555.660          | 10.672                 | 41.036                  | 51.708                    | -22.292        | 74.000            | PEAK          |
| 2 |   | 17366.000          | 14.990                 | 40.220                  | 55.210                    | -18.790        | 74.000            | PEAK          |

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                                     |
|----------------------------------------------------|---------------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/10 - 17:48                                           |
| Limit : FCC_SpartC_15.247_H_03M_PK                 | Margin : 6                                                          |
| Probe : CB1_FCC_EFS_1-18G_H2 - VERTICAL            | Power : AC 120 V / 60Hz                                             |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11ac(80M)_5775MHz |




|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 |   | 11563.350          | 10.658                 | 41.690                  | 52.348                    | -21.652        | 74.000            | PEAK          |
| 2 | * | 17368.750          | 15.003                 | 39.040                  | 54.043                    | -19.957        | 74.000            | PEAK          |

**Note:**

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

|                                                    |                                                                     |
|----------------------------------------------------|---------------------------------------------------------------------|
| Site : CB1                                         | Time : 2015/11/10 - 17:49                                           |
| Limit : FCC_SpartC_15.247_H_03M_AV                 | Margin : 6                                                          |
| Probe : CB1_FCC_EFS_1-18G_H2 - VERTICAL            | Power : AC 120 V / 60Hz                                             |
| EUT : Wireless-AC2600 Dual WAN VPN Wireless Router | Note : Mode 1: Transmit_CDD Mode_Adapter 1<br>802.11ac(80M)_5775MHz |



|   |   | Frequency<br>(MHz) | Correct Factor<br>(dB) | Reading Level<br>(dBuV) | Measure Level<br>(dBuV/m) | Margin<br>(dB) | Limit<br>(dBuV/m) | Detector Type |
|---|---|--------------------|------------------------|-------------------------|---------------------------|----------------|-------------------|---------------|
| 1 | * | 11544.700          | 10.691                 | 29.480                  | 40.171                    | -13.829        | 54.000            | AVERAGE       |

Note:

1. All readings above 1GHz are performed with peak and/or average measurements as necessary.
2. Peak measurements: RBW = 1MHz, VBW = 3 MHz, Sweep: Auto.
3. Average measurements: RBW = 1MHz, VBW = 10 Hz, Sweep: Auto.
4. " \* ", means this data is the worst emission level.
5. Measurement Level = Reading Level + Correct Factor.
6. The average measurement was not performed when the peak measured data under the limit of average detection.
7. The Emission above 18GHz were not included is because their levels are too low.

## 5. RF antenna conducted test

### 5.1. Test Equipment


The following test equipments are used during the test:

Peak Power Output / SR7

| Instrument        | Manufacturer | Model No.  | Serial No  | Next Cal. Date |
|-------------------|--------------|------------|------------|----------------|
| Spectrum Analyzer | Agilent      | N9010A-EXA | US47140172 | 2016/07/13     |

Note:1. All equipments that need to calibrate are with calibration period of 1 year.

### 5.2. Test Setup



### **5.3. Limits**

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on an RF conducted or radiated measurement. Attenuation below the general limits specified in Section 15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in Section 15.205(a), must also comply with the radiated emission limits specified in Section 15.209(a) (see Section 15.205(c)).

### **5.4. Test Procedure**

The EUT was setup according to ANSI C63.10: 2013 and tested according to DTS test procedure section 11.2 of KDB558074 v03r02 for compliance to FCC 47CFR 15.247 requirements. Set RBW = 100 kHz, Set VBW> RBW, scan up through 10th harmonic.

### **5.5. Test Specification**


According to FCC Part 15 Subpart C Paragraph 15.247: 2014

### **5.6. Uncertainty**


Conducted is defined as  $\pm 1.27\text{dB}$

|              |                                              |           |     |
|--------------|----------------------------------------------|-----------|-----|
| Product      | Wireless-AC2600 Dual WAN VPN Wireless Router |           |     |
| Test Item    | RF antenna conducted test                    |           |     |
| Test Mode    | Mode 1: Transmit_CDD Mode_Adapter 1          |           |     |
| Date of Test | 2015/11/17                                   | Test Site | SR7 |


| IEEE 802.11b (ANT 0) |                    |                        |                |        |
|----------------------|--------------------|------------------------|----------------|--------|
| Channel No.          | Frequency<br>(MHz) | Measure Level<br>(dBc) | Limit<br>(dBc) | Result |
| 1                    | 2412               | 47.28                  | $\geq 30$      | Pass   |
| 6                    | 2437               | 63.51                  | $\geq 30$      | Pass   |
| 11                   | 2462               | 62.96                  | $\geq 30$      | Pass   |



### Channel 6




## Channel 11




|              |                                              |           |     |
|--------------|----------------------------------------------|-----------|-----|
| Product      | Wireless-AC2600 Dual WAN VPN Wireless Router |           |     |
| Test Item    | RF antenna conducted test                    |           |     |
| Test Mode    | Mode 1: Transmit_CDD Mode_Adapter 1          |           |     |
| Date of Test | 2015/11/17                                   | Test Site | SR7 |

| IEEE 802.11b (ANT 1) |                 |                     |             |        |
|----------------------|-----------------|---------------------|-------------|--------|
| Channel No.          | Frequency (MHz) | Measure Level (dBc) | Limit (dBc) | Result |
| 1                    | 2412            | 49.57               | $\geq 30$   | Pass   |
| 6                    | 2437            | 64.30               | $\geq 30$   | Pass   |
| 11                   | 2462            | 61.67               | $\geq 30$   | Pass   |


### Channel 1



## Channel 6




### Channel 11




|              |                                              |           |     |
|--------------|----------------------------------------------|-----------|-----|
| Product      | Wireless-AC2600 Dual WAN VPN Wireless Router |           |     |
| Test Item    | RF antenna conducted test                    |           |     |
| Test Mode    | Mode 1: Transmit_CDD Mode_Adapter 1          |           |     |
| Date of Test | 2015/11/17                                   | Test Site | SR7 |

| IEEE 802.11b (ANT 2) |                 |                     |             |        |
|----------------------|-----------------|---------------------|-------------|--------|
| Channel No.          | Frequency (MHz) | Measure Level (dBc) | Limit (dBc) | Result |
| 1                    | 2412            | 47.74               | $\geq 30$   | Pass   |
| 6                    | 2437            | 65.25               | $\geq 30$   | Pass   |
| 11                   | 2462            | 61.10               | $\geq 30$   | Pass   |


### Channel 1



### Channel 6




## Channel 11




|              |                                              |           |     |
|--------------|----------------------------------------------|-----------|-----|
| Product      | Wireless-AC2600 Dual WAN VPN Wireless Router |           |     |
| Test Item    | RF antenna conducted test                    |           |     |
| Test Mode    | Mode 1: Transmit_CDD Mode_Adapter 1          |           |     |
| Date of Test | 2015/11/17                                   | Test Site | SR7 |

| IEEE 802.11b (ANT 3) |                 |                     |             |        |
|----------------------|-----------------|---------------------|-------------|--------|
| Channel No.          | Frequency (MHz) | Measure Level (dBc) | Limit (dBc) | Result |
| 1                    | 2412            | 47.00               | $\geq 30$   | Pass   |
| 6                    | 2437            | 63.06               | $\geq 30$   | Pass   |
| 11                   | 2462            | 53.81               | $\geq 30$   | Pass   |


### Channel 1



## Channel 6




### Channel 11




|              |                                              |           |     |
|--------------|----------------------------------------------|-----------|-----|
| Product      | Wireless-AC2600 Dual WAN VPN Wireless Router |           |     |
| Test Item    | RF antenna conducted test                    |           |     |
| Test Mode    | Mode 1: Transmit_CDD Mode_Adapter 1          |           |     |
| Date of Test | 2015/11/17                                   | Test Site | SR7 |

| IEEE 802.11g (ANT 0) |                 |                     |             |        |
|----------------------|-----------------|---------------------|-------------|--------|
| Channel No.          | Frequency (MHz) | Measure Level (dBc) | Limit (dBc) | Result |
| 1                    | 2412            | 44.98               | $\geq 30$   | Pass   |
| 6                    | 2437            | 59.92               | $\geq 30$   | Pass   |
| 11                   | 2462            | 53.46               | $\geq 30$   | Pass   |


### Channel 1



### Channel 6




## Channel 11




|              |                                              |           |     |
|--------------|----------------------------------------------|-----------|-----|
| Product      | Wireless-AC2600 Dual WAN VPN Wireless Router |           |     |
| Test Item    | RF antenna conducted test                    |           |     |
| Test Mode    | Mode 1: Transmit_CDD Mode_Adapter 1          |           |     |
| Date of Test | 2015/11/17                                   | Test Site | SR7 |

| IEEE 802.11g (ANT 1) |                 |                     |             |        |
|----------------------|-----------------|---------------------|-------------|--------|
| Channel No.          | Frequency (MHz) | Measure Level (dBc) | Limit (dBc) | Result |
| 1                    | 2412            | 43.67               | $\geq 30$   | Pass   |
| 6                    | 2437            | 56.83               | $\geq 30$   | Pass   |
| 11                   | 2462            | 59.12               | $\geq 30$   | Pass   |


### Channel 1



### Channel 6




## Channel 11




|              |                                              |           |     |
|--------------|----------------------------------------------|-----------|-----|
| Product      | Wireless-AC2600 Dual WAN VPN Wireless Router |           |     |
| Test Item    | RF antenna conducted test                    |           |     |
| Test Mode    | Mode 1: Transmit_CDD Mode_Adapter 1          |           |     |
| Date of Test | 2015/11/17                                   | Test Site | SR7 |

| IEEE 802.11g (ANT 2) |                 |                     |             |        |
|----------------------|-----------------|---------------------|-------------|--------|
| Channel No.          | Frequency (MHz) | Measure Level (dBc) | Limit (dBc) | Result |
| 1                    | 2412            | 44.55               | $\geq 30$   | Pass   |
| 6                    | 2437            | 57.35               | $\geq 30$   | Pass   |
| 11                   | 2462            | 51.55               | $\geq 30$   | Pass   |


### Channel 1



### Channel 6




## Channel 11




|              |                                              |           |     |
|--------------|----------------------------------------------|-----------|-----|
| Product      | Wireless-AC2600 Dual WAN VPN Wireless Router |           |     |
| Test Item    | RF antenna conducted test                    |           |     |
| Test Mode    | Mode 1: Transmit_CDD Mode_Adapter 1          |           |     |
| Date of Test | 2015/11/17                                   | Test Site | SR7 |

| IEEE 802.11g (ANT 3) |                 |                     |             |        |
|----------------------|-----------------|---------------------|-------------|--------|
| Channel No.          | Frequency (MHz) | Measure Level (dBc) | Limit (dBc) | Result |
| 1                    | 2412            | 43.59               | $\geq 30$   | Pass   |
| 6                    | 2437            | 57.08               | $\geq 30$   | Pass   |
| 11                   | 2462            | 55.72               | $\geq 30$   | Pass   |


### Channel 1



### Channel 6



### Channel 11




|              |                                              |           |     |
|--------------|----------------------------------------------|-----------|-----|
| Product      | Wireless-AC2600 Dual WAN VPN Wireless Router |           |     |
| Test Item    | RF antenna conducted test                    |           |     |
| Test Mode    | Mode 1: Transmit_CDD Mode_Adapter 1          |           |     |
| Date of Test | 2015/11/17                                   | Test Site | SR7 |


# IEEE 802.11n\_20M (ANT 0)

| Channel No. | Frequency (MHz) | Measure Level (dBc) | Limit (dBc) | Result |
|-------------|-----------------|---------------------|-------------|--------|
| 1           | 2412            | 47.40               | $\geq 30$   | Pass   |
| 6           | 2437            | 55.94               | $\geq 30$   | Pass   |
| 11          | 2462            | 51.03               | $\geq 30$   | Pass   |


## Channel 1



## Channel 6




## Channel 11




|              |                                              |           |     |
|--------------|----------------------------------------------|-----------|-----|
| Product      | Wireless-AC2600 Dual WAN VPN Wireless Router |           |     |
| Test Item    | RF antenna conducted test                    |           |     |
| Test Mode    | Mode 1: Transmit_CDD Mode_Adapter 1          |           |     |
| Date of Test | 2015/11/17                                   | Test Site | SR7 |

| IEEE 802.11n_20M (ANT 1) |                 |                     |             |        |
|--------------------------|-----------------|---------------------|-------------|--------|
| Channel No.              | Frequency (MHz) | Measure Level (dBc) | Limit (dBc) | Result |
| 1                        | 2412            | 46.64               | $\geq 30$   | Pass   |
| 6                        | 2437            | 56.42               | $\geq 30$   | Pass   |
| 11                       | 2462            | 54.51               | $\geq 30$   | Pass   |


### Channel 1



### Channel 6




## Channel 11




|              |                                              |           |     |
|--------------|----------------------------------------------|-----------|-----|
| Product      | Wireless-AC2600 Dual WAN VPN Wireless Router |           |     |
| Test Item    | RF antenna conducted test                    |           |     |
| Test Mode    | Mode 1: Transmit_CDD Mode_Adapter 1          |           |     |
| Date of Test | 2015/11/17                                   | Test Site | SR7 |

| IEEE 802.11n_20M (ANT 2) |                 |                     |             |        |
|--------------------------|-----------------|---------------------|-------------|--------|
| Channel No.              | Frequency (MHz) | Measure Level (dBc) | Limit (dBc) | Result |
| 1                        | 2412            | 47.01               | $\geq 30$   | Pass   |
| 6                        | 2437            | 53.28               | $\geq 30$   | Pass   |
| 11                       | 2462            | 52.79               | $\geq 30$   | Pass   |


### Channel 1



## Channel 6




### Channel 11




|              |                                              |           |     |
|--------------|----------------------------------------------|-----------|-----|
| Product      | Wireless-AC2600 Dual WAN VPN Wireless Router |           |     |
| Test Item    | RF antenna conducted test                    |           |     |
| Test Mode    | Mode 1: Transmit_CDD Mode_Adapter 1          |           |     |
| Date of Test | 2015/11/17                                   | Test Site | SR7 |

| IEEE 802.11n_20M (ANT 3) |                 |                     |             |        |
|--------------------------|-----------------|---------------------|-------------|--------|
| Channel No.              | Frequency (MHz) | Measure Level (dBc) | Limit (dBc) | Result |
| 1                        | 2412            | 45.49               | $\geq 30$   | Pass   |
| 6                        | 2437            | 57.37               | $\geq 30$   | Pass   |
| 11                       | 2462            | 50.37               | $\geq 30$   | Pass   |


### Channel 1



### Channel 6




## Channel 11




|              |                                              |           |     |
|--------------|----------------------------------------------|-----------|-----|
| Product      | Wireless-AC2600 Dual WAN VPN Wireless Router |           |     |
| Test Item    | RF antenna conducted test                    |           |     |
| Test Mode    | Mode 1: Transmit_CDD Mode_Adapter 1          |           |     |
| Date of Test | 2015/11/17                                   | Test Site | SR7 |

| IEEE 802.11n (40MHz) (ANT 0) |                 |                     |             |        |
|------------------------------|-----------------|---------------------|-------------|--------|
| Channel No.                  | Frequency (MHz) | Measure Level (dBc) | Limit (dBc) | Result |
| 3                            | 2422            | 43.25               | $\geq 30$   | Pass   |
| 6                            | 2437            | 47.07               | $\geq 30$   | Pass   |
| 9                            | 2452            | 49.57               | $\geq 30$   | Pass   |


### Channel 3



### Channel 6



### Channel 9




|              |                                              |           |     |
|--------------|----------------------------------------------|-----------|-----|
| Product      | Wireless-AC2600 Dual WAN VPN Wireless Router |           |     |
| Test Item    | RF antenna conducted test                    |           |     |
| Test Mode    | Mode 1: Transmit_CDD Mode_Adapter 1          |           |     |
| Date of Test | 2015/11/17                                   | Test Site | SR7 |


IEEE 802.11n (40MHz) (ANT 1)

| Channel No. | Frequency (MHz) | Measure Level (dBc) | Limit (dBc) | Result |
|-------------|-----------------|---------------------|-------------|--------|
| 3           | 2422            | 44.01               | $\geq 30$   | Pass   |
| 6           | 2437            | 49.21               | $\geq 30$   | Pass   |
| 9           | 2452            | 53.37               | $\geq 30$   | Pass   |


Channel 3



### Channel 6




### Channel 9




|              |                                              |           |     |
|--------------|----------------------------------------------|-----------|-----|
| Product      | Wireless-AC2600 Dual WAN VPN Wireless Router |           |     |
| Test Item    | RF antenna conducted test                    |           |     |
| Test Mode    | Mode 1: Transmit_CDD Mode_Adapter 1          |           |     |
| Date of Test | 2015/11/17                                   | Test Site | SR7 |

| IEEE 802.11n (40MHz) (ANT 2) |                 |                     |             |        |
|------------------------------|-----------------|---------------------|-------------|--------|
| Channel No.                  | Frequency (MHz) | Measure Level (dBc) | Limit (dBc) | Result |
| 3                            | 2422            | 42.80               | $\geq 30$   | Pass   |
| 6                            | 2437            | 45.88               | $\geq 30$   | Pass   |
| 9                            | 2452            | 52.85               | $\geq 30$   | Pass   |


### Channel 3



### Channel 6




### Channel 9




|              |                                              |           |     |
|--------------|----------------------------------------------|-----------|-----|
| Product      | Wireless-AC2600 Dual WAN VPN Wireless Router |           |     |
| Test Item    | RF antenna conducted test                    |           |     |
| Test Mode    | Mode 1: Transmit_CDD Mode_Adapter 1          |           |     |
| Date of Test | 2015/11/17                                   | Test Site | SR7 |

| IEEE 802.11n (40MHz) (ANT 3) |                 |                     |             |        |
|------------------------------|-----------------|---------------------|-------------|--------|
| Channel No.                  | Frequency (MHz) | Measure Level (dBc) | Limit (dBc) | Result |
| 3                            | 2422            | 39.69               | $\geq 30$   | Pass   |
| 6                            | 2437            | 46.86               | $\geq 30$   | Pass   |
| 9                            | 2452            | 50.42               | $\geq 30$   | Pass   |


### Channel 3



### Channel 6




### Channel 9




|              |                                              |           |     |
|--------------|----------------------------------------------|-----------|-----|
| Product      | Wireless-AC2600 Dual WAN VPN Wireless Router |           |     |
| Test Item    | RF antenna conducted test                    |           |     |
| Test Mode    | Mode 1: Transmit_CDD Mode_Adapter 1          |           |     |
| Date of Test | 2015/11/16                                   | Test Site | SR7 |


### 2412MHz (30MHz-25GHz)-802.11b(ANT 0)




### 2437MHz (30MHz-25GHz)-802.11b(ANT 0)




## 2462MHz (30MHz-25GHz)-802.11b(ANT 0)




### 2412MHz (30MHz-25GHz)-802.11b(ANT 1)




### 2437MHz (30MHz-25GHz)-802.11b(ANT 1)




## 2462MHz (30MHz-25GHz)-802.11b(ANT 1)







## 2462MHz (30MHz-25GHz)-802.11b(ANT 2)




### 2412MHz (30MHz-25GHz)-802.11b(ANT 3)




### 2437MHz (30MHz-25GHz)-802.11b(ANT 3)




## 2462MHz (30MHz-25GHz)-802.11b(ANT 3)




### 2412MHz (30MHz-25GHz)-802.11g(ANT 0)




### 2437MHz (30MHz-25G) -802.11g(ANT 0)




## 2462MHz (30MHz-25GHz)-802.11g(ANT 0)




### 2412MHz (30MHz-25GHz)-802.11g(ANT 1)




### 2437MHz (30MHz-25GHz)-802.11g(ANT 1)




## 2462MHz (30MHz-25GHz)-802.11g(ANT 1)




### 2412MHz (30MHz-25GHz)-802.11g(ANT 2)




### 2437MHz (30MHz-25GHz)-802.11g(ANT 2)




## 2462MHz (30MHz-25GHz)-802.11g(ANT 2)



### 2412MHz (30MHz-25GHz)-802.11g(ANT 3)



### 2437MHz (30MHz-25GHz)-802.11g(ANT 3)



## 2462MHz (30MHz-25GHz)-802.11g(ANT 3)

