

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 2:TX Beamforming NSS2 ADP-65DW Y		
Date of Test	2018/09/01	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 4)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
151	5755	18.540	≤ 27.850
159	5795	18.400	≤ 27.850


Directional gain = $2.7 + 10 \log(7/2) = 8.14$

Limit = $30 \text{ dBm} - (8.14 - 6) = 27.85$

Channel 38



Channel 46



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 2:TX Beamforming NSS2 ADP-65DW Y		
Date of Test	2018/09/01	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 5)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
151	5755	18.340	≤ 27.850
159	5795	18.830	≤ 27.850


Directional gain = $2.7 + 10 \log(7/2) = 8.14$

Limit = $30 \text{ dBm} - (8.14 - 6) = 27.85$

Channel 38



Channel 46




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 2:TX Beamforming NSS2 ADP-65DW Y		
Date of Test	2018/09/01	Test Site	SR10-H

IEEE 802.11ax(40MHz)(ANT 6)


Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
151	5755	18.530	≤ 27.850
159	5795	18.940	≤ 27.850

Directional gain = $2.7 + 10 \log(7/2) = 8.14$ Limit = $30 \text{ dBm} - (8.14 - 6) = 27.85$

Channel 38



Channel 46




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 2:TX Beamforming NSS2 ADP-65DW Y		
Date of Test	2018/09/01	Test Site	SR10-H

IEEE 802.11ax(40MHz)(ANT 8)


Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
151	5755	18.900	≤ 27.850
159	5795	18.810	≤ 27.850

Directional gain = $2.7 + 10 \log(7/2) = 8.14$ Limit = $30 \text{ dBm} - (8.14 - 6) = 27.85$

Channel 38



Channel 46



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 2:TX_Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/09/01	Test Site	SR10-H

IEEE 802.11ax(40MHz)(ANT 0+1+2+3+4+5+6+8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
151	5755	27.520	≤ 27.850
159	5795	27.698	≤ 27.850


Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 2:TX Beamforming NSS2 ADP-65DW Y		
Date of Test	2018/09/01	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 0)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
155	5775	18.550	≤ 27.850

Directional gain = $2.7 + 10 \log(7/2) = 8.14$ Limit = $30 \text{ dBm} - (8.14 - 6) = 27.85$

Channel 42




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 2:TX Beamforming NSS2 ADP-65DW Y		
Date of Test	2018/09/01	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 1)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
155	5775	18.230	≤ 27.850

Directional gain = $2.7 + 10 \log(7/2) = 8.14$ Limit = $30 \text{ dBm} - (8.14 - 6) = 27.85$

Channel 42




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 2:TX Beamforming NSS2 ADP-65DW Y		
Date of Test	2018/09/01	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 2)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
155	5775	18.730	≤ 27.850

Directional gain = $2.7 + 10 \log(7/2) = 8.14$ Limit = $30 \text{ dBm} - (8.14 - 6) = 27.85$

Channel 42




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 2:TX Beamforming NSS2 ADP-65DW Y		
Date of Test	2018/09/01	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 3)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
155	5775	18.910	≤ 27.850

Directional gain = $2.7 + 10 \log(7/2) = 8.14$ Limit = $30 \text{ dBm} - (8.14 - 6) = 27.85$

Channel 42




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 2:TX Beamforming NSS2 ADP-65DW Y		
Date of Test	2018/09/01	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 4)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
155	5775	18.430	≤ 27.850

Directional gain = $2.7 + 10 \log(7/2) = 8.14$ Limit = $30 \text{ dBm} - (8.14 - 6) = 27.85$

Channel 42




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 2:TX Beamforming NSS2 ADP-65DW Y		
Date of Test	2018/09/01	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 5)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
155	5775	17.800	≤ 27.850

Directional gain = $2.7 + 10 \log(7/2) = 8.14$ Limit = $30 \text{ dBm} - (8.14 - 6) = 27.85$

Channel 42




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 2:TX Beamforming NSS2 ADP-65DW Y		
Date of Test	2018/09/01	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 6)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
155	5775	18.900	≤ 27.850

Directional gain = $2.7 + 10 \log(7/2) = 8.14$ Limit = $30 \text{ dBm} - (8.14 - 6) = 27.85$

Channel 42




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 2:TX Beamforming NSS2 ADP-65DW Y		
Date of Test	2018/09/01	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
155	5775	19.240	≤ 27.850

Directional gain = $2.7 + 10 \log(7/2) = 8.14$ Limit = $30 \text{ dBm} - (8.14 - 6) = 27.85$

Channel 42



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 2:TX_Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/09/01	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 0+1+2+3+4+5+6+8)


Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
155	5775	27.650	≤ 27.850

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW_Y		
Date of Test	2018/10/30	Test Site	SR10-H

IEEE 802.11ac(40MHz)(ANT 0)

Channel No.	Frequency (MHz)	Measure Level (dBm)	Required Limit (dBm)
38	5190	17.300	≤ 30

Channel 38




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming NSS4 ADP-65DW Y		
Date of Test	2018/10/30	Test Site	SR10-H

IEEE 802.11ac(40MHz)(ANT 1)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
38	5190	17.410	≤ 30

Channel 38




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming NSS4 ADP-65DW Y		
Date of Test	2018/10/30	Test Site	SR10-H

IEEE 802.11ac(40MHz)(ANT 2)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
38	5190	17.960	≤ 30

Channel 38




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming NSS4 ADP-65DW Y		
Date of Test	2018/10/30	Test Site	SR10-H

IEEE 802.11ac(40MHz)(ANT 3)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
38	5190	17.690	≤ 30

Channel 38




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming NSS4 ADP-65DW Y		
Date of Test	2018/10/30	Test Site	SR10-H

IEEE 802.11ac(40MHz)(ANT 4)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
38	5190	17.470	≤ 30

Channel 38




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming NSS4 ADP-65DW Y		
Date of Test	2018/10/30	Test Site	SR10-H

IEEE 802.11ac(40MHz)(ANT 5)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
38	5190	17.730	≤ 30

Channel 38




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming NSS4 ADP-65DW Y		
Date of Test	2018/10/30	Test Site	SR10-H

IEEE 802.11ac(40MHz)(ANT 6)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
38	5190	17.700	≤ 30

Channel 38




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming NSS4 ADP-65DW Y		
Date of Test	2018/10/30	Test Site	SR10-H

IEEE 802.11ac(40MHz)(ANT 8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
38	5190	17.020	≤ 30

Channel 38



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/10/30	Test Site	SR10-H

IEEE 802.11ac(40MHz)(ANT 0+1+2+3+4+5+6+8)


Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
38	5190	26.575	≤ 30

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming NSS4 ADP-65DW Y		
Date of Test	2018/10/30	Test Site	SR10-H

IEEE 802.11ac(80MHz)(ANT 0)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
42	5210	16.830	≤ 30

Channel 42




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming NSS4 ADP-65DW Y		
Date of Test	2018/10/30	Test Site	SR10-H

IEEE 802.11ac(80MHz)(ANT 1)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
42	5210	16.840	≤ 30

Channel 42




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming NSS4 ADP-65DW Y		
Date of Test	2018/10/30	Test Site	SR10-H

IEEE 802.11ac(80MHz)(ANT 2)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
42	5210	17.550	≤ 30

Channel 42




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming NSS4 ADP-65DW Y		
Date of Test	2018/10/30	Test Site	SR10-H

IEEE 802.11ac(80MHz)(ANT 3)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
42	5210	17.240	≤ 30

Channel 42




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming NSS4 ADP-65DW Y		
Date of Test	2018/10/30	Test Site	SR10-H

IEEE 802.11ac(80MHz)(ANT 4)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
42	5210	16.780	≤ 30

Channel 42




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming NSS4 ADP-65DW Y		
Date of Test	2018/10/30	Test Site	SR10-H

IEEE 802.11ac(80MHz)(ANT 5)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
42	5210	17.000	≤ 30

Channel 42




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming NSS4 ADP-65DW Y		
Date of Test	2018/10/30	Test Site	SR10-H

IEEE 802.11ac(80MHz)(ANT 6)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
42	5210	16.790	≤ 30

Channel 42




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming NSS4 ADP-65DW Y		
Date of Test	2018/10/30	Test Site	SR10-H

IEEE 802.11ac(80MHz)(ANT 8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
42	5210	16.460	≤ 30

Channel 42



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/10/30	Test Site	SR10-H

IEEE 802.11ac(80MHz)(ANT 0+1+2+3+4+5+6+8)


Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
42	5210	25.978	≤ 30

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming NSS4 ADP-65DW Y		
Date of Test	2018/09/28	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 0)

Channel No.	Frequency (MHz)	Measure Level (dBm)	Required Limit (dBm)
36	5180	19.120	≤ 30.000
44	5220	19.650	≤ 30.000
48	5240	19.930	≤ 30.000


Channel 36



Channel 44



Channel 48




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming NSS4 ADP-65DW Y		
Date of Test	2018/09/28	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 1)

Channel No.	Frequency (MHz)	Measure Level (dBm)	Required Limit (dBm)
36	5180	19.070	≤ 30.000
44	5220	19.910	≤ 30.000
48	5240	19.390	≤ 30.000


Channel 36



Channel 44



Channel 48




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming NSS4 ADP-65DW Y		
Date of Test	2018/09/28	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 2)

Channel No.	Frequency (MHz)	Measure Level (dBm)	Required Limit (dBm)
36	5180	19.710	≤ 30.000
44	5220	20.510	≤ 30.000
48	5240	20.360	≤ 30.000


Channel 36



Channel 44



Channel 48




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming NSS4 ADP-65DW Y		
Date of Test	2018/09/28	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 3)

Channel No.	Frequency (MHz)	Measure Level (dBm)	Required Limit (dBm)
36	5180	19.290	≤ 30.000
44	5220	20.250	≤ 30.000
48	5240	20.000	≤ 30.000


Channel 36



Channel 44



Channel 48




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming NSS4 ADP-65DW Y		
Date of Test	2018/09/28	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 4)

Channel No.	Frequency (MHz)	Measure Level (dBm)	Required Limit (dBm)
36	5180	18.980	≤ 30.000
44	5220	19.480	≤ 30.000
48	5240	18.740	≤ 30.000


Channel 36



Channel 44



Channel 48




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming NSS4 ADP-65DW Y		
Date of Test	2018/09/28	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 5)

Channel No.	Frequency (MHz)	Measure Level (dBm)	Required Limit (dBm)
36	5180	19.140	≤ 30.000
44	5220	19.750	≤ 30.000
48	5240	19.610	≤ 30.000


Channel 36



Channel 44



Channel 48




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming NSS4 ADP-65DW Y		
Date of Test	2018/09/28	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 6)

Channel No.	Frequency (MHz)	Measure Level (dBm)	Required Limit (dBm)
36	5180	19.300	≤ 30.000
44	5220	19.770	≤ 30.000
48	5240	19.180	≤ 30.000


Channel 36



Channel 44



Channel 48




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming NSS4 ADP-65DW Y		
Date of Test	2018/09/28	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 8)

Channel No.	Frequency (MHz)	Measure Level (dBm)	Required Limit (dBm)
36	5180	19.200	≤ 30.000
44	5220	20.390	≤ 30.000
48	5240	19.740	≤ 30.000


Channel 36



Channel 44



Channel 48



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming NSS4 ADP-65DW Y		
Date of Test	2018/09/28	Test Site	SR10-H

IEEE 802.11ax(20MHz)(ANT 0+1+2+3+4+5+6+8)


Channel No.	Frequency (MHz)	Measure Level (dBm)	Required Limit (dBm)
36	5180	28.262	≤ 30.000
44	5220	29.009	≤ 30.000
48	5240	28.676	≤ 30.000

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming NSS4 ADP-65DW Y		
Date of Test	2018/10/30	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 0)

Channel No.	Frequency (MHz)	Measure Level (dBm)	Required Limit (dBm)
38	5190	17.320	≤ 30.000
46	5230	20.470	≤ 30.000

Channel 38



Channel 46




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming NSS4 ADP-65DW Y		
Date of Test	2018/10/30	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 1)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
38	5190	17.470	≤ 30.000
46	5230	20.430	≤ 30.000

Channel 38



Channel 46




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming NSS4 ADP-65DW Y		
Date of Test	2018/10/30	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 2)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
38	5190	17.890	≤ 30.000
46	5230	21.480	≤ 30.000

Channel 38



Channel 46




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming NSS4 ADP-65DW Y		
Date of Test	2018/10/30	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 3)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
38	5190	17.650	≤ 30.000
46	5230	21.030	≤ 30.000

Channel 38



Channel 46




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming NSS4 ADP-65DW Y		
Date of Test	2018/10/30	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 4)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
38	5190	17.570	≤ 30.000
46	5230	20.670	≤ 30.000

Channel 38



Channel 46




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming NSS4 ADP-65DW Y		
Date of Test	2018/10/30	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 5)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
38	5190	17.660	≤ 30.000
46	5230	19.730	≤ 30.000

Channel 38



Channel 46




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming NSS4 ADP-65DW Y		
Date of Test	2018/10/30	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 6)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
38	5190	17.820	≤ 30.000
46	5230	20.610	≤ 30.000

Channel 38



Channel 46




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming NSS4 ADP-65DW Y		
Date of Test	2018/10/30	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
38	5190	17.160	≤ 30.000
46	5230	21.020	≤ 30.000

Channel 38



Channel 46



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/10/30	Test Site	SR10-H

IEEE 802.11ax(40MHz)(ANT 0+1+2+3+4+5+6+8)


Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
38	5190	26.604	≤ 30.000
46	5230	29.738	≤ 30.000

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming NSS4 ADP-65DW Y		
Date of Test	2018/10/30	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 0)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
42	5210	17.320	≤ 30.000

Channel 42




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming NSS4 ADP-65DW Y		
Date of Test	2018/10/30	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 1)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
42	5210	17.190	≤ 30.000

Channel 42




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming NSS4 ADP-65DW Y		
Date of Test	2018/10/30	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 2)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
42	5210	17.910	≤ 30.000

Channel 42




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming NSS4 ADP-65DW Y		
Date of Test	2018/10/30	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 3)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
42	5210	17.700	≤ 30.000

Channel 42




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming NSS4 ADP-65DW Y		
Date of Test	2018/10/30	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 4)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
42	5210	17.230	≤30.000

Channel 42




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming NSS4 ADP-65DW Y		
Date of Test	2018/10/30	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 5)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
42	5210	17.270	≤30.000

Channel 42




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming NSS4 ADP-65DW Y		
Date of Test	2018/10/30	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 6)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
42	5210	17.260	≤ 30.000

Channel 42




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX Beamforming NSS4 ADP-65DW Y		
Date of Test	2018/10/30	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
42	5210	17.030	≤30.000

Channel 42



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/10/30	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 0+1+2+3+4+5+6+8)


Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
42	5210	26.403	≤ 30.000

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_AD P-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ac(20MHz)(ANT 0)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
52	5260	13.250	≤ 24.000
60	5300	13.000	≤ 24.000
64	5320	12.770	≤ 24.000


Channel 52



Channel 60



Channel 64




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_AD P-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ac(20MHz)(ANT 1)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
52	5260	14.410	≤ 24.000
60	5300	13.480	≤ 24.000
64	5320	13.200	≤ 24.000


Channel 52



Channel 60



Channel 64




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_AD P-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ac(20MHz)(ANT 2)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
52	5260	14.200	≤ 24.000
60	5300	13.770	≤ 24.000
64	5320	13.590	≤ 24.000


Channel 52



Channel 60



Channel 64




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ac(20MHz)(ANT 3)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
52	5260	15.030	≤ 24.000
60	5300	13.860	≤ 24.000
64	5320	14.030	≤ 24.000


Channel 52



Channel 60



Channel 64




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ac(20MHz)(ANT 4)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
52	5260	12.730	≤ 24.000
60	5300	13.800	≤ 24.000
64	5320	13.210	≤ 24.000


Channel 52



Channel 60



Channel 64




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_AD P-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ac(20MHz)(ANT 5)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
52	5260	13.020	≤ 24.000
60	5300	13.910	≤ 24.000
64	5320	13.130	≤ 24.000


Channel 52



Channel 60



Channel 64




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ac(20MHz)(ANT 6)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
52	5260	12.890	≤ 24.000
60	5300	13.640	≤ 24.000
64	5320	13.180	≤ 24.000


Channel 52



Channel 60



Channel 64




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ac(20MHz)(ANT 8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
52	5260	12.620	≤ 24.000
60	5300	13.140	≤ 24.000
64	5320	12.980	≤ 24.000


Channel 52



Channel 60



Channel 64



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H

IEEE 802.11ac(20MHz)(ANT 0+1+2+3+4+5+6+8)


Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
52	5260	22.634	≤ 24.000
60	5300	22.617	≤ 24.000
64	5320	22.308	≤ 24.000

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ac(40MHz)(ANT 0)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
54	5270	14.700	≤ 24.000
62	5310	14.210	≤ 24.000

Channel 54



Channel 62




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_AD P-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ac(40MHz)(ANT 1)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
54	5270	14.300	≤ 24.000
62	5310	14.770	≤ 24.000

Channel 54



Channel 62




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ac(40MHz)(ANT 2)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
54	5270	14.760	≤ 24.000
62	5310	15.360	≤ 24.000

Channel 54



Channel 62




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ac(40MHz)(ANT 3)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
54	5270	14.950	≤ 24.000
62	5310	15.350	≤ 24.000

Channel 54



Channel 62




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_AD P-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ac(40MHz)(ANT 4)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
54	5270	14.320	≤ 24.000
62	5310	14.780	≤ 24.000

Channel 54



Channel 62




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ac(40MHz)(ANT 5)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
54	5270	14.790	≤ 24.000
62	5310	15.120	≤ 24.000

Channel 54



Channel 62




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_AD P-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ac(40MHz)(ANT 6)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
54	5270	14.740	≤ 24.000
62	5310	14.810	≤ 24.000

Channel 54



Channel 62




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_AD P-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ac(40MHz)(ANT 8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
54	5270	14.470	≤ 24.000
62	5310	14.460	≤ 24.000

Channel 54



Channel 62



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H

IEEE 802.11ac(40MHz)(ANT 0+1+2+3+4+5+6+8)


Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
54	5270	23.665	≤ 24.000
62	5310	23.905	≤ 24.000

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H

IEEE 802.11ac(80MHz)(ANT 0)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
58	5290	14.300	≤ 24.000

Channel 58




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H

IEEE 802.11ac(80MHz)(ANT 1)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
58	5290	14.460	≤ 24.000

Channel 58




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H

IEEE 802.11ac(80MHz)(ANT 2)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
58	5290	14.530	≤ 24.000

Channel 58




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H

IEEE 802.11ac(80MHz)(ANT 3)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
58	5290	14.860	≤ 24.000

Channel 58




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H

IEEE 802.11ac(80MHz)(ANT 4)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
58	5290	14.470	≤ 24.000

Channel 58




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H

IEEE 802.11ac(80MHz)(ANT 5)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
58	5290	14.620	≤ 24.000

Channel 58




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H

IEEE 802.11ac(80MHz)(ANT 6)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
58	5290	14.700	≤ 24.000

Channel 58




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H

IEEE 802.11ac(80MHz)(ANT 8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
58	5290	14.500	≤ 24.000

Channel 58



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H

IEEE 802.11ac(80MHz)(ANT 0+1+2+3+4+5+6+8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
58	5290	23.589	≤ 24.000