


|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | Maximum conducted output power                                                                  |           |        |
| Test Mode    | Mode 3:TX_Beamforming_NSS4_AD P-65DW Y                                                          |           |        |
| Date of Test | 2018/11/21                                                                                      | Test Site | SR10-H |


IEEE 802.11ax(20MHz)(ANT 0)

| Channel No. | Frequency (MHz) | Output Power (dBm) | Required Limit (dBm) |
|-------------|-----------------|--------------------|----------------------|
| 52          | 5260            | 13.570             | $\leq 24.000$        |
| 60          | 5300            | 13.060             | $\leq 24.000$        |
| 64          | 5320            | 13.610             | $\leq 24.000$        |


Channel 52



## Channel 60



## Channel 64




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | Maximum conducted output power                                                                  |           |        |
| Test Mode    | Mode 3:TX_Beamforming_NSS4_ADP-65DW Y                                                           |           |        |
| Date of Test | 2018/11/21                                                                                      | Test Site | SR10-H |


IEEE 802.11ax(20MHz)(ANT 1)

| Channel No. | Frequency (MHz) | Output Power (dBm) | Required Limit (dBm) |
|-------------|-----------------|--------------------|----------------------|
| 52          | 5260            | 13.340             | $\leq 24.000$        |
| 60          | 5300            | 13.670             | $\leq 24.000$        |
| 64          | 5320            | 14.070             | $\leq 24.000$        |


Channel 52



Channel 60



Channel 64




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | Maximum conducted output power                                                                  |           |        |
| Test Mode    | Mode 3:TX_Beamforming_NSS4_ADP-65DW Y                                                           |           |        |
| Date of Test | 2018/11/21                                                                                      | Test Site | SR10-H |


IEEE 802.11ax(20MHz)(ANT 2)

| Channel No. | Frequency (MHz) | Output Power (dBm) | Required Limit (dBm) |
|-------------|-----------------|--------------------|----------------------|
| 52          | 5260            | 13.770             | $\leq 24.000$        |
| 60          | 5300            | 13.680             | $\leq 24.000$        |
| 64          | 5320            | 14.090             | $\leq 24.000$        |


Channel 52



Channel 60



Channel 64




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | Maximum conducted output power                                                                  |           |        |
| Test Mode    | Mode 3:TX_Beamforming_NSS4_ADP-65DW Y                                                           |           |        |
| Date of Test | 2018/11/21                                                                                      | Test Site | SR10-H |


IEEE 802.11ax(20MHz)(ANT 3)

| Channel No. | Frequency (MHz) | Output Power (dBm) | Required Limit (dBm) |
|-------------|-----------------|--------------------|----------------------|
| 52          | 5260            | 14.070             | $\leq 24.000$        |
| 60          | 5300            | 14.020             | $\leq 24.000$        |
| 64          | 5320            | 14.160             | $\leq 24.000$        |


Channel 52



## Channel 60



## Channel 64




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | Maximum conducted output power                                                                  |           |        |
| Test Mode    | Mode 3:TX_Beamforming_NSS4_ADP-65DW Y                                                           |           |        |
| Date of Test | 2018/11/21                                                                                      | Test Site | SR10-H |


IEEE 802.11ax(20MHz)(ANT 4)

| Channel No. | Frequency (MHz) | Output Power (dBm) | Required Limit (dBm) |
|-------------|-----------------|--------------------|----------------------|
| 52          | 5260            | 13.250             | $\leq 24.000$        |
| 60          | 5300            | 13.840             | $\leq 24.000$        |
| 64          | 5320            | 13.680             | $\leq 24.000$        |


Channel 52



Channel 60



Channel 64




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | Maximum conducted output power                                                                  |           |        |
| Test Mode    | Mode 3:TX_Beamforming_NSS4_AD P-65DW Y                                                          |           |        |
| Date of Test | 2018/11/21                                                                                      | Test Site | SR10-H |


IEEE 802.11ax(20MHz)(ANT 5)

| Channel No. | Frequency (MHz) | Output Power (dBm) | Required Limit (dBm) |
|-------------|-----------------|--------------------|----------------------|
| 52          | 5260            | 13.760             | $\leq 24.000$        |
| 60          | 5300            | 13.920             | $\leq 24.000$        |
| 64          | 5320            | 13.710             | $\leq 24.000$        |


Channel 52



## Channel 60



## Channel 64




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | Maximum conducted output power                                                                  |           |        |
| Test Mode    | Mode 3:TX_Beamforming_NSS4_ADP-65DW Y                                                           |           |        |
| Date of Test | 2018/11/21                                                                                      | Test Site | SR10-H |


IEEE 802.11ax(20MHz)(ANT 6)

| Channel No. | Frequency (MHz) | Output Power (dBm) | Required Limit (dBm) |
|-------------|-----------------|--------------------|----------------------|
| 52          | 5260            | 13.560             | $\leq 24.000$        |
| 60          | 5300            | 13.590             | $\leq 24.000$        |
| 64          | 5320            | 13.480             | $\leq 24.000$        |


Channel 52



Channel 60



Channel 64




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | Maximum conducted output power                                                                  |           |        |
| Test Mode    | Mode 3:TX_Beamforming_NSS4_AD P-65DW Y                                                          |           |        |
| Date of Test | 2018/11/21                                                                                      | Test Site | SR10-H |


IEEE 802.11ax(20MHz)(ANT 8)

| Channel No. | Frequency (MHz) | Output Power (dBm) | Required Limit (dBm) |
|-------------|-----------------|--------------------|----------------------|
| 52          | 5260            | 13.420             | $\leq 24.000$        |
| 60          | 5300            | 13.740             | $\leq 24.000$        |
| 64          | 5320            | 13.610             | $\leq 24.000$        |


Channel 52



Channel 60



Channel 64



|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | Maximum conducted output power                                                                  |           |        |
| Test Mode    | Mode 3:TX_Beamforming_NSS4_ADP-65DW Y                                                           |           |        |
| Date of Test | 2018/11/21                                                                                      | Test Site | SR10-H |

IEEE 802.11ax(20MHz)(ANT 0+1+2+3+4+5+6+8)


| Channel No. | Frequency (MHz) | Output Power (dBm) | Required Limit (dBm) |
|-------------|-----------------|--------------------|----------------------|
| 52          | 5260            | 22.631             | $\leq 24.000$        |
| 60          | 5300            | 22.729             | $\leq 24.000$        |
| 64          | 5320            | 22.839             | $\leq 24.000$        |

|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | Maximum conducted output power                                                                  |           |        |
| Test Mode    | Mode 3:TX_Beamforming_NSS4_ADP-65DW Y                                                           |           |        |
| Date of Test | 2018/11/21                                                                                      | Test Site | SR10-H |


IEEE 802.11ax (40MHz)(ANT 0)

| Channel No. | Frequency (MHz) | Output Power (dBm) | Required Limit (dBm) |
|-------------|-----------------|--------------------|----------------------|
| 54          | 5270            | 14.890             | $\leq 24.000$        |
| 62          | 5310            | 14.470             | $\leq 24.000$        |

Channel 54



Channel 62




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | Maximum conducted output power                                                                  |           |        |
| Test Mode    | Mode 3:TX_Beamforming_NSS4_AD P-65DW Y                                                          |           |        |
| Date of Test | 2018/11/21                                                                                      | Test Site | SR10-H |


IEEE 802.11ax(40MHz)(ANT 1)

| Channel No. | Frequency (MHz) | Output Power (dBm) | Required Limit (dBm) |
|-------------|-----------------|--------------------|----------------------|
| 54          | 5270            | 14.540             | $\leq 24.000$        |
| 62          | 5310            | 14.830             | $\leq 24.000$        |

Channel 54



Channel 62




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | Maximum conducted output power                                                                  |           |        |
| Test Mode    | Mode 3:TX_Beamforming_NSS4_ADP-65DW Y                                                           |           |        |
| Date of Test | 2018/11/21                                                                                      | Test Site | SR10-H |


IEEE 802.11ax(40MHz)(ANT 2)

| Channel No. | Frequency (MHz) | Output Power (dBm) | Required Limit (dBm) |
|-------------|-----------------|--------------------|----------------------|
| 54          | 5270            | 14.670             | $\leq 24.000$        |
| 62          | 5310            | 15.030             | $\leq 24.000$        |

Channel 54



Channel 62




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | Maximum conducted output power                                                                  |           |        |
| Test Mode    | Mode 3:TX_Beamforming_NSS4_ADP-65DW Y                                                           |           |        |
| Date of Test | 2018/11/21                                                                                      | Test Site | SR10-H |


IEEE 802.11ax(40MHz)(ANT 3)

| Channel No. | Frequency (MHz) | Output Power (dBm) | Required Limit (dBm) |
|-------------|-----------------|--------------------|----------------------|
| 54          | 5270            | 15.150             | $\leq 24.000$        |
| 62          | 5310            | 15.490             | $\leq 24.000$        |

Channel 54



Channel 62




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | Maximum conducted output power                                                                  |           |        |
| Test Mode    | Mode 3:TX_Beamforming_NSS4_AD P-65DW Y                                                          |           |        |
| Date of Test | 2018/11/21                                                                                      | Test Site | SR10-H |


IEEE 802.11ax(40MHz)(ANT 4)

| Channel No. | Frequency (MHz) | Output Power (dBm) | Required Limit (dBm) |
|-------------|-----------------|--------------------|----------------------|
| 54          | 5270            | 14.490             | $\leq 24.000$        |
| 62          | 5310            | 15.090             | $\leq 24.000$        |

Channel 54



Channel 62




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | Maximum conducted output power                                                                  |           |        |
| Test Mode    | Mode 3:TX_Beamforming_NSS4_ADP-65DW Y                                                           |           |        |
| Date of Test | 2018/11/21                                                                                      | Test Site | SR10-H |


IEEE 802.11ax(40MHz)(ANT 5)

| Channel No. | Frequency (MHz) | Output Power (dBm) | Required Limit (dBm) |
|-------------|-----------------|--------------------|----------------------|
| 54          | 5270            | 14.930             | $\leq 24.000$        |
| 62          | 5310            | 15.150             | $\leq 24.000$        |

Channel 54



Channel 62




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | Maximum conducted output power                                                                  |           |        |
| Test Mode    | Mode 3:TX_Beamforming_NSS4_AD P-65DW Y                                                          |           |        |
| Date of Test | 2018/11/21                                                                                      | Test Site | SR10-H |


IEEE 802.11ax(40MHz)(ANT 6)

| Channel No. | Frequency (MHz) | Output Power (dBm) | Required Limit (dBm) |
|-------------|-----------------|--------------------|----------------------|
| 54          | 5270            | 14.840             | $\leq 24.000$        |
| 62          | 5310            | 14.930             | $\leq 24.000$        |

Channel 54



Channel 62




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | Maximum conducted output power                                                                  |           |        |
| Test Mode    | Mode 3:TX_Beamforming_NSS4_ADP-65DW Y                                                           |           |        |
| Date of Test | 2018/11/21                                                                                      | Test Site | SR10-H |


IEEE 802.11ax(40MHz)(ANT 8)

| Channel No. | Frequency (MHz) | Output Power (dBm) | Required Limit (dBm) |
|-------------|-----------------|--------------------|----------------------|
| 54          | 5270            | 14.590             | $\leq 24.000$        |
| 62          | 5310            | 14.630             | $\leq 24.000$        |

Channel 54



Channel 62



|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | Maximum conducted output power                                                                  |           |        |
| Test Mode    | Mode 3:TX_Beamforming_NSS4_ADP-65DW Y                                                           |           |        |
| Date of Test | 2018/11/21                                                                                      | Test Site | SR10-H |

IEEE 802.11ax(40MHz)(ANT 0+1+2+3+4+5+6+8)


| Channel No. | Frequency<br>(MHz) | Output Power<br>(dBm) | Required Limit (dBm) |
|-------------|--------------------|-----------------------|----------------------|
| 54          | 5270               | 23.799                | $\leq 24.000$        |
| 62          | 5310               | 23.994                | $\leq 24.000$        |

|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | Maximum conducted output power                                                                  |           |        |
| Test Mode    | Mode 3:TX_Beamforming_NSS4_ADP-65DW Y                                                           |           |        |
| Date of Test | 2018/11/29                                                                                      | Test Site | SR10-H |

IEEE 802.11ax(80MHz)(ANT 0)

| Channel No. | Frequency (MHz) | Output Power (dBm) | Required Limit (dBm) |
|-------------|-----------------|--------------------|----------------------|
| 58          | 5290            | 14.450             | $\leq 24.000$        |

Channel 58




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | Maximum conducted output power                                                                  |           |        |
| Test Mode    | Mode 3:TX_Beamforming_NSS4_ADP-65DW Y                                                           |           |        |
| Date of Test | 2018/11/29                                                                                      | Test Site | SR10-H |

IEEE 802.11ax(80MHz)(ANT 1)

| Channel No. | Frequency (MHz) | Output Power (dBm) | Required Limit (dBm) |
|-------------|-----------------|--------------------|----------------------|
| 58          | 5290            | 14.700             | $\leq 24.000$        |

Channel 58




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | Maximum conducted output power                                                                  |           |        |
| Test Mode    | Mode 3:TX_Beamforming_NSS4_ADP-65DW Y                                                           |           |        |
| Date of Test | 2018/11/29                                                                                      | Test Site | SR10-H |

IEEE 802.11ax(80MHz)(ANT 2)

| Channel No. | Frequency (MHz) | Output Power (dBm) | Required Limit (dBm) |
|-------------|-----------------|--------------------|----------------------|
| 58          | 5290            | 14.580             | $\leq 24.000$        |

Channel 58




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | Maximum conducted output power                                                                  |           |        |
| Test Mode    | Mode 3:TX_Beamforming_NSS4_ADP-65DW Y                                                           |           |        |
| Date of Test | 2018/11/29                                                                                      | Test Site | SR10-H |

IEEE 802.11ax(80MHz)(ANT 3)

| Channel No. | Frequency (MHz) | Output Power (dBm) | Required Limit (dBm) |
|-------------|-----------------|--------------------|----------------------|
| 58          | 5290            | 14.660             | $\leq 24.000$        |

Channel 58




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | Maximum conducted output power                                                                  |           |        |
| Test Mode    | Mode 3:TX_Beamforming_NSS4_ADP-65DW Y                                                           |           |        |
| Date of Test | 2018/11/29                                                                                      | Test Site | SR10-H |

IEEE 802.11ax(80MHz)(ANT 4)

| Channel No. | Frequency (MHz) | Output Power (dBm) | Required Limit (dBm) |
|-------------|-----------------|--------------------|----------------------|
| 58          | 5290            | 14.690             | $\leq 24.000$        |

Channel 58




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | Maximum conducted output power                                                                  |           |        |
| Test Mode    | Mode 3:TX_Beamforming_NSS4_ADP-65DW Y                                                           |           |        |
| Date of Test | 2018/11/29                                                                                      | Test Site | SR10-H |

IEEE 802.11ax(80MHz)(ANT 5)

| Channel No. | Frequency (MHz) | Output Power (dBm) | Required Limit (dBm) |
|-------------|-----------------|--------------------|----------------------|
| 58          | 5290            | 14.720             | $\leq 24.000$        |

Channel 58




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | Maximum conducted output power                                                                  |           |        |
| Test Mode    | Mode 3:TX_Beamforming_NSS4_ADP-65DW Y                                                           |           |        |
| Date of Test | 2018/11/29                                                                                      | Test Site | SR10-H |

IEEE 802.11ax(80MHz)(ANT 6)

| Channel No. | Frequency (MHz) | Output Power (dBm) | Required Limit (dBm) |
|-------------|-----------------|--------------------|----------------------|
| 58          | 5290            | 14.680             | $\leq 24.000$        |

Channel 58




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | Maximum conducted output power                                                                  |           |        |
| Test Mode    | Mode 3:TX_Beamforming_NSS4_ADP-65DW Y                                                           |           |        |
| Date of Test | 2018/11/29                                                                                      | Test Site | SR10-H |

IEEE 802.11ax(80MHz)(ANT 8)

| Channel No. | Frequency (MHz) | Output Power (dBm) | Required Limit (dBm) |
|-------------|-----------------|--------------------|----------------------|
| 58          | 5290            | 14.440             | $\leq 24.000$        |

Channel 58



|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | Maximum conducted output power                                                                  |           |        |
| Test Mode    | Mode 3:TX_Beamforming_NSS4_ADP-65DW Y                                                           |           |        |
| Date of Test | 2018/11/21                                                                                      | Test Site | SR10-H |

IEEE 802.11ax(80MHz)(ANT 0+1+2+3+4+5+6+8)


| Channel No. | Frequency<br>(MHz) | Output Power<br>(dBm) | Required Limit (dBm) |
|-------------|--------------------|-----------------------|----------------------|
| 58          | 5290               | 23.647                | $\leq 24.000$        |

|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | Maximum conducted output power                                                                  |           |        |
| Test Mode    | Mode 3:TX_Beamforming_NSS4_ADG-65DW Y                                                           |           |        |
| Date of Test | 2018/11/21                                                                                      | Test Site | SR10-H |


IEEE 802.11ac(20MHz)(ANT 0)

| Channel No. | Frequency (MHz) | Output Power (dBm) | Required Limit (dBm) |
|-------------|-----------------|--------------------|----------------------|
| 100         | 5500            | 13.620             | $\leq 24.000$        |
| 116         | 5580            | 13.710             | $\leq 24.000$        |
| 140         | 5700            | 12.990             | $\leq 24.000$        |
| 144(Band3)  | 5720            | 13.210             | $\leq 23.717$        |
| 144(Band4)  | 5720            | 6.280              | $\leq 30.000$        |


Channel 100




Channel 116




Channel 140



## Channel 144(Band3)



## Channel 144(Band4)




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | Maximum conducted output power                                                                  |           |        |
| Test Mode    | Mode 3:TX_Beamforming_NSS4_ADG-65DW Y                                                           |           |        |
| Date of Test | 2018/11/21                                                                                      | Test Site | SR10-H |


IEEE 802.11ac(20MHz)(ANT 1)

| Channel No. | Frequency (MHz) | Output Power (dBm) | Required Limit (dBm) |
|-------------|-----------------|--------------------|----------------------|
| 100         | 5500            | 12.670             | $\leq 24.000$        |
| 116         | 5580            | 13.280             | $\leq 24.000$        |
| 140         | 5700            | 13.410             | $\leq 24.000$        |
| 144(Band3)  | 5720            | 13.260             | $\leq 23.717$        |
| 144(Band4)  | 5720            | 6.220              | $\leq 30.000$        |


Channel 100




Channel 116




Channel 140



Channel 144(Band3)



Channel 144(Band4)




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | Maximum conducted output power                                                                  |           |        |
| Test Mode    | Mode 3:TX_Beamforming_NSS4_ADG-65DW Y                                                           |           |        |
| Date of Test | 2018/11/21                                                                                      | Test Site | SR10-H |


IEEE 802.11ac(20MHz)(ANT 2)

| Channel No. | Frequency (MHz) | Output Power (dBm) | Required Limit (dBm) |
|-------------|-----------------|--------------------|----------------------|
| 100         | 5500            | 12.450             | $\leq 24.000$        |
| 116         | 5580            | 13.680             | $\leq 24.000$        |
| 140         | 5700            | 13.160             | $\leq 24.000$        |
| 144(Band3)  | 5720            | 13.420             | $\leq 23.717$        |
| 144(Band4)  | 5720            | 6.830              | $\leq 30.000$        |


Channel 100




Channel 116




Channel 140



Channel 144(Band3)



Channel 144(Band4)




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | Maximum conducted output power                                                                  |           |        |
| Test Mode    | Mode 3:TX_Beamforming_NSS4_ADG-65DW Y                                                           |           |        |
| Date of Test | 2018/11/21                                                                                      | Test Site | SR10-H |


IEEE 802.11ac(20MHz)(ANT 3)

| Channel No. | Frequency (MHz) | Output Power (dBm) | Required Limit (dBm) |
|-------------|-----------------|--------------------|----------------------|
| 100         | 5500            | 13.300             | $\leq 24.000$        |
| 116         | 5580            | 13.780             | $\leq 24.000$        |
| 140         | 5700            | 13.720             | $\leq 24.000$        |
| 144(Band3)  | 5720            | 13.710             | $\leq 23.717$        |
| 144(Band4)  | 5720            | 7.850              | $\leq 30.000$        |


Channel 100




Channel 116




Channel 140



Channel 144(Band3)



Channel 144(Band4)




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | Maximum conducted output power                                                                  |           |        |
| Test Mode    | Mode 3:TX_Beamforming_NSS4_ADG-65DW Y                                                           |           |        |
| Date of Test | 2018/11/21                                                                                      | Test Site | SR10-H |


IEEE 802.11ac(20MHz)(ANT 4)

| Channel No. | Frequency (MHz) | Output Power (dBm) | Required Limit (dBm) |
|-------------|-----------------|--------------------|----------------------|
| 100         | 5500            | 13.650             | $\leq 24.000$        |
| 116         | 5580            | 13.660             | $\leq 24.000$        |
| 140         | 5700            | 13.370             | $\leq 24.000$        |
| 144(Band3)  | 5720            | 13.550             | $\leq 23.717$        |
| 144(Band4)  | 5720            | 6.790              | $\leq 30.000$        |


Channel 100




Channel 116




Channel 140



## Channel 144(Band3)



## Channel 144(Band4)




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | Maximum conducted output power                                                                  |           |        |
| Test Mode    | Mode 3:TX_Beamforming_NSS4_AD P-65DW Y                                                          |           |        |
| Date of Test | 2018/11/21                                                                                      | Test Site | SR10-H |


IEEE 802.11ac(20MHz)(ANT 5)

| Channel No. | Frequency (MHz) | Output Power (dBm) | Required Limit (dBm) |
|-------------|-----------------|--------------------|----------------------|
| 100         | 5500            | 13.840             | $\leq 24.000$        |
| 116         | 5580            | 13.430             | $\leq 24.000$        |
| 140         | 5700            | 13.440             | $\leq 24.000$        |
| 144(Band3)  | 5720            | 13.440             | $\leq 23.717$        |
| 144(Band4)  | 5720            | 6.380              | $\leq 30.000$        |


Channel 100




Channel 116




Channel 140



Channel 144(Band3)



Channel 144(Band4)




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | Maximum conducted output power                                                                  |           |        |
| Test Mode    | Mode 3:TX_Beamforming_NSS4_ADG-65DW Y                                                           |           |        |
| Date of Test | 2018/11/21                                                                                      | Test Site | SR10-H |


IEEE 802.11ac(20MHz)(ANT 6)

| Channel No. | Frequency (MHz) | Output Power (dBm) | Required Limit (dBm) |
|-------------|-----------------|--------------------|----------------------|
| 100         | 5500            | 13.930             | $\leq 24.000$        |
| 116         | 5580            | 13.690             | $\leq 24.000$        |
| 140         | 5700            | 13.930             | $\leq 24.000$        |
| 144(Band3)  | 5720            | 13.510             | $\leq 23.717$        |
| 144(Band4)  | 5720            | 6.680              | $\leq 30.000$        |


Channel 100




## Channel 116




## Channel 140



Channel 144(Band3)



Channel 144(Band4)




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | Maximum conducted output power                                                                  |           |        |
| Test Mode    | Mode 3:TX_Beamforming_NSS4_ADG-65DW Y                                                           |           |        |
| Date of Test | 2018/11/21                                                                                      | Test Site | SR10-H |


IEEE 802.11ac(20MHz)(ANT 8)

| Channel No. | Frequency (MHz) | Output Power (dBm) | Required Limit (dBm) |
|-------------|-----------------|--------------------|----------------------|
| 100         | 5500            | 13.560             | $\leq 24.000$        |
| 116         | 5580            | 13.350             | $\leq 24.000$        |
| 140         | 5700            | 13.260             | $\leq 24.000$        |
| 144(Band3)  | 5720            | 13.390             | $\leq 23.717$        |
| 144(Band4)  | 5720            | 6.140              | $\leq 30.000$        |


Channel 100




Channel 116




Channel 140



Channel 144(Band3)



Channel 144(Band4)



|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | Maximum conducted output power                                                                  |           |        |
| Test Mode    | Mode 3:TX_Beamforming_NSS4_ADG-65DW Y                                                           |           |        |
| Date of Test | 2018/11/21                                                                                      | Test Site | SR10-H |

IEEE 802.11ac(20MHz)(ANT 0+1+2+3+4+5+6+8)


| Channel No. | Frequency (MHz) | Output Power (dBm) | Required Limit (dBm) |
|-------------|-----------------|--------------------|----------------------|
| 100         | 5500            | 22.437             | $\leq 24.000$        |
| 116         | 5580            | 22.607             | $\leq 24.000$        |
| 140         | 5700            | 22.450             | $\leq 24.000$        |
| 144(Band3)  | 5720            | 22.470             | $\leq 23.717$        |
| 144(Band4)  | 5720            | 15.710             | $\leq 30.000$        |

|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | Maximum conducted output power                                                                  |           |        |
| Test Mode    | Mode 3:TX_Beamforming_NSS4_ADP-65DW Y                                                           |           |        |
| Date of Test | 2018/11/21                                                                                      | Test Site | SR10-H |


IEEE 802.11ac(40MHz)(ANT 0)

| Channel No. | Frequency (MHz) | Output Power (dBm) | Required Limit (dBm) |
|-------------|-----------------|--------------------|----------------------|
| 102         | 5510            | 15.240             | $\leq 24.000$        |
| 118         | 5590            | 15.110             | $\leq 24.000$        |
| 134         | 5670            | 14.160             | $\leq 24.000$        |
| 142(Band3)  | 5710            | 14.390             | $\leq 24.000$        |
| 142(Band4)  | 5710            | 4.520              | $\leq 30.000$        |


Channel 102




## Channel 118




## Channel 134



Channel 142(Band3)



Channel 142(Band4)




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | Maximum conducted output power                                                                  |           |        |
| Test Mode    | Mode 3:TX_Beamforming_NSS4_ADG-65DW Y                                                           |           |        |
| Date of Test | 2018/11/21                                                                                      | Test Site | SR10-H |


IEEE 802.11ac(40MHz)(ANT 1)

| Channel No. | Frequency (MHz) | Output Power (dBm) | Required Limit (dBm) |
|-------------|-----------------|--------------------|----------------------|
| 102         | 5510            | 14.680             | $\leq 24.000$        |
| 118         | 5590            | 14.570             | $\leq 24.000$        |
| 134         | 5670            | 14.620             | $\leq 24.000$        |
| 142(Band3)  | 5710            | 14.030             | $\leq 24.000$        |
| 142(Band4)  | 5710            | 4.040              | $\leq 30.000$        |


Channel 102




## Channel 118




## Channel 134



## Channel 142(Band3)



## Channel 142(Band4)




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | Maximum conducted output power                                                                  |           |        |
| Test Mode    | Mode 3:TX_Beamforming_NSS4_ADG-65DW Y                                                           |           |        |
| Date of Test | 2018/11/21                                                                                      | Test Site | SR10-H |


IEEE 802.11ac(40MHz)(ANT 2)

| Channel No. | Frequency (MHz) | Output Power (dBm) | Required Limit (dBm) |
|-------------|-----------------|--------------------|----------------------|
| 102         | 5510            | 14.070             | $\leq 24.000$        |
| 118         | 5590            | 14.370             | $\leq 24.000$        |
| 134         | 5670            | 14.360             | $\leq 24.000$        |
| 142(Band3)  | 5710            | 14.860             | $\leq 24.000$        |
| 142(Band4)  | 5710            | 5.020              | $\leq 30.000$        |


Channel 102




## Channel 118




## Channel 134



Channel 142(Band3)



Channel 142(Band4)




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | Maximum conducted output power                                                                  |           |        |
| Test Mode    | Mode 3:TX_Beamforming_NSS4_ADG-65DW Y                                                           |           |        |
| Date of Test | 2018/11/21                                                                                      | Test Site | SR10-H |


IEEE 802.11ac(40MHz)(ANT 3)

| Channel No. | Frequency (MHz) | Output Power (dBm) | Required Limit (dBm) |
|-------------|-----------------|--------------------|----------------------|
| 102         | 5510            | 15.080             | $\leq 24.000$        |
| 118         | 5590            | 15.160             | $\leq 24.000$        |
| 134         | 5670            | 15.060             | $\leq 24.000$        |
| 142(Band3)  | 5710            | 14.750             | $\leq 24.000$        |
| 142(Band4)  | 5710            | 5.750              | $\leq 30.000$        |


Channel 102




## Channel 118




## Channel 134



Channel 142(Band3)



Channel 142(Band4)




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | Maximum conducted output power                                                                  |           |        |
| Test Mode    | Mode 3:TX_Beamforming_NSS4_ADP-65DW Y                                                           |           |        |
| Date of Test | 2018/11/21                                                                                      | Test Site | SR10-H |


IEEE 802.11ac(40MHz)(ANT 4)

| Channel No. | Frequency (MHz) | Output Power (dBm) | Required Limit (dBm) |
|-------------|-----------------|--------------------|----------------------|
| 102         | 5510            | 15.170             | $\leq 24.000$        |
| 118         | 5590            | 14.980             | $\leq 24.000$        |
| 134         | 5670            | 14.680             | $\leq 24.000$        |
| 142(Band3)  | 5710            | 14.410             | $\leq 24.000$        |
| 142(Band4)  | 5710            | 4.900              | $\leq 30.000$        |


Channel 102




## Channel 118




## Channel 134



Channel 142(Band3)



Channel 142(Band4)




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | Maximum conducted output power                                                                  |           |        |
| Test Mode    | Mode 3:TX_Beamforming_NSS4_ADG-65DW Y                                                           |           |        |
| Date of Test | 2018/11/21                                                                                      | Test Site | SR10-H |


IEEE 802.11ac(40MHz)(ANT 5)

| Channel No. | Frequency (MHz) | Output Power (dBm) | Required Limit (dBm) |
|-------------|-----------------|--------------------|----------------------|
| 102         | 5510            | 15.120             | $\leq 24.000$        |
| 118         | 5590            | 15.050             | $\leq 24.000$        |
| 134         | 5670            | 14.570             | $\leq 24.000$        |
| 142(Band3)  | 5710            | 14.590             | $\leq 24.000$        |
| 142(Band4)  | 5710            | 4.380              | $\leq 30.000$        |


Channel 102




## Channel 118




## Channel 134



Channel 142(Band3)



Channel 142(Band4)




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | Maximum conducted output power                                                                  |           |        |
| Test Mode    | Mode 3:TX_Beamforming_NSS4_ADG-65DW Y                                                           |           |        |
| Date of Test | 2018/11/21                                                                                      | Test Site | SR10-H |


IEEE 802.11ac(40MHz)(ANT 6)

| Channel No. | Frequency (MHz) | Output Power (dBm) | Required Limit (dBm) |
|-------------|-----------------|--------------------|----------------------|
| 102         | 5510            | 15.330             | $\leq 24.000$        |
| 118         | 5590            | 14.900             | $\leq 24.000$        |
| 134         | 5670            | 14.620             | $\leq 24.000$        |
| 142(Band3)  | 5710            | 14.770             | $\leq 24.000$        |
| 142(Band4)  | 5710            | 4.750              | $\leq 30.000$        |


Channel 102




## Channel 118




## Channel 134



## Channel 142(Band3)



## Channel 142(Band4)




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | Maximum conducted output power                                                                  |           |        |
| Test Mode    | Mode 3:TX_Beamforming_NSS4_ADG-65DW Y                                                           |           |        |
| Date of Test | 2018/11/21                                                                                      | Test Site | SR10-H |


IEEE 802.11ac(40MHz)(ANT 8)

| Channel No. | Frequency (MHz) | Output Power (dBm) | Required Limit (dBm) |
|-------------|-----------------|--------------------|----------------------|
| 102         | 5510            | 14.880             | $\leq 24.000$        |
| 118         | 5590            | 14.620             | $\leq 24.000$        |
| 134         | 5670            | 14.350             | $\leq 24.000$        |
| 142(Band3)  | 5710            | 14.430             | $\leq 24.000$        |
| 142(Band4)  | 5710            | 4.260              | $\leq 30.000$        |


Channel 102




## Channel 118




## Channel 134



Channel 142(Band3)



Channel 142(Band4)



|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | Maximum conducted output power                                                                  |           |        |
| Test Mode    | Mode 3:TX_Beamforming_NSS4_AD P-65DW Y                                                          |           |        |
| Date of Test | 2018/11/21                                                                                      | Test Site | SR10-H |

IEEE 802.11ac(40MHz)(ANT 0+1+2+3+4+5+6+8)


| Channel No. | Frequency (MHz) | Output Power (dBm) | Required Limit (dBm) |
|-------------|-----------------|--------------------|----------------------|
| 102         | 5510            | 23.993             | $\leq 24.000$        |
| 118         | 5590            | 23.884             | $\leq 24.000$        |
| 134         | 5670            | 23.591             | $\leq 24.000$        |
| 142(Band3)  | 5710            | 23.567             | $\leq 24.000$        |
| 142(Band4)  | 5710            | 13.763             | $\leq 30.000$        |

|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | Maximum conducted output power                                                                  |           |        |
| Test Mode    | Mode 3:TX_Beamforming_NSS4_ADP-65DW Y                                                           |           |        |
| Date of Test | 2018/11/21                                                                                      | Test Site | SR10-H |


IEEE 802.11ac(80MHz)(ANT 0)

| Channel No. | Frequency (MHz) | Output Power (dBm) | Required Limit (dBm) |
|-------------|-----------------|--------------------|----------------------|
| 106         | 5530            | 14.880             | $\leq 24.000$        |
| 122         | 5610            | 14.880             | $\leq 24.000$        |
| 138(Bnad3)  | 5690            | 14.100             | $\leq 24.000$        |
| 138(Bnad4)  | 5690            | 0.770              | $\leq 30.000$        |


Channel 106




## Channel 122



## Channel 138(Band3)



Channel 138(Band4)




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | Maximum conducted output power                                                                  |           |        |
| Test Mode    | Mode 3:TX_Beamforming_NSS4_ADP-65DW Y                                                           |           |        |
| Date of Test | 2018/11/21                                                                                      | Test Site | SR10-H |


IEEE 802.11ac(80MHz)(ANT 1)

| Channel No. | Frequency (MHz) | Output Power (dBm) | Required Limit (dBm) |
|-------------|-----------------|--------------------|----------------------|
| 106         | 5530            | 14.510             | $\leq 24.000$        |
| 122         | 5610            | 14.740             | $\leq 24.000$        |
| 138(Bnad3)  | 5690            | 14.460             | $\leq 24.000$        |
| 138(Bnad4)  | 5690            | -0.030             | $\leq 30.000$        |


Channel 106




Channel 122



Channel 138(Band3)



## Channel 138(Band4)




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | Maximum conducted output power                                                                  |           |        |
| Test Mode    | Mode 3:TX_Beamforming_NSS4_ADG-65DW Y                                                           |           |        |
| Date of Test | 2018/11/21                                                                                      | Test Site | SR10-H |


IEEE 802.11ac(80MHz)(ANT 2)

| Channel No. | Frequency (MHz) | Output Power (dBm) | Required Limit (dBm) |
|-------------|-----------------|--------------------|----------------------|
| 106         | 5530            | 13.690             | $\leq 24.000$        |
| 122         | 5610            | 14.070             | $\leq 24.000$        |
| 138(Bnad3)  | 5690            | 14.710             | $\leq 24.000$        |
| 138(Bnad4)  | 5690            | 0.400              | $\leq 30.000$        |


Channel 106



## Channel 122



## Channel 138(Band3)



Channel 138(Band4)

